


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

MAR 03 1989

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" =

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

Aerial Photo Attached (required for irrigation of 10+ acres)

Photo of Diversion and System Attached

Tee Box Area only

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Goebel	3/4	-	Goebel	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: 4 nozzles @ 9 gpm @ 50 psi Run @ 40 psi Rambard 70 golf course
Nozzle
100' pump set @ 50'-45' yard 3/4 - house 100' x 300'

100 x 150' Rt side .34

MICROFILME!

MAR 26 1998



4502

22

4823

CANAL

4500

4500

4495

BM 4503

200

NORTH

4498

Lot 4

Lot 3
CANAL

Lot 2

Lot 1

BM

4494

Lot 11

Gravel Pit

Lot 10

Lot 9

Gravel Pit

Lot 5

Lot 12

SNAKE

27

COURSE

Lot 6

R35E

T2S

BM 4483

Lot 15

Lot 14

Lot 7

POINT OF DIVERSION
AND
PLACE OF USE

4486

4490

27 26
4489

34 35

100

27-07442

AIRPORT

MUNICIPAL

GOLF

AIRPORT

Airport
Park

Gravel Pit


MICROFILMED
MAR 26 1998

4477

BM

4482

ile
55



PLACE OF USE



POINT OF
DIVERSION



27-7442

MICROFILMED

MAR 26 1998

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 27-07442

Priority: October 14, 1987

Maximum Diversion Rate:

0.08 CFS

Maximum Diversion Volume:

6.6 AF

This is to certify, that WILLIAM R POPE
2900 N AIRPORT RD
BLACKFOOT ID 83221

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 14, 1987; and has submitted Proof of Beneficial Use on January 23, 1991. An examination indicates that the works have a diversion capacity of 0.080 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.05 CFS	6.0 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.08 CFS	6.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 14(SWSE), Sec. 27, Township 02S, Range 35E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02S	35E	27	Lot 14(SWSE)	1.5		1.5

Total number of acres irrigated: 1.5

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Irrigation use under this right is authorized only in connection with a domestic use.

NOT RECORDED

RECORDED

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 27-07442

CONDITIONS OF APPROVAL AND REMARKS

6. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
7. Diversion and use of water under this right is subject to rules that may subsequently be promulgated for existing rights used for supplemental purposes.
8. Domestic use is for a clubhouse.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 17TH day of FEBRUARY, 1992.


Acting for KARL J. DREHER, Director

MAR 18 1992



STATE OF IDAHO

For Office Use Only ee
Amt. of Fee \$ 50
Date 1-23-91
Receipt No. E015628
Received by Jo Thompson

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 27-07442 Telephone No. 2FS-
2. Name(s) of Permit Holder(s): William R Pope
3. Post Office Address: 2900 N. Airport Rd, Blackfoot, Idaho 83221
4. Source of Water: ground-water
- a. If ground water, well driller's name: Blackfoot Date drilled: May-89
- b. Pump horsepower: 3 Pressure (psi): 30-50 Dynamic pumping level (ft.): 412'

5. Extent of Use:

Domestic X (No. of households) Irrigation X (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 0.13 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes XNo Installed? Yes No
OR
Flow Measurement Port: Required? Yes No Installed? Yes No

8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Bill Pope 2FS-4598
Name Telephone No.
same as above
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

17-13-90 William R Pope APR 19 1991
Date Signature (and title if on behalf of a company or organization)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

Handwritten: 4-11-85

1. Name of applicant William R. Pope Phone 785-4598
Post office address 2900 N. Airport Rd., Blackfoot, ID 83221

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of SW 1/4 of SE 1/4, Govt. Lot _____
Sec. 27 Township 2S Range 35E B.M. Bingham County; additional
points of diversion if any: * Change as per tele-con with Bill Pope 10-11-85 HWS

4. Water will be used for the following purposes:

Amount 0.04 cfs for domestic purposes from January 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
* Amount 0.16 cfs for irrigation purposes from March 15 to Nov 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.20 and/or (b) _____
cubic feet per second 3 acre feet per annum

6. Proposed diverting works: well/pump to one home and 8 acres of irrigation

a. Description of ditches, flumes, pumps, headgates, etc. _____

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 10 inches; proposed depth of well is 180 feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
two years (minimum 1 year).

RECEIVED

MAR 6 1986

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. one
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2S	35E	27															<u>3</u> <u>8</u>		<u>3</u> <u>8</u>

Total number of acres to be irrigated * 38


10. Describe any other water rights used for the same purposes as described above. canal shares

- Who owns the property at the point of diversion? applicant
- Who owns the land to be irrigated or place of use? applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

APPROVED FOR FILING
JUL 11 2011
11/11/11 11:15

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MAR 6 1989

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

Priority 10/14/87

Received by ing Date 10-14-87 Time 11:30 AM Preliminary check by HUJ
Fee \$ 30.00 Received by ing # 42063 Date 10-16-87
Publication prepared by RB Date 10-24-88 Published in Morning News
Publication approved (see) Date 12-7-88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 27-7442, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 19 91.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

The maximum rate of diversion for irrigation purposes under this permit shall not exceed 0.09 cfs.

Use of water for irrigation purposes under this permit is limited to the irrigation of three (3) acres.

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Irrigation use under this permit is authorized only in connection with a domestic use.

Witness my hand this 6th day of February, 1989.

A. Glen Saylor

MICROFILMED

MAR 03 1989



NOV 20 1988

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)
State of Idaho)
I, Michael Bell do
solemnly

NOTICE OF APPLICATION FOR WATER RIGHT #27-7442

The following application(s) have been filed to appropriate the public waters of the State of Idaho:
POPE, William R.
2900 North Airport Road
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt.: SWSE, Sec. 27, T. 02S, R. 35E.
Use: IRRIGATION (0.09 CFS)
DOMESTIC (0.040 CFS).
Date Filed: 10/14/1987
In: SWSE, Sec. 27, T. 02S, R. 35E, for 3 ACRES.

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code, and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83402, on or before NOVEMBER 21, 1988.

R. KEITH HIGGINSON
Director

(183)
Pub.: 11/3, 10

swear that I am the Publisher of The Morning News which is a daily newspaper of general circulation published each day except Sunday at Blackfoot, Bingham County, Idaho, said newspaper having been so published at Blackfoot, aforesaid for more than one year past; that said newspaper heretofore complied with all the provisions of Chapter 154 of the Sessions Laws of Idaho of 1933, approved March 11, 1933, and duly designated, pursuant to law, a particular day of the week as the day on which legal notices required by law or by the order of any Court of competent jurisdiction within the State of Idaho shall be published to-wit: of each week; that the notice attached hereto and which is a part of this affidavit and part of the proof of publication was published in said issue or said

newspaper two consecutive weeks

the first publication having been made on the 3rd day of November, 19 88

and the last publication having been made on the 10th day of November, 19 88, that said notice was published in the regular and entire issue of every number of the paper as aforesaid during the period and time of publication, and that notice was published in the newspaper and not in a supplement.

On this 22nd day of November, in the year 1988 before me, a Notary Public of said State, personally appeared

Michael Bell
known or identified to me to be the person whose name is subscribed to the within instrument, and being by me first duly sworn, declared that the statements therein are true, and acknowledged to me that he executed the same.

Ray Dayton
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
November 10, 1994

Affidavit Processing Fee..... \$5.00

MICROFILMED

MAR 03 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

February 18, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

WILLIAM R POPE
2900 N AIRPORT RD
BLACKFOOT ID 83221

RE: WATER RIGHT NO. 27-07442

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT


Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the printed name and title.

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the **18th** day of **February, 1998**, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 27-07442

WILLIAM R POPE
2900 N AIRPORT RD
BLACKFOOT ID 83221



Kari Lynn Townsend
Secretary

MEMORANDUM

TO: File 27-07442

FROM: Sharla

DATE: February 6, 1998

RE: Licensing Recommendations

The field examiner did not fill out the portion of the exam report listing recommendations. The field report also conflicts with the information on the beneficial use form, specifically the size of the pump. In response to me letter of June 2, 1997, Mr. Pope spoke with Cindy Bird and confirmed that the pump is 3hp. Four nozzles are operated at a time and the system yields 35-36 gpm.

Mr. Pope also told Cindy that there are surface water shares but the surface water has not been used for years and groundwater is the only source used. Condition 050 will be placed on the license.

H. RECOMMENDATIONS

Irrigation	4/1 - 10/31	0.05 cfs	6.0 afa
Domestic	1/1 - 12/31	0.04 cfs	0.6 afa
	TOTALS	0.08 cfs	6.6 afa

LICENSE REVIEW CHECKLIST

PERMIT NO. 37-07442 DATE 5/22/97 - 2/5/98 REVIEWER: SHARLA

NAME Change OK Address Change NO
 SOURCE Change ✓ Is change clarification of originally intended source? NO
 POINT OF DIV Change ✓ If not, prepare Notice of Intent to Void NO
 PLACE OF USE Change ✓ Amendment required NO

Does map agree with written description? ✓ yes no

OVERLAPS Change P/D P/U
 Overlap file pulled & reviewed NO

RATE OF DIV
 Permitted Rate .13 cfs
 Fee limit .20 cfs \$50⁰⁰
 Measured 0.08 cfs 35 gpm (telecom)
 Theoretical .12 cfs 3 hp / 50 psi / 40' lift
 Recommended Total Div Rate .08 cfs

ANNUAL VOLUME/
 NATURE OF USES 4/1 - 10/31 Season

Use	cfs	Volume Calc
<u>Dom</u>	<u>.05</u>	<u>1.5 x 4.0 = 6.0 af</u>
<u>Dom</u>	<u>.04</u>	<u>.6 af</u>
<u>Dom</u>	<u>.04</u>	<u>.6 af</u>
<u>Dom</u>	<u>.04</u>	<u>.6 af</u>
SUBTOTAL	.08	6.6 af

Flow rate 0.08 cfs X 30 days X 1.98 = 4.75 af

Total volume recommended 4.75 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS Club house

CONDITIONS Watermaster Control WD# 050, 041

Flow GW Measurement/Measuring Device

Flow Use-specific conditions

Advancement of Priority Date Required no

SRBA Claim Filed N/A
 Adjustment Memo Blank

1st Amend Letter N/A
 2nd Amend Letter N/A



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 2, 1997

William R. Pope
2900 N. Airport Road
Blackfoot, ID 83221

RE: Water Right 27-07442

Dear Water Right Holder(s):

We are in the process of reviewing your permit for the purpose of issuing a license. In order to complete this process I need some additional information. Do you own surface water shares? If so, what is the current status of those shares? Is surface water used on this property with groundwater used as a supplemental source?

The field examiner who inspected your development in September of 1995 indicated that you had a 3/4 horsepower pump but your proof of beneficial use form indicated a 3 horsepower pump. Can you clarify this for us? In addition to the clarification of the pump I also need to know how many sprinkler nozzles operate at one time.

Thank you for your help in this matter. If you have any questions, please feel free to contact me at (208) 327-5452.

Sincerely;

Sharla Curtis
Water Resource Agent

SC:cb

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

MAY 5 - 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 27-7442

1. Owner: William R. Pope Phone No. 785-4598

Current Address: 2900 N. Airport Rd Blackfoot ID 83221

2. Accompanied by: Ms. Pope EXAM DATE: 9-22-95

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	14		SW	SE	27	2S	35E	BINGHAM	ON SITE/ Aerial Photo/WGS QUAD

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2S	35E	27															~~1.5~~		~~1.5~~
																	L 14		
																	L 7		
																	1.5		1.5ac

NICOLE MELL

MAR 16 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Tee Box Area only

Scale: 1" =

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Gould	3/4	-	Gould	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: 4 nozzles @ 9 gpm @ 50 psi hose @ 40 psi Rambold 70 golf course
Nozzle
100' pump set @ 60'-45' yard 3/4 - house 100' x 300'
100 x 150' ft side .34

E. NARRATIVE/REMARKS/COMMENTS

well pump mainline to sprinkler system

Domestic n for club house

Have conditions of permit approval been met? ☒ yes ☐ no

APPROVED
MAY 27 1990

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>DOMESTIC</u>	<u>1/1</u>	<u>12/31</u>	_____	_____
<u>IRRIGATION</u>	<u>3/15</u>	<u>11/15</u>	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			_____	_____


2. Recommended Amendments


___ Change P.D. as reflected above ___ Add P.D. as reflected above ___ None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATIONField Examiner's Name KEITH C. WILSON Date 9-22-95

Reviewer _____ Date _____

SEAL





HEL

24.2

27 23
27 24

HEL

Place of Use

9 062

T R 35E

2
S

Point of Discharge

1/2 foot Municipal

HEL
4
7.0

T 1147


27-07442

27 26


34 35

HEL
2

PLACE OF USE



POINT OF
DIVERSION



27-7442

101-2-1-10

April 5, 1991

WILLIAM R. POPE
2900 N. AIRPORT RD.
BLACKFOOT, ID 832210000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 27-07442

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

APR 19 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 27-7442

Date 3-19-91

GENERAL CONSIDERATIONS

- 4 Name same as permit?
4 Address same as permit? If no, indicate below.
4 Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- 4 Surface water source
4 Ground water source
4 Drill permit req'd?
4 Copy in file? Drill permit no. 27-89-E-030
Amt paid for drilling permit? Correct?
Well log in file?

LICENSE EXAMINATION FEE

- 4 Required?
50.00 Amount submitted?
4 Correct amount?

MEASURING DEVICE

- 1/4 Measuring device or access port required?
1/4 Installed?
1 Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

- Need drilling permit & well log
- Proof acceptable

PRIORITY CALCULATION

Date proof received _____
Date proof due _____ - _____
No. of days late _____ = _____
Priority date _____ + _____
NEW PRIORITY DATE _____ = _____

[Handwritten signature]

Drilling Permit No. 27-89-B-030 *bx*
Water Right Permit No. 27-07442
Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

1. Applicant William R. Pope
2. Mailing Address 2900 N. Airport Rd Blackfoot, ID 83221
Telephone 785-4598
- ☒ Well Owner () Well Operator () Other, specify _____
3. Proposed well location SW 1/4 SE 1/4, or Gov't lot No. _____,
Sec. 27, Twp. 2S, Rge. 3SE, County Bingham,
Street Address of Well Site Same as above,
Lot, block and subdivision _____
4. Proposed use of well:
- ☒ Single family or stockwater use (less than 13,000 gallons per day)
- ☒ Irrigation (more than 1/2 acre)
- () Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
- () Other (describe fully) _____
5. Well construction information:
- A. ☒ New well () Deepen () Replace - See Condition 9.
- B. Proposed surface diameter 6" Maximum depth 80'
- C. Anticipated bottom hole temperature:
☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)
6. Construction Start Date ASAP
7. Anticipated Well Driller Hendricks
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature William R. Pope Date 10-20-89
Title _____
(Owner, Firm Representative, Other)

ACTIC OF DEPARTMENT OF WATER RESOURCI

This Permit is Approved Date 10-20-89

If approved, this permit authorizes the construction of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:



Signature of Authorized Department Representative

APR 19 1991

Regional Mgr.
Title

Receipt No. E011047 Received by HLJ Fee 100% Date 10-20-89

EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

138785

November 30, 1990

WILLIAM R. POPE
2900 N. AIRPORT RD.
BLACKFOOT, ID 832210000

PROOF DUE NOTICE

RE: PERMIT NO. 27-07442

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
February 10, 1989

WILLIAM R. POPE
2900 NORTH AIRPORT ROAD
BLACKFOOT, ID 832210000

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 27-07442

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

MICROFILMED

MAR 01 1989

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS: SC
Enclosures

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: HLJS APPLICATION NUMBER: 27-7442

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.

Field check by: _____

Date: _____

Comments: _____

☒ Yes ☒ No Field check required.

☒ Yes ☒ No Critical groundwater area.

☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☒ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☒ No
☐ Yes ☒ No

Platted by: _____ Map No. _____

Other rights on same place of use. Canal shares according to applicant

- ☒ Yes ☐ No*

In form for advertising.

Final date for protests: 11-28-88

- ☐ Yes ☐ No

Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 11-29-88
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No Measuring device required.

☐ Yes ☒ No Access port required.

☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 01 or 27-POS

10-14-1987 Date of priority recommended.

Special conditions of approval or cover letter. _____

Use of water under this permit is limited to the irrigation of three (3) acres.

OK to allow 2 yrs. for B/I development

By: HL Jones

Date: 12-8-88

STATE OFFICE REVIEW:

POS, P23, P17

46 28 (irrig. o. 0906)

46 (above) 26 41

- ☐ See attached sheet for more information.

By: KW

Date: 1/17/89

DEC 12 1988

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH

IDAHO STREAM CODE INDEX						

December 1, 1988

The Morning News
P.O. Box 70
Blackfoot, Idaho 83221

RE: Application No. 27-07442; William R. Pope

Gentlemen:

Would you please submit an affidavit of publication and certified bill in connection with the above referenced application. The legal notice was to have been published in your paper on November 3, and November 10, 1988.

Your cooperation in this matter is greatly appreciated.

Sincerely,

Rita Bodell
Office Secretary

MICROFILMED

MAR 06 1989

November 30, 1988

William R. Pope
2900 N. Airport Road
Blackfoot, ID 83221

Application for Permit No. 27-07442

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned identification No. 27-07442. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in THE MORNING NEWS. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

RECEIVED

MAR 03 1989

October 27, 1988

The Morning News
P.O. Box 70
Blackfoot, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before November 21, 1988.

Respectfully submitted,

Rita Bodell
Office Secretary

Enclosure

RECEIVED
MAR 10 1989

27-7442

POPE, WILLIAM R.

2900 NORTH AIRPORT ROAD, BLACKFOOT, ID 83821

Source: GROUNDWATER

Diversion Pt: SWSE Sec 27 T 02S R 35E

Use: IRRIGATION
DOMESTIC

~~0.150~~ CFS)
0.09
(0.040 CFS)

RECEIVED

MAR 03 1989

Date Filed: 10/14/1987

In: SWSE Sec 27 T 02S R 35E FOR $\frac{3}{4}$ ACRES

WATER RIGHT
DATA ENTRY LOG

[illegible]