


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MAR 26 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


[Signature]
(Applicant)

Idaho Dept. of Water Resources
Place of Use Comparison Report

Type	WR #	Owner	Source	TRS	NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	Total
Permit	27 7422	ROSEMARY TOMINAGA, JOANN TOMINAGA, RAY TOMINAGA, RICHARD TOMINAGA,	GROUND WATER	02S37E6	5	25	5														35
Right	27 7422	RAY TOMINAGA, ROSEMARY TOMINAGA, RICHARD TOMINAGA, JOANN TOMINAGA, JOANN TOMINAGA, JOANN TOMINAGA, RICHARD TOMINAGA, ROSEMARY TOMINAGA,	GROUND WATER	02S37E6	7.5	25	2.5														35
Claim	27 7120	WOODROW PETERSEN,	GROUND WATER	02S37E6	18	3	29	26								6	36	10	38	22	188
Right	27 7120	WOODROW PETERSEN,	GROUND WATER	02S37E6	18	3	29	26								6	36	10	38	22	188
Claim	1 10247	SNAKE RIVER VALLEY IRRIGATION DIST,	SNAKE RIVER	02S37E6	35	38	40	36	38	26	26	40	40	26	27	36	35	35	35	37	550
Claim	1 171	SNAKE RIVER VALLEY IRRIGATION DIST,	SNAKE RIVER	02S37E6	35	38	40	36	38	26	26	40	40	26	27	36	35	35	35	37	550
Claim	1 250	SNAKE RIVER VALLEY IRRIGATION DIST,	SNAKE RIVER	02S37E6	35	38	40	36	38	26	26	40	40	26	27	36	35	35	35	37	550
Claim	1 328	SNAKE RIVER VALLEY IRRIGATION DIST,	SNAKE RIVER	02S37E6	35	38	40	36	38	26	26	40	40	26	27	36	35	35	35	37	550
Claim	1 38	SNAKE RIVER VALLEY IRRIGATION DIST,	SNAKE RIVER	02S37E6	35	38	40	36	38	26	26	40	40	26	27	36	35	35	35	37	550
Right	1 171C	SNAKE RIVER VALLEY IRRIGATION DIST,	SNAKE RIVER	02S37E6	X	X	X	X	X												0
Right	1 172C	SNAKE RIVER VALLEY IRRIGATION DIST,	SNAKE RIVER	02S37E6	X	X	X	X	X												0
Claim	27 10151	WOODROW PETERSEN, W DEE PETERSEN,	GROUND WATER	02S37E6			1					1	2.3			2.3	0.2	0.2			7
Claim	27 7261	JOANN TOMINAGA, RICHARD TOMINAGA, JOANN TOMINAGA, ROSEMARY TOMINAGA,	GROUND WATER	02S37E6			2					1	20			17		27	1		68
Right	27 7261	WOODROW PETERSEN,	GROUND WATER	02S37E6			10					1	21			7		28	1		68
Right	1 238	NORTH RIGBY IRRIGATION CO,	DRY BED	02S37E6																	0
Claim	27 10757	LAVETA WILLYERD, VERGEL WILLYERD,	GROUND WATER	02S37E6					1												1
Claim	27 11248	LAMOND COOK,	GROUND WATER	02S37E6					33	33	33	33									132
Right	27 7011	KEITH L NICKERSON,	GROUND WATER	02S37E6					33	33	33	33									132
Right	1 250C	SNAKE RIVER VALLEY IRRIGATION DIST,	SNAKE RIVER	02S37E6																	0
Right	1 328C	SNAKE RIVER VALLEY IRRIGATION DIST,	SNAKE RIVER	02S37E6																	0

no plu or w/27-7120
 plu or w/ Snake River ~~no~~
 (785-2017) Valley Irrig. Dist
 per phone con
 Lw/Ray → No irrig. water from
 Tominaga district used on
 12/27/02 this place - kw

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
well	U.S. Motors	40	R211-4550	Western Land Roller	
Booster	U.S. Motors	20	B093A/X02X 006R090F	Aurora	4-0109

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
TRANSIT TIME FLOWMETER	Digital	Peek	DCT-7088	32736		

2. Measurements: _____

MICROFILMED





RESERVATION
LA
36 31
15.5
HEL 2
NA
108.4
TIS
T2S
R37E
31 32
6 5
T40.5
3993
La 3
Lot 4
PLACE OF USE
La 2
Lot 1
FIELD #8
FIELD #7
POINT OF DIVERSION
Lot 5
Lot 6
Lot 7
T2S
R37E
MICROFILMED
JAN 08 2003
27-07422
Presto Rd.
500 N.

Pivot Field #7




POINT OF DIVERSION
FIELD 7 1/2 8

MICROFILMED

JAN 0 8 2003

27-07422



Pivot Field #7

← Portable handlines with sprinklers

Pivot Field #8

↑
Point of
DIVERSION

Pivot Field #8

Handlines with
Sprinklers



MICROFILMED
JAN 08 2003

27-07422

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 27-07422

Priority: July 30, 1986

Maximum Diversion Rate: 0.70 CFS
Maximum Diversion Volume: 140.0 AF

It is hereby certified that RAY TOMINAGA Or ROSEMARY TOMINAGA
RICHARD TOMINAGA Or JOANN TOMINAGA
1420 WAGON WHEEL DR
BLACKFOOT ID 83221 have complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated July 30, 1986; and have
submitted Proof of Beneficial Use on January 11, 1990. An examination indicates that the works have a
diversion capacity of 2.53 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
IRRIGATION	04/01 to 10/31	0.70 CFS	140.0 AF

LOCATION OF POINT OF DIVERSION:

GROUND WATER L2 (NW¼NE¼) Sec. 6, Twp 02S, Rge 37E, B.M., BINGHAM County

PLACE OF USE: IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
02S	37E	6	7.5	25.0	2.5														
			L1	L2															

Total Acres: 35

CONDITIONS OF APPROVAL

1. A portion of Right 27-07120 is also diverted through the point of diversion described above.
2. Rights 27-07120 and 27-07422 when combined shall not exceed a total diversion rate of 4.46 cfs.
3. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
4. Diversion and use of water under this right is subject to rules that may subsequently be promulgated for existing rights used for supplemental purposes.

MICROFILMED

JUN 10 1989

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 27-07422

5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 30th day of DECEMBER, 2002.


KARL J. DREHER
Director

MICROFILMED

JAN 18 2003

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
~~ORIGINAL PERMIT~~	~~27-07422~~	~~PETERSEN, WOODROW OR~~ DEE	~~0.70~~
FULL ASSIGNMENT	27-07422	TOMINAGA, RAY OR ROSE- MARY, TOMINAGA, RICHARD OR JOANN	0.70

JULY 29, 1997

ALL RIGHTS
ARE
NOTED

7/94

RECEIVED
JUL 23 1997
Department of Water Resources

For Office Use Only
\$25 Filing Fee
Receipt# 00301630
Date 7/23/97

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ASSIGNMENT OF PERMIT

I, WOODROW OR DEE PETERSEN, hereby assign to RAY OR ROSEMARY TOMINAGA AND RICHARD OR JOANN TOMINAGA
of, 1420 WAGON WHEEL DRIVE, BLACKFOOT, ID 83221 (208) 684-4068
(Full Address) (Phone)

All my right, title, and interest in and to Permit No. 37-07432 to appropriate the public waters of the State of Idaho.

Q (for partial assignments)

The following described portion of my right, title, and interest in and to Permit No. _____ to appropriate the public waters of the State of Idaho. (Describe portion of the permit assigned listing the number of acres in each 40 acre subdivision, point of diversion location, and the amount of water in cubic feet per second.)

Made this 16 day of July, 1997.

Woodrow Petersen
Permit Holder

State of Idaho)
County of Bingham) ss

On this 16 day of July, 1997, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

seal

Karl K. Jew
Notary Public residing at
Idaho

My commission expires: 10-23-00

MAILED - JUL 23 1997
JUL 23 1997

RECEIVED

JAN 11 1990

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
 Fee Received 1.00
 Date 1-11-90
 Receipt # 2013937
 Receipt by CW
 Reviewed by _____
 Sent to region _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. P27-67422Name(s) of Permit Holder: A. Woodrow Peterson & Dee PetersonPost Office Address: 691E 600 N Fifth St 83236Telephone No. 346-6090 or 346-6770Source of Water: Ground Water

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 35 (acres) Other/Remark _____Total rate and/or volume for which proof is submitted .070 cfs _____ acre-feetShow the date water was first diverted and beneficially used under this permit: May 1986

Measuring Device: Required? ☐ Yes ☒ No
 Installed? ☐ Yes ☒ No

Fee enclosed \$ 106.00
 (See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
 Installed? ☒ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Same as above

(Name)

(Telephone Number)

Same as above

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Jan 10, 1990
 Date

A. Woodrow Peterson & Dee Peterson
 Signature of Permit Holder (and title, if appropriate)

MICROFILMED

MAR 26 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 27-07422

Proposed Priority: July 30, 1986

Maximum Diversion Rate:

0.70 CFS

This is to certify, that **WOODROW PETERSON**
DEE PETERSON
691 E. 600 N.
FIRTH, ID 832360000

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

04/01 to 11/01

0.70 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 2(NWNE), Sec. 6, Township 02S, Range 37E
NWSE Sec. 6, Township 02S, Range 37E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02S	37E	6	NENE 5	NWNE 25	SWNE 5	35
Total number of acres irrigated:						35

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **February 1, 1991**.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

MAR 26 1990

State of Idaho
Department of Water Resources**Permit To Appropriate Water**

NO. 27-07422

CONDITIONS/REMARKS:

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

4th day of January, 1990

for J. Glen Santor
R. Keith Higginson, Director

MICROFILMED

MAY 26 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Woodrow or Dee Peterson Phone 346-6090
346-6770
Post office address 691 E. 600 N. Firth, Idaho 83236
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of NW $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot 2
Sec. 6 Township 2S Range 37E B.M. Bingham County; additional
points of diversion if any: NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sect. 6 T2S R37E
4. Water will be used for the following purposes:
- Amount 0.70 for Irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.70 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. well/pump to small pivot. Same p/d
as 27-7120.
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
- c. Proposed well diameter is 18 inches; proposed depth of well is 90 feet.
- d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

MAR 26 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2S	37E	6	5	25	5														35

Total number of acres to be irrigated 35

10. Describe any other water rights used for the same purposes as described above. Snake River Valley
Canal Shares


11. a. Who owns the property at the point of diversion? Applicants
- b. Who owns the land to be irrigated or place of use? Applicants
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECORDED

MAR 26 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

MAR 26 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

[Signature]
(Applicant)

Received by CW Date 7-30-86 Time 12:30p Preliminary check by KCW
Fee \$ \$4500 Receipted by MD # 39809 Date 8-6-86
Publication prepared by LB Date 11-16-89 Published in Warding News
Publication approved LB Date 12-6-89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

MAR 26 1990

NOTICE OF APPLICATION

I. RIGHT

The following location(s) have been filed to appropriate the public waters of the State of Idaho:

35-08153
CHURCH OF JESUS CHRIST OF
LATTER DAY SAINTS
Thomas Fourth Ward
Rt. 5, Box 354
Blackfoot, Id. 83221
Source: GROUNDWATER
Diversion Pt: SESE, Sec. 6, T. 03S, R. 34
Use: IRRIGATION (.400 CFS).
Date Filed: 5/25/1983.
In: T03S, R34E, S06, SESE.
20.0 ACRES TOTAL.

27-07356

GROVER, Lavar
GROVER, Boyd
Rt. 1, Box 396
Shelley, Id. 83274
Source: GROUNDWATER
Diversion Pt: NWSE, Sec. 31, T. 01N, R. 37E.
Use: IRRIGATION (.660 CFS); COMMERCIAL (.020 CFS); DOMESTIC (.110 CFS).
Date Filed: 5/31/1983.
In: T01N, R37E, S31, SWNE, NESE.
33.0 ACRES TOTAL.

27-07383

WERNETTE, Florian
494 N. 600 E.
Firth, Id. 83236
Source: GROUNDWATER
Diversion Pt: SWNW, Sec. 12, T. 02S, R. 36E; SENW, Sec. 12, T. 02S, R. 36E.
Use: IRRIGATION (3.600 CFS).
Date Filed: 10/27/1983.
In: T02S, R36E, S11, SENE, S12, NWNE, SWNE, NENW, NWNW, SWNW, SENW, NESW, NWSW.
182.0 ACRES TOTAL.

27-07422

PETERSON, Woodrow
PETERSON, Dee
891 E. 600 N.
Firth, Id. 83236
Source: GROUNDWATER
Diversion Pt: LOT 2 (NWNE), Sec. 6, T. 02S, R. 37E; NWSE, Sec. 6, T. 02S, R. 37E.
Use: IRRIGATION (.700 CFS).
Date Filed: 7/30/1986.
In: T02S, R37E, S06, NENE, NWNE, SWNE.
35.0 ACRES TOTAL.

27-07426

OLESON, George
Box 317 East Rich Lane
Blackfoot, Idaho 832210000
Source: GROUNDWATER
Diversion Pt: NWSW, Sec. 3, T. 03S, R. 36E.
Use: IRRIGATION (.150 CFS).
Date Filed: 6/26/1985.
In: T03S, R36E, S03, NWSW; S04, NESE.
7.0 ACRES TOTAL.

27-07482

OLSEN, J. Roger
21 E. 100 N.
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt: SWSE, Sec. 27, T. 02S, R. 35E.
Use: IRRIGATION (1.320 CFS).
Date Filed: 9/25/1989.
In: T02S, R35E, S27, NESE, NWSE, SWSE, SESE.
66.0 ACRES TOTAL.

35-08106

PETERSON, Harold E.
PETERSON, Ruth
Rt. 5, Box 353
Blackfoot, Id. 83221
Source: GROUNDWATER
Diversion Pt: SWNE, Sec. 8, T. 03S, R. 34E.
Use: IRRIGATION (.200 CFS); DOMESTIC (.040 CFS).
Date Filed: 2/25/1983.
In: T03S, R34E, S08, SWNE.
10.0 ACRES TOTAL.

RECEIVED

DEC 04 1989

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho) ss

I, Ted Townsend) do

solemnly

swear that I am the Publisher of
The Morning News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of
Idaho shall be published to-wit: of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was
published in said issue or said

newspaper two consecutive weeks

the first publication having been made on the

16th day of November, 19 89;

and the last publication having been made on the
23rd day of November, 19 89;

that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

On this 29th day of November, in
the year 19 89 before me a Notary Public of said State,
personally appeared

Ted Townsend
known or identified to me to be the person whose
name is subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he ex-
ecuted the same.

Ray A. Butler
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho.
My commission expires
November 10, 1994

Affidavit Processing Fee..... \$5.00

MICROFILMED

MAR 26 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

December 30, 2002

RAY TOMINAGA
ROSEMARY TOMINAGA
RICHARD TOMINAGA
JOANN TOMINAGA
1420 WAGON WHEEL DR
BLACKFOOT ID 83221

RE: License No. 27-7422 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SWK:klt

Enclosure(s)


MICROFILMED
JAN 10 2003

CERTIFICATE OF SERVICE

I hereby certify that on December 30, 2002 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO. 27-7422

JOANN TOMINAGA
RAY TOMINAGA
RICHARD TOMINAGA
ROSEMARY TOMINAGA
1420 WAGON WHEEL DR
BLACKFOOT ID 83221



Kari Lynn Townsend
Secretary

MICROFILMED
JAN 18 2003

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "**Preliminary Order**" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Comment Report

27-7422

1. kwalker 12/19/2002 Place of Use

Comment: The shape I created in arc view does not match the recommended acres in each 40 but does cover the 35 acres recommended. I have updated the place of use per arc view.

2. kwalker 12/19/2002 Point of Diversion

Comment: The examiner recommended this point of diversion as NWNW, S6 but the maps attached to exam show the well located in NWNE (GL2), S6. This correction was found when I put the location of p/d in arc view.

MICROFILMED

2004-09-10

LICENSE REVIEW CHECKLIST

Permit No. 27-7422 Date: 12-18-02 Reviewer: Kay Walker

Change/OK

Name/Address

fix address for John -

Source

Point of Diversion:

OR
Change

Does change clarify original intended source? If no, void permit.

Change (P39/P49) Add (P45/P44) Feds (P40)

W32 (multiple in 1/4/1/4)
W36 (overlap)
W59 (subdivision description)

Place of Use

OK

Change (P41/P49) Add (P41/P44) Feds (P43)

W60 (subdivision description)
W27 (ppu acre limit)

Overlaps: Right(s): P/D on W/27-7120 -
File reviewed Profile reports printed

P/D & P/U amend (P37) Feds (P48)

see back of this page.

Rate of Diversion:

Permitted rate 0.70 cfs
Fee Limit 1.0 cfs
Measured 2.53 cfs
Theoretical _____ cfs

Recommended Total Diversion Rate 0.70

Water Uses

OK

Change (P46)

Season of Use per new Standards

4-1 10-31

Irrigation 0.70 cfs 140.0 af
Stockwater _____ cfs _____ af
Domestic _____ cfs _____ af
_____ cfs _____ af
Total 0.70 cfs 140.0 af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)
supp. Gw (WB7/065/104)
overlap spec combined rts (W35)
<1 acre (W31)
Domestic (W01/wb5/070/071/075)
Power (W42 or W43/025/027/R22 or R23)
Fish (042)
Fire (077)
Water Quality (106/R07)
Payette - (W22/047/27A)
Stockwater for US (R37)

Volume Determination

0.70 cfs x 1.9835 x 214 days = 297.1 af (vs) 35 acres x 4.0 (FHR) = 140.0 af
3.0 (con)

Remarks:

050

Additional Conditions

Watermaster Control _____
GW Measurement/Measuring Device _____
Other _____
Trust R55 - remove 051)
Non-trust (048)

GW Dist? _____
Water Msmt. Dist? _____
Crit. GWMA? _____
GWMA? _____
Government Lots? _____

Advance Priority? yes If yes, explain why below.
no

SRBA Claim?

No - not req'd

Adjust memo

Amend Letters

P87, S06

Second Amendment Notice

P49 S06

Limit to 4.46 when combined -
 Capacity can cover this amount.

$$\begin{aligned} \text{Cap. of north well at this exam} &= 2.53 \\ \text{Cap. of south well at exam 27-7120} &= 2.14 \\ \hline &4.67 \end{aligned}$$

$$\begin{aligned} \text{North well} &- 27-7122 - 0.70 \text{ cfs} \\ \hline &4.46 \text{ cfs} \end{aligned}$$

$$\begin{aligned} \text{"North" well} &- 27-7120 > 3.76 \text{ cfs} \\ \text{South well} &- \end{aligned}$$

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 27-7120

WATER RIGHT NUMBER: 27-7120

<u>Owner Type</u>	<u>Name and Address</u>
Original Owner	CLAYSON FARMS 761 E 700 N FIRTH, ID 83236 (208)346-6779
Current Owner	WOODROW PETERSEN RT 1 BOX 264 FIRTH, ID 83236

*claimed by
Tominaga in
SRBA*

Priority Date: 01/02/1978

Basis: License

Status: Active

<u>Source</u>	<u>Tributary</u>
GROUND WATER	

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	4/01	to 11/01	3.760 CFS	658.00 AF
	<u>Total Diversion:</u>		3.760 CFS	658.00 AF

Location of Point(s) of Diversion

GROUND WATER	NW1/4NE1/4	Sec. 6,	Twp 02S,	Rge 37E, B.M.
BINGHAM County				
GROUND WATER	NW1/4SE1/4	Sec. 6,	Twp 02S,	Rge 37E, B.M.
BINGHAM County				

Place of Use

IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
02S	37E	6	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
			18.0	3.0	29.0	26.0					6.0	36.0	10.0	38.0	22.0				188.0

Total Acres: 188

Conditions of Approval:

1. R30 This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for irrigation of the lands above.

Remarks:Comments:

*"north well"
pumped
1.98 cfs
when
meas. in
1985
now
meas @
2.53 cfs*

Idaho Dept. of Water Resources
Place of Use Comparison Report

Type	WR #	Owner	Source	TRS	NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	Total
Right	27 7422	RAY TOMINAGA, ROSEMARY TOMINAGA, RICHARD TOMINAGA, JOANN TOMINAGA	GROUND WATER	02S37E6	5	25	5														35
Right	27 7422	RAY TOMINAGA, ROSEMARY TOMINAGA, RICHARD TOMINAGA, JOANN TOMINAGA, JOANN TOMINAGA, RICHARD TOMINAGA, ROSEMARY TOMINAGA	GROUND WATER	02S37E6	7.5	25	2.5														35
Claim	27 7120	WOODROW PETERSEN	GROUND WATER	02S37E6	18	3	29	26								6	36	10	38	22	188
Right	27 7120	WOODROW PETERSEN	GROUND WATER	02S37E6	18	3	29	26								6	36	10	38	22	188
Claim	1 10247	SNAKE RIVER VALLEY IRRIGATION DIST.	SNAKE RIVER	02S37E6	35	38	40	36	38	26	26	40	40	26	27	36	35	35	35	37	550
Claim	1 171	SNAKE RIVER VALLEY IRRIGATION DIST.	SNAKE RIVER	02S37E6	35	38	40	36	38	26	26	40	40	26	27	36	35	35	35	37	550
Claim	1 250	SNAKE RIVER VALLEY IRRIGATION DIST.	SNAKE RIVER	02S37E6	35	38	40	36	38	26	26	40	40	26	27	36	35	35	35	37	550
Claim	1 328	SNAKE RIVER VALLEY IRRIGATION DIST.	SNAKE RIVER	02S37E6	35	38	40	36	38	26	26	40	40	26	27	36	35	35	35	37	550
Claim	1 38	SNAKE RIVER VALLEY IRRIGATION DIST.	SNAKE RIVER	02S37E6	35	38	40	36	38	26	26	40	40	26	27	36	35	35	35	37	550
Right	1 171C	SNAKE RIVER VALLEY IRRIGATION DIST.	SNAKE RIVER	02S37E6	X	X	X	X	X												0
Right	1 172C	SNAKE RIVER VALLEY IRRIGATION DIST.	SNAKE RIVER	02S37E6	X	X	X	X	X												0
Claim	27 10151	WOODROW PETERSEN, W DEE PETERSEN	GROUND WATER	02S37E6			1					1	2.3			2.3	0.2	0.2			7
Claim	27 7261	JOANN TOMINAGA, RICHARD TOMINAGA, JOANN TOMINAGA, ROSEMARY TOMINAGA	GROUND WATER	02S37E6			2					1	20			17		27	1		68
Right	27 7281	WOODROW PETERSEN	GROUND WATER	02S37E6			10					1	21			7		28	1		68
Right	1 236	NORTH RIGBY IRRIGATION CO.	DRY BED	02S37E6																	0
Claim	27 10757	LAVETA WILLYERD, VERGEL WILLYERD	GROUND WATER	02S37E6					1												1
Claim	27 11248	LAMOND COOK	GROUND WATER	02S37E6					33	33	33	33									132
Right	27 7011	KEITH L NICKERSON	GROUND WATER	02S37E6					33	33	33	33									132
Right	1 250C	SNAKE RIVER VALLEY IRRIGATION DIST.	SNAKE RIVER	02S37E6																	0
Right	1 328C	SNAKE RIVER VALLEY IRRIGATION DIST.	SNAKE RIVER	02S37E6																	0

no plu on w/27-7120
 plu on w/ Snake River No
 (785-2017) Valley Irrig. Dist
 per phone con
 Lw/Ray → No irrig. water from
 Tominaga district used on
 12/27/02 this place - kw

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 18 2000
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 27-07422

1. Owner: Ray, Rosemary & Richard or JoAnn Tominaga Phone No. 684-4067

Current Address: 1420 Wagon Wheel DR Blackfoot Id

2. Accompanied by: RAY Tominaga

EXAM
Mish
Phone

Address: _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____

not.
Tominaga's
phone #
per telecon
12/20/03

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: 27-07120

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NW	6	2S	37E	Bingham	On Site Fst Aerial


2. Place(s) of Use: FIELD # 8

Indicate Method of Determination FSA Aerial/onsite

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2S	37E	6	L-1 8	L-2 24	3													35	

MICROFILMED

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" =

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
118	U.S. Motors	40	R211-4550	Western Land Roller	
Booth	U.S. Motors	20	R093A/X0CX 006R090F	Quincy	4-0109

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
TRANSIT TIME FLOWMETER	Digital	Peek	DCT-7088	32736		

2. Measurements:

MICROFILMED

E. NARRATIVE/REMARKS/COMMENTS

well pump mainline Booster by two $\frac{1}{2}$ Center Pivots (FIELD # 7 & field 8) Center Pivots are low pressure with end guns.

Has flow measurement ports

Hand lines cover Corners

Half pivot field # 7 (9 tower)

Half pivot field # 8 (5 tower)

FSA Aerial Acres (33.5) does not count area covered by portable hand lines

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

1987.12.10

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$Q_{TOTAL} (Field 7 \frac{1}{2} B) = 663.89 \text{ gpm} + 472.73 \text{ gpm} = 1136.6 \text{ gpm} = 2.53 \text{ cfs}$$

$$Q_{AVG FIELD B} = (395.99 + 319.49 + 400.93 + 364.75 + 472.73 + 397.62) \div 6 = 391.9 \text{ gpm} = 0.87 \text{ cfs}$$

$$Q_{LIMITED BY 0.02 \text{ ft/ac} \frac{1}{2} \text{ Per-mil}} = 0.70$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 35 \frac{1}{2} \times 4 = 140$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.70 (214) 1.9835 = 297.1$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 140 \text{ cfs}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	11/1	0.70 cfs	140 afa
Totals:			0.70 cfs	140 afa

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name

Keith C Wilson

Date 7-6-1998

Reviewer _____

Date _____

SEAL

MICROFILMED

JUL 8 2003

FIELD 7

LTZ 27-7120

Flow= 631.71 GPM
Vel = 4.14 FPS
Flow= 655.02 GPM
Vel = 4.29 FPS
SigStr = 100.0%
Margin = 104%
Pipe
Material = CARBON
OD = 8.125 inches
WT = 0.114 inches
ID = 7.897 inches
Sound Vel. = 10597 FPS
Roughness = 0 Ft
Liner
Material = NONE
Thickness = 0.000 inches
Sound Vel. = 0 FPS
Roughness = 0 Ft
Fluid
Type = WATER
Sound Vel. = 4863 FPS
Viscosity = 1.13
Transducer
Type = S
Mountings = U
Flow
Scale Fact= 0.9700
Offset = 0.00 GPM
Damping = 30 secs
Max Range = 4885.23 GPM
Min Range = -4885.23 GPM
Cutoff
Low Flow = 0.00
Low Signal= 0.00 %
Flow= 663.89 GPM
Vel = 4.35 FPS
Flow= 661.40 GPM
Vel = 4.33 FPS
SigStr = 100.0%
Margin = 100%
Flow= 657.18 GPM
Vel = 4.30 FPS
Net 7805 x1Gal
Pos 7947 x1Gal
Neg 152 x1Gal
SigStr = 100.0%
Cutoff = 0.0%
Reynolds= 219736
Factor = 0.943339
SigStr = 100.0%
Margin = 101%
DeltaT= 261.55 ns
SSpeed= 4760.69 FPS
4-20mA = 14.56 mA

27-07422

MAX
FIELD 7

FIELD # 7; # 8
ARE CAPACITY OF SYSTEM

FIELD # 8

27-7422

Flow= 395.99 GPM
Neg 0 x1Gal
Flow= 319.49 GPM
Neg 0 x1Gal
SigStr = 100.0%
Margin = 100%
Flow= 400.93 GPM
Vel = 2.69 FPS
SigStr = 100.0%
Margin = 100%
Flow= 364.75 GPM
Neg 0 x1Gal
Pipe
Material = CARBON
OD = 8.030 inches
WT = 0.117 inches
ID = 7.796 inches
Sound Vel. = 10597 FPS

Offset = 0.00 GPM
Damping = 30 secs
Max Range = 4885.23 GPM
Min Range = -4885.23 GPM
Cutoff
Low Flow = 0.00
Low Signal= 0.00 %
Flow= 663.89 GPM
Vel = 4.35 FPS
Flow= 661.40 GPM
Vel = 4.33 FPS
SigStr = 100.0%
Margin = 100%
Flow= 657.18 GPM
Vel = 4.30 FPS
Net 7805 x1Gal
Pos 7947 x1Gal
Neg 152 x1Gal
SigStr = 100.0%
Cutoff = 0.0%
Reynolds= 219736
Factor = 0.943339
SigStr = 100.0%
Margin = 101%
DeltaT= 261.55 ns
SSpeed= 4760.69 FPS
4-20mA = 14.56 mA

FIELD # 7; # 8
ARE CAPACITY OF SYSTEM

FIELD # 8


27-7422


Flow= 395.99 GPM
Neg 0 x1Gal
Flow= 319.49 GPM
Neg 0 x1Gal
SigStr = 100.0%
Margin = 100%
Flow= 400.93 GPM
Vel = 2.69 FPS
SigStr = 100.0%
Margin = 100%
Flow= 364.75 GPM
Neg 0 x1Gal
Pipe
Material = CARBON
OD = 8.030 inches
WT = 0.117 inches
ID = 7.796 inches
Sound Vel. = 10597 FPS
Roughness = 0 Ft
Liner
Material = NONE
Thickness = 0.000 inches
Sound Vel. = 0 FPS
Roughness = 0 Ft
Fluid
Type = WATER
Sound Vel. = 4863 FPS
Viscosity = 1.13
Transducer
Type = S
Mountings = U
Flow
Scale Fact= 0.9700
Offset = 0.00 GPM
Damping = 30 secs
Max Range = 4761.06 GPM
Min Range = -4761.06 GPM
Cutoff
Low Flow = 0.00
Low Signal= 0.00 %
Flow= 472.73 GPM
Vel = 3.18 FPS
Net 2658 x1Gal
Pos 2658 x1Gal
Neg 0 x1Gal
SigStr = 100.0%
Cutoff = 0.0%
Reynolds= 161139
Factor = 0.937334
SigStr = 100.0%
Margin = 100%
DeltaT= 131.96 ns
SSpeed= 4665.66 FPS
4-20mA = 11.60 mA
Flow= 397.62 GPM
Neg 0 x1Gal

Max
field 8

MICROFILMED

27-07422





Reservation

2
152.5

36 31

NA

108.4

T1S

67.6

2
38

R37E

31 32

Lot 3

Lot 4

Place of Use



Lot 2

FIELD #8

Lot 1

149

33.5

20.7

2

70.7

Point of Diversion

Lot 5

3
140.7

6

Lot 6

T2S

R37E

Lot 7

3
73.9

5
124.6

4
66

27-07422

12 7 500 N.

7 8

Pivot Field #7




POINT OF DIVERSION
FIELD 7 1/2 8



MICROFILMED

(24 MAR 1983)

27-07422



Pivot Field #7

Portable handlines with sprinklers

Pivot Field #8

POINT OF
DIVERSION

Pivot Field #8

Handlines with
Sprinklers



MICROFILMED
JAN 9 8 2003

27-07422

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30
days after the completion or abandonment of the well.

JUN 29 1984

1. WELL OWNER

Department of Water Resources
Name Woodham Petersons
Address Fifth RT # 1 83236
Owner's Permit No. 27-84-C-0007-000

7. WATER LEVEL

Department of Water Resources
Static water level 32 feet below surface of water Office
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

W.R. 27-07422

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☒ Bailer ☐ Other

Discharge G.P.M. Draw Down Hours Pumped

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test
☐ Municipal ☐ Industrial ☐ Stock

4. METHOD DRILLED

☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 16 inches Total depth 90 feetCasing schedule: ☐ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>250</u> inches	<u>16</u> inches	<u>1</u> feet	<u>84</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet


Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☒ Knife ☐ Torch
Size of perforation 5 inches by 3 inches

Number	From	To
<u>280</u> perforations	<u>45</u> feet	<u>84</u> feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ NoManufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feetGravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feetSurface seal? ☒ Yes ☐ No To what depth 20 feet
Material used in seal ☐ Cement grout ☒ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



MICROFILMED

County Bingham
SW 1/4 NE 1/4 Sec. 6 T. 2 S. R. 37 E

10.

Work started 4/4/84 finished 4/9/84

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

Driller's or Firm's Name Barros Drilling Number 93Address Bushy Eda. Box 558Signed By Tom Barros Date 4/10/84



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 18, 1998

Ray and Richard Tominaga
1420 Wagon Wheel Drive
Blackfoot, Idaho 83221

Re: Assignment of Permit No. 27-07422

Dear Sirs:

I appreciated meeting and talking with you at the ground water district meeting last week in Blackfoot. You asked that I follow up on whether an assignment of a permit you had obtained from Woodrow Peterson had been properly filed with IDWR. Enclosed is a copy of a letter indicating that permit No. 27-07422 has been assigned and IDWR records have been changed to show your name on the permit.

Proof of beneficial use was filed on this permit by Mr. Peterson. A license can be issued in your names after a field examination is completed. If you will advise Mr. Harold Jones at IDWR's regional office in Idaho Falls (208-525-7161) when the system is being used to irrigate the fields this summer, an IDWR agent will conduct the licensing exam.

Two other rights claimed in the Snake River Basin Adjudication by Mr. Peterson have been changed to show your names as owners; i.e., A27-07261 and A27-07120.

If you are concerned about another right that I have not located in our records, please give me a call.

Sincerely,


NORMAN C. YOUNG
Administrator
Water Management Division

Enc.
c. Harold Jones

MICROFILMED

348-18-100



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 29, 1997

RAY TOMINAGA
ROSEMARY TOMINAGA
RICHARD TOMINAGA
JOANN TOMINAGA
1420 WAGON WHEEL DRIVE
BLACKFOOT ID 83221

RE: ASSIGNMENT OF PERMIT NO. 27-07422

Dear Water Right Holder(s):


We acknowledge receipt of the correspondence changing ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

If you have any questions regarding this matter, please feel free to contact us.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address **PRIOR** TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address **AFTER** July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,



JIM JOHNSON, Manager
Water Right Permits Section

JJ:klt



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

July 9, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

RAY TOMINAGA
ROSEMARY TOMINAGA
RICHARD TOMINAGA
JOANN TOMINAGA
1420 WAGON WHEEL DRIVE
BLACKFOOT ID 83221

RE: Permit No. 27-07422

Dear Permit Holder(s):


I received a Notice of Change of Water Right Ownership form on the above referenced permit changing ownership of the permit to you.

I am returning to you a partially completed assignment of permit form for signature by the permit holder because a water permit is considered **personal** property and can only be **assigned** by the owner of record. Our records identify Woodrow & Dee Petersen as owners of the permit. The assignment of permit will also need to be notarized and returned with a \$25.00 filing fee.

Please note that new legislation beginning July 1, 1996, requires all water right owners to report any change of water right ownership and any change of mailing address to the department. Failure to report these changes could result in a \$100 late filing fee. Please submit the assignment with the filing fee to my attention at the above address.

If you have any questions, you can contact my secretary, Kari Lynn Townsend, at 327-7941.

Sincerely,



JIM JOHNSON, Manager
Water Rights Permit Section

JJ:KLT

Enclosure

NOTED

10/1/97

March 9, 1990

WOODROW PETERSON
DEE PETERSON
691 E. 600 N.
FIRTH, ID 832360000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 27-07422

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

MAR 26 1990

RECEIVED

1964

[illegible]

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 27-7422

Date: 12-28-78

General Considerations:

1 Name same as permit
1 Signature the same as permit holder
1 Address change _____ If yes, prepare a data entry
1 Proof received timely _____
1/1 Reinstated

Source of Water:

1 Surface water
1 Groundwater
 1/1 1. well log in file
 1/1 2. drilling permit on use by 5/86
 _____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

1 Rate of diversion appropriate for uses
1 Is rate or volume and fee appropriate?
1 Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

1 Is a measuring device or access port required?
1 Has one been installed?
1/1 Waiver or modification of measuring device requested

Remarks: Good well logs
Proof acceptable

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	-
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
January 4, 1990

WOODROW PETERSON
DEE PETERSON
691 E. 600 N.
FIRTH, ID 832360000

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P27-07422

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

MICROFILMED

MAR 26 1990

└──────────────────┘

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED

MAR 26 1990

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: KCWilson APPLICATION NUMBER: _____

CHECK:

- ☒ Source.
- ☒ Point of diversion.
- ☒ County.
- ☒ Quantity of water and period of use.
- ☒ Description of diverting works.
- ☒ Time required for beneficial use of water.
- ☒ Place of use or acres irrigated.
- ☒ Map.
- ☒ Signature.
- ☒ Fee.

Field check by: _____

Date: _____

Comments: _____

- ☐ Yes ☒ No Field check required.
- ☐ Yes ☒ No Critical groundwater area.
- ☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
- ☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
- ☐ Idaho Fish and Game Department.
- ☐ Idaho Department of Lands.
- ☐ U.S. Bureau of Land Management.
- ☐ U.S. Forest Service.
- ☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
- ☐ Yes ☒ No Other rights on same place of use. _____
- ☒ Yes ☐ No* In form for advertising.
- ☐ Yes ☐ No Final date for protests: 12-4-89
- ☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: _____
- ☒ Application published correctly. If not, record action taken: _____
- ☒ Fee amount, receipt date & number, recorded on application.
- ☒ Publication dates and paper, recorded on application.
- ☒ Protests, dates, withdrawal, etc., recorded on application.
- ☒ Recommendation & initial, recorded on application.
- ☐ Yes ☒ No Measuring device required.
- ☒ Yes ☐ No Access port required.
- ☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 27-P05
- 7-30-86 Date of priority recommended.
- Special conditions of approval or cover letter. < 0167

App. in NON-TRUST area-

By: HWS Date: 12-8-89

STATE OFFICE REVIEW: P05, P23, P03, P16 48 49 46 016

☐ See attached sheet for more information.
By: KW Date: 12-28-89

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-----	-----	-----	-----	-----	-----	-----
IDAHO STREAM CODE INDEX						

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

NOVEMBER 7, 1989

THE MORNING NEWS
P.O. BOX 70
BLACKFOOT, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before DECEMBER 4, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

MAR 20 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed appropriate the public waters of the State of Idaho:

MICROFILMED

MAR 26 1990

27-07422

PETERSON, WOODROW
PETERSON, DEE
691 E. 600 N.
FIRTH, ID 832360000

Source: GROUNDWATER

Diversion Pt: LOT 2 (NWNE) Sec 6 T 02S R 37E
NWSE Sec 6 T 02S R 37E

Use: IRRIGATION (.700 CFS)

Date Filed: 7/30/1986

In: T02S R37E S06 NENE NWNE SWNE

35.0 ACRES TOTAL

MICROFILMED

MAR 26 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42 A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before DECEMBER 4, 1989.

R. Keith Higginson, Director

Published 11/16/1989 & 11/23/1989

MICROFILMED

MAR 26 1990

July 10, 1986

Woodrow Peterson
692 E. 600 N.
Firth, Idaho 83236

Dear Mr. Peterson:

Enclosed is your application for permit. Please review it and, if everything is complete, please sign and send it back to this office with a fee of \$45.00.

Sincerely,

Harold W. Jones
Sr. Resource Agent

HWJ/md

Enclosure

MICROFILMED

MAR 26 1990