


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED
Cannon Structures Inc
John P. Cannon, President
 (Applicant)

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Section #2 Rickhane



Scale: 2 inches equal 1 mile.

* Change POD and west boundary as per telecon, 2-5-86. G.S.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Canyon Structures, Inc.

John F. Cannon President
(Applicant)

MICROFILMED

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GEN ELECTRIC	40	5K324 DA6009	VEEST LINE	3x70054

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

FROM WELL LOG: STATIC WATER AT 37'
ESTIMATE 60 PSI OPERATING PRESSURE

MICROFILMED

MAR 27 1995




POINT OF DIVERSION

T3S
R35E

MAR 27 1995

27-07418

27-07418 T3S, R35E, Section 2



27-07418 T3S, R35E, Section 2

MAR 27 1995



Fig. 1 - Point of diversion looking south.



Fig. 2 - Point of diversion looking northwest over place of use.

27-07418

RECEIVED
MAR 27 1995



Fig. 3 - Point of diversion.

27-07418

RECORDED
MAR 27 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 27-07418

Priority: January 31, 1986

Maximum Diversion Rate:

1.30 CFS

This is to certify, that CANNON STRUCTURES INC
PO BOX 188

BLACKFOOT ID 83221

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 31, 1986; and has submitted Proof of Beneficial Use on June 28, 1989. An examination indicates that the works have a diversion capacity of 1.330 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

IRRIGATION	04/01 to 10/31	1.30 CFS	
------------	----------------	----------	--

LOCATION OF POINT(S) OF DIVERSION:

SENW , Sec. 2, Township 03S, Range 35E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03S	35E	2	Lot 3(NENW) 32	SENW 33		65

Total number of acres irrigated: 65

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. The right holder shall use the full allotment of appurtenant surface water rights, to the extent they are available, in conjunction with groundwater diverted pursuant to this right.
7. This right to divert groundwater shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use without the approval of the Department.
8. This right when combined with all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual diversion volume of 260.0 af for the lands above.


MAY 27 1995


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 27-07418

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 24th
day of MARCH, 1995.

Acting for  R. Keith Higginson, Director



Form 217
03/86

For Office Use Only
Fee Received 125
Date 6-28-89
Receipt # E009318
Receipt by HWS
Reviewed by DX 10/23/89
Sent to region

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Eastern District Office

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 27-7418

Name(s) of Permit Holder: Cannon Structures Inc

Post Office Address: P.O. Box 188 Blackfoot Id 83221

Telephone No. 785-2690

Source of Water: Groundwater

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation 65 (acres) Other/Remark

Total rate and/or volume for which proof is submitted 1.30 cfs acre-feet

* Show the date water was first diverted and beneficially used under this permit: July 1986

Measuring Device: Required? Yes Yes No
Installed? Yes Yes No

Fee enclosed \$ 125.00
(See License Examination Fee Schedule)

* Flow Measurement Port: Required? Yes Yes No
Installed? Yes Yes No

Person to contact to accompany the Department representative during the field examination:

* Craig Stallings 785-2145
(Name) (Telephone Number)

* 43 West 215 North, Blackfoot, Id. 83221
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

DEC 13 1989

* June 27, 1989
Date

* Craig Stallings - Secretary-Treasurer
Signature of Permit Holder (and title, if appropriate)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 27-07418

Proposed Priority: January 31, 1986 Amount: 1.30 CFS

This is to certify, that **CANNON STRUCTURES INC.**

P.O. BOX 188

BLACKFOOT, ID 832210000

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

04/01 to 11/01

1.30 CFS

LOCATION OF POINT(S) OF DIVERSION:

SENW Sec. 2, Township 03S, Range 35E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03S	35E	2	NENW 32	SENW 33		65

Total number of acres irrigated: 65

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **June 1, 1990**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
7. The maximum rate of diversion for irrigation purposes under this permit shall not exceed 1.30 cfs.

RECORDED

JUN 17 1986

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 27-07418

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

30th day of May, 1989.

for [Signature]
R. Keith Higginson, Director

Form 202
6/85

FEB 23 1985

Department of Water Resources
Eastern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 27-7418

CONDITIONAL
APPROVAL

To appropriate the public waters of the State of Idaho

1. Name of applicant Cannon Structures, Inc. Phone 208-785-2690
Post office address P.O. Box 188, Blackfoot, Idaho 83221
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of SE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 2 Township 3S Range 35E B.M. Bingham County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
1.3 As per telecon with Alice Cannon, 4/11/86 *EMC*
Amount ~~1.6~~ for Irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) ~~1.6~~ 1.3 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Irrigation deep well turbine
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 16 inches; proposed depth of well is 100 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? no
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

RECEIVED

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3S	35E	2					32			33									65

Total number of acres to be irrigated 65


10. Describe any other water rights used for the same purposes as described above. _____

None

- Who owns the property at the point of diversion? Cannon Structures
- Who owns the land to be irrigated or place of use? Cannon Structures
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: This proposal includes deep well turbine with 1150 ft. of lateral main and four hand lines.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

WITNESSED
Carmen Sprengers Inc.
John P. Carmichael, President
 (Applicant)

Original rec'd 1-31-86

Received by MD Date 2/28/86 Time 2:37 Proposal priority 1/31/86 Preliminary check by C.S. **MICROFILMED**
Fee \$ 65.00 Receipted by MD # 35560 Date 2-12-86
Publication prepared by MD Date 3/5/86 Published in The Blackfoot News 3/13 + 3/20/86
Publication approved CW Date 3-27-86

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 27-7418, and said application is hereby CONDITIONALLY APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use is not required unless permit is reprocessed and approved in compliance with 42-203C, Idaho Code.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other: SEE ATTACHED SHEET FOR CONDITIONS e thru l.

Witness my hand this 30th day of April, 1986.

A. Glen Saxton
Chief, Operations Bureau

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

WITH RESPECT TO INTERIM APPROVAL OF

APPLICATION FOR PERMIT NO. 27-7418

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 27-7418; and interim approval is granted subject to the following limitations and conditions:

- a. Subject to all prior water rights.
- b. A measuring device or an access port of a design approved by IDWR shall be installed prior to diverting water under the interim approval.
- c. The water user acknowledges that the interim approval does not convey a continuing right to divert water and does not convey any right to divert water except as specifically provided in the interim approval.
- d. The water user assumes all risk that he or she will be successful in obtaining a permit for water which may be reallocated under the Water Appropriation Rules and Regulations. The water user accepts all risk that storage water will be available and obtainable from the rental pool in future years to allow the interim approval procedure to continue, if storage water is required.
- e. Violation of interim approval conditions, provisions of the Idaho Code, or the Water Allocation Rules and Regulations is cause for cancellation of the interim approval and denial of future requests.
- f. By accepting and commencing diversion of water under this interim approval, the water user acknowledges and agrees that the Director of IDWR is authorized to disconnect the power supply from the pump motor used to divert water under the interim approval or to take other reasonable steps to insure that water is not diverted during any period the interim approval is suspended or revoked.
- g. The Director may impose additional conditions not a part of the original interim approval conditions as determined by the Director.
- h. The filing on which the interim approval is given may be reprocessed under the provisions of Section 42-203C, Idaho Code, at the request of the water user or as determined by the Director in compliance with pertinent adopted rules and regulations and statutes.
- i. Investments made by the water user to divert and use water under the interim approval will not be considered by IDWR when reprocessing the filing under the provisions of 42-203C, Idaho Code.

Witness my hand this 30th day of March, 1987.

J. Glen Saylor
Chief, Operations Bureau

MICROFILMED
APR 10 1987

CONDITIONS OF APPROVAL

The following conditions are hereby made a part of the action of the Director of the Idaho Department of Water Resources (IDWR) on Application for Permit No. 27-7418.

- e. Issuance of this permit is on an interim basis until processing can be accomplished under Section 42-203, as amended, Idaho Code, and is contingent upon the permit holder assigning storage water to replace water taken from other water rights as determined by the Director of IDWR.
- f. Each irrigation season before water is diverted under this permit, evidence shall be provided to the Department that storage water has been rented through the Upper Snake River Water Supply Bank and assigned to the Director of IDWR for release to replace water taken from other water rights.
- g. The volume of stored water required to be rented from the Upper Snake River Water Supply Bank shall be equal to the volume of water consumptively used, as determined by the Director. For the 1986 irrigation season and each following year that this permit is to be used or until modified by Order of the Director of IDWR, the volume of stored water required is 130 acre-feet (65 acres x 2.0 acre-feet per acre = 130 acre-feet per year).
- h. Water shall not be diverted at any time that storage water is not available and on assignment to the Director of IDWR for purposes of replacing reductions of flow to other water right holders.
- i. The Director of IDWR retains jurisdiction of this permit to enforce the provisions of this permit, to revise the volume of stored water required, to cancel this permit for failure to comply with the conditions of approval, and to require procedural and substantive compliance with any subsequently adopted rules and regulations concerning exchange or augmentation of water supplies.
- j. By accepting and commencing diversion of water under this permit, the permit holder acknowledges and agrees that: (1) the Director of IDWR may suspend the right to divert water during any period that evidence of the required storage water supply needed for release is not on file with IDWR, and (2) the Director of IDWR is authorized to obtain a court order to disconnect the power supply from the pump motor used to divert water under this permit or by other reasonable means insure that water is not diverted at any and all times, that the right to divert water under this permit is suspended.
- k. This permit will be reprocessed under the provisions of Section 42-203D, Idaho Code, at the request of the permit holder or as determined necessary by the Director for compliance with Section 42-203D, Idaho Code, and Section 7D of the Swan Falls Agreement.
- l. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 30th day of April, 1986.


Chief, Operations Bureau

UNRECORDED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

JAN 31 1986
Department of Water Resources
Eastern District Office

To appropriate the public waters of the State of Idaho

VOID

1. Name of applicant Cannon Structures, Inc. Phone (208) 755-2690

Post office address P.O. Box 188, Blackfoot, Idaho 83201

2. Source of water supply underground water which is a tributary of N/A

3. Location of point of diversion is SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Govt. Lot

Sec. 2 Township 35 Range 35 E B.M. Bingham County; additional
points of diversion if any:

4. Water will be used for the following purposes:

Amount 1.6 for Aring. purposes from April 1 to November 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 1.6 and/or (b)
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Irrigation deep well
Turbine

b. Height of storage dam N/A feet; active reservoir capacity acre-feet; total
reservoir capacity acre-feet; period of year when water will be diverted to storage:
 to inclusive.

c. Proposed well diameter is 16 inches; proposed depth of well is 100 feet.

d. Is ground water with a temperature of greater than 90°F being sought? no

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

+ Delete second P.O.D. as per telecon, 2-5-86. G.S.
UNRECORDED

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3S	3SE	2		~~32~~			32*			33*									65 *

* Change acreages as per telecon, 2-5-86. B.S. Total number of acres to be irrigated 65 *

10. Describe any other water rights used for the same purposes as described above. _____


11. a. Who owns the property at the point of diversion? Cannon Structures

b. Who owns the land to be irrigated or place of use? Cannon Structures

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: This proposal includes deep well turbine w/ 11 50' lateral main + 4 hand lines

Clearly the proposed point of diversion, place of use, section
Section #2 Rick house




P.T of
Diversions

Mitchell Rol

* Change POD and west boundary as per telecon, 2-5-86. G.S.

Campana, Structures, Inc.

(Applicant)



Received by MD Date 1/31/86 Time 3:20 Preliminary check by MD
Fee \$ 165.00 Received by MD # 35560 Date 2/12/86
Publication prepared by MD Date 3/4/86 Published in _____
Publication approved _____ Date _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Groundwater exchange for 27-7413

WATER BANK WATER LEASE AGREEMENT
FOR 1986

RECEIVED

FEB 28 1986

Department of Water Resources
Eastern District Office

The Committee of Nine being authorized pursuant to Idaho Code Section 42-1765 to lease stored water which has been provided to the Water Supply Bank by water users who own space in the various Bureau of Reclamation Upper Snake reservoirs and have excess supplies for the current year, does agree to sell John P. Cannon, 130 A.F. of water requested for 1986. This agreement is subject to the adopted Rules and Regulations of the Water Supply Bank and execution of same by the party herein named.

Upon receipt of \$ 325.00 and the information requested below, the Snake River Watermaster will release to you from storage, at the rate you specify 130 A.F. of stored water between April 1 and November 1 of 19 86.

Description of point of diversion:

Located in SE 1/4 NW 1/4, Sec. 2, T. 3S, R. 35E;

Other: _____

on source groundwater

Pump H.P. _____ Lift _____

Headgate _____ (canal name if appropriate.)

Description of place of use:

Legal Description: 65 acres within the E 1/4 NW 1/4, S 2, T 3S, R 35E

Total number of acres irrigated: 65 acres

Dated this 27 day of February, 19 86.

Cannon Structures Inc
John P. Cannon
(name)

PO Box 188 Blackfoot Idaho
(address) 83221

State of Idaho)

County of BINGHAM)

On this 27th day of FEB, 1986, before me the undersigned Notary Public in and for said county and state, personally appeared JOHN P. CANNON known to me to be the person whose name is subscribed to within instrument and acknowledged to me that he executed the same.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, the day and year in this certificate first written.

Albert B. Newman

Notary Public in and for Idaho
Residing at: BLACKFOOT

I have accepted the request of John P. Cannon to purchase water from the Water Supply Bank this 11th day of March, 1986.

Ronald D. Carbo
Watermaster, Water District No. 1
Agent for the Committee of Nine

paid
2-28-86



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 24, 1995

CANNON STRUCTURES INC
PO BOX 188
BLACKFOOT ID 83221

RE: WATER RIGHT NO. 27-07418

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

MAR 27 1995

LICENSE REVIEW CHECKLIST




PERMIT NO. 27-07413 DATE 3-16-95

NAME	<u>Change</u> ☒ <u>OK</u>	☒	Or Address Change? _____
PRIORITY DATE	☒	☒	Advance? _____ Advanced to: _____ Order to reinstate needed? _____ Incorrect fee for rate recommended? <u>NO</u>
SOURCE	☒	☒	Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV	☒	☒	Amendment needed? _____ Overlaps? _____
PLACE OF USE	☒	☒	Amendment needed? <u>Add Gov Lot 3 to NENW 1/4 1/4</u> Overlaps? <u>Surface water only - Corbett Slough</u>
DIV RATE	☒	☒	Permit/fee limits: <u>1.30 CFS</u> Meas Q = _____ Theo Q = <u>1.327</u> Recommend: <u>1.30</u> <u>40 HP X .7 X 8.8</u> <u>(1.33)</u> <u>47 + (2.31 X 60) = 1.327 CFS</u> <u>65 X .02 = 1.30</u> Combined rates exceed capacity _____
ANNUAL VOLUME	☒	☒	Volume Limit: _____ Season: <u>C/4.0 (4-1 to 10-31)</u> <u>new</u> Calculations: <u>65 X 4 = 260</u> Flow limit: _____ cfs x _____ x 1.9835 = _____ Combined volumes exceed capacity/allowable _____
USES	☒	☒	Change in Nature of Use or additional uses? _____ Amendment necessary? _____
REMARKS	☒	☒	Multiple p/d(s) in 1/4 1/4? _____ Other <u>WB3 WB8 WB7 (260 AFA)</u>
CONDITIONS	☒	☒	Watermaster control - District _____ Measuring/Locking Devices _____ Irrigation Overlap _____ Other <u>KEEP NON-TRUST 048 + 049</u> Water Quality _____ Heat/Cool/Fish verified _____
COMMENTS: <u>Supplemental GW</u>			

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>NO</u>
<u>Irrigation</u>	<u>1.30</u>	<u>260.0</u>	Adjustment Memo Needed	<u>YES</u>
_____	_____	<u>(in)</u>	LICENSE	☒
_____	_____	<u>REMARKS</u>	AMENDMENT LETTER	_____
_____	_____	_____	SECOND AMENDMENT LETTER	_____

1049 27 1905

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GEN ELECTRIC	40	5K324DAG009	VEEM LINE	3x70054

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: FROM WELL LOG: STATIC WATER AT 37'
ESTIMATE 60 PSI OPERATING PRESSURE

11/12/82 J. J. JONES

E. NARRATIVE/REMARKS/COMMENTS

WELL PUMP AND PIPELINES TO PLACE OF USE FOR IRRIGATION WITH
SPRINKLERS

Have conditions of permit approval been met? ☒ yes ☐ no

APPROVED
MAR 27 1995

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$Q_{THEOR} = \frac{40 \text{ HP} (8.814) 0.7 \text{ EFF}}{37.1 \text{ ft} + (2.308 \times 60 \text{ PSI})} = 1.41 \text{ cfs} \quad \text{LIMITED BY } 0.02 \text{ cfs/AC TO } 1.30 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 65 \times 4.0 = 260 \text{ AFA}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 1.30 (214) 1.9835 = 551.8 \text{ AFA}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 260 \text{ AFA}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Irrigation</u>	<u>4-1</u>	<u>10-31</u>	<u>1.30</u>	<u>260</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>1.30</u>	<u>260</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name [Signature] Date 12-20-94

Reviewer KEITH C. WILSON Date 12/23/94

SEAL

MAR 27 1995

MEMORANDUM

TO: File 27-07418 / Cannon Structures, Inc.
FROM: Brenda Chapman
DATE: March 16, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for the above referenced water right are based on the information below:

F. FLOW CALCULATIONS

The recommended capacity has been reduced based on an adjustment to the theoretical calculation. The pumping level has been increased to 47' (rather than the static water level of 37' listed on the well log).


$$\frac{8.8 \times .7 \times 40 \text{ hp}}{47' + (2.31 \times 60 \text{ psi})} = 1.33 \text{ cfs}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	4-01 to 10-31	1.30	Not listed

The volume recommendation is addressed in the remarks based on current supplemental groundwater processing procedures.



T3S
R35E

MAR 2 1996
SLOUGH

27-07418

Mile
15



MAR 27 1935

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>John Cannon</u> Address <u>PO Box 155</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>37</u> feet below land surface Flowing? ☐ Yes ☒ No Artesian closed in pressure Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>64</u>°F. Quality _____ Describe strata at temperature zones below																																
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailor ☐ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped																													
Discharge G.P.M.	Pumping Level	Hours Pumped																															
3. PROPOSED USE Domestic ☒ Irrigation ☐ Test ☐ Municipal Industrial ☐ Stock ☐ Waste Disposal or Injection Other ☐ (Specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yes/No</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>16"</td> <td>0</td> <td>5</td> <td>Brown clay</td> <td> </td> </tr> <tr> <td>5"</td> <td>5</td> <td>100</td> <td>Hot water at 30'</td> <td> </td> </tr> </tbody> </table>	Bore Diam.	Depth		Material	Water Yes/No	From	To	16"	0	5	Brown clay		5"	5	100	Hot water at 30'																
Bore Diam.	Depth		Material	Water Yes/No																													
	From	To																															
16"	0	5	Brown clay																														
5"	5	100	Hot water at 30'																														
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dig ☐ Other _____	5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>250 inches</td> <td>16 inches</td> <td>1 foot</td> <td>99 feet</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☒ Yes ☐ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch Size of perforation <u>1/8</u> inches by <u>12</u> inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>60 perforations</td> <td>56 feet</td> <td>100 feet</td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☒ Pudding clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld Describe access port <u>Pump Base</u>	Thickness	Diameter	From	To	250 inches	16 inches	1 foot	99 feet													Number	From	To	60 perforations	56 feet	100 feet						
Thickness	Diameter	From	To																														
250 inches	16 inches	1 foot	99 feet																														
Number	From	To																															
60 perforations	56 feet	100 feet																															
6. LOCATION OF WELL Sketch map location must agree with written location. N <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">W</td> <td style="width: 25%; text-align: center;">X</td> <td style="width: 25%; text-align: center;">E</td> <td style="width: 25%;"></td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </table> S County <u>Bingham</u> Subdivision Name _____ Lot No. _____ Block No. _____	W	X	E														10. Work started <u>10-25</u> finished <u>10-25</u>																
W	X	E																															
11. DRILLERS CERTIFICATION We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Clinton Not Drilling</u> Firm No. <u>106</u> Address <u>PO Box 747 LIMA</u> Date <u>10-28-86</u> Signed by (Firm Official) <u>Charles J. Anderson</u> and (Operator) <u>Andrew J. Anderson</u>	12. RECEIVED MAY 01 1983 Department of Water Resources																																

USE ADDITIONAL SHEETS IF NECESSARY

27-07418



Fig. 1 - Point of diversion looking south.



Fig. 2 - Point of diversion looking northwest over place of use.

27-07418

7 1935



Fig. 3 - Point of diversion.

27-07418

APR 27 1995

November 1, 1989

CANNON STRUCTURES INC.
P.O. BOX 188
BLACKFOOT, ID 832210000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 27-07418

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECORDED
DEC 13 1989

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
May 31, 1989

CANNON STRUCTURES INC.
P.O. BOX 188
BLACKFOOT, ID 832210000

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. ~~2~~27-07418

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

JUN 1 1989

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

March 30, 1987

RE: Water Right No. 27-7418

Cannon Structures, Inc.
Box 188
Blackfoot, ID 83221

Gentlemen:

Enclosed is your interim approval for the 1987 irrigation season.

The copy of the application for permit to appropriate water attached to the interim approval defines the various components of your interim approval. The inclusion of the copy of the application is only for the purpose of definition, and any terms contained therein are limited by the conditions of the interim approval.

Sincerely,

GARY SPACKMAN
Supervisor, Water Allocation Section

GS:sc

Enclosures

cc: Eastern Region
Tom Nelson

MICROFILMED

APR 1 1987

Cannon Structures, Inc.
P.O. BOX 188 - BLACKFOOT, IDAHO 83221
(208) 785-2690

RECEIVED
MAR 09 1987

Department of Water Resources

March 8, 1987

State of Idaho
Department of Water Resources
Bureau
Boise, Idaho 83720
Attn: Gary Steinman


RE: Interim Approval for Diversion #27-741E

Gentlemen:

In response to your letter of February 13, 1987, we are writing to inform you that we need to divert water during the 1987 irrigation season. We will appreciate receiving an interim approval for such diversion. It is our understanding that upon receipt of this letter, you will be able to issue such approval.

If you need further information, please contact us.

Sincerely,


John F. Cannon
President

JFC/eh

MICROFILMED
APR 10 1987



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 13, 1987

Cannon Structures, Inc.
P.O. Box 188
Blackfoot, ID 83221

RE: Interim Approval

Gentlemen:

Department records show that you were issued an interim approval for Application No. 27-7418. As you know, interim approvals were a temporary measure to allow users the opportunity to divert and use water until the Department could consider processing the application under the provisions of the Swan Falls Agreement.

During past irrigation seasons, you have been required to lease storage water from the Upper Snake River Water Supply Bank. Your point of diversion has now been determined to be outside of the portion of the Snake River Groundwater Aquifer which supplies surface water below Milner Dam. The water you are diverting is not currently classified as trust water.

As a result of your diversion location falling outside of the present trust water boundaries, you will not be required as a condition of interim approval to lease storage water during the 1987 irrigation season. Nevertheless, if you desire to divert water during the calendar year 1987, you must inform the Department of Water Resources, in writing, of your intent to divert. Upon proper notification, the Department will issue you another interim approval without a requirement that you lease storage water in 1987.

Regional office personnel of the Department will field inspect the place of use for all continuing interim approvals and for all cancelled interim approvals, since the Idaho statutes now dictate penalties for the unauthorized diversion and use of water. Your present interim approval will expire in April, 1987.

MICROFILMED

APR 10 1987

For more information on interim approval, you should contact the Department's Eastern Regional office at 150 Shoup Avenue, Suite 15, Idaho Falls, ID 83401, telephone, 525-7161.

Sincerely,

A handwritten signature in cursive script, appearing to read "Gary Spackman".

GARY SPACKMAN, Supervisor
Water Allocation Section

GS:jf

CC: Eastern Region

RECEIVED
JAN 10 1984
WATER ALLOCATION SECTION
IDaho DEPARTMENT OF AGRICULTURE

May 6, 1986

RE: Permit No. 27-7418

Cannon Structures, Inc.
Box 188
Blackfoot, ID 83221

Gentlemen:

Enclosed is the approved interim permit to allow use of groundwater provided that you comply with the conditions of approval listed on the permit.

This permit will be reprocessed under provisions of 42-203C, Idaho Code, to determine if the trust waters made available under 42-203B and the Snake River Water Rights Agreement can be allocated to the proposed use. Reprocessing will occur after rules and regulations have been adopted to guide processing of applications under the criteria of 42-203C and will be in accordance with those adopted rules and regulations.

You should be aware that storage water rental is required each year and notice shall be provided to the Department prior to diversion of water.

By issuing the interim approval, the Department is not committing to issuance of a permit for the trust water, and the investments you make pursuant to this interim approval will not influence the future decision as the permit is reprocessed. You assume all the risk that you will be successful in obtaining a permit for the reallocated water and thereby eliminate the need to provide replacement storage water. You are also assuming all risk relative to the availability of storage water from the rental pool in future years to allow use of water under the interim approval to continue.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

MICROFILMED

JJ:sc
Enclosures

cc: Tom Nelson

INTER-DEPARTMENT MEMO — 1

FROM

Ernst

DATE

24 Nov 40.

TO

F. J. C.

SUBJECT

Tolson, E. Allen, Chairman - Vice President, S. C. P. U.
Comm. Subcomm. on Int. Affs.

Mr. Tolson, the report of the subcommittee on the
S. C. P. U. is being prepared. The report will be
submitted to the House of Representatives and the Senate
for their consideration. The report will be
submitted to the House of Representatives and the Senate
for their consideration.

MICROFILMED

Ernst

SIGNATURE

March 6, 1986

Cannon Structures
P.O. Box 188
Blackfoot, Idaho 83221

Re: Application for permit No. 27-7418

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned identification no. 27-7418. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in The Blackfoot News. The advertisement will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Enclosed please find your receipt no. 35560 for the amount of \$65.00.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

Ernest Carlsen
Assistant Regional Supervisor

EC/md

Public Notices

NOTICE OF APPLICATION FOR WATER RIGHT

The following applications have been filed to appropriate the public waters of the State of Idaho:

27-7418

CANNON STRUCTURES, INC.

P.O. Box 188

Blackfoot, Idaho 83221

Source: GROUNDWATER

Diversion Pt.: SENW, Sec. 02, T. 03S, R. 35E.

Use: IRRIGATION (1.6 CFS).

Date Filed: 01/31/1986

In: NENW, SENW, Sec. 02, T. 03S, R. 35E, for 65 ACRES.

The permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup ave., Suite 15, Idaho Falls, Idaho, 83402, on or before March 31, 1986.

KEN DUNN
Director

(8973)

Pub.: 3/13, 20

33

RECEIVED
MAR 20 1986
Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho) ss

I, Catherine C. Brown) do
solemnly

swear that I am the Office Manager of The Morning News which is a daily newspaper of general circulation published each day except Sunday at Blackfoot, Bingham County, Idaho, said newspaper having been so published at Blackfoot, aforesaid for more than one year past; that said newspaper heretofore complied with all the provisions of Chapter 154 of the Sessions Laws of Idaho of 1933, approved March 11, 1933, and duly designated, pursuant to law, a particular day of the week as the day on which legal notices required by law or by the order of any Court of competent jurisdiction within the State of Idaho shall be published to-wit: Thursday of each week; that the notice attached hereto and which is a part of this affidavit and part of the proof of publication was published in said issue or said newspaper 2 consecutive weeks,

the first publication having been made on the 13th day of March, 1986.

and the last publication having been made on the 20th day of March, 1986; that said notice was published in the regular and entire issue of every number of the paper as aforesaid during the period and time of publication, and that notice was published in the newspaper and not in a supplement.

Catherine C. Brown

Subscribed and sworn to before me this 24th

day of March, 1986

Salvador A. Johnson

Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

MARCH 5, 1986

The Blackfoot News
P. O. Box 70
Blackfoot, Idaho 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 31, 1986.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region

Encl.

RECEIVED

leg10-8973,io8

give to jackie

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following applications have been filed to appropriate the public waters of the State of Idaho:

27-7418

CANNON STRUCTURES, INC.

P.O. Box 188

Blackfoot, Idaho 83221

Source: GROUNDWATER

Diversion Pt.: SENW, Sec. 02, T. 03S, R. 35E.

Use: IRRIGATION (1.6 CFS).

Date Filed: 01/31/1986

In: NENW, SENW, Sec. 02, T. 03S, R. 35E,
for 65 ACRES.

The permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, **Idaho Code** and/or the public interest criteria of Sec. 42-203C, **Idaho Code**. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup ave., Suite 15, Idaho Falls, Idaho, 83402, on or before March 31, 1986.

KEN DUNN
Director

(8973)

Pub.: 3/13, 20

NOTICE OF APPLICATION
FOR WATER RIGHT

The following applications have been filed to appropriate
the public waters of the State of Idaho:

27-7418

CANNON STRUCTURES, INC.

P.O. BOX 188, BLACKFOOT, ID 83221

Source: GROUNDWATER

Diversion Pt: SENW Sec 02 T 03S R 35E

Use: IRRIGATION (1.6 CFS)

Date Filed: 01/31/1986

In: NENW SENW Sec 02 T 03S R 35E FOR 65 ACRES

The permits will be subject to all prior water rights.
Protests may be submitted based on the criteria of Sec. 42-203A,
Idaho Code and/or the public interest criteria of Sec. 42-203C,
Idaho Code. Protests must be filed with the Director, Dept. of
Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho,
83402 on or before March 31, 1986.

KEN DUNN

Director

Published 3/13/86 & 3/20/86.

MICROFILMED

Eastern R.

Cannon Structures, Inc.
P.O. BOX 188 - BLACKFOOT, IDAHO 83221
(208) 785-2690

RECEIVED

FEB 24 1986

Department of Water Resources

February 21, 1986

Department of Water Resources
State House
Boise, Idaho 83707
Att: Mr. Kenneth Dunn
Director

RECEIVED

FEB 28 1986

Department of Water Resources
Eastern District Office

Dear Mr. Dunn:

Will you please respond to the following proposal:

1. We have applied for a well permit for our irrigation needs for approximately 63 acres.
2. In order to get authority to drill and pump water, i.e. to satisfy Idaho Power's hookup requirements, in 1986 and until the permit is issued, we will lease the amount of water the director deems necessary to mitigate any identifiable reduction in flows caused by our project from the water supply bank.

The main idea of our proposal is that we will be satisfying Idaho Power's requirements pending the issuance of our permit.

Sincerely yours,

John P. Cannon for John P. Cannon
John P. Cannon
Cannon Structures, Inc.

slh

February 20, 1986

RE: Application for Appropriation of Water No. 27-7418

Mr. John P. Cannon, President
Cannon Structures, Inc.
P.O. Box 1288
Blackfoot, ID 83221

Dear Mr. Cannon:

Following a conversation with your wife on February 12, 1986, I prepared an application for permit to appropriate water which conforms to the format required by our office for submittal of the application to Boise. Enclosed is the typed application.

If you would review the information contained on the application, and confirm that it is accurate, sign the application on behalf of the corporation as its president, and return it to me, the application will continue to be processed. The date of priority for your filing will be the date of receipt of your initial application, but the application which I have enclosed, and which you should sign, will be substituted in its place for the sake of clarity.

Sincerely,

GARY SPACKMAN
Sr. Resource Agent

GS:ew

Enclosure