


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

DEC 18 1989

Boyd Valley
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
The Well	U.S. Electric Motors	20	R-7177-03-915	Aurora Verti-Line	—

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Polysonic						
100 PSI GAUGE (58 PSI)						

2. Measurements: _____

MICROFILMED


MAR 25 1997





27-7408

O. Boyd Jolley
SWSW 1/4 S30E



See - V-9

MICROFILMED
DEC 18 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 27-07408

Priority: May 28, 1985

Maximum Diversion Rate:

0.72 CFS

This is to certify, that O BOYD JOLLEY
607 N 600 E
FIRTH ID 83236

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 28, 1985; and
has submitted Proof of Beneficial Use on February 27, 1990. An examination indicates
that the works have a diversion capacity of 0.740 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

IRRIGATION	04/01 to 10/31	0.72 CFS	
------------	----------------	----------	--

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 1, Township 02S, Range 36E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02S	36E	1	SWSW	36		36

Total number of acres irrigated: 36

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. This right when combined with all other rights shall provide no more than 4.0 afa per acre for the lands above.
7. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right and shall only divert groundwater under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 27-07408

CONDITIONS OF APPROVAL AND REMARKS

8. This right shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use.
9. This right when combined with all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual diversion volume of 144.0 af for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 17TH day of MARCH, 1992.


KARL J. DREHER, Director
Acting for

RECEIVED
FEB 27 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. P27-07408 Telephone No. 357-3290
Name(s) of Permit Holder(s): Boyd Jolley
Post Office Address: 600 E. 607 N. Fifth, Idaho 83236
Source of Water: Ground water
If ground water, well driller's name: Lamar Barrus Date drilled: 1984
Extent of Use:
Domestic _____ (No. of households) Irrigation 36 (No. of acres)
Stockwater 40 cattle (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted .72 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: MAY 1984 ✓

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No ☐ Installed? Yes ☐ No ☐

OR

Flow Measurement Port: Required? ☒ Yes ☐ No ☐ Installed? Yes ☐ No ☐

Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Boyd Jolley 357-3290
Name Telephone No.
600 E. 607 N. Fifth, Idaho 83236
Address

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

APR 17 1990

2-13-90
Date

Boyd Jolley
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 27-07408

Proposed Priority: May 28, 1985

Maximum Diversion Rate:

0.72 CFS

This is to certify, that **O. BOYD JOLLEY**
607 N. 600 E.
FIRTH, ID 83236

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.72 CFS

LOCATION OF POINT(S) OF DIVERSION: SWSW Sec. 1, Township 02S, Range 36E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02S	36E	1	SWSW	36		36

Total number of acres irrigated: 36

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **January 1, 1991**.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

DEC 18 1989

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 27-07408

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

14th day of December, 1989.

R. Keith Higginson

R. Keith Higginson, Director

for

MICROFILMED

DEC 18 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant O. BOYD JOLLEY Phone 346-6612

Post office address 607 N. 600 E., Firth, ID 83236

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 1 Township 2S

Range 36E B.M. Bingham County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.72 cfs for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.72 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump & sprinkler system.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 14 inches; proposed depth of well is 60 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year – maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2S	36E	1											36						36

Total number of acres to be irrigated 36

c. Describe any other water rights used for the same purposes as described above. Decreed water from Snake River carried thru Snake River Valley Irr. Dist.

9. a. Who owns the property at the point of diversion Applicant
- b. Who owns the land to be irrigated or place of use Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____


10. Remarks _____

The application is for development already
in place as of May, 1984. The application
is being made to insure that the benefits of
subordination per the Swan Falls Agreement
are obtained. The applicant intends to claim
the priority of May 20, 1984 if a basin
wide adjudication occurs at a later date.

RECEIVED

Dec 16 1984

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale. 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

DEC 18 1989

[Signature]
(Applicant)

Received by EMC Date 5-28-85 Time 2:00
Preliminary check by S.M. Fee \$ 45.00 # 33293
Receipted by CT Date 5-28-85
Publication prepared by RB Date _____
Published in Morning News
Publication dates 10-14 & 26-89
Publication approved (a) Date 11-06-89
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for (approval) denial by HUS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

MICROFILMED

DEC 18 1989

WARRANTY DEED

For Value Received DAREN JOLLEY, a single man, of Rt. 1 Box 275, Firth, Idaho 83236

the grantor, do hereby grant, bargain, sell, and convey unto O. Boyd Jolley and Verla J. Jolley, husband and wife

the grantee, whose current address is Rt. 1 Box 275, Firth, Idaho 83236

the following described premises, to-wit:

The SW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Section 1, T.2S., R. 36 E.B.M., in Bingham County Idaho, EXCEPTING THEREFROM as follows:

Commencing at the S.W. corner of Section 1 T1S., R. 36 E.B.M. running North along the West line of said Section 1, a distance of 950 feet TO THE TRUE POINT OF BEGINNING: Thence continuing North along said West line, a distance of 370 feet to the S 1/16 corner of said Section; Thence due East, along the 1/16 line fence line, a distance of 370 feet; Thence S. 45 deg., W. a distance of 523.26 feet to the TRUE POINT OF BEGINNING containing 1.57 acres more or less.

TO HAVE AND TO HOLD the said premises, with their appurtenances unto the said Grantee, as their heirs and assigns forever. And the said Grantor does hereby covenant to and with the said Grantee, that they are the owner in fee simple of said premises; that said premises are free from all incumbrances except as hereinabove set forth and that they will warrant and defend the same from all lawful claims whatsoever.

Dated: this 7th day of September, 1983.

Daren Jolley
DAREN JOLLEY

STATE OF IDAHO, COUNTY OF BINGHAM

On this 7th day of September 1983, before me, a notary public in and for said State, personally appeared

DAREN JOLLEY

known to me to be the person whose name is subscribed to the within instrument, and acknowledged to me that he executed the same.

Daren Jolley
Notary Public

Residing at Blackfoot, Idaho
Comm. Expires life

AMOUNT PAID
147.00 200.00
SEP 12 AM 12 21
310611
FIRST AMERICAN TITLE COMPANY

27-07408

JOLLEY, O. Boyd
607 N. 600 E
Firth, Id. 83236
Source: GROUNDWATER
Diversion Pt: SWSW, Sec. 1, T. 02S, R. 36E.
Use: IRRIGATION (.720 CFS).
Date Filed: 5/28/1985.
In: T02S, R36E, S01, SWSW.
36.0 ACRES TOTAL.

27-07412

THOMPSON FARMS
493 South 1200 West
Pingree, Id. 83262
Source: GROUNDWATER
Diversion Pt: SESE, Sec. 21, T. 03S, R. 34E.
Use: IRRIGATION (3.060 CFS).
Date Filed: 6/20/1985.
In: T03S, R34E, S21, NESE, SWSE, SESE, S22, NWSW, SWSW, S28, NENW.
153.0 ACRES TOTAL.

27-07413

CAPSON, Edwin
DRISCOLL, Michael A.
273 S. 1300 West
Pingree, Id. 83262
Source: GROUNDWATER
Diversion Pt: SESE, Sec. 21, T. 02S, R. 36E.
Use: IRRIGATION (3.200 CFS).
Date Filed: 6/27/1985.
In: T02S, R36E, S21, NESE, NWSE, SWSE, SESE.
160.0 ACRES TOTAL.

27-07446

IDAHO SUPREME POTATOES, Inc.
P.O. Box 246
Firth, Idaho 83236
Source: GROUNDWATER
Diversion Pt: Lot 9 (SWSE), Sec. 6, T. 01S, R. 37E; SESE, Sec. 7, T. 01S, R. 37E.
Use: IRRIGATION (4.340 CFS).
Date Filed: 11/07/1988.
In: T01S, R37E, S06, Lot 9 (SESW), Lot 13 (SESW), Lot 10, (NWSE), Lot 9 (SWSE), Lot 13 (SWSE); S07, NWNE, SWNE, SENE, Lot 8 (NENW); Lot 9 (NENW), Lot 7 (SENW), Lot 12 (SENW), Lot 6 (NESW); Lot 12 (NESW), NESE, Lot 6 (NWSE), Lot 5 (SWSE), SESE.
217.0 ACRES TOTAL.

27-07447

IDAHO SUPREME POTATOES, Inc.
P.O. Box 246
Firth, Id. 83236
Source: GROUNDWATER
Diversion Pt: Lot 2 (NENW), Sec. 19, T. 01S, R. 37E.
Use: IRRIGATION (2.940 CFS).
Date Filed: 11/07/1988.
In: T01S, R37E, S18, NENE, Lot 8 (NWNE), SWNE, Lot 7 (SENW); NESW, Lot 6, (NESW), Lot 14, (NESW), Lot 5, (SESW); Lot 18 (SESW); NWSE, SWSE; S19, NWNE, SWNE, NENW, Lot 2 (NENW); Lot 7 (NENW), SENW, Lot 3 (SENW), Lot 10, (SENW); NESW, Lot 4 (NESW), Lot 11 (NESW).
147.0 ACRES TOTAL.

27-07480

COUSIN, David L.
920 9th St.
Idaho Falls, Id. 83404
Source: SPRING Tributary: SINKS.
Diversion Pt: SESWNW, Sec. 9, T. 04S, R. 40E.
Use: STOCKWATER (.040 CFS).
Date Filed: 9/21/1989.
In: T04S, R40E, S09, SWNW.

35-08820

FELD FARMS
c/o Jeff or Todd Feld
P.O. Box 2

NOV 2 1989
Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)
State of Idaho) ss
I, Ted Townsend do
solemnly

swear that I am the Publisher of
The Morning News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of
Idaho shall be published to-wit: of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was
published in said issue or said

newspaper two consecutive weeks
the first publication having been made on the

19th day of October, 1989;
and the last publication having been made on the
27th day of October, 1989;
that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

On this 27th day of October, in
the year 1989, before me a Notary Public of said State,
personally appeared

Ted Townsend
known or identified to me to be the person whose
name is subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he ex-
ecuted the same.

Ted Townsend
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires

November 10, 1994
Affidavit Processing Fee \$5.00


MICROFILMED

DEC 18 1989

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water, 10 days after the completion or abandonment of the well.

JUN 29 1984
Department of Water Resources

1. WELL OWNER		Department of Water Resources Eastern District Office	
Name <u>Boyd Jolley</u>			
Address <u>Birth RT# 1 8323 6</u>			
Owner's Permit No. <u>27-84C-0005-000</u>			
2. NATURE OF WORK <u>W.R. 27-07408</u>		7. WATER LEVEL	
☒ New well ☐ Deepened ☐ Replacement		Static water level <u>34</u> feet below land surface	
☐ Abandoned (describe method of abandoning)		Flowing? ☐ Yes ☒ No G.P.M. flow _____	
		Temperature _____ ° F. Quality _____	
		Artesian closed-in pressure _____ p.s.i.	
		Controlled by ☐ Valve ☐ Cap ☐ Plug	
3. PROPOSED USE		8. WELL TEST DATA	
☐ Domestic ☒ Irrigation ☐ Test		☐ Pump ☒ Bailer ☐ Other	
☐ Municipal ☐ Industrial ☐ Stock		Discharge G.P.M. Draw Down Hours Pumped	
4. METHOD DRILLED			
☒ Cable ☐ Rotory ☐ Dug ☐ Other			
5. WELL CONSTRUCTION		9. LITHOLOGIC LOG	
Diameter of hole <u>14</u> inches Total depth <u>60</u> feet		Hole Diam. Depth Material Water	
Casing schedule: ☒ Steel ☐ Concrete		From To Yes No	
Thickness Diameter From To			
<u>250</u> inches <u>14</u> inches + <u>1</u> feet <u>60</u> feet		<u>14</u> <u>0</u> <u>10</u> sand +	
_____ inches _____ inches _____ feet _____ feet		<u>14</u> <u>10</u> <u>22</u> clay sand & gravel +	
_____ inches _____ inches _____ feet _____ feet		<u>14</u> _____ <u>60</u> gravel +	
_____ inches _____ inches _____ feet _____ feet			
_____ inches _____ inches _____ feet _____ feet			
Was a packer or seal used? ☐ Yes ☒ No			
Perforated? ☒ Yes ☐ No			
How perforated? ☐ Factory ☒ Knife ☐ Torch			
Size of perforation <u>1/2</u> inches by <u>2</u> inches			
Number From To			
<u>144</u> perforations <u>40</u> feet <u>58</u> feet			
_____ perforations _____ feet _____ feet			
_____ perforations _____ feet _____ feet			
Well screen installed? ☐ Yes ☒ No			
Manufacturer's name _____			
Type _____ Model No. _____			
Diameter _____ Slot size _____ Set from _____ feet to _____ feet			
Diameter _____ Slot size _____ Set from _____ feet to _____ feet			
Gravel packed? ☐ Yes ☒ No Size of gravel _____			
Placed from _____ feet to _____ feet			
Surface seal? ☒ Yes ☒ No To what depth <u>20</u> feet			
Material used in seal ☐ Cement grout ☒ Puddling clay			
6. LOCATION OF WELL		10.	
Sketch map location must agree with written location.		Work started <u>7/1/84</u> finished <u>7/1/84</u>	
		11. DRILLER'S CERTIFICATION	
County <u>Birmingham</u>		This well was drilled under my supervision and this report is true to the best of my knowledge.	
SW 1/4 SW 1/4 Sec. <u>1</u> , T. <u>2</u> , R. <u>36</u> (E/W)		<u>23</u>	
		Driller's or Firm's Name <u>Boys Drilling</u>	
		Address <u>Box 556 Basalt</u>	
		Signed By <u>Lamar Barron</u> Number <u>33</u>	
		Date <u>5-9-84</u>	

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

March 18, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

O BOYD JOLLEY
607 N 600 E
FIRTH ID 83236

RE: WATER RIGHT NO. 27-07408

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name and title.

Shelley W. Keen
Water Rights Supervisor

SK:ph


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 18th day of March, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 27-07408

O BOYD JOLLEY
607 N 600 E
FIRTH ID 83236



Vanessa Roby
Secretary

MEMORANDUM

DATE: March 11, 1997

TO: 27-07408 File

FROM: Cindy Bird

SUBJECT: Surface Water Shares

I spoke with Mr. Boyd Jolley today in regards to possible surface water shares. Mr. Jolley stated that he does have surface water shares that he uses on this piece of property.

March 11, 1997
Cindy Bird

LICENSE REVIEW CHECKLIST

PERMIT NO. 27-07408

DATE 2/14/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>607 N. 600 E.</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change/clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>.72</u> cfs
Fee limit	<u>1.0</u> cfs <u>\$100⁰⁰</u>
Measured	<u>.74</u> cfs
Theoretical	<u>.71</u> cfs

Recommended Total Div Rate .72 cfs

ANNUAL VOLUME/
NATURE OF USES —

<u>✓</u> Use <u>Ins.</u>	Volume Calculation
	<u>36 X 4 =</u> af
	<u>144.0</u> af
	<u>—</u> af
	<u>—</u> af
	<u>—</u> af
	SUBTOTAL <u>—</u> af

Flow rate .72 cfs X 214 days X 1.982 = 305.1 af
 Total volume recommended 144.0 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

WB7 (144.0 af)

CONDITIONS — Watermaster Control WD# —

— GW Measurement/Measuring Device

R31 Overlap

26 Use-specific conditions 048,049,065,079


Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A
 Adjustment Memo —

1st Amend Letter N/A
 2nd Amend Letter N/A

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
The Well	Ward	20	R-7177-03-915	Akrota verti-Line	—

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Polysonic						
100 PSI SIZE (58 PSI)						

2. Measurements:

E. NARRATIVE/REMARKS/COMMENTS

Permit no. 27-7402, Twenty horsepower pump. Center pivot to
end gun - 625 feet. No corner catcher. Irrigating 3000 ft. of
0.72 cfs. Mr. Jolley has reported a maximum duration of
0.74 cfs. Center pivot is a corner of 10 ft. and 10 ft. of
10 ft. and 10 ft. Checked pressure at water end fitting:
58 PSI on 100 PSI GAUGE.

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

*Polysonic : 4 readings. Average 331.5 gpm
Maximum 332 gpm
Minimum 330 gpm* } *See Table*

$$331 \text{ gpm} \div 448.8 = 0.74 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 36 \text{ Ac} (4.0) = 144 \text{ AF/A}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.72 \text{ cfs} (1.9835) (214) = 305.6$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 144 \text{ AF/A}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<i>Irrigation</i>	<i>04/01</i>	<i>10/31</i>	<i>0.72</i>	<i>144</i>
Totals:			<i>0.72</i>	<i>144</i>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name *Spencer Garrison* Date *4 JUN 96*

Reviewer *[Signature]* Date *12/3/96*

SEAL

FLOW 330.448 GPM
4.013 F/S

SETUP NO. 1

PIPE O.D. 6.000 IN

PIPE WALL THICKNESS 0.100 IN

PIPE I.D. 5.800 IN

PIPE MATERIAL CARBON STEEL

PIPE SOUND VELOCITY 10597.129 F/S

LINER MATERIAL NONE

LINER SOUND VELOCITY 0.000 F/S

LINER THICKNESS 0.000 IN

INSIDE ABS ROUGHNESS 0.00015000

FLUID MATERIAL WATER

FLUID SOUND VELOCITY 4863.330 F/S

FLUID VISCOSITY 1.132 Cst

TRANSDUCER TYPE STANDARD

TRANSDUCER MOUNTING U

TRANSDUCER SPACING 4.288 IN

08:15:43 06-04-96

SCALE FACTOR = 0.990
OFFSET (GPM) = 0.000
nsec OFFSET = 9.87
usec OFFSET = -0.09
XMT_DET_DLY. = 17.60
AERATION FAC. = 1.00
XDUCE: STANDARD/U

WIN_DLY = 221.31 UP DOWN
SE>R = 1.96 221.31
BIAS = 1.53 1.84
AGC = 1.02 1.59
SIG_STG = 7.96 8.00
MISSED = 0
TIME(us) = 221.1 220.9
DEL TIME(ns) = 158.0
DIFF COUNT = 1013
P2X = 117
SPS = 18.43
AERATION = 0.000

FLUID (F/S) = 4863.33
REYNOLDS NO. = 159999
PROFILE FACTOR = 0.9347

FLOW: = 332.466 GPM
4.037 F/S

FLOW 331.373 GPM
4.024 F/S

FLOW 330.448 GPM
4.013 F/S

08:23:02 06-04-96

SCALE FACTOR = 0.990
OFFSET (GPM) = 0.000
nsec OFFSET = 9.87
usec OFFSET = -0.09
XMT_DET_DLY. = 17.60
AERATION FAC. = 1.00
XDUCE: STANDARD/U

WIN_DLY = 221.31 UP DOWN
SE>R = 1.98 221.31
BIAS = 1.61 1.94
AGC = 0.98 1.57
SIG_STG = 8.04 8.08
MISSED = 0
TIME(us) = 221.1 220.9
DEL TIME(ns) = 158.0
DIFF COUNT = 1001
P2X = 119
SPS = 18.12
AERATION = 0.000

FLUID (F/S) = 4863.33
REYNOLDS NO. = 158910
PROFILE FACTOR = 0.9345

FLOW: = 330.343 GPM
4.011 F/S

FLOW 332.018 GPM
4.032 F/S

08:28:51 06-04-96

SCALE FACTOR = 0.990
OFFSET (GPM) = 0.000
nsec OFFSET = 9.87
usec OFFSET = -0.09
XMT_DET_DLY. = 17.60
AERATION FAC. = 1.00
XDUCE: STANDARD/U

WIN_DLY = 221.31 UP DOWN
SE>R = 2.02 221.31
BIAS = 1.59 1.96
AGC = 0.98 1.59
SIG_STG = 8.08 8.12
MISSED = 0
TIME(us) = 221.1 220.9
DEL TIME(ns) = 157.9
DIFF COUNT = 1028
P2X = 119
SPS = 18.12
AERATION = 0.000

FLUID (F/S) = 4863.33
REYNOLDS NO. = 159526
PROFILE FACTOR = 0.9346

FLOW: = 331.284 GPM
4.023 F/S

FLOW 331.676 GPM
4.028 F/S


08:31:08 06-04-96

SCALE FACTOR = 0.990
OFFSET (GPM) = 0.000
nsec OFFSET = 9.87
usec OFFSET = -0.09
XMT_DET_DLY. = 17.60
AERATION FAC. = 1.00
XDUCE: STANDARD/U

WIN_DLY = 221.31 UP DOWN
SE>R = 1.98 221.31
BIAS = 1.59 1.96
AGC = 1.00 1.63
SIG_STG = 8.08 8.08
MISSED = 0
TIME(us) = 221.1 220.9
DEL TIME(ns) = 157.9
DIFF COUNT = 1017
P2X = 119
SPS = 18.12
AERATION = 0.000

27-7408

27-7408



NHEL 2 20.8
T 10.5
HEL 3 15.7

NHEL 7 7.4

NHEL 8 30.8

2 1 T309 184

25 3

T25 37
HEL 1 7.1

HEL 1 36.7

HEL 2 5.3

R36E T2S

12499 3816
HEL 9.1

HEL 3 32.9

HEL 1 89.3

HEL 2 47.0

2 4.3

Utah Rd. 500 E.

HEL 4 24.8

HEL 5 15.0

6 7.4

HEL 6 7.3

8 17

T25156 268

HEL 135.8

12

PLACE OF USE

POINT OF DIVERSION

27-07408

April 13, 1990

O. BOYD JOLLEY
607 N. 600 E.
FIRTH, ID 83236

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 27-07408

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED

APR 17 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 27-7408

Date: 4 11 1970

General Considerations:

y Name same as permit
y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
y Proof received timely
_____ Reinstated

Source of Water:

y Surface water
y Groundwater
_____ 1. well log in file
N/A 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

y Is a measuring device or access port required?
N Has one been installed?
_____ Waiver or modification of measuring device requested

Remarks: - Require meas. port
Proof acceptable

N/A Priority Calculation:
Date proof received _____
Date proof due _____ -
No. of days late _____ =
Priority date _____ +
NEW PRIORITY DATE _____ =

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
December 15, 1989

O. BOYD JOLLEY
607 N. 600 E.
FIRTH, ID 83236

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P27-07408

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

MICROFILMED

DEC 18 1989

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

DEC 18 1989

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Steve McCormick

APPLICATION NUMBER: 27-1408

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

☐ Yes ☒ No Field check required.

☐ Yes ☒ No Critical groundwater area.

☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

Reported Air photo from Mrs. Boyd Tolley 5-30-85

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____

☐ Yes ☐ No* In form for advertising.

☐ Yes ☒ No Final date for protests: 11-6-89

☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 11-02-89

☐ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application.

☒ Publication dates and paper, recorded on application.

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No Measuring device required.

☒ Yes ☐ No Access port required.

☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 27-P05

5-28-85 Date of priority recommended.

Special conditions of approval or cover letter. LOIG

App. in NON-TRUST area-

By: HWJ

Date: 11-7-89

STATE OFFICE REVIEW:

P05, P23, P03, P16

48 49 46 013

☐ See attached sheet for more information.

By: KW

Date: 12-4-89

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
-------	-----	-----	-----	--------------	---------------	-------

IDAHO STREAM CODE INDEX

27-Sep-1989

O. Boyd Jolley
607 N. 600 E.
Firth, ID 83236

RE: Application for Permit No. 27-7408

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Morning News. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

DEC 18 1989

27-07408

JOLLEY, O. BOYD
607 N. 600 E.
FIRTH, ID 83236

Source: GROUNDWATER

Diversion Pt: SWSW Sec 1 T 02S R 36E

Use: IRRIGATION (.720 CFS)

Date Filed: 5/28/1985

In: T02S R36E S01 SWSW

36.0 ACRES TOTAL

MICROFILMED

DEC 18 1989

08/85

DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE SURVEY

27-7408

JOLLEY, G. BOHD

507 N. 500 E., FIRTH, ID 83235

Source: GROUNDWATER

Date Filed: 03/28/1985

Diversion Pt: SNEW Sec 01 T 025 R 3EE

Use: IRRIGATION (0.72 CFS)

In: SNEW Sec 01 T 025 R 3EE FOR 36 ACRES

RECEIVED

SEP 10 1985

Department of Water Resources
Eastern District Office

Check the box to the left of the paragraph which accurately describes the status of the project described by the application and then sign on the line at the bottom of the page.


- A. ☒ Prior to October 1, 1984, the source of water listed on application for permit No. 27-7408 was not being diverted and put to beneficial use as represented by the application.
- B. ☐ Prior to October 1, 1984, the source of water listed on application for permit No. _____ was being diverted and put to beneficial use as represented by the application.

If paragraph "B" was selected return the form with documentation confirming beneficial use occurred prior to October 1, 1984. This documentation should include a sworn statement from you as applicant, plus other evidence that will substantiate beneficial use.

Additional information is not required for paragraph "A".

MICROFILMED

DEC 18 1989


(Signature)

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name
Address
Owner's Permit No.

7. WATER LEVEL

Static water level feet below land surface
Flowing? ☐ Yes ☐ No G.P.M. flow
Temperature ° F. Quality
Artesian closed-in pressure p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

- ☐
- New well
- ☐
- Deepened
- ☐
- Replacement
-
- ☐
- Abandoned (describe method of abandoning)
-
-

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

3. PROPOSED USE

- ☐
- Domestic
- ☐
- Irrigation
- ☐
- Test
-
- ☐
- Municipal
- ☐
- Industrial
- ☐
- Stock

4. METHOD DRILLED

- ☐
- Cable
- ☐
- Rotary
- ☐
- Dug
- ☐
- Other

5. WELL CONSTRUCTION

Diameter of hole inches Total depth feetCasing schedule: ☐ Steel ☐ Concrete

Thickness	Diameter	From	To
<u> </u> inches	<u> </u> inches	<u> </u> feet	<u> </u> feet
<u> </u> inches	<u> </u> inches	<u> </u> feet	<u> </u> feet
<u> </u> inches	<u> </u> inches	<u> </u> feet	<u> </u> feet
<u> </u> inches	<u> </u> inches	<u> </u> feet	<u> </u> feet
<u> </u> inches	<u> </u> inches	<u> </u> feet	<u> </u> feet


Was a packer or seal used? ☐ Yes ☐ No
Perforated? ☐ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation inches by inches

Number	From	To
<u> </u> perforations	<u> </u> feet	<u> </u> feet
<u> </u> perforations	<u> </u> feet	<u> </u> feet
<u> </u> perforations	<u> </u> feet	<u> </u> feet

Well screen installed? ☐ Yes ☒ NoManufacturer's name Type Model No. Diameter Slot size Set from feet to feetDiameter Slot size Set from feet to feetGravel packed? ☐ Yes ☐ No Size of gravel
Placed from feet to feetSurface seal? ☐ Yes ☐ No To what depth feet
Material used in seal ☐ Cement grout ☐ Puddling clay

6. LOCATION OF WELL

Sketch map location must agree with written location.



10.

Work started 4/27/74 finished 5/3/74

11. DRILLER'S CERTIFICATION

This well was drilled under my supervision and this report is true to the best of my knowledge.

Driller's or Firm's Name Number Address Signed By Date 5-9-74

O. Boyer

SW 50

C 41

B-479

11X

H 3

10.3

B 22

D 17.9

C 35

H 3

F 11.9

B 19.9

B-411

4-11-3

11X

C 6.9

D 11.8

E 38.6

See - V-9

24-7408

D 40.1

H 14

17.4

F 9.4

F 19.4

MICROFILMED

DEC 18 19

C 5.3

D 32.9

24-194

11 2



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

August 13, 1985

RE: Application for Permit No. 27-7408

Mr. O. Boyd Jolley
607 North 600 East
Firth, Idaho 83236

Dear Mr. Jolley:

In October of 1984, Idaho Power Company and the State of Idaho signed an agreement stating the Company's water rights would be subordinated to those persons who beneficially used water prior to October 1, 1984, and who filed an application or claim for said use by June 30, 1985.

To insure proper consideration of your application pursuant to the above agreement, follow the directions on the enclosed form and return it to this office when completed. For your benefit in identifying the point of diversion and place of use, included on the form is a description of the major items contained on the application.

Your cooperation in returning the completed form and supplemental documentation will expedite future administrative action on your application when processing of applications above Swan Falls resumes.

Respectfully submitted,

ERNEST CARLSEN
Assistant Regional Supervisor

EC:cw

Enclosure

MICROFILMED

DEC 18 1985

22-2408-

JOLLEY, O. BOYD

607 N. 600 E., FIRTH, ID 83236

Source: GROUNDWATER

Date Filed: 05/28/1985

Diversion Pt: SWSN Sec 01 T 02S R 36E

Use: IRRIGATION (0.72 CFS)

In: SWSN Sec 01 T 02S R 36E FOR 36 ACRES

RECEIVED
MAY 29 1985
FIRTH, ID

100-100000

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]