


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

DEC 13 1989

[Signature]
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US Electric	75	R-6326-05-606 R1008978M	Aurora Vertiline	3x4 71299

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Polysonic		Peck				

2. Measurements: 8" od 0.103" Thick

MICROFILMED

JUN 09 1997

230

7.9.188

4. 8. 5. 6. 8. 9.

105 1. 50

108	10	30	10	10
109	10	30	10	10
110	10	30	10	10
111	10	30	10	10
112	10	30	10	10
113	10	30	10	10
114	10	30	10	10
115	10	30	10	10
116	10	30	10	10
117	10	30	10	10
118	10	30	10	10
119	10	30	10	10
120	10	30	10	10
121	10	30	10	10
122	10	30	10	10
123	10	30	10	10
124	10	30	10	10
125	10	30	10	10
126	10	30	10	10
127	10	30	10	10
128	10	30	10	10
129	10	30	10	10
130	10	30	10	10
131	10	30	10	10
132	10	30	10	10
133	10	30	10	10
134	10	30	10	10
135	10	30	10	10
136	10	30	10	10
137	10	30	10	10
138	10	30	10	10
139	10	30	10	10
140	10	30	10	10
141	10	30	10	10
142	10	30	10	10
143	10	30	10	10
144	10	30	10	10
145	10	30	10	10
146	10	30	10	10
147	10	30	10	10
148	10	30	10	10
149	10	30	10	10
150	10	30	10	10
151	10	30	10	10
152	10	30	10	10
153	10	30	10	10
154	10	30	10	10
155	10	30	10	10
156	10	30	10	10
157	10	30	10	10
158	10	30	10	10
159	10	30	10	10
160	10	30	10	10
161	10	30	10	10
162	10	30	10	10
163	10	30	10	10
164	10	30	10	10
165	10	30	10	10
166	10	30	10	10
167	10	30	10	10
168	10	30	10	10
169	10	30	10	10
170	10	30	10	10
171	10	30	10	10
172	10	30	10	10
173	10	30	10	10
174	10	30	10	10
175	10	30	10	10
176	10	30	10	10
177	10	30	10	10
178	10	30	10	10
179	10	30	10	10
180	10	30	10	10
181	10	30	10	10
182	10	30	10	10
183	10	30	10	10
184	10	30	10	10
185	10	30	10	10
186	10	30	10	10
187	10	30	10	10
188	10	30	10	10
189	10	30	10	10
190	10	30	10	10
191	10	30	10	10
192	10	30	10	10
193				

$\frac{0.8}{2.808}$

1050


1051

1894

1


West

2411



MICROFILMED
JUN 09 1997

27-07392



NHEL
4
10.5

NHEL
5
11.8

NHEL
7
7.4

NHEL
8
30.6

NHEL
1
29.3

36 31

Woh

TIS

T2S

T2S
3

Lot 3

Lot 2

NHEL
1
7.1

T
2
S

R36E

Lot 1

R36 R37E

PLACE OF USE

POINT OF DIVERSION

NHEL
1
89.3

NHEL
2
47.0

NHEL
5
15.0

6
7.4

NHEL
6
7.3

25156
2.68

37

33

37

33

NHEL
1
135.0

5.26

Rese

MICROFILMED
JUN 0 9 1997

27-07392


16
12 7

P



CENTER
PIVOT

POINT OF
DIVERSION



MICROFILMED
JUN 09 1997

27-7392

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 27-07392

Priority: June 12, 1984

Maximum Diversion Rate:

2.80 CFS

This is to certify, that KEN WERNETTE
508 N 600 E
FIRTH ID 83236

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 12, 1984; and
has submitted Proof of Beneficial Use on November 20, 1990. An examination indicates
that the works have a diversion capacity of 2.910 cfs of water from a **GROUNDWATER**
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

IRRIGATION	04/01 to 10/31	2.80 CFS	
------------	----------------	----------	--

LOCATION OF POINT(S) OF DIVERSION:

SESE , Sec. 1, Township 02S, Range 36E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02S	36E	1	NESE 33	NWSE 37	SWSE 37	140
			SESE 33			

Total number of acres irrigated: 140

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. This right when combined with all other rights shall provide no more than 4.0 afa per acre for the lands above.
7. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right and shall only divert groundwater under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 27-07392

CONDITIONS OF APPROVAL AND REMARKS

8. This right shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use.
9. This right when combined with all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual diversion volume of 560.0 af for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 27th day of MAY, 1997.


Acting for KARL J. DREHER, Director

Form 217
08/89

For Office Use Only
Amt. of Fee \$ 150.00
Date 20 NOV 1990
Receipt No. E016465
Received by KCW

NOV 2 1990

Department of Water Resources
Eastern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 27-7392 Telephone No. 208-785-1414

Name(s) of Permit Holder(s): Ken Wendt

Post Office Address: 508 E. Fifth St. 83706

Source of Water: Groundwater

If ground water, well driller's name: Irving Kendle Date drilled: 10-23-89

Extent of Use:
Domestic _____ (No. of households) Irrigation 145 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 2.9 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 10-23-89

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? ☒ Yes No Installed? ☒ Yes No

Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Ken Wendt 208-785-1414
Name Telephone No.
508 E. Fifth St. 83706
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

20 NOV 1990
Date

Ken Wendt
Signature (and title if on behalf of a company or organization)

RECORDED

JAN 1 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 27-07392

Proposed Priority: June 12, 1984

Maximum Diversion Rate:

2.90 CFS

This is to certify, that **KEN WERNETTE**
RT. 1 BOX 177
FIRTH, ID 83236

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	2.90 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		SESE Sec. 1, Township 02S, Range 36E BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02S	36E	1	NESE 35	NWSE 39	SWSE 39	
			SESE 32			145

Total number of acres irrigated: 145

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **December 1, 1990**.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

DEC 13 1989

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 27-07392

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

21st day of November, 1989.

for J. Glen Saxton
R. Keith Higginson, Director

RECORDED

DEC 11 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant KEN WERNETTE Phone 785-6459
Post office address Rt. #1, Box 177, Firth, ID 83236
2. Source of water supply Ground water which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 1 Township 2S
Range 36E B.M. Bingham County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 2.9 cfs for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 2.90 cfs cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump and sprinkler system.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 16" inches; proposed depth of well is 120 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____


(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: _____

RECORDED

DEC 13 1989

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECEIVED

DEC 13 1969

[Signature]
(Applicant)

Received by EMC Date 6/12/84 Time 3:15
Preliminary check by Ym Fee \$ \$85.00
Received by Cy Date 6-12-84 #33584
Publication prepared by RB Date _____
Published in Morning News
Publication dates 9-21, 28-89
Publication approved RB Date 10-5-89
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by Hue

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

MICROFILMED

DEPT. OF WATER RESOURCES
150 Shoup Ave., Suite 15
Idaho Falls, Id. 83402
(208) 525-7161

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed
to appropriate the public waters of the State of
Idaho:

27-07387

PRATT, Eldro
PRATT, Bonnie J.,
Rt. 6, Box 250
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt: SESW, Sec. 13, T. 02S, R.
36E.
Use: IRRIGATION (.800 CFS).
STOCKWATER (.120 CFS).
Date Filed: 3/26/1984.
In: T02S, R36E, S13, SESW.
40.0 ACRES TOTAL.

27-07389

BELNAP, Vera Poulson
441 E. 400 N.
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt: NENW, Sec. 14, T. 02S, R.
36E.
NWNW, Sec. 14, T. 02S, R. 36E.
SWNW, Sec. 14, T. 02S, R. 36E.
Use: IRRIGATION (2.320 CFS).
Date Filed: 4/9/1984.
In: T02S, R36E, S14, NENW, NWNW,
SWNW, SENW.
116.0 ACRES TOTAL.

27-07390

MORRIS, Gordon
Rt. 1, Box 184
Firth, Id. 83236
Source: GROUNDWATER
Diversion Pt: NENE, Sec. 13, T. 02S, R.
36E.
SENE, Sec. 13, T. 02S, R. 36E.
Use: IRRIGATION (1.900 CFS).
Date Filed: 4/19/1984.
In: T02S, R36E, S13, NENE, NWNE, SENE.
95.0 ACRES TOTAL.

27-07392

WERNETTE, Ken
Rt. 1, Box 177
Firth, Id. 83236
Source: GROUNDWATER
Diversion Pt: SESE, Sec. 1, T. 02S, R. 36E.
Use: IRRIGATION (2.900 CFS).
Date Filed: 6/12/1984.
In: T02S, R36E, S01, NESE, NWSE, SWSE,
SESE.
145.0 ACRES TOTAL.

27-07396

POWELL, Floyd T.
200 N., 26 E.
Blackfoot, Id. 83221
Source: GROUNDWATER
Diversion Pt: SWSE, Sec. 19, T. 02S, R.
36E.
Use: IRRIGATION (1.440 CFS).
Date Filed: 10/03/1984.
In: T02S, R36E, S19, SESW, SWSE.
72.0 ACRES TOTAL.

27-07474

BARTAUSKY, Tom
8 W., 100 N.
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt: SENW, Sec. 19, T. 02S, R.

RECEIVED

OCT - 3 1989

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)
)ss
State of Idaho)
I, Ted Townsend do
solemnly

swear that I am the Publisher of
The Morning News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of
Idaho shall be published to-wit: of each week that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was
published in said issue or said

newspaper two consecutive weeks

the first publication having been made on the
21st day of September, 1989;

and the last publication having been made on the
28th day of September, 1989;
that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

On this 29th day of September, in
the year 1989 before me a Notary Public of said State,
personally appeared

Ted Townsend
known or identified to me to be the person whose
name is subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he ex-
ecuted the same.

Doreen A. Dwyer
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
November 10, 1994

Affidavit Processing Fee..... \$5.00



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

May 30, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

KEN WERNETTE
508 N 600 E
FIRTH ID 83236

RE: WATER RIGHT NO. 27-07392

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in black ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:ph


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 30th day of May, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 27-07392

KEN WERNETTE
508 N 600 E
FIRTH ID 83236


Kari Lynn Townsend
Secretary

MEMORANDUM

TO: File 27-07392

FROM: Sharla Curtis

DATE: May 23, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Permit No. 27-07392 are based on the following:

H. RECOMMENDATIONS

Irrigation	4/1 - 10/31	2.80 cfs
------------	-------------	----------

The irrigation season for this area is 4/1 - 10/31. Although the field exam report has not been completely filled out, there is sufficient information to complete the licensing process.

*Telecon 5/23 - verified use of surface water.
SC*

Examiner: Keith Wilson

Exam Date: September 22, 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 27-07392

DATE 5/20/97

REVIEWER: SHARLA

NAME Change OK

Address Change NO

SOURCE Change OK

Is change clarification of originally intended source? NO

POINT OF DIV Change OK

If not, prepare Notice of Intent to Void NO
Amendment required NO

PLACE OF USE Change OK

Amendment required NO

Does map agree with written description? ✓ yes no

OVERLAPS no P/D no P/U

RATE OF DIV

Permitted Rate 2.90 cfs

Fee limit 3.0 cfs \$150⁰⁰

Measured 2.91 cfs

Theoretical 2.17 cfs @ 75' lift and 60 psi

Recommended Total Div Rate 2.80 cfs

ANNUAL VOLUME/

NATURE OF USES no

Use no

Volume Calculation

140 x 4.0 = af

af

af

af

af

SUBTOTAL 560.0 af

4/1 - 10/31 season

Flow rate 2.80 cfs X 214 days X 1.98 ~~af~~ = 1186.4 af

Total volume recommended 560.0 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

WB7 (560.0 af)

CONDITIONS no Watermaster Control WD# no

no GW Measurement/Measuring Device

no Overlap

no Use-specific conditions

Advancement of Priority Date Required no yes no


048, 049, 065, 079

SRBA Claim Filed N/A
Adjustment Memo blank season

1st Amend Letter N/A
2nd Amend Letter N/A

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

_____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

_____ Aerial Photo Attached (required for irrigation of 10+ acres)

_____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	LIS Electric	75	R-6326-05-606 R-1008978M	Quincy Centrifugal	3x4 71299

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Polysonic		Peak				

2. Measurements: 6" od 0.103" Thick

E. NARRATIVE/REMARKS/COMMENTS

8" ocl 0.103" thick

Measurement observed before printer connected 2.91 cfs. By the time printer connected reading had dropped to 2.68 cfs when end gun turned off reading dropped to 2.51 cfs (Note Center pivot was moving @ the time in preparation in digging potatoes) (thus readings changed)
Well pump mainline to Low pressure center pivot with Corner Catcher

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS / Additional Computation Sheets AttachedMeasured Method: Q = 2.91**G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>IRRIGATION</u>	<u>4/1</u>	<u>11/1</u>		
Totals:				

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name KETHA C Wilson Date 9/22/95

Reviewer _____ Date _____

SEAL

1870	1870	1870	1870	1870	1870
10.60	20.30	40.60	40.15	40.30	40.15
10.60	20.30	40.60	40.15	40.30	40.15
10.60	20.30	40.60	40.15	40.30	40.15
10.60	20.30	40.60	40.15	40.30	40.15
10.60	20.30	40.60	40.15	40.30	40.15


1870

1870

1870



1870

1870



378X 308X

217
227



3 27-7392

See Narrative about flow

FLOW 2.683 CFS
8.097 F/S

SETUP NO. 1

PIPE O.D. 8.000 IN

PIPE WALL THICKNESS 0.103 IN

PIPE I.D. 7.794 IN

PIPE MATERIAL CARBON STEEL

PIPE SOUND VELOCITY 10597.129 F/S

LINER MATERIAL NONE

LINER SOUND VELOCITY 0.000 F/S

LINER THICKNESS 0.000 IN

INSIDE ABS ROUGHNESS 0.00015000

FLUID MATERIAL WATER

FLUID SOUND VELOCITY 4863.330 F/S

FLUID VISCOSITY 1.132 Cst

TRANSDUCER TYPE STANDARD

TRANSDUCER MOUNTING U

TRANSDUCER SPACING 6.038 IN

FLOW 2.640 CFS
7.969 F/S

See Narrative about flow

13:41:27 09-22-95

SCALE FACTOR = 0.990
OFFSET(CFS) = 0.000
nsec OFFSET = 0.00
usec OFFSET = 0.00
XMT DET DLY = 20.70
PERATION FAC = 1.00
XDUCE: STANDARD/U

WIN DLY = 298.12 UP DOWN
SEXP = 2.56 298.12
BIAS = 2.40 2.40
AGC = 0.24 0.22
SIG STG = 9.61 9.65
MISSED = 0
TIME(us) = 300.5 300.1
DEL TIME(ns) = 418.3
DIFF COUNT = 1009
PXX = 47
SPS = 34.70
PERATION = 0.000

FLUID (F/S) = 4863.33
REYNOLDS NO. = 422000
PROFILE FACTOR = 0.9449

FLOW: 2.632 CFS
7.943 F/S

FLOW 2.636 CFS
7.958 F/S

FLOW 2.508 CFS End gun
7.571 F/S turned off

See Narrative about flow

Use observed Reading

Q = 2.91 cfs

27-07392

501

MEASUREMENT
TAPE

27-07392

501

27-7392

See Narrative about flow

FLOW 2.683 CFS
8.097 F/S

SETUP NO. 1

PIPE O.D. 8.000 IN

PIPE WALL THICKNESS 0.103 IN

PIPE I.D. 7.794 IN

PIPE MATERIAL CARBON STEEL

PIPE SOUND VELOCITY 10597.129 F/S

LINER MATERIAL NONE

LINER SOUND VELOCITY 0.000 F/S

LINER THICKNESS 0.000 IN

INSIDE ABS ROUGHNESS 0.00015000

FLUID MATERIAL WATER

FLUID SOUND VELOCITY 4863.330 F/S

FLUID VISCOSITY 1.132 cSt

TRANSDUCER TYPE STANDARD

TRANSDUCER MOUNTING U

TRANSDUCER SPACING 6.038 IN

FL 2.640 CFS
7.969 F/S

See
Narrative
about flow

13:41:27 09-22-95

SCALE FACTOR = 0.990
OFFSET(CFS) = 0.000
nsec OFFSET = 9.03
usec OFFSET = -0.20
XMT DET DLY = 20.70
AERATION FAC. = 1.00
XDCER: STANDARD/U


WIN_DLY = 298.12 298.12
SE>R = 2.36 3.45
BIAS = 2.39 2.37
AGC = 0.24 0.22
SIG_STG = 9.61 9.65
MISSED = 0 0
TIME(us) = 300.5 300.1
DEL TIME(ns) = 419.3
DIFF COUNT = 1009
P2X = 34.47
SPS = 34.70
AERATION = 0.000

FLUID (F/S) = 4863.33
REYNOLDS NO. = 422889
PROFILE FACTOR = 0.9449

FLOW: = 2.632 CFS
7.943 F/S

FLOW 2.636 CFS
7.955 F/S

See Narrative
about flow



NHEL
4
10.5

NHEL
5
11.8

NHEL
13

NHEL

NHEL

NHEL

TIS

7.4

8.06

29.3

T309
184

T2S

T2S

LOT 3

LOT 2

29.3
37.5

HEL
1
7.1

T
2
S

R36E

Lot 4

R36 R37E

PLACE OF USE

HEL
1
89.3

HEL
2
47.0

Point of Diversion

HEL
5
15.0

HEL
6
7.4

HEL
6
7.3

23156
268

37

33

37

33


HEL

16

Pr

27-07392

127



CENTER
PIVOT

POINT OF
DIVERSION



27-7392

KEN WERNETTE
508 N 600 E
FIRTH ID 83236

December 19, 1990

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 27-07392

Dear Permit Holder:


The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region



ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 27-7392

Date 12-19-90

GENERAL CONSIDERATIONS

y Name same as permit?
y Address change? If yes, prepare data entry form.
y Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

 Surface water source
y Ground water source
 Drill permit req'd? Copy in file?
 Well log in file?
 Amt paid for drilling permit? Correct?

LICENSE EXAMINATION FEE

y Required?
y Amount submitted?
✓ Correct amount?

MEASURING DEVICE

y Measuring device or access port required?
y Installed?
N/A Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

*Address Change
Well drilled in 1984*

PRIORITY CALCULATION

Date proof received	_____	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	<u>LB</u>	= _____

138396

September 30, 1990

KEN WERNETTE
RT. 1 BOX 177
FIRTH, ID 83236

PROOF DUE NOTICE

RE: PERMIT NO. 27-07392

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JAN 6 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
November 22, 1989

KEN WEINER
RT. 1 BOX 177
FIRTH, ID 83236

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P27-07392

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 4-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

MICROFILMED

DEC 15 1989

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely

GARY SPACEMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosure

DEC 13 1988

DEC 13 1988

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

G. F. RAMSEY

INITIAL REVIEW BY:

APPLICATION NUMBER: **27 7392**

CHECK:

JUN 12 1984

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☐ No Other rights on same place of use.
125 INCHES SNAKE RIVER VALLEY IRRIGATION DISTRICT
☒ Yes ☐ No* In form for advertising.
Final date for protests: **10-9-89**
☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: _____
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? **27-P05**
6-12-84 Date of priority recommended.
Special conditions of approval or cover letter. **<AG>**

**App. in NON-TRUST area -
allow 1 yr. to develop -**

By: **HW**

Date: **10-18-89**

STATE OFFICE REVIEW:

P05, P23, P03, P16 48 49 46 01G

☐ See attached sheet for more information.

By: **KW**

Date: **11/14/89**

13-Sep-1989

Ken Wernette
Rt. 1, Box 177
Firth, ID 83236

RE: Application for Permit No. 27-7392

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Morning News. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

DEC 13 1989

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

SEPTEMBER 13, 1989

THE MORNING NEWS
P.O. BOX 70
BLACKFOOT, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 9, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

DEC 13 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following app. tion(s) have been filed appropriate the public
waters of the State of Idaho:

MICROFILMED

DEC 13 1989

27-07392

WERNETTE, KEN
RT. 1, BOX 177
FIRTH, ID 83236

Source: GROUNDWATER

Diversion Pt:

Use: IRRIGATION

Date Filed: 6/12/1984

In: T02S R36E S01

145.0 ACRES TOTAL

SESE Sec 1 T 02S R 36E
(2.900 CFS)

NESE

NWSE

SWSE

SESE

RECORDED

DEC 13 1989

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-3A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before OCTOBER 9, 1989.

R. Keith Higginson, Director

Published 9/21/1989 & 9/28/1989

EXEMPTED

DEC 13 1989

IN THE MATTER OF:)

App for Permit)

37-7397)

State of Idaho)

County of Bingham)

AFFIDAVIT

JUN 26 1985

Department of Water Resources
Eastern District Office

KEN WERNITZ being first duly sworn,
deposes and says: On June 12, 1984 I

applied for and paid \$50 to
State of Idaho Department of
Water Resources for the purpose
of ground water to irrigate 175
acres of farm land within SE 1/4
of SE 1/4 of Section 1 Township 2S
Range 36E in Bingham County.

Sprinkler system was erected with
perm signed October 12, 1984.

Well was drilled October 23, 1984.
Land was and is being farmed.

Ken Wernitz
(Signature)

Subscribed and sworn to before me this 16 day of June, 1985

Richard Okey
(Notary Public)

Residing at Redwin, Idaho
My Commission Expires 4-27-88

MICROFILMED

DEC 13 1989

22-7392

WERNETTE, KEN

RT. 1, BOX 177, FIRTH, ID 83236

Source: GROUNDWATER

Date Filed: 06/12/1984

Diversion Pt: SESE Sec 01 T 025 R 36E

Use: IRRIGATION (2.90 CFS)

In: NESE NWSE SWSE SESE Sec 01 T 025 R 36E FOR 145 ACRES

MICROFILMED

DEC 13 1989

3/83

IDENT. NO 27 7392

ID A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]