


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.


BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECORDED

AUG 17 1989

Thomas Christensen
(Applicant)

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	U.S. MOTOR	30			6"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.


Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
SONIC METER	TYMEFLITE		TF-P	7M0263		SEE TAPE
PRESSURE GAGE		U.S.G.			0-100	60-65PSI

VALUED

2. Measurements: _____

MICROFILMED

AUG 12 19





RONALD ESPLIN

IRRIGATION

1-12



VIEW
SOUTH FROM
POINT OF
DIVERSION
PLACE OF
USE



VIEW NORTH
FROM POINT
OF DIVERSION
PLACE OF
USE

MICROFILMED

AUG 12 1997

PERMIT
NUMBER

27-07368

RONALD ESPLIN

IRRIGATION

2512

POINT OF
DIVERSION
WELL



MICROFILMED
AUG 12 1997

PERMIT
NUMBER

27-07368

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 27-07368

Priority: September 6, 1983

Maximum Diversion Rate:

0.74 CFS

This is to certify, that RONALD ESPLIN

747 E 1000 N

SHELLEY ID 83274

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 13, 1983; and has submitted Proof of Beneficial Use on October 25, 1990. An examination indicates that the works have a diversion capacity of 0.910 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
-----------------------	----------------------	--------------------------	----------------------

IRRIGATION	04/15 to 10/15	0.74 CFS	
------------	----------------	----------	--

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 20, Township 01S, Range 37E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	37E	20	NESE 20	SESE 17		37

Total number of acres irrigated: 37

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. This right when combined with all other rights shall provide no more than 3.5 afa per acre for the lands above.
7. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right and shall only divert groundwater under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.

MICROFILMED

AUG 12 1997

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 27-07368

CONDITIONS OF APPROVAL AND REMARKS

8. This right shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use.
9. This right when combined with all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual diversion volume of 129.5 af for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 25TH day of JUNE, 1997.

Acting for

KARL J. DREHER, Director

MICROFILMED

AUG 12 1997

RECEIVED

OCT 25 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Amt. of Fee \$ 50.00

Date 10/25/90

Receipt No. C018695

Received by C. W. W. W.

11-26-90

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 27-7368

Telephone No. 208-357-3328

Name(s) of Permit Holder(s): Ronald Esplin

Post Office Address: 747 East 1000 No. Shelley, Idaho 83274

Source of Water: Ground Water

If ground water, well driller's name: Cope Well Drilling Date drilled: 5-15-68

Extent of Use:

Domestic _____ (No. of households)

Irrigation 40 (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

Total rate and/or volume for which proof is submitted .80 as per permit 1.06 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: _____

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Name

Telephone No.

Address

MICROFILMED

DEC 07 1990

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

10-20-90
Date

Ronald Esplin
Signature (and title if on behalf of a company or organization)

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 27-7368 IN THE
NAME OF RONALD ESPLIN

)
) ORDER OF REINSTATEMENT
)
)

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before August 1, 1990; and,

WHEREAS, the Department has notified the permit holder by certified mail that proof was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on August 31, 1990, the permit holder assigned all right, title, and interest in and to Permit No. 27-7368 to Ronald Esplin; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days; and,


WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on October 25, 1990;

IT IS, THEREFORE, HEREBY ORDERED that Permit No .27-7368 be REINSTATED with advance in priority to September 6, 1983.

Dated this 26th day of November, 1990.

MICROFILMED

DEC 07 1990


L. GLEN SAXTON
Chief, Water Allocation Bureau

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	27-7368	Thomas Christensen	0.80
Full Assignment	27-7368	Ronald Esplin	0.80

MICROFILMED

DEC 07 1990

State of Idaho

Department of Water Resources

ASSIGNMENT OF PERMIT

RECEIVED
AUG 31 1990

Department of Water Resources

I, THOMAS CHRISTENSEN, hereby assign to Ronald Explor
of 747 E 1000 N Address Shelley Idaho 83274

All my right, title, and interest in and to Permit No. 27-7368
to appropriate the public waters of the State of Idaho.

The following described portion of my right, title, and interest in and
to Permit No. 27-7368 to appropriate the public waters of the
State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage
within each 40 acre subdivision, the point of diversion and the amount of
water in cubic feet per second for direct diversion, or acre feet for storage)

Made this 21 day of August, 1990.

Thomas Christensen
Permit Holder

Noemi Christensen
Spouse of Permit Holder

State of Idaho)
County of Bingham) ss

On this 29 day of August, 1990, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged
to me that he (she) (they) executed the same.

MICROFILMED

DEC 07 1990

Rain L Christensen
Notary Public residing at
Shelley, Idaho

My commission expires:
4-23-91

RECEIVED

JUN 13 1983

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMITDepartment of Water Resources
Eastern District Office

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Thomas Christensen Phone 357-7382Post office address Rt. 2, Box 52, Shelley, ID 832742. Source of water supply Groundwater which is a tributary of _____3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 20 Township 1SRange 37E B.M. Bingham County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.80 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.80 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump to sprinkler
systemb. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)c. Proposed well diameter is 16 inches; proposed depth of well is 110 feet.7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____


(5) If water is to be used for other purposes describe: _____

MICROFILMED

AUG 17 1989

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

000 1 1 000



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECORDED

AUG 17 1989

Thomas Christensen
(Applicant)

Received by OW Date 6-13-83 Time 4:10p
Preliminary check by KW Fee \$ 45.00
Received by BP Date 6/16/83 # 30890
Publication prepared by RB Date 6-6-89
Published in Morning News
Publication dates 6-15, 22, 89
Publication approved OW Date 7-05-89
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by HWS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 27-7368, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.

The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 20th day of July, 1989.

J. Kent Saylor

MICROFILMED

AUG 17 1989

Idaho Falls, Idaho 83402
(208) 525-7161

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed
to appropriate the public waters of the State of
Idaho:

27-07356

GROVER, Lavar
GROVER, Boyd
Rt. 1, Box 386
Shelley, Idaho 83274
Source: GROUNDWATER
Diversion Pt: NWSE, Sec. 31, T. 01N, R.
37E.
Use: IRRIGATION (.660 CFS)
COMMERCIAL (.020 CFS)
DOMESTIC (.110 CFS)
Date Filed: 5/31/1983
In: T01N R37E, S31, SWNE, NESE.
33.0 ACRES TOTAL.

27-07362

EWART, G.R.
EWART, Lois J.
Rt. 1, Box 114-A
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt: SESE, Sec. 28, T. 02S, R.
36E.
Use: IRRIGATION (.300 CFS).
Date Filed: 6/09/1983.
In: T02S, R36E, S28, SESE
15.0 ACRES TOTAL

27-07366

NELSON, Emery B.
217 Lansing
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt: SWNE, Sec. 4, T. 03S, R.
35E.
Use: IRRIGATION (.280 CFS).
DOMESTIC (.040 CFS).
Date Filed: 6/16/1983.
In: T03S, R35E, S04, SWNE.
14.0 ACRES TOTAL.

27-07368

CHRISTENSEN, Thomas
Rt. 2, Box 52
Shelley, Idaho 83274
Source: GROUNDWATER
Diversion Pt: NESE, Sec. 20, T. 01S, R.
37E.
Use: IRRIGATION (.800 CFS).
Date Filed: 6/13/1983.
In: T01S, R37E, S20, NESE, SESE.
40.0 ACRES TOTAL.

27-07372

CLAWSON, Michael
Rt. 1, Box 200
Firth, Idaho 83236
Source: GROUNDWATER
Diversion Pt: SWNW, Sec. 8, T. 02S, R.
37E.
Use: IRRIGATION (3.000 CFS).
Date Filed: 7/19/1983.
In: T02S, R37E, S08, NENW, NW
SWNW, SENW.
160.0 ACRES TOTAL.

27-07379

ARCHIBALD, C.H.
90 Kirby
Blackfoot, Idaho 83221
Source: GROUNDWATER
Diversion Pt: SWSW, Sec. 5, T. 03S, R.
35E.
Use: IRRIGATION (.100 CFS).
STOCKWATER (.020 CFS).
Date Filed: 6/24/1983.
In: T03S, R35E, S05, SWSW.
5.0 ACRES TOTAL.

JUL 1983

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho) ss

I, _____ do
solemnly

swear that I am the _____ of
The Morning News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of
Idaho shall be published to-wit: of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was
published in said issue or said

newspaper _____ consecutive _____

the first publication having been made on the

_____ day of _____, 19__;

and the last publication having been made on the
_____ day of _____, 19__;

that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

On this _____ day of _____, in
the year 19__, before me a Notary Public of said State,
personally appeared _____

Michael Bed
known or identified to me to be the person whose
name is subscribed to the within instrument, and being
by me first duly sworn, declared that the statements
therein are true, and acknowledged to me that he ex-
ecuted the same.

Ray Taylor
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
November 10, 1994

Affidavit Processing Fee..... \$5.00

MICROFILMED
AUG 17 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

June 30, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

RONALD ESPLIN
747 E 1000 N
SHELLEY ID 83274

RE: WATER RIGHT NO. 27-07368

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


1001
MICROFILMED
AUG³ 12 1997

CERTIFICATE OF MAILING

I hereby certify that on the 30th day of June, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 27-07368

RONALD ESPLIN
747 E 1000 N
SHELLEY ID 83274


Kari Lynn Townsend
Secretary

MICROFILMED
AUG 12 1997

FROM S.W. Keen

DATE 6/16/97

TO File 27-07368

SUBJECT Response to 6/12/97 Letter

Ron Esplin called this morning and confirmed that he uses surface water as the primary source of water for the land covered by permit 27-07368. His use of ground water is limited to those times when the surface water is not available.

MICROFILMED

AUG 12 1997

Shelley Walter Keen
SIGNATURE

MEMORANDUM

TO: File 27-07368

FROM: Sharla Curtis

DATE: June 10, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Permit No. 27-07368 are based on the following:

C. DIVERSION AND DELIVERY SYSTEM

2. Place(s) of Use:

T1S, R37E, S20 - NESE (20 acres), SESE (17 acres)

H. RECOMMENDATIONS

Irrigation	4/15 - 10/15	0.74 cfs	129.5 afa
------------	--------------	----------	-----------

When listing the number of acres per $\frac{1}{4}$ for rights with greater than 5 acres irrigated, the number is rounded off to the nearest whole number. The rate of diversion and volume have been calculated accordingly.

Examiner: Don Simpkins
Exam Date: May 6, 1996

MICROFILMED

AUG 12 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 27-07368

DATE 6/9/97

REVIEWER: SHARLA

NAME Change OK Address Change NO
 SOURCE Change ✓ Is change/clarification of originally intended source? ✓
 POINT OF DIV Change ✓ If not, prepare Notice of Intent to Void ✓
 PLACE OF USE Change ✓ Amendment required NO
 Does map agree with written description? ✓ yes no
 OVERLAPS Change ✓ P/D Change ✓ P/U

RATE OF DIV

Permitted Rate .80 cfs
 Fee limit .20 cfs \$50.00
 Measured .91 cfs
 Theoretical .87 cfs @ 75' lift and 60 psi
.82 Recommended Total Div Rate .74 cfs
 32 birds x 2 lines x 5.65 = .81
 x 5.87 = .84
 (60 psi)
 (65 psi)

ANNUAL VOLUME/
 NATURE OF USES Change ✓ Use Change ✓

Volume Calculation
30 x 3.5 = af
af
af
af
 SUBTOTAL 129.5 af

Flow rate .72 cfs X 183 days X 1.98 = 261.0 af
 Total volume recommended 129.5 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS WB7

CONDITIONS Change ✓ Watermaster Control WD# Change ✓

Change ✓ GW Measurement/Measuring Device

Change ✓ Overlap

Change ✓ Use-specific conditions 048, 049, 065, 079

Advancement of Priority Date Required Change ✓ yes no

SRBA Claim Filed Change ✓

Adjustment Memo Change ✓

1st Amend Letter Change ✓

2nd Amend Letter Change ✓

rounded acres



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 12, 1997

Ronald Esplin
747 E 1000 N
Shelley, ID 83274

REF: Water Right 27-07368

Dear Water Right Holder(s):

We are in the process of reviewing your permit for the purpose of issuing a license. In order to complete this process I need some information concerning your use of surface water. Do you own surface water shares? If so, what is the current status of those shares? Is surface water used on this property with groundwater used as a supplemental source?

Thank you for your help in this matter. If you have any questions, please feel free to contact me at (208) 327-5452.

Sincerely;

Sharla Curtis

SC:cb

MICROFILMED
AUG 12 1997

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 04 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 27-07368

1. Owner: RONALD ESPLIN

Phone No. (208) 357-3328

Current Address: 747 E. 1000 N., SHELLEY, ID 83274

2. Accompanied by: OWNEN

EXAM DATE: 5/6/96

Address: N/A

Phone No. N/A

Relationship to Permit Holder: N/A

3. Source: GROUND WATER tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with the same place of use: CANAL RIGHTS - SNAKE RIVER

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion: NO GOW LOTS

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	NE	SE	20	01S	R37E	BINGHAM	U.S.G.S. TOPO MAP / AERIAL PHOTO

2. Place(s) of Use: NO GOW LOTS

Indicate Method of Determination


TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01S	37E	20													19.5			16.5	36
																			36

MICROFILMED

AUG 12 1997

TOTAL

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	U.S. MOTOR	30			6"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
SONIC METER	TYNEFLITE		TF-P	7M0263		SEE TAPE
PRESSURE GAGE		H.S.G.			0-100	60-65 PSI

DAKED

2. Measurements: _____

MICROFILMED

AUG 12 1960

E. NARRATIVE/REMARKS/COMMENTS

WATER IS PUMPED FROM WELL VIA A 30 HP MOTOR/PUMP
TO A 6" MAIN LINE; LATERALS DISTRIBUTE WATER TO
PLACE OF USE (HAND LINES 2).

(2 HAND LINES, 1/4 MILE IN LENGTH, 32 BIRDS/LINE, 5/32 NOZZEL)

WELL IS APPROX. 100' DEEP WITH ^{STATIC} WATER AT 65'.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
AUG 12 1997

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

THEORETICAL $Q = \cancel{0.88} 0.87 \text{ CFS}$

SONIC METER $Q = 409.99 \text{ GPM at } 52 \text{ PSI} = 0.91 \text{ CFS}$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 36 \text{ AC} \times 3.5 = 126 \text{ AFA}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \cancel{0.88 \text{ CFS}} \times 183 \times 1.9835 = \cancel{290.38 \text{ AFA}}$ 261.3

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 126 \text{ AFA}$

2. Volume Calculations for Other Uses:

$36 \text{ acres} \times 0.02 \text{ cfs} = 0.72 \text{ cfs}$ maximum allowed

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/15	10/15	~~0.88~~ 0.72	126
Totals:			~~0.88 CFS~~ 0.72 cfs	126 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name SIMPkins Date 1/15/97

Reviewer _____ Date _____

SEAL

MICROFILMED

AUG 12 1997

THEORETICAL PUMP FLOW CALCULATIONS

Formula:

$$Q_{cfs} = [(Hp)(8.814)(Eff)] \div [Lift + (psi \times 2.308)]$$

$$\begin{aligned} Hp &= \text{Horsepower} = \underline{30} \\ Eff &= \text{Efficiency} = \underline{.7} \quad (\text{Usually } 70\%) \\ \text{Lift: } &(\text{Static Level} + \text{Assumed Draw down}) \\ &\text{Static Water Level} = \underline{65} \text{ ft.} \\ &\text{Assumed Draw down} = + \underline{10} \text{ ft.} \\ &\text{Lift} = \underline{75} \end{aligned}$$

OR

$$\text{Measured Dynamic Water Level} = \underline{\hspace{2cm}} \text{ ft.}$$

$$psi = \text{Operating Pressure} = \underline{60} \text{ psi}$$

$$Q_{cfs} = \left[\frac{30}{Hp} \times 8.814 \times \frac{.7}{Eff} \right] \div \left[\frac{75}{Lift} + \left(\frac{60}{psi} \times 2.308 \right) \right]$$

$$Q_{cfs} = \left[\underline{185.094} \right] \div \left[\underline{213.48} \right]$$

$$Q_{cfs} = \underline{0.867} \text{ cfs}$$

PERMIT NO. 27-07368

MICROFILMED

AUG 12 1997

MODE SELECT
INPUT

MODE SELECT
DATA SET

DATA SET MODE
? PRINTER

PRINTER USE
? YES

MODE SELECT
INPUT

OUTER DIAMETER
6.6598 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.2709 IN

INNER LINING
? NO LING.

KIND OF FLUID
? ANOTHER

SOUND VELOCITY
1460 M/S-

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
4.820 IN U

05-06 16:2200 *H
+001.80 % AI2

MODE SELECT
T0 CHECK

0231.2 MMSEC
100.02 % T0

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

05-06 16:2500 *R
+409.095E 06RM 152

AUG 12 1997

27-7368
KODAK ESTER

27-07368

27-07368
RONALD ESPLIN
SONIC TAPE

MODE SELECT
INPUT

MODE SELECT
DATA SET

DATA SET MODE
? PRINTER

PRINTER USE
? YES

MODE SELECT
INPUT

OUTER DIAMETER
6.6598 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.2709 IN

INNER LINING
? NO LING.

KIND OF FLUID
? ANOTHER

SOUND VELOCITY
1460 M/S-

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
4.820 IN U

05-06 16:2200 *H
+001.80 % AI2

MODE SELECT
T0 CHECK

0231.2 MMSEC
100.02 % T0


ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

05-06 16:2500 *R
+409.995E 06PM

27-7368
ROADCD ESTUD

52891



17 16

20 21

T76
3596

237
477

TOIS, R37E

HEL

7.6

T73
3596

A
N

LATERAL

PLACE OF
USE

POINT
OF
DIVERSION

T25461
3596

2" MIN

HEL

19.8

359

20

21

T365
256

T24585
2498

T319
1683

29

28


T3E
305

27-07368

RONALD ESPLIN

IRRIGATION

172



VIEW
SOUTH FROM
POINT OF
DIVERSION
PLACE OF
USE



VIEW NORTH
FROM POINT
OF DIVERSION
PLACE OF
USE

MICROFILMED

AUG 12 1997

PERMIT
NUMBER

27-07368

RONALD ESPLIN

IRRIGATION

2512

POINT OF
DIVERSION
WELL



MICROFILMED
AUG 12 1997

PERMIT
NUMBER

27-07368

November 23, 1990

RONALD ESPLIN
747 E. 1000 N.
SHELLEY, ID 83274

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 27-07368

Dear Permit Holder:

27

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

MICROFILMED

DEC 07 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 27-7368

Date: 11-8-90

General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

☒ Surface water
☒ Groundwater
1. well log in file 1968
NA 2. drilling permit
NA A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

NO Rate of diversion appropriate for uses
NO Is rate or volume and fee appropriate?
NO Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

Yes Is a measuring device or access port required?
Yes Has one been installed?
Yes Waiver or modification of measuring device requested

Remarks:

*flow meas. ?
~~fee isn't right - neither is amount of eff.~~*

Priority Calculation:

Date proof received	<u>Oct 25, 1990</u>	<u>298</u>
Date proof due	<u>Aug 1, 1990</u>	<u>- 213</u>
No. of days late		<u>= 85</u>
Priority date	<u>June 13, 1983</u>	<u>+ 164</u>
NEW PRIORITY DATE	<u>Sept 6, 1983</u>	<u>= 249</u>

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Check name and address please

EXPENDITURE VOUCHER

AUDITOR USE

#3

STATE OF IDAHO
Office of State Auditor

AGENCY USE

3047
Date 10/15/90
Code 193002

VENDOR: If you require additional information regarding this payment, please contact the State agency listed below.

AGENCY NAME: DEPT. OF WATER RESOURCES

Document No.	
Pre-Audit	Date
Warrant No.	

PAY
TO

THOMAS CHRISTENSEN
845 E. 1000 N
SHELLEY, ID 83274

CHECK ONE:

(1) MISCELLANEOUS EXPENDITURE

() STATE CONTRACT

() PURCHASE ORDER

() MISCELLANEOUS
ENCUMBRANCE REQUISITION

PAYMENT: () PARTIAL () FINAL

Encumbrance Reference No.

LINE No.	PROGRAM	FUND	ACCT.		DESCRIPTION	LINE AMOUNT	AGENCY USE
			Maj	Min			
1	05 10 199	1238	8831		REFUNDS PER RITA FLECK WR #27-7368 10/10/90 10.00	10.00	
TOTAL						10.00	

NOTE: Final payment must be accompanied by a receiving copy

TO STATE AUDITOR

Request is hereby made that a warrant be authorized and drawn in payment of the item or items described above. I hereby certify that the items described were ordered by proper authority, that they are necessary in the public service, that the items have been received and accounted for, and that the account as stated is correct and just.

AUDITOR'S CERTIFICATE

I hereby certify that the above account is in proper form; that totals carried hereon are correct; that receipts when required by law or regulation of the State Board of Examiners covering items for which reimbursement is asked are submitted herewith; and that there are funds in the state treasury and balances in appropriation accounts out of which the same may be lawfully paid.

Date

Head of Agency or Institution

State Auditor

October 10, 1990

Ronald Eplin
797 E 1000 N
Shelley, ID 83274

Dear Mr. Eplin:

Re: Permit No. 27-7368

The department acknowledges receipt of the assignment conveying the above referenced permit to you. The assignment has been entered into the department's records and a copy of the permit is enclosed for your records.

Also enclosed is a copy of the proof due letter along with forms notifying Mr. Christensen that he needs to take action on the permit. He wishes to you to address the situation. Complete and return either the proof of beneficial use form or request for extension of time form within fifteen days. If no response is received, the lapse notice will be sent.

Note that the date the proof of beneficial use form or the request for extension of time form was due is August 1. The permit has lapsed as of that date, but can be reinstated with the timely submittal of either document.

Please feel free to contact me if you have questions.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

DEC 07 1990

MEMORANDUM

DATE: October 10, 1990

TO: FISCAL SECTION

FROM: Nina Shields or Rita Fleck

RE: REFUND - Permit No. 27-7368

Please prepare a refund of \$10.00 (receipt No. C017896). Attached is a copy of a letter which explains why the refund is necessary.

Also, please reference the identification number on any papers returned to me for the file. Thanks.

Attachments: letter
receipt

MICROFILMED

DEC 07 1990

October 10, 1990

Thomas Christensen
845 E 1000 N
Shelley, ID 83274

Dear Mr. Christensen:

RE: Permit No. 27-7368

The department received the assignment from you to Ronald Esplin. He has been notified of the requirement to fulfill the permit.

The department is returning the unacceptable request for extension of time form you submitted on August 2 along with the \$15 filing fee. The refund will take several weeks to reach you.

If you have questions, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

c: Fiscal Sec.

MICROFILMED

DEC 07 1990

DATE 8-21-90

FROM Rita Fleck

TO File 27-7368

SUBJECT Request for Extension of Time

Mr. Christensen has sold this property. He will return an assignment form and wishes the dept. to follow up with the new owner.

MICROFILMED

DEC 67 1990

SIGNATURE

August 15, 1990

Thomas Christensen
845 East 1000 North
Shelley, ID 83274

Dear Mr. Christensen:

Re: Permit No. 27-7368

Pursuant to our telephone conversation of this date, enclosed is an assignment form. Please complete and return soon. Upon receipt of the assignment, the department will notify the property owner and make him aware of the conditions of the permit. It is, however, important that we be advised soon since an acceptable proof or an acceptable request for extension of time was due on August 1, 1990.

If you have any questions, contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED
DEC 07 1990

INTER-DEPARTMENT MEMO — 1

FROM

Jim

DATE

6-26-90

TO

File #27-7368

SUBJECT

Returned mail

I contacted Brigham County assessor's office.
They list address for Thomas Christensen

845 East 1000 North

Shelley, Ida

83274

Present to this address
on 6-26-90

MICROFILMED


DEC 07 1990

[Signature]
SIGNATURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street
Boise, Idaho 83706-2237

MICROFILMED
DEC 07 1990


RETURNED
TO
SENDER
NO SUCH NUMBER



RECEIVED

JUN 5 1990

Department of Water Resources



May 31, 1990

Thomas Christensen
Rt. 2, Box 52
Shelley, ID 83328

138906

PROOF DUE NOTICE

RE: PERMIT NO. 27-7368

Dear Permit Holder:

One of the conditons of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time provided the delay is for reasonable cause as described in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosures



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
July 24, 1989

THOMAS CHRISTENSEN
RT. 2, BOX 52
SHELLEY, ID 83274

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 27-07368

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.


Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

MULTIPLIED

AUG 17 1989



We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

AUG 17 1989

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: *K.C. Allen*

APPLICATION NUMBER: *27 7368*

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No: _____
☐ Yes ☒ No Other rights on same place of use: _____
☒ Yes ☐ No In form for advertising. _____
Final date for protests: _____
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: *7-03-89*
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? *01-705*
6-13-83 Date of priority recommended.
Special conditions of approval or cover letter. *20167*

App. in NON-TRUST area -

By: *HWT*

Date: *7-6-89*

STATE OFFICE REVIEW:
P03, P05, P23, P14

48 49 46 016

☐ See attached sheet for more information.
By: *KW*

Date: *7/18/89*

RECEIVED
JUL 07 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 - (208) 525-7161

EASTERN REGION

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

07-Jun-1989

Thomas Christensen
Rt. 2, Box 52
Shelley, ID 83274

RE: Application for Permit No. 27-7368

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Morning News. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,


HAROLD W. JONES
Water Rights Supervisor

HWJ/rb



RECORDED

AUG 17 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern District Office
150 Shoup — Suite 15
Idaho Falls, Idaho 83402



Thomas Christensen
~~Rt. 2, Box 52~~
Shelley, ID 83274



COPIED
JUL 12 1989
NOT KNOWN
ATTEMPTED
NO SUCH NUMBER
INITIALS
ROUTE NUMBER



07-Jun-1989

Thomas Christensen
Rt. 2, Box 52
Shelley, ID 83274

RE: Application for Permit No. 27-7368

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Morning News. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

RECEIVED
AUG 17 1989

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

JUNE 6, 1989

THE MORNING NEWS
P.O. BOX 70
BLACKFOOT, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 3, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

RECEIVED
AUG 17 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED

AUG 17 1989

27-07368

CHRISTENSEN, THOMAS
RT. 2, BOX 52
SHELLEY, ID 83274

Source: GROUNDWATER

Diversion Pt: NESE Sec 20 T 01S R 37E

Use: IRRIGATION (.800 CFS)

Date Filed: 6/13/1983

In: T01S R37E S20 NESE SESE

40.0 ACRES TOTAL

MICROFILMED

AUG 17 1989

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before JULY 3, 1989.

R. Keith Higginson, Director

Published 6/15/1989 & 6/22/1989

RECORDED

AUG 17 1989



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup — Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

August 13, 1985

RE: Application for Permit No. 27-7368

Mr. Thomas Christensen
Rt. 2, Box 52
Shelley, Idaho 83274

Dear Mr. Christensen:

In October of 1984, Idaho Power Company and the State of Idaho signed an agreement stating the Company's water rights would be subordinated to those persons who beneficially used water prior to October 1, 1984, and who filed an application or claim for said use by June 30, 1985.

To insure proper consideration of your application pursuant to the above agreement, follow the directions on the enclosed form and return it to this office when completed. For your benefit in identifying the point of diversion and place of use, included on the form is a description of the major items contained on the application.

Your cooperation in returning the completed form and supplemental documentation will expedite future administrative action on your application when processing of applications above Swan Falls resumes.

Respectfully submitted,

ERNEST CARLSEN
Assistant Regional Supervisor

EC:cw

Enclosure

RECEIVED

AUG 17 1985

22-2368-

CHRISTENSEN, THOMAS

RT. 2, BOX 52, SHELLEY, ID 83274

Source: GROUNDWATER

Date Filed: 06/13/1983

Diversion Pt: NESE Sec 20 T 015 R 37E

Use: IRRIGATION (0.80 CFS)

In: NESE SESE Sec 20 T 015 R 37E FOR 40 ACRES

RECORDED

AUG 17 1989