

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Leonard R. Kunz or
(Applicant)
Elvina Kunz

MICROFILMED

10. Other water rights on these lands _____
11. Other water right diverted from same p.d. _____
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached

☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature Keith C. Wilson Date 18 June 86


Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

Date _____

MICROFILMED
CONSULTANT SEAL
MAR 19 1987



MICROFILMED

MAR 19 1981

27-7343



MICROFILMED
MAR 19 1987

27-7343

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 27-7343

Priority: March 2, 1983 Amount: .08 CFS 18.7 AF

This is to certify, that LEONARD R. KUNZ
ELVENIA KUNZ

RT. 6 BOX 616

POCATELLO, ID 83202

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated March 2, 1983, and has submitted proof to the Department of Water Resources on September 13, 1985, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .08 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Irrigation	03/15 to 11/15	.08 cfs	17.5 af
Domestic	01/01 to 12/31	.04 cfs	1.2 af
Totals		.08 CFS	18.7 AF

LOCATION OF POINT OF DIVERSION(S): SESE , Sec. 26, Township 4S, Range 34E
Bingham County

PLACE OF USE: Irrigation

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
4S	34E	26	SESE	5			5

Total number of acres irrigated: 5

PLACE OF USE: Domestic, same as Irrigation use

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 5TH day of MARCH, 1987.

MICROFILMED

Acting for the Director

Norm Young

MAR 19 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Leonard R. or Elvenia Kunz Phone 237-1829

Post office address Rt. 6, Box 616 Pocatello, ID 83202

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 26 Township 4S

Range 34E B.M. Bingham County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.10 for Irrigation purposes from 3-15 to 11-15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.14 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump with 2 hp motor

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 69 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 26 Township 4S
Range 34E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water one.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 5

c. Describe any other water rights used for the same purposes as described above. Shares in
Fort Hall Canal Co.

9. a. Who owns the property at the point of diversion Applicant
- b. Who owns the land to be irrigated or place of use Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

[illegible]

Proposed Priority 3/2/83

MICROFILMED

Assist by HWS

Received by CW

Date 3-22-83 Time 3:30p

Preliminary check by KW

Fee \$ 3000

Receipted by BP

Date 3/3/83 # 25458

Publication prepared by my

Date 2-13-85

Published in Morning News

Publication dates 2-21 & 2-28-85

Publication approved CW

Date 3-8-85

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____

Date _____

Recommended for approval

denial

by EMC

KW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 27-7343, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 86.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Use of water under this permit is subject to control by the watermaster of State Water District No. 01, Snake River.

Witness my hand this 15th day of May, 1985.

L. Glen Saxton
Chief, Operations Bureau

RECEIVED

MAR 7 1985

Department of Water Resources
Bureau of Water Control

NOTICE OF APPLICATION
FOR WATER RIGHT

27-7340

BISCHOFF, MARTIN &
or Shirley May
Rt. 1, Box 146
Blackfoot, Idaho 83221
Source: GROUNDWATER
Date Filed: 01/13/1983
Diversion Pt.: NWSW, Sec. 26, T. 02S, R. 35E.

Use: IRRIGATION (0.06 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.04 CFS)
In: NWSW, Sec. 26, T. 02S, R. 35E, for 3
ACRES.

27-7343

KUNZ, LEONARD R.
&/or ELVENIA
Rt. 6, Box 616
Pocatello, Id. 83202
Source: GROUNDWATER
Date Filed: 03/02/1983
Diversion Pt.: SESE, Sec. 26, T. 04S, R. 34E.

Use: IRRIGATION (0.10 CFS)
DOMESTIC (0.04 CFS)
In: SESE, Sec. 26, T. 04S, R. 34E, for 15
ACRES.

27-7346

SCOTT, Frank &/or BEVERLY
41 Doud
Blackfoot, Idaho 83221
Source: GROUNDWATER
Date Filed: 03/07/1983
Diversion Pt.: NENW, Sec. 04, T. 03S, R. 35E.

Use: IRRIGATION (0.06 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.06 CFS)
In: NENW, Sec. 04, T. 03S, R. 35E, for 3
ACRES.

27-7363

BOYD, RAYMOND E.
&/or WILMA L.
Rt. 6, Box 379
Blackfoot, Idaho 83221
Source: GROUNDWATER
Date Filed: 06/03/1983
Diversion Pt.: NENW, Sec. 33, T. 02S, R. 36E.

Use: IRRIGATION (0.03 CFS)
STOCKWATER (0.02 CFS)
DOMESTIC (0.06 CFS)
In: NENW, Sec. 33, T. 02S, R. 36E, for 1
ACRE.

27-7364

JONES, EDDIE L.
Rt. 6, Box 227
Blackfoot, Idaho 83221
Source: GROUNDWATER
Date Filed: 06/14/1983

Diversion Pt.: SESW, Sec. 10, T. 02S, R. 36E.
Use: IRRIGATION (0.04 CFS)
STOCKWATER (0.05 CFS)
DOMESTIC (0.06 CFS)
In: SESW, Sec. 10, T. 02S, R. 36E, for 2
ACRES.

35-8098

SHUMWAY, CHARLES H.
Rt. 1, Box 325
Shelley, Id. 83274
Source: GROUNDWATER
Date Filed: 02/10/1983
Diversion Pt.: LOT 04 (SWSW), Sec. 18, T. 01N, R. 37E.
Use: STOCKWATER (0.20 CFS)
DOMESTIC (0.10 CFS)
In: SWSW (Lot 4) SESW (Lot 5), Sec. 18, T. 01N, R. 37E.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave. Suite 15, Idaho Falls, Idaho 83402 on or before MARCH 11, 1985.

KEN DUNN, Director
(8469)
Pub. 2-21, 28

NOTICE OF PROPOSED
CHANGE OF WATER RIGHT

35-0038

Notice is hereby given that Steve or Lynn Parsons, Sterling, Idaho, have applied to the Department of Water Resources for a change in the point of diversion and place of use of the water of Danielson Spring Creek Tributary to Snake River. The right sought to be changed is evidenced by decree to W.G. Stufflebeam in case of W.G. Stufflebeam vs. Thomas Doherty, dated April 10, 1902, in Fifth District Court, Bingham County and is recorded as follows:
AMOUNT: 11.0 cfs; PRIORITY: April 30, 1885; DECREED POINT OF DIVERSION: Not stated in decree.

The water is used to irrigate lands and acreages not stated in decree.

TO BE CHANGED AS FOLLOWS:

Only 2.16 cfs of water will be diverted within the NE 1/4 Sec. 21, T. 4S, R. 32E, B.M. to be used for the irrigation of 108 acres within the N 1/4 SE 1/4, SE 1/4 SE 1/4, Sec. 21, NW 1/4 SW 1/4, Sec. 22, T. 4S, R. 32E, B.M.

Any protest against approval of the above proposed change of water right must be filed with the Idaho Department of Water Resources, 150 Shoup, Suite 15, Idaho Falls, Idaho, 83402, on or before March 11, 1985.

KENNETH DUNN
Director
(8470)
Pub. 2-21, 28

AFFIDAVIT of PUBLICATION

County of Bingham

State of Idaho

I, _____
solemnly

David Mark Brown

swear that I am the Publisher of The Morning News which is a daily newspaper of general circulation published each day except Sunday at Blackfoot, Bingham County, Idaho, said newspaper having been so published at Blackfoot, aforesaid for more than one year past; that said newspaper heretofore complied with all the provisions of Chapter 154 of the Sessions Laws of Idaho of 1933, approved March 11, 1933, and duly designated, pursuant to law, a particular day of the week as the day on which legal notices required by law or by the order of any Court of competent jurisdiction within the State of Idaho shall be published to-wit: Thursday of each week; that the notice attached hereto and which is a part of this affidavit and part of the proof of publication was published in said issue or said newspaper 2 consecutive weeks

the first publication having been made on the 21st day of February, 19 85

and the last publication having been made on the 28th day of February, 19 85; that said notice was published in the regular and entire issue of every number of the paper as aforesaid during the period and time of publication, and that notice was published in the newspaper and not in a supplement.

David M. Brown
Subscribed and sworn to before me this 6th

day of March, 19 85

Patricia A. Johnson
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1988

MICROFILMED

March 6, 1987

LEONARD R. & ELVENIA KUNZ
RT. 6 BOX 616
POCATELLO, ID 83202

RE: Permit No. 27-7343

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
MAR 19 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 12, 1987

RE: Permit No. 27-7343

Leonard R. & Elvenia Kunz
Rt. 6, Box 616
Pocatello, ID 83202

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

RECEIVED
MAR 19 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

27-7343

Permit No.

NOV 21 1986

1. Measurement Calculations

Department of Water Resources

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

MODEL 40 BW SPRINKLERZS

$\frac{1}{4}$ " PSI	GPM	$\frac{5}{32}$ " PSI	GPM
25	4.24	25	3.52
30	4.64	30	3.85
35	5.02	35	4.16

$$1 - \frac{5}{32} \text{ @ } 30 \text{ psi} = \underline{3.85 \text{ gpm}}$$

$$1 \frac{5}{32} \text{ @ } 32 \text{ psi} = \underline{3.974 \text{ gpm}}$$

$$\left(\frac{4.16 - 3.85}{5} \right) = \frac{x}{2}$$

$$x = 0.124 + 3.85 \text{ gpm} = 3.974 \text{ gpm}$$

$$Q = 3.85 \text{ gpm} + 3.974 \text{ gpm} + 13.44 + 4.56 + 4.64 + 4.792$$

$$= 35.256 \text{ gpm} = 0.08 \text{ cfs} \checkmark$$

$$Q_{\text{LIMITED BY CAPACITY}} = 0.08 \text{ cfs} \checkmark$$

$$3 - \frac{11}{16} \text{ @ } 28 \text{ psi} = 3(4.48 \text{ gpm}) = \underline{13.44 \text{ gpm}} \checkmark$$

$$\left(\frac{4.64 - 4.24}{5} \right) = \frac{x}{3}$$

$$x = 0.24 + 4.24 \text{ gpm} = 4.48 \text{ gpm}$$

$$1 - \frac{11}{16} \text{ @ } 29 \text{ psi} = \underline{4.56 \text{ gpm}} \checkmark$$

$$\frac{4.64 - 4.24}{5} = \frac{x}{4}$$

$$x = 0.32 + 4.24 \text{ gpm} = 4.56 \text{ gpm}$$

$$1 \frac{1}{4} \text{ @ } 30 \text{ psi} = \underline{4.64} \checkmark$$

$$1 \frac{1}{4} \text{ @ } 32 \text{ psi} = \underline{4.792} \checkmark$$

$$\left(\frac{5.02 - 4.64}{5} \right) = \frac{x}{2}$$

$$x = 0.152 + 4.64 = 4.792$$

b) Volume Calculations for Irrigation:

$$V_{\text{I.R.}} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 5 \text{ ac} \times 3.5 \text{ per water users handbook chart} = \underline{17.5 \text{ AF}}$$

$$V_{\text{D.R.}} = [\text{Diversión Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.08 \times 1.9835 \times 245 \text{ d} = \underline{38.88 \text{ AF}} \checkmark$$

$$V = \text{Smaller of } V_{\text{I.R.}} \text{ and } V_{\text{D.R.}} = \underline{17.5 \text{ AF}}$$

c) Volume Calculations for Other Uses:

$$V_{\text{Dom}} = \text{one house w/ lawn} = \underline{1.2 \text{ AF}} \checkmark$$

2. Overlap Review

a) Other water rights with same place of use: NONEb) Other water rights with same point of diversion: NONE

c) Analysis:

MICROFILMED

MAR 19 1987

10 day

- Date 1-22-87

RECEIVED

NOV 21 1986

Department of Water Resources
Permit No. 27-7343

1. Owner: LEONARD R OR ELVENIE KUNZ Phone No. 237-1829
Current Address: RT 6 BOX 616 POCA TELLO ID 83202
2. Accompanied by: MR KUNZ EXAM. DATE: 6/18/86
Address: SAME Phone No. _____
Relationship to Permit Holder: _____
3. Source: GROUNDWATER tributary to _____

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Sears	2 Hp	Model 390.28181	Sears	

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

ML KUNZ HAS 4 BIRDS RUNNING IN EACH
7/4 ACRE FIELD WITH A TOTAL OF 8 BIRDS RUNNING

SUBMERSIBLE

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PITOT TUBE	PRESSURE LOGGE	EXCEL	104-04		100 PSI	

7. Measurements *Model # 40 BW* ☐ Additional data/computation sheets attached

Too individual pressures from each bird


- | 8. Point(s) of Diversion: | Indicate Method of Determination |
|---------------------------|----------------------------------|
|---------------------------|----------------------------------|

[illegible]

- | 9. | Place(s) of Use: | Irrigation - give acres served by system at time of exam.
Indicate Method of Determination |
|----|------------------|---|
| | | |

Twp.	Rgs.	Sec.	NE 1/4			NW 1/4				SW 1/4			SE 1/4				Totals	
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4		SW 1/4
4S	34E	26															5	5
Total Acres _____																		

10. Other water rights on these lands _____
11. Other water right diverted from same p.d., _____
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☒ Photo of Diversion & System Attached ☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached
14. Remarks _____
15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above


☐ Other
16. Examiner's/Consultant's Signature Keith C. Wilson Date 18 June 86

Consultant's License Number _____

IDWR Director's Authorization to Conduct Beneficial Use Examination _____

Date _____


MICROFILMED
CONSULTANT SEAL
MAR 19 1987



MICROFILMED

MAR 19 1987

27-7343



MICROFILMED

MAR 19 1981

27-7343

TABLE NO. 3

RAINBIRD FLOW CHART

MODEL No. 30 and 30 B

Weight 1 lb. 1 oz.

Performance Chart No. 30 and 30 B Sprinkler

Nozzle Pressure P.S.I.	Nozzles 5/32" x 3/32"-7"		Nozzles 11/64" x 3/32"-7"		Nozzles 3/16" x 3/32"-7"		Nozzles 3/16" x 1/8"-20"		Nozzles 13/64" x 1/8"-20"		Nozzles 7/32" x 1/8"-20"	
	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.
25	82	4.83	83	5.53	85	6.31	85	7.41	86	8.30	88	9.24
30	85	5.28	88	6.07	91	6.93	91	8.14	94	9.15	96	10.1
35	87	5.71	90	6.57	94	7.52	94	8.83	97	9.94	100	11.1
40	88	6.11	92	7.03	96	8.07	96	9.48	99	10.7	102	11.9
45	89	6.48	93	7.44	98	8.57	98	10.1	101	11.3	104	12.7
50	90	6.84	95	7.87	100	9.04	100	10.4	103	11.9	106	13.3
55	91	7.17	96	8.25	101	9.46	101	11.1	104	12.3	107	13.9
60	92	7.47	97	8.59	102	9.85	102	11.4	105	13.0	108	14.4

No. 30

3/4" Male Connection

Performance Chart No. 30 W and 30 BW Sprinkler

P.S.I.	Nozzle 9/64"	Nozzle 5/32"	Nozzle 11/64"	Nozzle 3/16"	Nozzle 13/64"	Nozzle 7/32"
25	80	2.90	82	3.32	83	4.34
30	81	3.16	83	3.85	88	4.64
35	82	3.40	87	4.16	90	5.02
40	83	3.62	88	4.45	92	5.37
45	84	3.84	89	4.72	93	5.70
50	85	4.04	90	4.98	95	6.01
55	86	4.22	91	5.22	96	6.30
60	87	4.38	92	5.44	97	6.56
					100	7.18
					101	7.31
					103	8.49
					104	8.87
					105	9.20
					106	9.88
					107	10.3
					108	10.6

No. 30BW

MODEL No. 30LA

Nozzle Pressure P.S.I.	Nozzles 9/64" x 3/32"-7"		Nozzles 11/64" x 3/32"-7"		Nozzles 13/64" x 3/32"-7"		Nozzles 7/32" x 1/8"-7"	
	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.
20	66	3.65	70	4.62	72	5.26	73	6.00
25	70	4.03	73	5.12	75	5.82	76	6.72
30	72	4.42	76	5.61	78	6.30	81	7.20
35	74	4.80	79	6.10	81	6.93	84	7.92
40	76	5.16	81	6.55	84	7.44	86	8.32
45	78	5.51	83	7.02	86	7.97	89	9.01
50	81	5.85	85	7.43	88	8.44	90	9.62
					92	10.9	95	11.2

• Broken line in chart indicates recommended working pressures for best distribution. To establish new readings select pressure from below broken line.

Weight 1 lb. 4 1/2 oz.
3/4" Male Connection

MODEL No. 40B

Nozzle Pressure P.S.I.	Nozzles 5/32" x 3/32"-7"		Nozzles 11/64" x 3/32"-7"		Nozzles 3/16" x 3/32"-7"		Nozzles 3/16" x 1/8"-20"		Nozzles 13/64" x 1/8"-20"		Nozzles 7/32" x 1/8"-20"		Nozzles 9/32" x 1/8"-20"	
	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.
25	83	4.83	87	5.53	89	6.31	89	7.41	90	8.30	92	9.24	93	10.1
30	90	5.28	92	6.07	95	6.93	95	8.14	97	9.15	100	10.1	102	11.1
35	92	5.71	95	6.57	98	7.52	98	8.83	100	9.94	103	11.3	105	12.4
40	93	6.11	96	7.03	100	8.07	100	9.48	103	10.7	106	11.9	109	13.3
45	94	6.48	98	7.44	102	8.57	102	10.1	105	11.3	108	12.7	112	14.4
50	96	6.84	100	7.87	104	9.04	104	10.4	107	11.9	110	13.3	114	15.1
55	97	7.17	101	8.25	106	9.46	106	11.1	109	12.3	112	13.9	116	16.6
60	98	7.47	102	8.59	107	9.85	107	11.4	110	13.0	113	14.4	117	17.7


MODEL No. 40BW

Nozzle Pressure P.S.I.	Nozzle 5/32"		Nozzle 11/64"		Nozzle 3/16"		Nozzle 13/64"		Nozzle 7/32"		Nozzle 1/4"		Nozzle 9/32"	
	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.
25	85	3.52	87	4.24	89	5.00	90	5.89	92	6.83	93	8.90	95	11.2
30	90	3.85	92	4.64	95	5.50	97	6.51	100	7.38	102	9.80	104	12.3
35	92	4.16	95	5.02	98	5.97	100	7.08	103	8.26	105	10.6	108	13.3
40	93	4.45	96	5.37	100	6.41	103	7.60	106	8.87	109	11.4	112	14.3
45	94	4.72	98	5.70	102	6.81	105	8.07	108	9.41	112	12.1	116	15.3
50	96	4.98	100	6.01	104	7.18	107	8.49	110	9.88	115	13.8	120	16.0
55	97	5.22	101	6.30	106	7.51	109	8.87	112	10.3	118	13.4	122	16.8
60	98	5.44	102	6.56	107	7.82	110	9.20	113	10.6	120	13.9	124	17.3

MODEL No. 20

Weight 8 oz.

Nozzle Pressure P.S.I.	1/8" Nozzle		9/64" Nozzle		5/32" Nozzle		11/64" Nozzle		3/16" Nozzle		13/64" Nozzle		7/32" Nozzle	
	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.
25	72	1.97	73	2.32	73	2.64	74	3.22	74	4.22	75	5.12	76	5.80
30	73	2.21	74	2.82	74	3.43	77	4.17	77	4.89	78	5.73	79	6.54
35	74	2.44	77	3.10	76	3.78	79	4.57	79	5.38	80	6.30	80	7.20
40	77	2.66	78	3.36	79	4.10	80	4.96	81	5.84	82	6.83	82	7.79
45	78	2.88	79	3.61	80	4.40	81	5.32	82	6.27	83	7.31	83	8.35
50	79	3.04	80	3.82	81	4.68	82	5.62	83	6.66	84	7.76	84	8.88
55	80	3.22	81	4.03	82	4.93	83	5.93	84	7.03	85	8.16	85	9.31



Also available with HI-LO nozzle as No. 20A HI-LO.

MODEL No. 20A

3/4" Male Connection

USE BROWNE ARM IN SHADED AREA

Nozzle Pressure P.S.I.	7/64" Nozzle		1/8" Nozzle		9/64" Nozzle		5/32" Nozzle		11/64" Nozzle		3/16" Nozzle		13/64" Nozzle		7/32" Nozzle	
	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.
25	34	1.09	38	1.44	38	1.80	39	2.29	40	2.84	42	3.18	44	3.63	46	4.11
30	39	1.23	41	1.56	42	1.96	43	2.41	47	2.98	48	3.47	50	3.97	53	4.52
35	41	1.38	43	1.73	45	2.20	47	2.68	48	3.24	50	3.91	52	4.44	56	5.08
40	43	1.53	45	1.97	47	2.53	49	3.04	50	3.72	52	4.33	54	4.93	57	5.60
45	45	1.72	47	2.21	49	2.83	51	3.43	52	4.17	54	4.87	56	5.58	59	6.34
50	47	1.89	49	2.44	51	3.10	53	3.78	54	4.57	56	5.28	58	6.00	61	7.20
55	48	2.05	51	2.64	53	3.36	54	4.10	56	4.96	57	5.84	60	6.63	63	7.79
60	50	2.20	52	2.84	54	3.61	56	4.40	57	5.32	59	6.27	62	7.31	66	8.35
65	51	2.32	54	3.04	56	3.82	57	4.68	58	5.66	60	6.66	63	7.76	68	9.31
70	52	2.44	55	3.22	57	4.03	59	4.95	60	5.95	62	7.03	65	8.16	69	9.38
75	50	1.55	51	1.97	52	2.53	53	3.24	54	4.12	56	4.93	57	5.83	61	6.80
80	53	1.73	54	2.21	55	3.03	56	3.84	57	4.72	58	5.68	60	6.63	64	7.79
85	55	1.89	57	2.44	58	3.10	59	3.92	60	4.87	62	5.84	64	6.83	68	7.79
90	57	2.05	59	2.64	60	3.36	61	4.10	62	4.96	64	5.84	66	6.83	70	7.79
95	59	2.20	61	2.84	62	3.61	63	4.40	64	5.32	66	6.27	68	7.31	72	8.35
100	61	2.32	63	3.04	64	3.82	65	4.68	66	5.66	68	6.66	71	7.76	75	8.88
105	62	2.44	64	3.22	65	4.03	66	4.95	68	5.95	70	7.03	73	8.16	76	9.38
110	63	1.97	64	2.53	66	3.24	68	3.72	71	4.33	73	5.12	74	5.80		
115	65	2.21	66	2.82	67	3.43	70	4.17	73	4.89	75	5.73	76	6.54		
120	67	2.44	68	3.10	69	3.78	72	4.57	75	5.38	77	6.30	78	7.20		
125	69	2.66	70	3.36	71	4.10	74	4.96	77	5.84	79	6.83	80	7.79		
130	71	2.88	72	3.61	73	4.40	76	5.32	79	6.27	81	7.31	82	8.35		
135	73	3.04	74	3.82	75	4.68	78	5.66	81	6.66	83	7.76	84	8.88		
140	75	3.22	76	4.03	77	4.93	80	5.95	82	7.03	85	8.16	86	9.31		

MODEL No. 29

either 3/4" or 1/2" male connection,

Rain Bird No. 29 Performance Chart

K&N, Ltd. No. 17 Performance Chart										
Pressure — P.S.I.	1/8" Nozzle		1/4" Nozzle		3/32" Nozzle		11/64" Nozzle		3/16" Nozzle	
	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.	Diameter Feet	Discharge G.P.M.
0	76	2.01	77	2.61	78	3.11	79	3.78	80	4.40
5	77	2.23	80	2.90	81	3.50	83	4.22	85	4.97
0	78	2.47	81	3.16	84	3.83	87	4.62	89	5.47
5	79	2.68	82	3.40	86	4.14	89	5.00	92	5.94
0	80	2.87	83	3.63	87	4.43	91	5.35	94	6.38
5	81	3.05	84	3.84	88	4.70	92	5.68	96	6.78
0	82	3.22	85	4.04	89	4.96	94	5.99	98	7.15
5	83	3.39	86	4.22	90	5.21	95	6.28	99	7.48
0	84	3.55	87	4.38	91	5.43	96	6.54	100	7.79

4/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received 5000
Date 5-14-86
Receipt # 39630
Receipt by MD
Sent to S.O. 5-14-86

RECEIVED

MAY 16 1986

1. Permit No. 27-7343

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

Department of Water Resources

- ☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Leonard R or Elenia Runz

3. Post Office Address: Rt. 6 Box 616 Pocatello ID (W. Shoshone Rd.)

Telephone No. 237-1828

4. Source of Water: G

5. Extent of Use:

Domestic one (No. of households) Stockwater (No. and type of stock)

Irrigation 5 (acres) Other/Remark

6. Total rate &/or volume for which proof is submitted 0.14 cfs acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

1981

8. Person to contact to accompany the department representative during the field examination:

See above
(Name)

MICROFILMED

MAR 19 1987

(Address)

(Telephone Number)

- ☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Date 5-14-86

Leonard R. Runz
Signature of Permit Holder (and title, if appropriate)

Copy retained for file



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

27-7343
KUNZ, LEONARD R.
KUNZ, ELVENIA
RT. 6, BOX 616
POCATELLO, ID 83202

Mailing address:
Statehouse
Boise, Idaho 83720

138167

April 17, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

MICROFILMED

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,

L. Glen Saxton

L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

MAR 19 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

FEBRUARY 20, 1986

LEONARD R. KUNZ
RT. 6, BOX 616
POCATELLO ID 83202

RE: Permit No. 27-7343

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,
s/HAROLD W. JONES
Sr. Resource Agent

MICROFILMED

MAR 19 1986

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

RECEIVED

SEP 18 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 277343

Name(s) of Permit Holder: Leonard R. or Elvenia Kunz

Post Office Address: Rt. 6 Box 616 Pocatello Idaho 83202

Telephone No. 237-1829

Source of Water: ground water

Extent of Use:

Domestic one (number of households)

Stockwater 4 horses cattle 4 (number and type of stock)

Irrigation 5 (acres)

Other/Remarks was completed before July 1, 1985 - 3 years before.

Indicate the date water was first diverted and beneficially used under this permit: May 25 - 1985

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Leonard R. Kunz
(Name)

Rt. 6 Box 616 Pocatello Idaho 83202 237-1829
(Address) (Telephone Number)


The above information is a true statement of the extent to which the above numbered permit has been developed.

Sept. 12 - 1985
Date

Leonard R. Kunz
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED

Leonard R. Kung
Rt. 6 Box 616
Pocatello Idaho 83202
Tel 237-1829



Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT. (2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

MICROFILMED

May 24, 1985

RE: Permit No. 27-7343

Leonard R. or Elvenia Kunz
Rt. 6, Box 616
Pocatello, ID 83202

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Please note that one of the conditions of approval is that the diversion of water under this permit is subject to the control of a State Watermaster. The reason for this is that some hydrologic studies of rivers in the state indicate that wells constructed in the sand and gravel aquifers of the river areas may intercept water that otherwise would have entered the river. However, the extent of the alluvial material thickness is not known nor is the precise degree of interference of wells with surface water flows. Studies do indicate that as much as 50% of the water diverted from a well located one mile from the river would have reached the river if impermeable layers of clay on hard rock do not separate the river from the aquifer from which the well is producing.

The information available to us at this time does not warrant refusing to issue you a permit but does merit cautioning you that any permit issued by the Department cannot deprive water users, with earlier rights, of their water supply.

The reason for conditioning the permit and explaining the potential interference problem is to make you aware that future tests may definitely show that diversion of water from your well should be administered together with the older surface water priorities of the river and its tributaries. If this were to occur, it would essentially mean that there would not be water available for a diversion from your well since the surface water system is fully appropriated. By locating your well as far from the river as possible and by casing out upper water producing zones as the well is constructed, you may be able to reduce the amount of interference with the river.

MICROFILMED

May 24, 1985

RE: Permit No. 27-7343

Page 2 of 2

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is the statement of beneficial use that must be submitted when your project is completed.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:kw
Enclosures

MICROFILMED

INTER-DEPARTMENT MEMO — 1

DATE 5/13/85

FROM Kay Walker

TO Application for Permit No. 27-7343

SUBJECT Watermaster Control Recommendation

Pursuant to review of this application, I recommend that it be subject to watermaster control because of the close proximity of the well to the river and the shallowness of the well itself. (69')

MICROFILMED

SIGNATURE

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: KC Wilson APPLICATION NUMBER: 27 7343

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising. _____
Final date for protests: 3-11-85
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3-7-85
☐ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 01
3-02-1983 Date of priority recommended.
Special conditions of approval or cover letter. _____

app. ~~not~~ released in 3rd S.F. dismissal

By: Ernest Carter Date: March 15, 1985

STATE OFFICE REVIEW:

"K" letter w/ 11/10 05 (01, Snake River)

- ☐ See attached sheet for more information.
By: KW

Date: 5/13/85 **RECEIVED**
MAR 21 1985

MICROFILMED

Department of Water Resources

27-7343

KUNZ, LEONARD R. &/or ELVENIA

RT. 6, BOX 616, POCA TELLO, ID 83202

Source: GROUNDWATER

Date Filed: 03/02/1983

Diversion Pt: SESE Sec 26 T 04S R 34E

Use: IRRIGATION (0.10 CFS)
DOMESTIC (0.04 CFS)

In: SESE Sec 26 T 04S R 34E FOR 5 ACRES

27-7343

KUNZ, LEONARD R.
&/or ELVENIA
Rt. 6, Box 616
Pocatello, Id. 83202
Source: GROUNDWATER
Date Filed: 03/02/1983
Diversion Pt.: SESE, Sec. 26, T. 04S, R. 34E.
Use: IRRIGATION (0.10 CFS)
DOMESTIC (0.04 CFS)
In: SESE, Sec. 26, T. 04S, R. 34E, for 5
ACRES.

MICROFILMED

February 14, 1983

Leonard Kunz
Rt. 6, Box 516
Pocatello, ID 83202

Dear Mr. Kunz:

Enclosed is your application for permit. Please review it and if everything is correct, sign and send it with a fee of \$30.00 to this office.

Sincerely,

HAROLD W. JONES
Sr. Resource Agent

HWJ:bp

Enclosure

RECEIVED



Keypunched by State Office