


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

x Francis Jensen (Sexton)
(Applicant)

WIDGET MED

DEC 20 1982

Department of Water Resources
Eastern District Office

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

27-7331

SHELLEY CEMETERY
DISTRICT
Rt. 1, Box 400
Shelley, Id. 83274
Source: GROUNDWATER
Date Filed: 11/19/1982
Amount: 0.26 CFS

Diversion Point: SWNE, Sec. 04, T.
01S, R. 37E, Bingham Co.
Use: IRRIGATION (0.24 CFS) from
04/01 to 11/01
DOMESTIC (0.02 CFS) from 01/01
to 12/31.
Place of Use: LOT 02 (NWNE)
SWNE, Sec. 04, T. 01S, R. 37E, for
12 ACRES.
Diversion Means: WELL, PUMP,
LINES & SPRINKLERS.

35-8060

LDS CHURCH GROVELAND
1st and 2nd WARDS
Rt. 4, Box 367
Blackfoot, Id. 83221
Source: GROUNDWATER
Date Filed: 11/30/1982
Amount: 0.14 CFS

Diversion Point: SWNW, Sec. 28,
T. 02S, R. 35E, Bingham Co.
Use: IRRIGATION (0.04 CFS) from
04/01 to 11/01
DOMESTIC (0.10 CFS) from 01/01
to 12/31
Place of Use: SWNW, Sec. 28, T.
02S, R. 35E, for 2 ACRES.
Diversion Means: WELL, PUMP,
LINE & SPRINKLER SYSTEM.

35-8061

DOIG, Bill L.
Rt. 1, Box 363
Blackfoot, Idaho 83221
Source: GROUNDWATER
Date Filed: 11/23/1982
Amount: 0.68 CFS

Diversion Point: NWNW, Sec. 04,
T. 02S, R. 35E, Bingham Co.
Use: IRRIGATION (0.60 CFS) from
04/01 to 11/01
STOCKWATER (0.04 CFS) from
01/01 to 12/31
DOMESTIC (0.04 CFS) from 01/01
to 12/31
Place of Use: NWNW, Sec. 04, T.

02S, R. 35E, for 30 ACRES.
Diversion Means: WELL, PUMP,
SPRINKLERS & DELIVERY SYSTEM.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, 150 Shoup Ave., Suite
15, Idaho Falls, Idaho, 83402, on or
before DECEMBER 27, 1982.

KEN DUNN
Director

(7562)
Pub.: 12-9, 16

AFFIDAVIT of PUBLICATION

County of Bingham

State of Idaho

David Mark Brown

I, _____
solemnly

swear that I am the _____ Publisher _____ of
The Morning News which is a daily newspaper of general
circulation published each day except Sunday at
Blackfoot, Bingham County, Idaho, said newspaper hav-
ing been so published at Blackfoot, aforesaid for more
than one year past; that said newspaper heretofore com-
plied with all the provisions of Chapter 154 of the Ses-
sions Laws of Idaho of 1933, approved March 11, 1933,
and duly designated, pursuant to law, a particular day of
the week as the day on which legal notices required by
law or by the order of any Court of competent jurisdiction
within the State of Idaho shall be published to-wit: Thursday
of each week; that the notice attached hereto and which
is a part of this affidavit and part of the proof of
publication was published in said issue or said
newspaper _____ 2 _____ consecutive weeks

the first publication having been made on the
_____ 9th _____ day of _____ December _____, 19 _____ 82 _____,

and the last publication having been made on the
_____ 16th _____ day of _____ December _____, 19 _____ 82 _____;
that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.


Subscribed and sworn to before me this _____ 17th _____

day of _____ December _____, 19 _____ 82 _____.

Patricia A. Johnson
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1984

MICROFILMED

ships. No 1. South Range. No 37 List 1



Wm. Ramage No 37

32

...

تحت

1891 Bas. 1523

1841, June

4.518 4.762

95-19342

9.63- 4.929

10.9.97 10.2.82 10.2.07

05

08

13

3

13.56

11.517.94

052428

North

100

17. 11. 1941

119

SEP 11 1996

16.5.21

Aug. 28. 25

5659

115

21 05

4805

22

2

RIGBY 24 MI.
IDAHO FALLS 9.5 MI.

IDAHO FALLS 9

Mile 784

Shelley

32

Shelley

Pit

Trailer
Park
4620

PLACE OF USE

4614

TIN
TIS

32
33
4629

Hillcrest
Cemetery

POINT OF DIVERSION

91

T
R37E
S

HIGHWAY

4608

Grave
Pit

4

4609

LATERAL

4610

4620

4620

27-07331

SEP 11 1996

AD

High School

25041
2647

T139
305

R37E

PLACE OF USE

HEL

NA

261

Lot 4

Lot 3

T48
3585

Lot 2

Murphy

Lot 1

TIS

4

3

TIS

NHEL
22.8

POINT OF DIVERSION

restwich
INHEL
5.2

HEL
2
5.6

T47 NHEL
3545
5.5

TIS

R37E

SEP 11 1996

27-07331

HEL
4
127.4

2
61.9 NHEL

3
4.7

BB8

PLACE OF USE



POINT OF DIVERSION

27-7331

RECEIVED

SEP 11 1996

1200

3
H
H

T48
358

Blaine

Murphy

14 Christ

8.0

22.8

123

HEL

11

65

5.5

ノリ

20

2 **NHE**

156

HEL

1274

64.

64.

4:7

145

4

9

Foundry Rd. 1100 N.

27-07331


S. 1. South Range No 37 Lias



Y-91

FIRTH QUADRANGLE
IDAHO-BINGHAM CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)

IDAHO FALLS
SOUTH



01-0028 T
35-7000
27-7030
27-2116
35-7493
27-7027
35-2463
27-7115
35-4005

Proposed
p/u
Proposed
pld
35-7610

35-7498
35-4115
35-4027

35-275

35-2102

01-7053
35-2129
01-2066

27-7082

27-7083(2)

27-7094

27-7103

27-7026

27-7034

27-7331

SHELLEY CEMETARY DISTRICT

RT. 1, BOX 400, SHELLEY, ID 83274

Source: GROUNDWATER

Date Filed: 11/19/1982

Amount: 0.26 CFS

Diversion Point: SWNE Sec 04 T 01S R 37E, BINGHAM Co.

Use: IRRIGATION (0.24 CFS) from 04/01 to 11/01
DOMESTIC (0.02 CFS) from 01/01 to 12/31

Place of Use: LOT 02 (NWNE) SWNE Sec 04 T 01S R 37E FOR 12 ACRES

Diversion Means: WELL, PUMP, LINES & SPRINKLERS

Legals for pat and connie — jackie

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

27-7331

SHELLEY CEMETARY
DISTRICT

Rt. 1, Box 400

Shelley, Id. 83274

Source: GROUNDWATER

Date Filed: 11/19/1982

Amount: 0.26 CFS

Diversion Point: SWNE, Sec. 04, T.
01S, R. 37E, Bingham Co.

Use: IRRIGATION (0.24 CFS) from
04/01 to 11/01

DOMESTIC (0.02 CFS) from 01/01
to 12/31.

Place of Use: LOT 02 (NWNE)
SWNE, Sec. 04, T. 01S, R. 37E, for
12 ACRES.

Diversion Means: WELL, PUMP,
LINES & SPRINKLERS.

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 27-07331

Priority: November 19, 1982

Maximum Diversion Rate:

0.21 CFS

This is to certify, that SHELLEY CEMETERY DISTRICT
715 E 1200 N

SHELLEY ID 83274

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 19, 1982; and has submitted Proof of Beneficial Use on January 29, 1990. An examination indicates that the works have a diversion capacity of 0.290 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.19 CFS	
DOMESTIC	01/01 to 12/31	0.02 CFS	
	Totals	0.21 CFS	

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 4, Township 01S, Range 37E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S	37E	4	Lot 2(NWNE) 7.5	SWNE 2		9.5

Total number of acres irrigated: 9.5

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The right holder shall use the full allotment of appurtenant surface water rights in conjunction with groundwater diverted under this right and shall only divert groundwater under this right when water from the appurtenant surface water rights cannot be delivered to the right holder.

RECEIVED

SEP 11 1996


State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 27-07331

CONDITIONS OF APPROVAL AND REMARKS

5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual diversion volume of 38.0 af for the lands above.
6. This right shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased, or used on any other place of use.
7. Domestic use under this right is limited to an annual diversion volume of 0.6 af.
8. Domestic use is for a drinking fountain and restroom facilities.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 23rd day of AUGUST, 1996.


Acting for KARL J. DREHER, Director

SEP 11 1996

RECEIVED

MAY 07 1990

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Amt. of Fee \$

Date

Receipt No.

Received by

718-5-30-90

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 27-7331 Telephone No. 357-7622Name(s) of Permit Holder(s): Shelley Cemetery Maintenance DistrictPost Office Address: 715 E 1200 N Shelley Id. 83274Source of Water: We use Canal water and also well waterIf ground water, well driller's name: DENNINGS Date drilled: 1982

Extent of Use:

Domestic ☒ (No. of households)Irrigation 125/5 (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

Total rate and/or volume for which proof is submitted 0.26 cfs _____ acre/feetShow date water was first diverted and beneficially used under this permit: We have been here 60 years but
Adjudication Permit was in 1989

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ NoFee Enclosed: \$ Already Paid (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

FRANCIS JENSEN
Name357-7622
Telephone No.715 E 1200 N Shelley Id. 83274

Address

MICROFILMED

JUN 18 1990

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

5-5-90
DateFrancis Jensen
Signature and title if on behalf of a company or organization

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Shelley Cemetery District Phone 357-7622

Post office address Rt. 1, Box 400 Shelley, Idaho 83274

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 4 Township 1S

Range 37E B.M. Bingham County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.02 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.24 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.26 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well/pump with line to drinking fountain and faucet and an irrigation line with 12 sprinklers

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 130 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 4 Township 1S

Range 37E B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: cemetery use

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1S	37E	4		1-2 6	6														12

Total number of acres to be irrigated 12

c. Describe any other water rights used for the same purposes as described above. We pump out of
canal


9. a. Who owns the property at the point of diversion Applicants

b. Who owns the land to be irrigated or place of use Applicants

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Francis Jensen (Sexton)
(Applicant)

WINDY MFD

Proposed Priority 11/19/82

Received by CW Date 11-19-82 Time 2:40p

Preliminary check by HWT Fee \$ 45.00

Receipted by BP Date 11/22/82 # 22589

Publication prepared by BP Date 12-1-82

Published in Blackfoot News

Publication dates 12/9 & 12/16/82

Publication approved- CW Date 12-30-82

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 27-7331, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 16th day of January, 1985.

D. Glen Saxton
Chief, Operations Bureau

DEC 20 1982

Department of Water Resources
Eastern District Office

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

27-7331

**SHELLEY CEMETERY
DISTRICT**

Rt. 1, Box 400
Shelley, Id. 83274
Source: GROUNDWATER
Date Filed: 11/19/1982
Amount: 0.26 CFS

Diversion Point: SWNE, Sec. 04, T. 01S, R. 37E, Bingham Co.
Use: IRRIGATION (0.24 CFS) from 04/01 to 11/01
DOMESTIC (0.02 CFS) from 01/01 to 12/31.

Place of Use: LOT 02 (NWNE) SWNE, Sec. 04, T. 01S, R. 37E, for 12 ACRES.

Diversion Means: WELL, PUMP, LINES & SPRINKLERS.

02S, R. 35E, for 30 ACRES.
Diversion Means: WELL, PUMP, SPRINKLERS & DELIVERY SYSTEM.

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83402, on or before DECEMBER 27, 1982.

KEN DUNN
Director

(7562)
Pub.: 12-9, 16

35-8060

LDS CHURCH GROVELAND

1st and 2nd WARDS
Rt. 4, Box 367
Blackfoot, Id. 83221
Source: GROUNDWATER
Date Filed: 11/30/1982
Amount: 0.14 CFS

Diversion Point: SWNW, Sec. 28, T. 02S, R. 35E, Bingham Co.
Use: IRRIGATION (0.04 CFS) from 04/01 to 11/01
DOMESTIC (0.10 CFS) from 01/01 to 12/31

Place of Use: SWNW, Sec. 28, T. 02S, R. 35E, for 2 ACRES.

Diversion Means: WELL, PUMP, LINE & SPRINKLER SYSTEM.

35-8061

DOIG, Bill L.
Rt. 1, Box 363
Blackfoot, Idaho 83221
Source: GROUNDWATER
Date Filed: 11/23/1982
Amount: 0.68 CFS

Diversion Point: NWNW, Sec. 04, T. 02S, R. 35E, Bingham Co.
Use: IRRIGATION (0.60 CFS) from 04/01 to 11/01
STOCKWATER (0.04 CFS) from 01/01 to 12/31
DOMESTIC (0.04 CFS) from 01/01 to 12/31

Place of Use: NWNW, Sec. 04, T.

AFFIDAVIT of PUBLICATION

County of Bingham

State of Idaho

David Mark Brown

I, _____ do
solemnly

swear that I am the Publisher of The Morning News which is a daily newspaper of general circulation published each day except Sunday at Blackfoot, Bingham County, Idaho, said newspaper having been so published at Blackfoot, aforesaid for more than one year past; that said newspaper heretofore complied with all the provisions of Chapter 154 of the Sessions Laws of Idaho of 1933, approved March 11, 1933, and duly designated, pursuant to law, a particular day of the week as the day on which legal notices required by law or by the order of any Court of competent jurisdiction within the State of Idaho shall be published to-wit: Thursday of each week; that the notice attached hereto and which is a part of this affidavit and part of the proof of publication was published in said issue or said newspaper 2 consecutive weeks

the first publication having been made on the 9th day of December, 19 82

and the last publication having been made on the

16th day of December, 19 82; that said notice was published in the regular and entire issue of every number of the paper as aforesaid during the period and time of publication, and that notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me this 17th

day of December, 19 82.

Patricia A. Johnson
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1984

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 26, 1996

SHELLEY CEMETERY DISTRICT
715 E 1200 N
SHELLEY ID 83274

RE: WATER RIGHT NO. 27-07331

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MAILED
SEP 11 1996

MEMORANDUM

TO: File 27-07331

FROM: Sharla

DATE: August 19, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 27-07331 are based on the following.

C. DIVERSION AND DELIVERY SYSTEM

2. Place of Use:

Lot 2 (NWNE) S4, T1S, R37E (7.5 acres)
SWNE, S4, T1S, R37E (2 acres)

H. RECOMMENDATIONS

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	4/1 - 10/31	0.19 cfs	
Domestic	1/1 - 12/31	0.02 cfs	

No volume components will be listed, rather, a condition limiting the irrigation volume in combination with all other rights to 38.0 af and domestic volume to 0.6 af. There are numerous adjudication claims for surface water irrigation district rights also covering these lands; therefore, appropriate conditions regarding full use of surface water prior to diverting groundwater will be added to the license.

Although the examiner made no recommendations on the back page of the exam report, sufficient information was gathered to proceed with licensing. The place of use was also sufficiently mapped out to compute acres irrigated.

The season of use has been changed to the standard for that area.

Examiner: Keith Wilson
Exam Date: August 10, 1994

Reviewed
SEP 11 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 27-07331

DATE 8/19/96

REVIEWER: S H A R L A

NAME Change OK

Address Change No yes - person's address same as on blu

SOURCE Change OK

Is change/clarification of originally intended source?
If not, prepare Notice of Intent to Void

POINT OF DIV Change OK

Amendment required No

PLACE OF USE Change OK

Amendment required No

Does map agree with written description? yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate .26 cfs

Fee limit 1.0 cfs \$10000 1/29/90 C014289

Measured cfs NO MEAS. MADE

Theoretical .29 cfs

Recommended Total Div Rate .19 + .02 dom. cfs .21

ANNUAL VOLUME/
NATURE OF USES Change OK

Use <u>Dom.</u>	Volume Calculation <u>9.5 x 4.0 (WB8)</u> af
<u>Dom.</u>	<u>.6 (like warehouse)</u> af
<u> </u>	<u> </u> af
<u> </u>	<u> </u> af
SUBTOTAL <u>38.6</u>	<u> </u> af

4/1-10/31 season

Flow rate .19 cfs X 214 days X 1.983 = 80.5 af

Total volume recommended 38.6 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

1) Restroom & drinking fountain.
Dom. volume std to .6 af.

CONDITIONS Watermaster Control WD#

31 GW Measurement/Measuring Device 38.0

Overlap 065. WB8

 Use-specific conditions

Advancement of Priority Date Required yes no

SRBA Claim Filed NA
Adjustment Memo blanks

1st Amend Letter NA
2nd Amend Letter NA

#

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
SEP 30 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 27-7331

1. Owner: Shelley Cemetery Maintenance District

Phone No. 357-7622

Current Address: 715E 1200N Shelley Id 83274

2. Accompanied by: Francis Jensen

EXAM DATE: 10 Aug 1994

Address: Same

Phone No. _____

Relationship to Permit Holder: Sexton

3. Source: GROUNDWATER

tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NE	4	1S	37E	Bingham	USGS Quad / Aerial Photo


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
1S	37E	4		L-2															

SEP 11 1996

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	unk	7 1/2			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical

System on @ 20 off @ 50 psi

SEP 11 1996

E. NARRATIVE/REMARKS/COMMENTS

Dennings Drilling in 1982 - 70 ft static water level

Run Max of 22 sprinklers

On @ 20 psi

off @ 50 psi

						Nelson 4.3 gpm						
13/64	3/16	5/32	5/32	5/32	5/32	5/32	5/32	1/4	1/4	5/32		
x	x	x	x	x	x	x	x	x	x	x	x	x
1/64	5/32	1/64	3/16	1/64	5/32	5/32	5/32	3/16	1/64	3/16		
x	x	x	x	x	x	x	x	x	x	x	x	x

well pump mainline to bathroom, drinking fountain & Irrigation system
consisting of 22 sprinklers

Have conditions of permit approval been met? ☒ yes ☐ no

APPROVED
SEP 11 1998

F. FLOW CALCULATIONS

 Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			_____	_____

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name KEITH C WILSON Date 10 Aug 94

Reviewer _____ Date _____

SEAL

RECEIVED
SEP 11 1995

SEP 11 1995

North Range No. 371

33

32

1901 Berne

1901 Base 1523

4512	1476	295	934	963	992	2104	1024	1020
------	------	-----	-----	-----	-----	------	------	------

4

3

A. 524.28

A. 547.94

North

North

North

North

North

North

4012

4012

4012

SEP 11 1935

RIGBY 24 MI.
IDAHO FALLS 9.5 MI.

IDAHO FALLS 9

Mile 784

Shelley

Shelley

32

Pit

Trailer Park

PLACE OF USE

WEST BRANCH

4614

TIN

4620

32

4629

Hillcrest Cemetery

POINT OF DIVERSION

91

T R37E
S

HIGHWAY

4610

Grave Pit

4608

4

8

4609

LATERAL

4620

4610

27-07331

RECEIVED

SEP 11 1996

AD

High School

ME

T139
305

R37E

PLACE OF USE

32

33

TINE

Lot 4

Lot 3

Lot 2

TIS

4

3

T
I
S

T48
3565

POINT OF DIVERSION

NEL
22.8

NHE
5.2

HEL
2
5.6

T47 NHEL
354.5

T
I
S

R37E

SEP 11 1996

27-07331

HEL
4
1274

House

2
61.9 NHEL

NHEL
3
4.7

BB

9

10

F

THEORETICAL PUMP FLOW CALCULATIONS

Formula:

$$Q_{cfs} = [(Hp) (8.814) (Eff)] \div [Lift + (psi \times 2.308)]$$

$$\begin{aligned} Hp &= \text{Horsepower} = \underline{7\frac{1}{2}} \\ Eff &= \text{Efficiency} = \underline{70\%} \quad (\text{Usually } 70\%) \\ \text{Lift: } &(\text{Static Level} + \text{Assumed Draw down}) \\ &\text{Static Water Level} = \underline{70} \text{ ft.} \\ &\text{Assumed Draw down} = + \underline{10} \text{ ft.} \\ &\text{Lift} = \underline{80} \end{aligned}$$

OR

$$\text{Measured Dynamic Water Level} = \underline{\hspace{2cm}} \text{ ft.}$$

$$psi = \text{Operating Pressure} = \underline{35} \text{ psi (Average)}$$

$$Q_{cfs} = \left[\frac{7.5}{Hp} \times 8.814 \times \frac{0.7}{eff} \right] \div \left[\frac{80}{Lift} + \left(\frac{35}{psi} \times 2.308 \right) \right]$$

$$Q_{cfs} = \left[\underline{46.2735} \right] \div \left[\underline{160.78} \right]$$

$$Q_{cfs} = \underline{0.287} \text{ cfs} = 0.29 \text{ cfs}$$

PERMIT NO. 27-7331

APPROVED

SEP 11 1996

PLACE OF USE



POINT OF DIVERSION

27-7331

UNCLASSIFIED

SEP 11 1996

H L

Baseline Rd 1000

3

T48

Murphy

Blaine

80

NBL 22.8

5.2

HEL 2

T47 NBL 358.5

5.5

NHEL 1

20

8

36

HEL 4

1274

NHEL 3

158

5

8

House

2

619 NHEL

4.7

NHEL

4

9

Foundry Rd 1100 N

27-0733

June 4, 1990

SHELLEY CEMETARY DISTRICT
RT. 1, BOX 400
SHELLEY, ID 83274

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 27-07331

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JUN 10 1990

1/00

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 27-7331

Date: 1-8-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NA If yes, prepare a data entry
☒ Proof received timely NA Reinstated

Source of Water:

- ☒ Surface water
☒ Groundwater
NA 1. well log in file 1982
NA 2. drilling permit
NA A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
2 Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- NO Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable
didn't return the proof - OK

Priority Calculation:

Date proof received	<u>NA</u>	
Date proof due		-
No. of days late		=
Priority date		+
NEW PRIORITY DATE		=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

Address Change

May 1, 1990

Shelley Cemetery District
Rt. 1 Box 400
Shelley, ID 83274

Gentlemen:

Re: Permit No. 27-7331

Complete and return the enclosed proof of beneficial use form for the above referenced permit. It appears that in January you sent the \$100 fee but the proof form did not accompany it. The form itself is part of the proof of beneficial use requirement.

If you have any questions concerning this matter, please feel free to contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

JUN 18 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

January 17, 1990

RECEIVED
JAN 29 1990

Shelley Cemetery District
Rt. 1, Box 400
Shelley, Idaho 83274

Department of Water Resources

Re: Permit No. 27-7331

Dear Permit Holder:

Returned is your proof of beneficial use form submitted to this office on December 20, 1989. It indicates the total diversion rate of water is 0.26 cfs for one domestic and 12 acres of irrigation.

When the total maximum rate of diversion is greater than 0.04 cfs, a license examination fee is required to be submitted with the proof. A license examination fee based on the rate of flow of 0.26 cfs is \$100.00. Note the enclosed instruction sheet/fee schedule.

You indicate on the proof of beneficial use form that you have already paid the fee as evidenced by receipt No. E006957. Note the enclosed copy of this receipt. The fee paid was for filing an adjudication claim. The license exam fee is to cover the cost of conducting a field inspection to confirm and determine extent of beneficial use of water prior to licensing the permit.

Please remit the required \$100.00 licensing exam fee as soon as possible since an acceptable proof was due January 1, 1990.

If you have any questions concerning this matter, feel free to contact this office.

Sincerely,

NINA K. SHIELDS
CLERICAL ASSISTANT

Encl: 3

c: E. Region

I HOPE THIS IS ALL YOU NEED
THANKS.

MICROFILMED

JUN 18 1990

January 17, 1990

Shelley Cemetery District
Rt. 1, Box 400
Shelley, Idaho 83274

Re: Permit No. 27-7331

Dear Permit Holder:

Returned is your proof of beneficial use form submitted to this office on December 20, 1989. It indicates the total diversion rate of water is 0.26 cfs for one domestic and 12 acres of irrigation.

When the total maximum rate of diversion is greater than 0.04 cfs, a license examination fee is required to be submitted with the proof. A license examination fee based on the rate of flow of 0.26 cfs is \$100.00. Note the enclosed instruction sheet/fee schedule.

You indicate on the proof of beneficial use form that you have already paid the fee as evidenced by receipt No. E006957. Note the enclosed copy of this receipt. The fee paid was for filing an adjudication claim. The license exam fee is to cover the cost of conducting a field inspection to confirm and determine extent of beneficial use of water prior to licensing the permit.

Please remit the required \$100.00 licensing exam fee as soon as possible since an acceptable proof was due January 1, 1990.

If you have any questions concerning this matter, feel free to contact this office.

Sincerely,

NINA K. SHIELDS
CLERICAL ASSISTANT

Encl: 3

c: E. Region

MICROFILMED

JUN 18 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Statehouse
Boise, Idaho 83720

RECEIVED
NOV 9 1989

Department of Water Resources
Boise, Idaho 83720

NOV 9 1989
TO: [unclear]
FROM: [unclear]
SUBJECT: [unclear]

Francis Jensen
715 E. 1800 N.

MICROFILMED

JUN 18 1990

BOISE
NOV-1-89
IDAHO

US POSTAGE
1.10
5035369

27-7331

NAME _____
Dist. NO. _____
End. NO. _____
Relief _____
NOV 16 1989

CERTIFIED MAIL
NO. 138775

INTER-DEPARTMENT MEMO — 1

FROM

Pete Fleck

DATE 12-8-89

TO

File 27-7331

SUBJECT

Returned Mail

*Per telephone call, the address for the
Shelley Cemetery Dist is
% Francis Jensen
7155. 1200 N.
Shelley, Id 83274*

MICROFILMED

JUN 13 1990

[Signature]
SIGNATURE

138775
October 31, 1989

SHELLEY CEMETARY DISTRICT
RT. 1, BOX 400
SHELLEY, ID 83274

PROOF DUE NOTICE

RE: PERMIT NO. 27-07331

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

JUN 18 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT. (2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

MICROFILMED

JUN 18 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

SHELLEY CEMETARY DISTRICT
RT. 1. BOX 400
SHELLEY. ID 83274

JANUARY 31, 1985

RE: PERMIT NO. 27-7331

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

YOU SHOULD BE AWARE THAT THE GROUND WATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUND WATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL FOR INTERFERENCE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

MICROFILMED

RE: PERMIT 27-733

PAGE 01
JANUARY 31, 1985

SINCERELY.

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION


ENCLOSURE

MICROFILMED

[illegible]

(IDAHO FALLS
SOUTH)

RIGBY 24 MI.
IDAHO FALLS 9.5 MI.



State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: HWS

APPLICATION NUMBER: 27 7331

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: Dec. 27, 1982
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 12-20-82
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 01
11-19-1982 Date of priority recommended.
☒ Special conditions of approval or cover letter. #26

app. released in 5-1180 contract


By: Ernest Carlson

Date: Jan 8, 1985

STATE OFFICE REVIEW:

105, 117

26



- ☐ See attached sheet for more information.

By: KW

Date: 1/16/85

JAN 10 1985

Department of Water Resources

RECORDED

ID A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

Initials

Date _____

Item

BP

12/1/82

Original form entered

Edit Report Correct

Date Protested

Date of Hearing

Date Approved/Denied
(Proof due date, stage and/or status,
conditions of approval, water district)

Record Verified

Amendment Approved

Extension Approved

Partial Proof

Proof Complete

Field Exam Received

Field Exam Accepted
and changes entered

License Signed

Transfer Approved

Keypunched by State Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

DECEMBER 1, 1982

The Blackfoot News
P. O. Box 70
Blackfoot, Idaho 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billings to this office before DECEMBER 27, 1982.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region

Encl.

UNRECORDED

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before DECEMBER 27, 1982.

KEN DUNN, Dir.

Published 12/7⁹ & 12/16/82.

MICROFILMED

27-7331

SHELLEY CEMETARY DISTRICT

RT. 1. BOX 400. SHELLEY. ID 83274

Source: GROUNDWATER

Date Filed: 11/19/1982

Amount: 0.26 CFS

Diversion Point: SWNE Sec 04 T 01S R 37E. BINGHAM Co.

Use: IRRIGATION (0.24 CFS) from 04/01 to 11/01
DOMESTIC (0.02 CFS) from 01/01 to 12/31

Place of Use: LOT 02 (NWNE) SWNE Sec 04 T 01S R 37E FOR 12 ACRES

Diversion Means: WELL, PUMP, LINES & SPRINKLERS

Legals for pat and connie — jackie

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

27-7331

SHELLEY CEMETERY
DISTRICT

Rt. 1, Box 400

Shelley, Id. 83274

Source: GROUNDWATER

Date Filed: 11/19/1982

Amount: 0.26 CFS

Diversion Point: SWNE, Sec. 04, T:
01S, R. 37E, Bingham Co.

Use: IRRIGATION (0.24 CFS) from
04/01 to 11/01

DOMESTIC (0.02 CFS) from 01/01
to 12/31.

Place of Use: LOT 02 (NWNE)
SWNE, Sec. 04, T. 01S, R. 37E, for
12 ACRES.

Diversion Means: WELL, PUMP,
LINES & SPRINKLERS.

MICROFILMED

November 15, 1982

Shelley Cemetery District
Rt. 1, Box 400
Shelley, Idaho 83274

Gentlemen:

Enclosed you will find your application for permit. Please review it and if all seems correct, sign the application. Whoever signs should indicate his position with the district.

You may send the completed application with a fee of \$45.00 to this office for processing.

Sincerely,

HAROLD W. JONES
Sr. Resource Agent

HWJ:bp

Enclosure