


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECEIVED

AUG 16 1989

Emmett Hughes
(Applicant)

RECEIVED

DEC 1 1982

Department of Water Resources
Eastern District Office

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

27-7330

NULPH, Emmett
Rt. 2 Box 357
Shelley, Id. 83274
Source: GROUNDWATER
Date Filed: 11/04/1982
Amount: 3.20 CFS

Diversion Point: SWSW, Sec. 10,
T. 01S, R. 37E, Bingham Co.
Use: IRRIGATION (3.20 CFS) from
04/01 to 11/01.

Place of Use: NESW NWSW SWSW
SESW, Sec. 10, T. 01S, R. 37E for
160 ACRES.

Diversion Means: WELL, PUMP,
SPRINKLER SYSTEM & CENTER
PIVOT.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, 150 Shoup Ave., Suite
15, Idaho Falls, Idaho, 83402, on or
before DECEMBER 6, 1982.

KEN DUNN, Director

(7543)

Pub.: 11-18, 25

34

MICROFILMED

AUG 16 1989

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho)

David Mark Brown)

I, _____ do
solemnly

swear that I am the _____ Publisher _____ of
The Morning News which is a daily newspaper of general
circulation published each day except Sunday at
Blackfoot, Bingham County, Idaho, said newspaper hav-
ing been so published at Blackfoot, aforesaid for more
than one year past; that said newspaper heretofore com-
plied with all the provisions of Chapter 154 of the Ses-
sions Laws of Idaho of 1933, approved March 11, 1933,
and duly designated, pursuant to law, a particular day of
the week as the day on which legal notices required by
law or by the order of any Court of competent jurisdiction
within the State of Idaho shall be published to-wit: Thursday
of each week; that the notice attached hereto and which
is a part of this affidavit and part of the proof of
publication was published in said issue or said
newspaper 2 consecutive weeks,

the first publication having been made on the
18th day of November, 19 82,

and the last publication having been made on the
25th day of November, 19 82 ;
that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.


Subscribed and sworn to before me this 29th

day of November, 19 82.

Dorothy A. Johnson

Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1984

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US Electric	75	R-6327-04-349 R1001223M	Aurora Vertiline	8" discharge

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Polysonic						

2. Measurements: Polysonic - 5 readings @ 2 minute intervals. High
average - 2.47 CFS.

MICROFILMED

APR 08 1997

0.6 MI. TO U.S. 2

T. 1 S.

4801000m. N.

R37E


T. 1 S.

1.5 MI. TO U.S. 20, 91, & 191

4799

20'

4798



PLACE OF USE
POINT OF DIVERSION

MICROFILMED

Reservoir APR 08 1937

T24896
3434


T86
254

T
I
S
R37E

POINT OF DIVERSION
135.4

PLACE OF USE

27-07330





27-7330

MICROFILMED

APR 08 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 27-07330

Priority: November 4, 1982

Maximum Diversion Rate:

2.56 CFS

Maximum Diversion Volume:

512.0 AF

This is to certify, that EMMETT NULPH
1032 N 900 E
SHELLEY ID 83274

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 4, 1982; and has submitted Proof of Beneficial Use on March 28, 1990. An examination indicates that the works have a diversion capacity of 2.730 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	2.56 CFS	512.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SWSW , Sec. 10, Township 01S, Range 37E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01S 37E 10	NESW 32	NWSW 32	SWSW 32	128
	SESW 32			

Total number of acres irrigated: 128

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.

MICROFILMED
APR 08 1997

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE


WATER RIGHT NO. 27-07330

CONDITIONS OF APPROVAL AND REMARKS

7. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.0 afa per acre for the lands above.
8. Diversion and use of water under this right is subject to rules that may subsequently be promulgated for the use of existing rights used for supplemental purposes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 25th
day of March, 1997.


KARL J. DREHER, Director



MICROFILMED
APR 08 1997

Form 217
03/86

RECEIVED

MAR 20 1990

Department of Water Resources
Eastern District Office

RECEIVED

MAR 30 1990

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received 175.00
Date 3-28-90
Receipt # EG12575
Receipt by HCS
Reviewed by [Signature]
Sent to region 114-98

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 27-07330

Name(s) of Permit Holder: Emmett Nulph

Post Office Address: 1032 N. 900 E. Shelley, ID 83274

Telephone No. 357-3168

Source of Water: ground water

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation 3.20 cfs 160 (acres) Other/Remark

Total rate and/or volume for which proof is submitted 3.20 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: November 4, 1982

Measuring Device: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No
Fee enclosed \$ 175.00
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Emmett Nulph

357-3168

(Name)

(Telephone Number)

1032 N. 900 E. Shelley, ID 83274

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

APR 19 1990

3/26/90

Date

Emmett Nulph
Signature of Permit Holder (and title, if appropriate)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

RECEIVED
APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Emmett Nulph Phone 357-3168

Post office address Rt. #2, Box 357, Shelley, Idaho 83274

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 10 Township 1S

Range 37E B.M. Bingham County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 3.20 cfs for irrigation purposes from 4/01 to 11/01 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 3.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump, sprinkler system,
center pivot

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 16 inches; proposed depth of well is 250 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

REPROFILMED

AUG 16 1989

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1S	37E	10									40	40	40	40					160

Total number of acres to be irrigated 160

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant


c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

MICROFILMED

AUG 16 1989

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

RECEIVED
AUG 16 1989

Emmett Hughes
(Applicant)

Proposed Priority 11/4/82

Received by SM Date 11/4/82 Time 9:17A

Preliminary check by Kew Fee \$ 105⁰⁰

Receipted by DW Date 11-04-82 # 22565

Publication prepared by BP Date 11/10/82

Published in Blackfoot News

Publication dates 11/18 : 11/25/82

Publication approved BP Date 12/7/82

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by HWS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 27-7330, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before July 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.

The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 15th day of June, 1989.

J. Glen Saylor

MICROFILMED
AUG 16 1989

RECEIVED

DEC 1 1982

Department of Water Resources
Eastern District Office

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

27-7330

NULPH, Emmett
Rt. 2 Box 357
Shelley, Id. 83274
Source: GROUNDWATER
Date Filed: 11/04/1982
Amount: 3.20 CFS
Diversion Point: SWSW, Sec. 10,
T. 01S, R. 37E, Bingham Co.
Use: IRRIGATION (3.20 CFS) from
04/01 to 11/01.
Place of Use: NESW NWSW SWSW
SESW, Sec. 10, T. 01S, R. 37E for
160 ACRES.
Diversion Means: WELL, PUMP,
SPRINKLER SYSTEM & CENTER
PIVOT.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, 150 Shoup Ave., Suite
15, Idaho Falls, Idaho, 83402, on or
before DECEMBER 6, 1982.

KEN DUNN, Director

(7543)

Pub.: 11-18, 25

MICROFILMED

AUG 16 1989

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho)

David Mark Brown)

I, do
solemnly

swear that I am the Publisher of
The Morning News which is a daily newspaper of general
circulation published each day except Sunday at
Blackfoot, Bingham County, Idaho, said newspaper hav-
ing been so published at Blackfoot, aforesaid for more
than one year past; that said newspaper heretofore com-
plied with all the provisions of Chapter 154 of the Ses-
sions Laws of Idaho of 1933, approved March 11, 1933,
and duly designated, pursuant to law, a particular day of
the week as the day on which legal notices required by
law or by the order of any Court of competent jurisdiction
within the State of Idaho shall be published to-wit: Thursday
of each week; that the notice attached hereto and which
is a part of this affidavit and part of the proof of
publication was published in said issue or said
newspaper 2 consecutive weeks,

the first publication having been made on the
18th day of November, 19 82,

and the last publication having been made on the
25th day of November, 19 82;

that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

Subscribed and sworn to before me this 29th

day of November, 19 82.

Patricia A. Johnson

Notary Public for the State of Idaho.

Residing at Blackfoot, Idaho

My commission expires

Oct. 20, 1984



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

March 27, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

EMMETT NULPH
1032 N 900 E
SHELLEY ID 83274

RE: WATER RIGHT NO. 27-07330

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

APR 08 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.


APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED


APR 08 1997

CERTIFICATE OF MAILING

I hereby certify that on the 27th day of March, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 27-07330

EMMETT NULPH
1032 N 900 E
SHELLEY ID 83274



Vanessa Roby
Secretary

MICROFILMED

APR 08 1997

MEMORANDUM

TO: File 27-07330

FROM: Sharla

DATE: March 11, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Right 27-07330 are based on the following:

H. RECOMMENDATIONS

1. Recommended Amounts

Irrigation	4/1 - 10/31	2.56 cfs	512.0 afa
------------	-------------	----------	-----------

The highest rate measured with the polysonic equipment was 2.73 cfs. This rate is listed for the capacity and the right can be licensed at 1" per acre.

On 3/13/97, I spoke with Mr. Nulph's son concerning surface water overlap. He stated that they retain shares from the irrigation company but have not used them since approximately 1986 because it is more convenient to use the well. He stated they could go back to using surface water if they had to. The standard condition concerning resumption of surface water in the future will be added to the license.

Examiner: Steve Garrison

Exam Date: July 22, 1996

MICROFILMED

APR 08 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 27-07330

DATE 3/10/97

REVIEWER: SHARLA

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>NO</u>
SOURCE	<u>—</u>	<u>✓</u>	Is change clarification of originally intended source? <u>—</u>
POINT OF DIV	<u>—</u>	<u>✓</u>	If not, prepare Notice of Intent to Void <u>—</u>
PLACE OF USE	<u>—</u>	<u>✓</u>	Amendment required <u>NO</u>

Does map agree with written description? ✓ yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate	<u>3.2</u> cfs
Fee limit	<u>4.0</u> cfs \$175 ⁰⁰
Measured	<u>2.28-2.73</u>
Theoretical	<u>2.11</u> cfs @ 60 psi and 80' lift
Recommended Total Div Rate <u>2.56</u> cfs	

ANNUAL VOLUME/
NATURE OF USES —

Use <u>✓</u>	Volume Calculation
<u>lsr.</u>	<u>128 X 4.0 =</u> af
<u>—</u>	<u>512.0</u> af
<u>—</u>	<u>—</u> af
<u>—</u>	<u>—</u> af
SUBTOTAL	<u>512.0</u> af

Flow rate 2.56 cfs X 214 days X 1.98 ~~af~~ = 1084.7 af
 Total volume recommended 512.0 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS — Watermaster Control WD# —

— GW Measurement/Measuring Device

31 Overlap

— Use-specific conditions 048,049

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed ✓
 Adjustment Memo note

1st Amend Letter N/A
 2nd Amend Letter N/A

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 27-7330

1. Owner: Emmett Nulph Phone No. 357-3168

Current Address: 1032N 900E Shelley ID 83274

2. Accompanied by: Mark Nulph EXAM DATE: 22 JUL 1996

Address: 937 E 1000 N Shelley, ID 83274 Phone No. 357-5596

Relationship to Permit Holder: _____

3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

- Other water rights with the same place of use: Ancker River Valley L.L.C. (Lumber H₂O)
- Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SW	10	15	37E	Bingham	ON site

2. Place(s) of Use:

Indicate Method of Determination onsite

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01S	37E	10									32	32	32	32					128

MICROFILMED


APR 08 1997

RECEIVED

FEB 06 1997

Department of Water Resources

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	US Electric	75	R-6327-04-349 R1001223M	Aurora VertiPac	8" discharge

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Polysonic						

2. Measurements: Polysonic - 5 readings @ 2 minute intervals. High
average - 2.47 CFS.

MICROFILMED

APR 10 1977

E. NARRATIVE/REMARKS/COMMENTS

well pump mainline to 8 tower center pivot w/ low pressure heads and an end gun.

Broke pipe wrench trying to get well access port open

No corners irrigated

Accompanied by Mark Gulph. He stated that they have never irrigated the corners, but may in the future if it becomes cost affective.

* Proof of Beneficial Use indicates a request of 3.2 CFS on 160 acres.

Polysonic reading 2.47 CFS. They say they have sufficient water for grain crops.

Actual allwage - 128.0 acres

* No measuring device, no flow measurement port.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

SEP 02 1997

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

*Polysonic → 2.47 cfs High Average***G. VOLUME CALCULATIONS**

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{128 \text{ Ac}} (4.0) = \underline{512 \text{ AF/A}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{1048 \text{ AF}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{512 \text{ AF/A}}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>IRRIGATION</u>	<u>4-1</u>	<u>10-31</u>	<u>2.47</u>	<u>512 AF</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>2.47</u>	<u>512</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Steven Garrison Date 22 JUL 96Reviewer H. Taylor Date 12/3/96

SEAL

MICROFILMED

APR 08 1997

SETUP NO. 1

PIPE O.D 8.000 IN

PIPE WALL THICKNESS 0.119 IN

PIPE I.D 7.762 IN

PIPE MATERIAL CARBON STEEL

PIPE SOUND VELOCITY 10597.129 F/S

LINER MATERIAL NONE

LINER SOUND VELOCITY 0.000 F/S

LINER THICKNESS 0.000 IN

INSIDE ABS ROUGHNESS 0.00015000

FLUID MATERIAL WATER

FLUID SOUND VELOCITY 4863.330 F/S

FLUID VISCOSITY 1.132 Cst

TRANSDUCER TYPE STANDARD

TRANSDUCER MOUNTING

TRANSDUCER SPACING 6.066 IN

12:57:22 07-22-96

Min. Rate 0.00 GPM
Max. Rate 1227.20 GPM
Avg. Rate 929.62 GPM
FLOW RATE 1163.25 GPM
POS TOT(X1) 407552 GAL
NEG TOT(X1) 7188 GAL

12:58:33 07-22-96

Min. Rate 0.00 CFS
Max. Rate 2.73 CFS
Avg. Rate 2.47 CFS
FLOW RATE 2.30 CFS
POS TOT(X1) 408885 GAL
NEG TOT(X1) 7188 GAL

13:00:33 07-22-96

Min. Rate 0.00 CFS
Max. Rate 2.73 CFS
Avg. Rate 2.30 CFS
FLOW RATE 2.29 CFS
POS TOT(X1) 410877 GAL
NEG TOT(X1) 7188 GAL

13:02:33 07-22-96

Min. Rate 0.00 CFS
Max. Rate 2.73 CFS
Avg. Rate 2.28 CFS
FLOW RATE 2.29 CFS
POS TOT(X1) 412988 GAL
NEG TOT(X1) 7188 GAL

13:04:33 07-22-96

Min. Rate 0.00 CFS
Max. Rate 2.73 CFS
Avg. Rate 2.28 CFS

PIPE SOUND VELOCITY 10597.129 F/S

LINER MATERIAL NONE

LINER SOUND VELOCITY 0.000 F/S

LINER THICKNESS 0.000 IN

INSIDE ABS ROUGHNESS 0.00015000

FLUID MATERIAL WATER

FLUID SOUND VELOCITY 4863.330 F/S

FLUID VISCOSITY 1.132 Cst

TRANSDUCER TYPE STANDARD

TRANSDUCER MOUNTING

TRANSDUCER SPACING 6.066 IN

12:57:22 07-22-96

Min. Rate 0.00 GPM
Max. Rate 1227.20 GPM
Avg. Rate 929.62 GPM
FLOW RATE 1163.25 GPM
POS TOT(X1) 407552 GAL
NEG TOT(X1) 7188 GAL

12:58:33 07-22-96

Min. Rate 0.00 CFS
Max. Rate 2.73 CFS
Avg. Rate 2.47 CFS
FLOW RATE 2.30 CFS
POS TOT(X1) 408885 GAL
NEG TOT(X1) 7188 GAL

13:00:33 07-22-96

Min. Rate 0.00 CFS
Max. Rate 2.73 CFS
Avg. Rate 2.30 CFS
FLOW RATE 2.29 CFS
POS TOT(X1) 410877 GAL
NEG TOT(X1) 7188 GAL

13:02:33 07-22-96

Min. Rate 0.00 CFS
Max. Rate 2.73 CFS
Avg. Rate 2.28 CFS
FLOW RATE 2.29 CFS
POS TOT(X1) 412988 GAL
NEG TOT(X1) 7188 GAL

13:04:33 07-22-96

Min. Rate 0.00 CFS
Max. Rate 2.73 CFS
Avg. Rate 2.28 CFS
FLOW RATE 2.29 CFS
POS TOT(X1) 415040 GAL
NEG TOT(X1) 7188 GAL

13:06:33 07-22-96

Min. Rate 0.00 CFS
Max. Rate 2.73 CFS
Avg. Rate 2.28 CFS
FLOW RATE 2.28 CFS
POS TOT(X1) 417000 GAL
NEG TOT(X1) 7188 GAL

27-07330

COFILMED
APR 08 1997

SETUP NO. 1

PIPE O.D. 8.000 IN

PIPE WALL THICKNESS 0.119 IN

PIPE I.D. 7.762 IN

PIPE MATERIAL CARBON STEEL

PIPE SOUND VELOCITY 10597.129 F/S

LINER MATERIAL NONE

LINER SOUND VELOCITY 0.000 F/S

LINER THICKNESS 0.000 IN

INSIDE ABS ROUGHNESS 0.00015000

FLUID MATERIAL WATER

FLUID SOUND VELOCITY 4863.330 F/S

FLUID VISCOSITY 1.132 CSt

TRANSDUCER TYPE STANDARD

TRANSDUCER MOUNTING

TRANSDUCER SPACING 6.066 IN

27-07330

Multiph Polysonic

27-7330

22 JUL 95

12:57:22 07-22-96

Min. Rate 0.00 GPM
Max. Rate 1227.20 GPM
Avg. Rate 929.62 GPM
FLOW RATE 1163.25 GPM
POS TOT(X1) 407552 GAL
NEG TOT(X1) 7188 GAL

12:58:33 07-22-96

Min. Rate 0.00 CFS
Max. Rate 2.73 CFS
Avg. Rate 2.47 CFS
FLOW RATE 2.30 CFS
POS TOT(X1) 408885 GAL
NEG TOT(X1) 7188 GAL

13:00:33 07-22-96

Min. Rate 0.00 CFS
Max. Rate 2.73 CFS
Avg. Rate 2.50 CFS
FLOW RATE 2.29 CFS
POS TOT(X1) 410077 GAL
NEG TOT(X1) 7188 GAL

13:02:33 07-22-96


Min. Rate 0.00 CFS
Max. Rate 2.73 CFS
Avg. Rate 2.28 CFS
FLOW RATE 2.29 CFS
POS TOT(X1) 412988 GAL
NEG TOT(X1) 7188 GAL

13:04:33 07-22-96

Min. Rate 0.00 CFS
Max. Rate 2.73 CFS
Avg. Rate 2.28 CFS
FLOW RATE 2.29 CFS
POS TOT(X1) 415040 GAL
NEG TOT(X1) 7188 GAL

13:06:33 07-22-96

Min. Rate 0.00 CFS
Max. Rate 2.73 CFS
Avg. Rate 2.50 CFS
FLOW RATE 2.28 CFS
POS TOT(X1) 417080 GAL
NEG TOT(X1) 7188 GAL



30.5

T24896
3234


T86
254

T
1
S
R37E

POINT OF DIVERSION
135.4

PLACE OF USE

27-07330



T133
286


T2460
3393
3.5 HEL

HEL
2
6.8

3
3.8

1937

HEL
3
128.9



27-7330

MICROFILMED

APR 08 1997

April 18, 1990

EMMETT NULPH
1032 N. 900 E.
SHELLEY, ID 83274

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 27-07330

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

APR 19 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 27-7330

Date: 4-17-90

General Considerations:

y Name same as permit
y Signature the same as permit holder
y Address change _____ If yes, prepare a data entry
y Proof received timely _____
_____ Reinstated

Source of Water:

_____ Surface water
y _____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
N/A A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A

Priority Calculation:

Date proof received _____

Date proof due _____

No. of days late _____

Priority date _____

NEW PRIORITY DATE _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720



TURNED
TO
SENDER
NO SUCH NUMBER

RECEIVED

JUN 23 1989

Department of Water Resources

27-07330

EMMETT NULPH

RT. 2, BOX 357

SHELLEY ID 83274

ATTEMPTED - NOT KNOWN
NO SUCH NUMBER
ROUTE NUMBER
INITIALS

Contacted Bingham
co. assessor:

1032 N. 900 E.
Shelley ID
83274
AUG 16 1989

Jim 6/27
resent 6/27

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
June 16, 1989

EMMETT NULPH
RT. 2, BOX 357
SHELLEY, ID 83274

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 27-07330

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

RECEIVED
AUG 16 1989

AUG 16 1989

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MULTIFILED

AUG 16 1989

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Keith C Wilson APPLICATION NUMBER: 27 7330

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

☐ Yes ☒ No Field check required.

☐ Yes ☒ No Critical groundwater area.

☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____

☒ Yes ☐ No* In form for advertising.

Final date for protests: Dec. 6, 1982

☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 12-1-82
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No Measuring device required.

☒ Yes ☐ No Access port required.

☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 01-P05

11-4-1982 Date of priority recommended.

Special conditions of approval or cover letter. LO 67

App. in NON-TRUST area-

Allow 1 yr. for development - see statements below

By: HWJ Date: 6-5-89

STATE OFFICE REVIEW:

P05, P23, P03, P16 46 48 49 010

☐ See attached sheet for more information.

By: KW Date: 6-14-89 JUN 12 1989

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.USE TYPEWRITER OR
BALLPOINT PEN
RECEIVED
AUG 16 1989
Department of Water Resources
Pocatello District Office

1. WELL OWNER

Name Emmett Nulph
Address Shelby Idaho
Owner's Permit No. 27-2330

7. WATER LEVEL

Static water level 67 feet below land surface.Flowing? ☐ Yes ☐ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ PlugTemperature 47 OF. Quality _____

Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☒
- New well
- ☐
- Deepened
- ☐
- Replacement
-
- ☐
- Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.

Pumping Level

Hours Pumped

3. PROPOSED USE

- ☐
- Domestic
- ☒
- Irrigation
- ☐
- Test
- ☐
- Municipal
-
- ☐
- Industrial
- ☐
- Stock
- ☐
- Waste Disposal or Injection
-
- ☐
- Other _____ (specify type)

4. METHOD DRILLED

- ☐
- Rotary
- ☐
- Air
- ☐
- Hydraulic
- ☐
- Reverse rotary
-
- ☒
- Cable
- ☐
- Dug
- ☐
- Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>2.50</u> inches	<u>16</u> inches	<u>1</u> feet	<u>170</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ NoWas a packer or seal used? ☐ Yes ☒ NoPerforated? ☐ Yes ☒ NoHow perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 21 Material used in seal: ☐ Cement grout☐ Bentonite ☒ Puddling clay ☐ _____Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing☒ Overbore to seal depthMethod of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld☐ Cemented between strata


Describe access port _____

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
16"	0	3	Top Soil		
	3	47	Loose Gravel - Sand - Clay		
	47	135	Gravel - Brown clay	X	
	135	150	Gravel - Brown clay - Sand		
	150	161	Loose Gravel, quick sand		
			Sand - some coarse gravel		
	161	170	Brown gumbo clay - quick sand		
			Coarse Gravel		
	170	174	Sand - Brown clay - gravel		
	174	186	Gumbo clay - Sand - fine gravel		
	186	206	Loose Basalt		
	206	211	Loose Black Basalt		
	211	225	Loose Basalt Brown clay		
	225	222	Gravel Loose Basalt		
			Sand Brown clay		
	224	227	Fractured Basalt		
	227	230	Loose Black Basalt		
	230	233	Sand		
			Loose Black Basalt		
			Caved Back up the hole to 22.5 Gravel Brown clay		

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

AUG 16 1989

Lot No. _____ Block No. _____

County _____

SW 1/4 SW 1/4 Sec. 310, T. 1 N. R. 370 W.

10.

Work started Nov 82 finished Dec 82

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.Firm Name Well Drilling Firm No. 38Address 301 E. Anderson St. Date 1/25/83

Signed by (Firm Official) _____

and

(Operator) _____

IN THE MATTER OF:

Application For Permit

27-7330 For

EMMETT NULPH

State of Idaho

County of Blaine

AFFIDAVIT

I Emmett Nulph

being first duly sworn,

deposes and says: I applied for a permit to drill a well on November 4, 1982. The well was started in the month of November, that year.

It was completed in December of 1982. The pivot was installed in February and March of 1983. We started to pump water the latter part of March and early April to kill quack grass and weeds. The crop of potatoes was planted the first part of May. We have pumped water for these crops and have pumped water for crops every year thereafter.

Emmett Nulph
(Signature)

Subscribed and sworn to before me this 26 day of June, 1985

Karla K. Tew
(Notary Public)

Residing at Leth
My Commission Expires 10-25-88

MICROFILMED

AUG 16 1989

IN THE MATTER OF:)

Application for Permit)

27-7330 for)

Emmett Nulph of)

Shelley)

State of Idaho)

County of Bingham)

AFFIDAVIT

L. Herbert Cook Jr. being first duly sworn,
deposes and says: Being a brother to Wayne

Cook who died June 1-1982, and
Emmett Nulph bought his farm
from Laurel Cook Wayne's widow
I knew Emmett drilled the well
on the farm the fall of 1982
and used it early spring of 1983
and every year since.

Herbert Cook Jr.
(Signature)

Subscribed and sworn to before me this 25th day of June, 1985.

Karen K. Cow
(Notary Public)

Residing at Lith
My Commission Expires 10-23-88

MICROFILMED

AUG 16 1989

IN THE MATTER OF:)
Application for Permit)
27-7390 for)
EMMETT NOLPH of)
Shelley)
State of Idaho)
County of Bingham)

AFFIDAVIT

deposes and says: Being a neighbor of Emmett Nulph, I bear witness
to the fact that Emmett Nulph started drilling his well in the field
north of my house, in the fall of 1982. He was sprinkling the field
in the early spring, the latter part of March, to kill the quack grass
in 1983.

(Signature)

Subscribed and sworn to before me this 18 day of June, 1985.

(Notary Public)

Residing at Blaho Falls, Idaho
My Commission Expires first time

REFILMED

AUG 16 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

NOVEMBER 10, 1982

The Blackfoot News
P. O. Box 70
Blackfoot, Idaho 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before DECEMBER 6, 1982.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region

Encl.

MICROFILMED

AUG 16 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before DECEMBER 6, 1982.

KEN DUNN, Dir.

Published 11/18 & 11/25/82.

MICROFILMED

AUG 16 1989

27-7330

NULPH, EMMETT

RT. 2, BOX 357, SHELLEY, ID 83274

Source: GROUNDWATER

Date Filed: 11/04/1982

Amount: 3.20 CFS

Diversion Point: SWSW Sec 10 T 01S R 37E, BINGHAM Co.

Use: IRRIGATION (3.20 CFS) from 04/01 to 11/01

Place of Use: NESW NWSW SWSW SESW Sec 10 T 01S R 37E FOR 160 ACRES

Diversion Means: WELL, PUMP, SPRINKLER SYSTEM & CENTER PIVOT

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

27-7330

NULPH, Emmett

Rt. 2 Box 357

Shelley, Id. 83274

Source: GROUNDWATER

Date Filed: 11/04/1982

Amount: 3.20 CFS

Diversion Point: SWSW, Sec. 10,
T. 01S, R. 37E, Bingham Co.

Use: IRRIGATION (3.20 CFS) from
04/01 to 11/01.

Place of Use: NESW NWSW SWSW
SESW, Sec. 10, T. 01S, R. 37E for
160 ACRES.

Diversion Means: WELL, PUMP,
SPRINKLER SYSTEM & CENTER
PIVOT.

The permit(s) will be subject to all
prior water rights. Protests must be
filed with the Director, Dept. of Water
Resources, 150 Shoup Ave., Suite
15, Idaho Falls, Idaho, 83402, on or
before DECEMBER 6, 1982.

KEN DUNN, Director

(7543)

Pub.: 11-18, 25

MICROFILMED

AUG 16 1989

