


27-7321

R37E

TIS

MICROFILMED

NOT TO SCALE



EASTERN


by LOH
ADM

METER NO. 0914


RANGE 10-80

DATE TESTED 4/25/83

APPLIED PRESSURE			METER READING	FLOW ERROR (%)	FLOW CORRECTION FACTOR
UPSCALE	DOWNSCALE	AVERAGE			
7.34	7.05	7.20	10.0	17.89	0.821
16.85	16.14	16.50	20.0	10.11	.899
27.22	26.24	26.73	30.0	5.94	.941
38.30	37.34	37.82	40.0	2.84	.972
48.21	46.67	47.44	50.0	2.66	.973
58.30	57.20	57.75	60.0	1.93	.981
68.60	67.60	68.10	70.0	1.39	.986
77.00	76.66	76.83	80.0	2.04	.980



PERMIT 27-7321



UPSCALE	APPLIED PRESSURE		METER READING	FLOW ERROR (%)	FLOW CORRECTION FACTOR
	DOWNSCALE	AVERAGE			
12.49	12.42	12.46	13.0	2.16	.978
11.66	11.54	11.60	12.0	1.71	.983
10.71	10.59	10.65	11.0	1.63	.984
9.73	9.63	9.68	10.0	1.64	.984
8.73	8.60	8.67	9.0	1.91	.981
7.74	7.58	7.66	8.0	2.20	.978
6.80	6.64	6.72	7.0	2.06	.979
5.76	5.60	5.68	6.0	2.78	.972
4.71	4.54	4.63	5.0	3.98	.960
3.73	3.59	3.66	4.0	4.54	.955
2.74	2.64	2.69	3.0	5.61	.944
1.76	1.70	1.73	2.0	7.52	.925

METER NO. 09161

RANGE 0-13

DATE TESTED

4/25/83

1983

by LOM
ADM

PERMIT NO. 27-7321

LDS Church Basalt

(Name)

EXAMINATION: DATE: 7-26-83

Accompanied by: Richard Matherson

Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No.
GE	25	5447542	Johnston	JT 6025

Measuring Device Type: Annubar

Meter # Annubar #


Remarks: 2 handlines Size # 6-096

Measurement calculations:

12.5" Annubar

SCHEMATIC DIAGRAM OF SYSTEM

Mainline Diameter 5.5" Length



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 27-7321 Priority June 2, 1982 Amount 0.58 cfs

THIS IS TO CERTIFY, that L.D.S. Church, Basalt Ward, Firth Stake
of Shelley, Idaho, has complied with the terms and conditions of Permit
No. 27-7321 issued pursuant to Application for Permit dated June 2, 1982,
and has submitted proof to the Department of Water Resources on December 28, 1982,
that he has applied water to a beneficial use, an examination by the Department indicates that the works have a
capacity for the diversion of 0.91 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>November 1</u>	at <u>0.58</u> cfs and	<u>101.5</u> acre feet
_____	from _____ to _____	at _____ cfs and	_____
_____	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.58 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
101.5 acre feet per year, said waters to be diverted within the SW 1/4 SE 1/4 Section 18,
Twp 1S, Rge 37E in the County of Bingham

Description and location of place of use:

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1S	37E	18															27	2	29

Total number of acres irrigated 29

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 28TH day of AUGUST, 19 86.

Acting for the Director

Norman C. Young

MICROFILMED

*Don
B.S.*

RECEIVED
JUL 25 1986

Ident. No. _____

STATE OF IDAHO

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)

APPROVED

Comes now L.D.S. Church, Basalt Ward, Firth Stake Phone _____
of (address) c/o Ronald Esplin Rt. 2, Box 63 Shelley, ID, and represents to the
Director of the Idaho Department of Water Resources: 83274

That he is the owner and holder of Permit to appropriate the Public Waters of the
State of Idaho No. 27-7321, and requests that the permit be changed as follows:

1a. Point of diversion: SW 1/4 SE 1/4, Section 18, Township 1S, Range 37E,
B.M., County of Bingham. Other points of diversion: _____

1b. Source: groundwater tributary to -----

2a. Period and nature of use:

Amount 0.58 for Irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

2b. The maximum quantity diverted shall not exceed 0.58 cfs or 101.5 acre feet
per year.

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1S	37E	18															27	2	29

Total number of acres to be irrigated = 29

4. Date of priority: June 2, 1982

APPROVED

5. Conditions (if any):

This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at FIRTH, LOAND, this 20 day of JULY, 1986.

WB Palmer FIRTH STAKE CLERK
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by kw fee = \$20.00 ✓ Received by QW Date 7/25/86 #38849

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, A. KENNETH DUNN, of the Department of Water Resources hereby Approve the above Application for Amendment for Permit No. 27-7321.

Witness my hand this 28th day of August, 1986.

Roman C Young
Acting for the Director

MICROFILMED

John

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant L.D.S. Church, Basalt Ward,
Firth Stake Phone 357-3328
Post office address c/o Ronald Esplin, Rt. #2, Box 63, Shelley, ID 83274
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is SW ¼ of SE ¼ of Section 18 Township 1S
Range 37E B.M. Bingham County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.60 for irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.60 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump, and sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 80 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ ¼ of _____ ¼ of Section _____ Township _____

Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

RECEIVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 30

c. Describe any other water rights used for the same purposes as described above. _____

30 shares in Cedar Point Canal Company

9. a. Who owns the property at the point of diversion Applicant


b. Who owns the land to be irrigated or place of use	Applicant
--	-----------

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks

WGC

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Richard F. Matheson
(Applicant)

(Applicant)

Proposed Priority 6/02/1982

Received by CW Date 6-02-82 Time 10:20 A

Preliminary check by HWS Fee \$ 45.00

Receipted by BP Date 6-2-1982 # 22292

Publication prepared by BP Date 6-3-1982

Published in Blackfoot News

Publication dates 6-10 & 6-17-1982

Publication approved CW Date 6-29-82

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ENC RC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 27-7321, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 83.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other:

Witness my hand this 8th day of July, 1982.

L. Glen Saxton
Chief, Operations Bureau

RECEIVED
JUL 10 1982

JUN 28 1982

Department of Water Resources
Eastern District Office

**NOTICE OF APPLICATION
FOR WATER RIGHT**

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

27-7319

APPLY, Donald E.
25 West Fir
Shelley, Id. 83274
Source: GROUNDWATER
Date Filed: 05/26/1982
Amount: 0.83 CFS
Diversion Point: SWSW, Sec. 11,
02S, R. 36E, Bingham Co.
Use: IRRIGATION (0.63 CFS) from
4/01 to 11/01
Place of Use: NWSW SWSW, Sec.
1, T. 02S, R. 36E, for 32 ACRES.
Diversion Means: WELL, PUMP &
SPRINKLER.

27-7320

ANCE, Leon
AMATA, Jiro
99 McAdoo
Blackfoot, Id. 83221
Source: GROUNDWATER
Date Filed: 06/01/1982
Amount: 3.16 CFS
Diversion Point: SWNW, Sec. 19,
02S, R. 37E, Bingham Co.
Use: IRRIGATION (3.16 CFS) from
3/15/82 to 11/15/82
Place of Use: NENE SENE NESE
SE, Sec. 24, T. 02S, R. 36E,
SWNW SWSW, Sec. 19, T.
02S, R. 37E, for 158 ACRES.
Diversion Means: WELL, PIVOT &
WHEEL LINES.

27-7321

L. D. S. Church

Basalt Ward,
Firth Stake
Rt. 2 Box 63
Shelley, Id. 83274
Source: GROUNDWATER
Date Filed: 06/02/1982
Amount: 0.60 CFS

Diversion Point: SWSE, Sec. 18, T.
01S, R. 37E, Bingham Co.
Use: IRRIGATION (0.60 CFS) from
04/01 to 11/01
Place of Use: SWSE, Sec. 18, T.
01S, R. 37E, for 30 ACRES.
Diversion Means: WELL, PUMP &
SPRINKLER.

35-8038

CORNIA, C. Dean
6527 Holiday Drive
Boise, Id. 83709
Source: GROUNDWATER
Date Filed: 05/27/1982
Amount: 0.14 CFS
Diversion Point: NENW, Sec. 33,
T. 02S, R. 34E, Bingham Co.
Use: IRRIGATION (0.10 CFS) from
04/01 to 11/01
DOMESTIC (0.04 CFS) from 01/01
to 12/31
Place of Use: NENW, Sec. 33, T.
02S, R. 34E, for 5 ACRES.
Diversion Means: WELL, PUMP,
MAINLINE TO HANDLINES.

If issued, the permit(s) will be sub-
ject to all prior water rights. Protests
against the granting of any permit
must be filed with the Director of the
Idaho Department of Water
Resources, 150 Shoup Ave., Idaho
Falls, Idaho, 83402, on or before

JUNE 28, 1982.

A. KENNETH DUNN
Director

(7348)
Pub. 6-10, 17

AFFIDAVIT of PUBLICATION

County of Bingham

State of Idaho

solemnly

David Mark Brown

Publisher

swear that I am the _____ of
The Morning News which is a daily newspaper of general
circulation published each day except Sunday at
Blackfoot, Bingham County, Idaho, said newspaper hav-
ing been so published at Blackfoot, aforesaid for more
than one year past; that said newspaper heretofore com-
plied with all the provisions of Chapter 154 of the Ses-
sions Laws of Idaho of 1933, approved March 11, 1933,
and duly designated, pursuant to law, a particular day of
the week as the day on which legal notices required by
law or by the order of any Court of competent jurisdiction
within the State of Idaho shall be published to-wit: Thursdays
of each week; that the notice attached hereto and which
is a part of this affidavit and part of the proof of
publication was published in said issue or said
newspaper (2) two consecutive weeks

the first publication having been made on the
10th day of June, 19 82,

and the last publication having been made on the
17th day of June, 19 82.

that said notice was published in the regular and entire
issue of every number of the paper as aforesaid during
the period and time of publication, and that notice was
published in the newspaper and not in a supplement.

Subscribed and sworn to before me this 23rd

day of June, 19 82

Patricia A. Johnson

Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1984

27-7321

L.D.S. Church

Fifth Stake

Rt. 2 Box 63

Shelley, Id. 83274

Source: GROUNDWATER

Date Filed: 06/02/1982

Amount: 0.60 CFS

Diversion Point: SWSE, Sec. 18

01 S. R. 37 E, Bingham Co.

Use: IRRIGATION (0.60 CFS)

04/01 to 11/01

Place of Use: SWSE, Sec. 18

01 S. R. 37 E. for 30 ACRES

September 4, 1986

RE: Permit No. 27-7321

L.D.S. Church
Basalt Ward, Firth Stake
Rt. 2, Box 63
Shelley, ID 83274

Dear Permit Holder(s):

Enclosed herewith is a copy of your Water Right License issued on the above referenced permit along with a copy of your approved application for amendment. Also enclosed is Departmental Receipt No. 38849 in the amount of \$20.00.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosures

RECEIVED

July 16, 1986

RE: Permit No. 27-7321

L.D.S. Church, Basalt Ward
Firth Stake
c/o Ronald Esplin
Rt. 2, Box 63
Shelley, ID 83274

Dear Permit Holder:

On June 5, 1986, we forwarded to you an Amendment for Water Permit so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, we have not received this amendment.

If we do not receive the amendment within fifteen (15) days, we will issue a Water Right License which reduces the amount that could have been allowable to you.

Since the license will be a permanent water right your prompt attention to this matter will be appreciated.

If you have any questions please contact us as soon as possible.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

June 5, 1986

RE: Permit No. 27-7321

L.D.S. Church, Basalt Ward, Firth Stake
c/o Ronald Esplin
Rt. 2, Box 63
Shelley, ID 83274

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains all of the information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

RECEIVED

SEP 21 1984

State of Idaho
DEPARTMENT OF WATER RESOURCES
WATER RIGHT BENEFICIAL USE FIELD REPORT

27-7321

Permit No.

Department of Water Resources

CONTACT WITH PERMIT HOLDER

DATE

INITIALS

REMARKS

☐ Appointment letter mailed:☐ Telephone call made

(List Telephone No. used)

☐ Appointment scheduled for:

(Date, time, location)

EXAMINATION

Date 7-26-1983 Accompanied by Richard Matheson Total Q measured 0.91 cfs ✓Source Groundwater Tributary to _____ Supp. annubar measurement sheet used? _____

If source is surface water, estimate total flow of source _____

Methods of measurement Easy E # 091461 Meets permit requirements? _____Calibrated 4-25-83Measurement calculations: 0.980 x 12.5 motor readings = 12.25 corrected reading

$$(5.5" \text{ IO})^2 \times 3.85 \times \sqrt{12.25}$$

$$407.618 \text{ gpm or } 0.91 \text{ cfs} \checkmark$$

$$29 \text{ acris} \times 0.02 \text{ cfs} = 0.58 \text{ cfs} \checkmark$$

$$V = 29 \text{ acris} \times 3.5 \text{ afa} \\ = 101.5 \text{ afa} \checkmark$$

$$V = 0.58 \text{ cfs} \times 1.9835 \times 214 \\ = 246 \text{ afa} \checkmark$$

WELL/DIV. NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEVICE	REMARKS
	25	G.E.	5447542	Johnston	JT6025	Annubar 6.065"		
						#19117		

System Description well/pump to 2 handlines

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE

Irrigation ✓

Irrigation requirement = 3.5 ✓ 214 days AFA/Acre

Q (cfs)

0.58 ✓

V (afa)

101.5 ✓

FROM

4-1 ✓


TO

11-1 ✓


Total

0.58 cfs101.5 AFRemarks Bingham Co. Assessor confirmed that property crossed the 1/4 of 1/4 line into SESE.No license overlapR30R16 (3.5) Shares in Cedar Pt. Canal ✓P/D overlap per VAX: none -

MICROFILMED



SCHEMATIC DIAGRAM OF SYSTEM



(Include distance from pump to measuring device, if applicable.)

Point(s) of diversion: SW 1/4 SE 1/4 Sect. 18 T1S R37E

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1S	37E	18															27	2	29 ✓

Recommended Amendments:

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☐ None

☐ Change P.U. as reflected above

☒ Add P.U. as reflected above

☐ Other

Examiner's Signature

Checked by

Approved by

Date

Date

Date

MICROFILMED

27-7321


R37E

TIS

H-385
1974

MICROFILMED

NOT TO SCALE




1983

by LOM
ADMMETER NO. ^{Small} 091061

RANGE 0-13

DATE TESTED 4/25/83

APPLIED PRESSURE			METER READING	FLOW ERROR (%)	FLOW CORRECTION FACTOR
UPSCALE	DOWNSCALE	AVERAGE			
1.76	1.70	1.73	2.0	7.52	0.925
2.74	2.64	2.69	3.0	5.61	.944
3.73	3.59	3.66	4.0	4.54	.955
4.71	4.54	4.63	5.0	3.98	.960
5.76	5.60	5.68	6.0	2.78	.972
6.80	6.64	6.72	7.0	2.06	.979
7.74	7.58	7.66	8.0	2.20	.978
8.73	8.60	8.67	9.0	1.91	.981
9.73	9.63	9.68	10.0	1.64	.984
10.71	10.59	10.65	11.0	1.63	.984
11.66	11.54	11.60	12.0	1.71	.983
12.49	12.42	12.46	13.0	2.16	.978



PERMIT 27-7321

EASTERN


by LOH
ADM

METER NO. 0914

RANGE 10-80

DATE TESTED 4/25/83

APPLIED PRESSURE			METER READING	FLOW ERROR (%)	FLOW CORRECTION FACTOR
UPSCALE	DOWNSCALE	AVERAGE			
7.34	7.05	7.20	10.0	17.89	0.821
16.85	16.14	16.50	20.0	10.11	.899
27.22	26.24	26.73	30.0	5.94	.941
38.30	37.34	37.82	40.0	2.84	.972
48.21	46.67	47.44	50.0	2.66	.973
58.30	57.20	57.75	60.0	1.93	.981
68.60	67.60	68.10	70.0	1.39	.986
77.00	76.66	76.83	80.0	2.04	.980





State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

June 18, 1985

LDS Church - Basalt Ward
c/o Ronald Esplin
Route 2 Box 63
Shelley, Idaho 83274

Re: Water Right Identification No. 27-7321

Dear Wateruser:

The proof of beneficial use (Form A) which you recently submitted to the department is being returned to you for the following reason:

- ☒ Proof of beneficial use has already been submitted for the water right.
- ☐ Proof of beneficial use is not applicable for existing licensed rights.
- ☐ Proof of beneficial use is not applicable for existing decreed rights.
- ☐ Proof of beneficial use is not applicable for a right represented by a claim to a water right.
- ☐ Other:

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

cc: Region

MAILED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

150 Shoup
Idaho Falls, Idaho 83401
(208) 525-7161

A. Kenneth Dunn
Director

March 8, 1983

LDS Church
Basalt Ward, Firth Stake
c/o Ronald Esplin
Rt. #2, Box 63
Shelley, ID 83274

RE: Permit No. 27-7321

Dear Sir:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

_____ A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

 X A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

HAROLD W. JONES
Sr. Resource Agent

HMJ:CM

MICROFILMED

PERMIT NO. 27-7321 (Name) LDS. Church Basalt
Accompanied by: Richard Matheson
EXAMINATION: DATE: 7-26-83

Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No.
GE	25	5447542	Johnston	JT 6025

Measuring Device Type: Annubar

Meter # _____ Annubar# _____ Size # 6-096


Remarks: 2 hand lines

Measurement calculations:

12.5" Annubar

SCHEMATIC DIAGRAM OF SYSTEM

Mainline Diameter 5.5" Length _____



DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 27-7321

Name(s) of Permit Holder: LDS Church, Basalt Ward Fifth Stake

Post Office Address: % Ronald Esplin Rt #2 Box 63, Shelley

Tel. No. 357-3328
357-7013

Source of Water: Groundwater

Extent of Use: ☐ Domestic (number of households)
DEC 28 1982 ☒ Stockwater (number and type of stock)
☒ Irrigation 30 (acres)

Department of Water Resources

Eastern District Office

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

28 Dec 1982

Date

Jerry L. Hokanson
Executive Secretary
Signature of Permit Holder

PLACE
13 CENT
STAMP
HERE

RECEIVED

DEC 30 1982

Department of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

L.D.S. CHURCH
BASALT WARD
FIRTH STAKE
RT.2, BOX 63
SHELLEY, ID 83274

AUGUST 03, 1982

RE: PERMIT NO. 27-7321

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

WE HAVE ENCLOSED A FORM ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: HWT

APPLICATION NUMBER: 27 7321

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: June 28, 1982 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 6-28-82 ✓
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
6-28-82 Date of priority recommended.
Special conditions of approval or cover letter. _____

#26

By: Ernest Carlson

Date: 6-29-82

STATE OFFICE REVIEW:

SW/cord

- ☐ See attached sheet for more information.

By: Reyn

Date: 7/6/82

RECEIVED
JUL 01 1982

Department of Water Resources

22-2321

L.D.S. CHURCH

BASALT WARD, FIRTH STAKE, RT. 2, BOX 63, SHELLEY, ID 83274

Source: GROUNDWATER

Date Filed: 06/02/1982

Amount: 0.60 CFS

Diversion Point: SWSE Sec 18 T 01S R 37E, BINGHAM Co.

Use: IRRIGATION (0.60 CFS) from 04/01 to 11/01

Place of Use: SWSE Sec 18 T 01S R 37E FOR 30 ACRES

Diversion Means: WELL, PUMP & SPRINKLER

REPRODUCED

IDAHO DEPARTMENT OF WATER RESOURCES

WATER RIGHT
DATA ENTRY LOG

[illegible]