


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Range 37E



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ron Clawson
(Applicant)

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

27-7142
CLAWSON, RONE
ROUTE 1 FIRTH, ID 83236
Source: GROUNDWATER
Date Filed: 11/19/1979
Amount: 1.00 CFS
Diversion Point: NESE Sec 05 T 02S R 37E, Bingham Co.
Use: IRRIGATION

(1.00 CFS) from 03/15 to 11/15
Place of Use: SWNW NWSW Sec 04 T 02S R 37E
SENE NESE Sec 05 T 02S R 37E
FOR 151 ACRES
Diversion Means: WELL, PUMP AND SPRINKLER SYSTEM

If issued the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho 83401 on or before December 17, 1979.

C. STEPHEN ALLRED
Director

(6335)
Pub: 11/29, 12/6

34

RECEIVED

DEC 11 1979

Department of Water Resources
Eastern District Office

MICROFILMED

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho) ss.

I, David Mark Brown do solemnly

swear that I am the Publisher of The Blackfoot News which is a daily newspaper of general circulation published each day except Sunday at Blackfoot, Bingham County, Idaho, said newspaper having been so published at Blackfoot, aforesaid for more than one year past; that said newspaper heretofore complied with all the provisions of Chapter 134 of the Sessions Laws of Idaho of 1933, approved March 11, 1933, and duly designated, pursuant to law, a particular day of the week as the day on which legal notices required by law or by the order of any Court of competent jurisdiction within the State of Idaho shall be published to-wit: Thursday of each week; that the notice attached hereto and which is a part of this affidavit and part of the proof of

of publication was published in said issue or said

newspaper 2 consecutive weeks

the first publication having been made on the 29th day of November, 19 79

and the last publication having been made on the

6th day of December, 19 79; that said notice was published in the regular and entire issue of every number of the paper as aforesaid during the period and time of publication, and that notice was published in the newspaper and not in a supplement.

David Mark Brown


Subscribed and sworn to before me this 10th

day of December, 19 79

Patricia A. Johnson


Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1980





SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: NE 1/4 & SE 1/4 SECT 5 T2S R 37E

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2S	37E	5				9									9				18
		4							10										10

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

Total 28

Examiner's Signature

[Signature]

Date 8-24-81

Checked by

[Signature]


Date 12-8-81

Approved by

[Signature]

Date 11-5-82

#27-7142



MICROFILMED

12-9-81

#27-7142

IS

equal length the other way

ROAD

5.1

96.5

122.0

164.8

R37E

27-7142

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

13.3

1.6

25.1

32.33

5

12.8

IDWR SUPPLEMENTAL FIELD REPORT
FOR ANNUBAR MEASUREMENT

Measured by: HWJ

Date: 7-31-81

Owner: Rone Clawson

Permit #: 27-7142

Description of well &/or measuring site (give distance to restrictions upstream and downstream): 100 Hp pump ; access port on section of mainline 3' (measured) from pivot below and from gate valve above.

Measured inside diameter of pipe in inches

7.5"

Size of Annubar used in test

6.065'

State ID# of Meter used

191117

Size Eagle Eye Meter used

10-80

State ID# of Meter used

091471

Date of Last Calibration of Meter

4/81

Observed inches of H2O read on Meter

24

Adjusted inches of H2O from Last Calibration


24

CALCULATION:
$$\frac{(7.5)^2 \sqrt{24}}{(3.85) \times (A)^2 \times (B)} = 2.36 \text{ cfs measured}$$

448.8

Where A and B are measured in inches
and 3.85 is a constant for the model
75 Annubar

SKETCH:




MICROFILMED

27-7142

(8) Remarks

Attachment # 1

R 37E



Map should show the location of the point of diversion and the place of use of the water by 40-acre subdivisions,

MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 27-7142 Priority November 19, 1979 Amount 0.36 cfs

THIS IS TO CERTIFY, that Rone Clawson
of Firth, Idaho, has complied with the terms and conditions of Permit
No. 27-7142 issued pursuant to Application for Permit dated November 19, 1979,
and has submitted proof to the Department of Water Resources on January 31, 1980,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 2.36 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>March 15</u> to <u>November 15</u> at <u>0.36</u> cfs and <u>98.0</u> acre feet		
	from _____ at _____ cfs and _____		
	from _____ at _____ cfs and _____		

(both dates inclusive)

Subject, however, to the condition that no more than 0.36 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
98.0 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Section 5, Twp.
2S, Rge 37E in the County of Bingham

Description and location of place of use:

Twp.	Range	Sec.	Section												Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
2S	37E	4							10						10
		5							9						18

Total number of acres irrigated 28

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 23rd day of
December, 19 82.

Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Rone Clawson Phone 785-3153

Post office address Rt. #1, Firth, Idaho 83236

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 5 Township 2S

Range 37E B.M. Bingham County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1.0 for irrigation purposes from Mar. 15 to Nov. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.0 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump and sprinkler system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 20 inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years). (existing)

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2S	37E	4							40			33							73
		5				39								39					78

Total number of acres to be irrigated 151

c. Describe any other water rights used for the same purposes as described above.

R.D. License 27-7036 for 2.00 cfs on 120 acres

9. a. Who owns the property at the point of diversion Applicant


b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Supplemental application

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Range 37E



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ron Clawson

(Applicant)

Proposed Priority 11/19/79

Received by CW Date 11-19-79 Time 1:15 P

Preliminary check by ARK Fee \$ 35.00

Receipted by CW Date 11-19-79 # 15406

Publication prepared by kw Date 11/21/79

Published in The Blackfoot News

Publication dates 11/29 & 12/06/79

Publication approved CW Date 12/17/79

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC gair

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 27-7142, and said application is hereby approved.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 81.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 21st day of December, 19 79.

L. Glen Sayton
Chief, Operations Bureau

AFFIDAVIT of PUBLICATION

County of Bingham

State of Idaho

I, David Mark Brown
solemnly

swear that I am the Publisher of
The Blackfoot News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law,
a particular day of the week as the day on which legal
notices required by law or by the order of any Court
of competent jurisdiction within the State of Idaho
shall be published to-wit: Thursday of
each week; that the notice attached hereto and which
is a part of this affidavit and part of the proof of

of publication was published in said issue or said
newspaper 2 consecutive weeks

the first publication having been made on the
29th day of November, 19 79

and the last publication having been made on the
6th day of December, 19 79

that said notice was published in the regular and en-
tire issue of every number of the paper as aforesaid
during the period and time of publication, and that
notice was published in the newspaper and not in a
supplement.

Subscribed and sworn to before me this 10th

day of December, 19 79

Patricia A. Johnson
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1980

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following ap-
plication(s) have been submitted for permit to
appropriate the public waters of the State of
Idaho:

27-7142

CLAWSON, RONE
ROUTE 1 FIFTH, ID 83236
Source: GROUNDWATER
Date Filed: 11/19/1979
Amount: 1.00 CFS
Diversion Point: NESE Sec 05 T 02S R 37E.
Bingham Co.
Use: IRRIGATION

(1.00 CFS) from 03/15 to 11/15
Place of Use: SWNW NWSW Sec 04 T 02S R 37E
SENE NESE Sec 05 T 02S R 37E
FOR 151 ACRES
Diversion Means: WELL, PUMP AND SPRINKLER
SYSTEM

If issued the permit(s) will be subject to all prior
water rights. Protests against the granting of any
permit must be filed with the Director of the Idaho
Department of Water Resources, 1515 Lincoln
Road, Idaho Falls, Idaho 83401 on or before
December 17, 1979.

C. STEPHEN ALLRED
Director

(6335)
Pub: 11/29, 12/6

RECEIVED

DEC 11 1979

Department of Water Resources
Eastern District Office

MICROFILMED

KW-A
12/17

34



January 18, 1983

RE: PermitNos.27-7142

Rone Clawson
Route #1, Box 203
Firth, ID 83236

Dear Mr. Clawson:

Enclosed herewith is a copy of the Water Right License issued on the above
referenced Permit.

Sincerely,



JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosure

MAILED
JAN 20 1983
FIRTH, ID



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 16, 1982

RE: Permit No. 27-7142

Rone Clawson
Route #1, Box 203
Girth, ID 83236

Dear Mr. Clawson:

A representative of this Department has made an examination of the works covered by your Permit No. 27-7142, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 0.36 cfs Source: groundwater

The maximum quantity diverted shall not exceed 98.0 acre feet
per year.

Point(s) of diversion: NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 5, Twp. 2S, Rge. 37E, Bingham County

Beneficial use: Irrigation of 28 acres within the SW $\frac{1}{4}$ NW $\frac{1}{4}$, Sec. 4; SE $\frac{1}{4}$ NE $\frac{1}{4}$,
Sec. 5, NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 5; Twp. 2S, Rge. 37E

Priority date established: November 19, 1979

Conditions (if any): This right is in combination with Right 27-7036.

If you do not concur with these findings please contact us within 10 days, otherwise
a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

27-7142

Permit No. _____

CONTACT WITH PERMIT HOLDER

DATE _____

INITIALS

REMARKS

☐ Appointment letter mailed:

☐ Telephone call made:

(List Telephone No. used)

☐ Appointment scheduled for:

(Date, time, location)

EXAMINATION:

Date 7-31-81 Accompanied by Ronr Clawson Total Q measured 2.36 cfs

If source is surface water, estimate total flow of source

Methods of measurement Annubar Meets Permit requirements? Yes

Measurement calculations: $V = 28 \text{ in} \times 3.5 \text{ cfs}$ $\underline{\underline{= 98 \text{ cfs}}}$	$(7.5" \pm 0)^2 \times 3.85 \times \sqrt{24" \text{ Annubar}}$ $= 1060 \text{ gpm or } 2.36 \text{ cfs}$ Amt. applicable = <u>0.36 cfs</u> ok	$V = 0.36 \text{ cfs} \times 1.9835 \times R45$ $= 175 \text{ cfs}$
---	---	--

[illegible]

System Description From well/pump thru 16' of 8" mainline to 13 Tower Lockwood Pivot
Also handliners on 3 corners.

**Code with map on reverse side. Disregard code if only one.*

RECOMMENDED AMOUNTS

USE

Irrigation

Irrigation requirement = 3.5 AFA/Acre

Q (cfs)

0.36

V (afa)

984F9

AFA/Acre

FROM

TO


March 15 Nov. 15

Total

Remarks Prior License 27-7036 for 2 cfs on 120 acres. See attachment #1


Overlap Review attached

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: NE 1/4 & SE 1/4 SECT 5 T2S R 37E

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2S	37E	5				9									9				18
		4						10											10

Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
- ☐ Add P.U. as reflected above

- ☒ None
- ☐ Other

Total 28

Examiner's Signature

Checked by

Approved by

Date 8-24-81

Date 12-8-81

Date 11-5-82

27-7142

D
133

E
133

D
133

D
133

D
133

D
133

D
133

D
133

27-7142

6.7

E
133

D
133

E
133

D
133

D
133

D
133

D
133

D
133

D
133

16
195

149

149

149

149

R 37E

I 15.1

15.1

15.1

15.1

B 276

164.3

15

15

15

15

15

15

39

39

39

39

39

39

39

39

39

39

equal
length
the other
way

2 PD

2 PD

2 PD

2 PD

2 PD

2 PD

2 PD

2 PD

2 PD

2 PD

2 PD

2 PD

2 PD

39

39

39

39

39

39

39

39

39

39

142.0

142.0

142.0

142.0

142.0

142.0

142.0

142.0

Center

Center

Center

Center

Center

Center

Center

Center

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

15

12-9-81

#27-7142

MICROFILMED

IDWR SUPPLEMENTAL FIELD REPORT
FOR ANNUBAR MEASUREMENT

Measured by: HWJ

Date: 7-31-81

Owner: Rone Clawson

Permit #: 27-7142

Description of well &/or measuring site (give distance to restrictions upstream and downstream): 100 Hp pump ; access port on section of mainline 3' (measured) from pivot below and from gate valve above.

Measured inside diameter of pipe in inches

7.5"

Size of Annubar used in test

6.065"

State ID# of Meter used

191117

Size Eagle Eye Meter used

10-80

State ID# of Meter used

091471

Date of Last Calibration of Meter

4/81

Observed inches of H2O read on Meter

24


Adjusted inches of H2O from Last Calibration

24

CALCULATION:
$$\frac{(3.85) \times (A)^2 \times (B)}{448.8} = \frac{(7.5)^2 \times \sqrt{24}}{448.8} = 2.36 \text{ cfs measured}$$

Where A and B are measured in inches
and 3.85 is a constant for the model
75 Annubar

SKETCH:




MICROFILMED

27-7142

(8) Remarks Attachment #1

R37E



Scale: 2 inches equal 1 mile.

Map should show the location of the point of diversion and the place of use of the water by 40-acre subdivisions,

WINDY BIRD

Overlap Review for 27-7142

License 27-7036 GW

T/D NESE Sec 5 T25 R37E
(same well)

$$\frac{2.0 \text{ cfs}}{120 \text{ ac}} = .017 \text{ cfs/ac}$$

T/D see attached
license copy
(some lands in same)

~~some~~ 40 acre tracts - No overlap

Recommend licensing 27-7142 at:

$$\begin{aligned} Q = & 2.36 \text{ capacity} \\ & - 2.00 \text{ license 27-7036} \\ & \underline{\quad} \\ & .36 \text{ amt remaining} \end{aligned}$$

$$\begin{aligned} V = & .36 \times 19835 \times 245 = 174.9 \\ & 28 \text{ ac} \times 3.5 = \underline{\underline{98.0}} \quad \checkmark \text{ ok} \end{aligned}$$

^{yes}
_{for} Can safely assume that 27-7142
is extra land bring tract up
to full tracts.

RECEIVED
NOV 11 1982

RC 11/5/82
for 11-6-82

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 27-7036 Priority February 19, 1974 Amount 2.0 cfs

THIS IS TO CERTIFY, that RONE CLAWSON

of Firth, Idaho, has complied with the terms and conditions of Permit No. 27-7036 issued pursuant to Application for Permit dated February 19, 1974, and has submitted proof to the Department of Water Resources on January 9, 1979, that he has applied water to a beneficial use; an examination by the Department indicates that the works have a capacity for the diversion of 3.04 cfs of water from a groundwater source, tributary to _____, and that the permit holder has applied to a beneficial use and established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>May 1</u> to <u>November 1</u>	at <u>2.0</u> cfs and	<u>420</u> acre feet
	from _____ to _____	at _____ cfs and	
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 2.0 cfs of water be diverted at any one time, and that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed 420 acre feet per year, said waters to be diverted within the NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 5, Twp. 2S, Rge. 37E, B.M. in the County of Bingham

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
2S	37E	4						(30)			30								60
		5			(30)									(30)					60

Total number of acres irrigated 120

CONDITION:

A measuring device of a type approved by the Department shall be permanently installed and maintained as part of the diversion works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29 day of May, 19 80.

Director

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

May 14, 1980

RE: Permit No. 27-7142

Pfione Clawson
Rt. #1, Box 203
Firth, ID 83236

Dear Ms. Clawson:

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

JACKIE S. DENNING
Senior Clerk

cc: IDWR - State Office

RECEIVED
MAY 15 1980
IDWR

WATER RIGHT NUMBER 27-7142

OWNER LAST NAME - CLAWSON

FIRST NAME - RONE

ORIG. OWNER -

ADDRESS LINE 1 - ROUTE 1 Box 203

ADDRESS LINE 2 -

ADDRESS LINE 3 - RT. 1

CITY - FIRTH

STATE - ID ZIP CODE - 83236

SOURCE - GROUNDWATER

TRIBUTARY OF -

STAGE - PERMIT

STATUS -

PRIORITY - 11-19-1979

COUNTY - BINGHAM

TOTAL DIV. RATE -

136

1.0000 - CFS

TOTAL DIV. VOLUME - 98.0 .00 AFA TRFR/AMEND -

WATER DIST. -

DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - NESE 05 02S 37E LOT

REDIV -

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

0.0

FROM - 03-15 TO - 11-15 USE - IRRIGATION

USE DIV. RATE - 136 1.0000 CFS

USE DIV. VOLUME - 98.0 .00 AFA

USE - IRRIGATION

PLACE OF USE - TWN 02S

RNG 37E

SEC 05

TRACT SENE LOT 9

AC 39

TRACT

NESE LOT

AC 39 9

USE - IRRIGATION

XfL PLACE OF USE - TWN 02S

RNG 37E

SEC 04

TRACT SWNW LOT 10

AC 40

TRACT

NWS LOT

AC 33

DECREE NAME -

DATE -

TOTAL ACRES

151

REMARKS -

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE - LICENSE 27-7036.

PROOF DUE - 01-01-1981 PERMIT/DENIED - 12-21-1979 PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - P FLD EXAM - COND. OF APPROVAL - OIC X

DIVERSION MEANS - WELL, PUMP AND SPRINKLER SYSTEM.

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 27-7142.

Name(s) of Permit Holder: Rone Clawson

Post Office Address: Rte #1 Box 203
Firth, Idaho Tel. No. 785-3153

Source of Water: _____

Extent of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation 151 (acres)
☐ Other _____

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No
Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

1-31-88
Date

Rone Clawson
Signature of Permit Holder

Rone Clawson
Rte #1 Box 203
Firth, Idaho 83236

PLACE
TEN CENT
STAMP
HERE

RECEIVED

FEB 4 1980

Department of Water Resources



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

RECEIVED

JAN 31 1980

Department of Water Resources
Eastern District Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

January 10, 1980

Re: Permit No. 27-7142

Rone Clawson
Route #1
Firth, ID 83236

Dear Mr. Clawson:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note the special condition requiring you to install an access port or other device to provide for the installation of measuring equipment by the Department. Enclosed are specifications for the installation of the access port, as well as a list of measuring device options.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL, JR.
Supervisor, Water Allocations Section

DRT:lr

Enclosures

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: jc
CHECK:

APPLICATION NUMBER: 27-7142

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department. _____
☐ Idaho Department of Lands. _____
☐ U.S. Bureau of Land Management. _____
☐ U.S. Forest Service. _____
☒ Other _____

PROCESSING:

- ☒ Yes ☐ No Platted by: jc Map No. 27-25 37 E
☒ Yes ☐ No Other rights on same place of use. Lic 27-7036 - No conflicting overlap.
☒ Yes ☐ No* In form for advertising.
☐ Yes ☒ No Final date for protests: Dec. 17
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 12/11/79
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☐ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____
11/19/79 Date of priority recommended.
Special conditions of approval or cover letter. _____

By: Ernest Carlson Date: 12/18/79

STATE OFFICE REVIEW:

OIC,
Short letter w/o conditions

See attached sheet for more information.

By: Juni Date: 12/21/79

RECEIVED
DEC 22 1979

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

NOVEMBER 21, 1979

The Blackfoot News
P. O. Box 70
Blackfoot, Idaho 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before DECEMBER 17, 1979.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

Notice is hereby given that the following application(s) have been submitted for permit to appropriate the public waters of the State of Idaho:

If issued, the permit(s) will be subject to all prior water rights. Protests against the granting of any permit must be filed with the Director of the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho 83401 on or before DECEMBER 17, 1979.

C. STEPHEN ALLRED

Director

Published 11/29 & 12/06/79.

UNRECORDED

RECEIVED

NOV 29 1979

Department of Water Resources
Eastern District Office

2 COPIES PLEASE, BOTH BACK TO PAT

NOTICE OF
APPLICATION FOR
WATER RIGHT
Notice is hereby given that the following ap-
plication(s) have been submitted for permit to
appropriate the public waters of the State of
Idaho:

27-7142

CLAWSON, RONE
ROUTE 1 FIFTH, ID 83236
Source: GROUNDWATER
Date Filed: 11/19/1979
Amount: 1.00 CFS
Diversion Point: NESE Sec 05 T 02S R 37E.

Use: IRRIGATION
Bingham Co.
(1.00 CFS) from 03/15 to 11/15
Place of Use: SWNW NWSW Sec 04 T 02S R 37E
SENE NESE Sec 05 T 02S R 37E
FOR 151 ACRES
Diversion Means: WELL, PUMP AND SPRINKLER
SYSTEM

If issued the permit(s) will be subject to all prior
water rights. Protests against the granting of any
permit must be filed with the Director of the Idaho
Department of Water Resources, 1515 Lincoln
Road, Idaho Falls, Idaho 83401 on or before
December 17, 1979.

C. STEPHEN ALLRED
Director

(6335)

Pud: 11/29, 12/6

Legal-1, wpr

27-7142-

CLAWSON, RONE

ROUTE 1, FIRTH, ID 83236

Source: GROUNDWATER

Date Filed: 11/19/1979

Amount: 1.00 CFS

Diversion Point: NESE Sec 05 T 02S R 37E, BINGHAM Co.

Use: IRRIGATION (1.00 CFS) from 03/15 to 11/15

Place of Use: SWNW NSW Sec 04 T 02S R 37E SENE NESE Sec 05 T 02S R 37E
FOR 151 ACRES

Diversion Means: WELL, PUMP AND SPRINKLER SYSTEM.

MICROFILMED