

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 27-07103

Priority: May 28, 1980

Maximum Diversion Rate: 5.43 CFS

It is hereby certified that RONALD ESPLIN AND SONS
747 E 1000 N
SHELLEY ID 83274 has complied with the terms and
conditions of the permit, issued pursuant to Application for Permit dated July 20, 1977; and has
submitted Proof of Beneficial Use on May 28, 1982. An examination indicates that the works have a
diversion capacity of 5.43 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

BENEFICIAL USE

IRRIGATION

PERIOD OF USE

04/01 to 10/31

DIVERSION RATE

5.43 CFS

LOCATION OF POINT OF DIVERSION:

GROUND WATER SW $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 17, Twp 01S, Rge 37E, B.M., BINGHAM County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01S 37E 17	33.5	38.0	37.0	37.0	18.0	4.5	16.5	38.0	37.5	34.0	33.5	30.5	39.0	38.0	38.0	32.0	505.0

Total Acres: 505

CONDITIONS OF APPROVAL

1. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor exceed a combined annual maximum diversion volume of 2020.0 af at the field headgate for the lands above.
2. The right holder shall make full beneficial use of all surface water rights available to the right holder for irrigation of the lands authorized to be irrigated under this right. The right holder shall limit the diversion of ground water under this right to those times when the surface water supply is not available or the surface water supply is not reasonably sufficient to irrigate the place of use authorized under this right.
3. If the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use, this right to divert groundwater shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.

MICROFILMED
SEP 03 2003


State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 27-07103

4. This right when combined with all other rights shall provide no more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
5. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 11th day of July, 2003.


for **KARL J. DREHER**
Director

MICROFILMED

SEP 03 2003

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 27-07103

FOR DEPARTMENT USE ONLY
Preliminary check by KW Fee = \$50.00 Received by Meg # C069950 Date 7-10-03

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 27-07103 with the following:

CONDITIONS OF APPROVAL

1. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor exceed a combined annual maximum diversion volume of 2020.0 af at the field headgate for the lands above.
2. The right holder shall make full beneficial use of all surface water rights available to the right holder for irrigation of the lands authorized to be irrigated under this right. The right holder shall limit the diversion of ground water under this right to those times when the surface water supply is not available or the surface water supply is not reasonably sufficient to irrigate the place of use authorized under this right.
3. If the surface water right(s) appurtenant to the place of use is sold, transferred, leased or used on any other place of use, this right to divert groundwater shall not be used without an approved transfer pursuant to Section 42-222, Idaho Code, or approval of the Department if a transfer is not required.
4. This right when combined with all other rights shall provide no more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
5. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.

Witness my hand this 11th day of July, 2003.


KARL J. DREHER
for Director

MICROFILMED
SEP 03 2003

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT

(For Licensing Purposes)
WATER RIGHT NO. 27-07103

RECEIVED
JUL 10 2003
Department of Water Resources

Date of Priority: May 28, 1980

Maximum Diversion Rate: ~~-2.44 CFS~~
5.43 CFS

Comes now RONALD ESPLIN AND SONS
747 E 1000 N

SHELLEY ID 83274 and represents to the Director of the Idaho Department of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 27-07103, and requests that the permit be changed as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 10/31	~~-2.44 CFS~~ 5.43 CFS

LOCATION OF POINT OF DIVERSION:

GROUND WATER SW $\frac{1}{4}$ NW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec. 17, Twp 01S, Rge 37E, B.M., BINGHAM County

PLACE OF USE: IRRIGATION

Twp Rge Sec	NE				NW				SW				SE				Totals
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01S 37E 17	33.5	38.0	37.0	37.0	18.0	4.5	16.5	38.0	37.5	34.0	33.5	30.5	39.0	38.0	38.0	32.0	505.0

Total Acres: 505

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 28th day of July, 2003.

Ronald Espin
(Signature)

MICROFILMED

SEP 8 3 2003



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

July 11, 2003

RONALD ESPLIN AND SONS
747 E 1000 N
SHELLEY ID 83274

RE: License No. 27-7103 - Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a copy of the approved Application for Amendment.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

Shelley W. Keen

Water Rights Supervisor

SWK:klt

Enclosure(s)

MICROFILMED
SEP 03 2003


CERTIFICATE OF SERVICE

I hereby certify that on July 11, 2003 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO.

27-7103

**RONALD ESPLIN AND SONS
747 E 1000 N
SHELLEY ID 83274**



**Kari Lynn Townsend
Secretary**

**MICROFILM TO
SEP 03 2003**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED
SEP 03 2003



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098
Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

June 20, 2003

RE: Permit Nos. 27-07103

RONALD ESPLIN & SONS
747 E 1000 N
SHELLEY ID 83274

Gentlemen:

The Department of Water Resources is reviewing the above referenced permit prior to issuing a water right license. By issuing a license, the Department confirms that a water right has been established in compliance with the terms of the permit. The examiner who verified your water use reported that the point of diversion and place of use are in locations other than what was described on the permit. Therefore, before a license can be issued, this permit must be amended to depict the water right as it was actually developed.

The enclosed Application for Amendment form depicts the water use and other information, as they will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented please sign the form and return it with the \$50.00 filing fee within 14 days. Also, please note that some of the proposed conditions of approval and remarks may be modified upon further administrative review.

In a review of our records, we have also found that a claim has not been filed on this permit in the Snake River Basin Adjudication (SRBA). A claim is required for all water rights that proof of beneficial use was submitted prior to November 17, 1987. The proof of beneficial use for this permit was submitted on May 28, 1982. If a license is issued on this permit and no claim has been submitted in the SRBA the water right may be lost even if licensed. Please contact our Eastern Regional Office in Idaho Falls at 525-7161 to get information about filing a claim on this permit.

If you do not concur with the above information, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208)327-7944.

Sincerely,

Kay Walker
Sr. Water Resource Agent

KW:k
Enclosure: Licensing Amendment

Cc: Ernest Carlsen, Eastern Region SRBA

MICROFILMED

SEP 03 2003

Comment Report

27-7103

1. kwalker 6/19/2003 GIS shape

Comment: The GIS shape I created for this place of use is larger than field examiner recommended. I came up with 526.7 acres rather than 505. I have edited the place of use to that recommended by examiner so right will reflect 505 acres.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald Explori
(Applicant)

Proposed priority: July 20, 1977

Received by WAC Date 7-20-77 Time 4:22 p

Preliminary check by WAC Fee \$

Received by WAC Date 7-20-77 # 56255

Publication prepared by WAC Date 8-04-77

Publication Permit to appropriate

Publication date Aug. 11-18-1977

Publication approved WAC Date August 24, 1977

Reason for denial Reason

Protests filed by

Copies of protests forwarded by

Hearing held by Date

Recommended for approval denial by WAC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 27-7103 and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions.

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 82.

c. Other: 1. For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water.

2. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second per acre of land.


Witness my hand this 22 day of September, 19 77.


[Signature]
Deputy Director



27-07/03

Canal





TOIS, R37E

HEL
4
51.8

8

OUT

OUT

OUT

PLACE OF USE

POINT OF DIVERSION

MAIN LINE

27-07103

RONALD ESPLIN

IRRIGATION

10/7



VIEW OF
PIPING
SYSTEM

CENTER PORTION

←
PUMP FROM
CANAL

↔
INTAKE UNDER
WATER

← TWO
BOOSTER PUMPS



VIEW OF
PIPING SYSTEM
RIGHT SIDE

PIPING ACROSS
CANAL TO
SW PLOT

PERMIT
NUMBER

27-07103

RONALD ESPLIN

IRRIGATION

277

VIEW OF
PIPING SYSTEM
AND WELL



← LEFT SIDE



PERMIT
NUMBER

27-07103

NEXT (4) PHOTO SEQUENCE
FROM LEFT TO RIGHT.

RONALD ESPLIN

IRRIGATION

3/7



VIEW OF
NORTH EAST
CORNER
POU
VIEW EAST



CENTER
PORTIONS
NE, NW
SECTIONS
VIEW SOUTH

PERMIT
NUMBER

27-07103

RONALD ESPLIN

IRRIGATION

4/17



CENTER
PORTIONS
NE, NW
SECTION
NE PIVOT
VIEW SOUTH



VIEW OF
WEST FROM
NE SECTION

PERMIT
NUMBER

27-07103

RONALD ESPLIN

IRRIGATION

517

VIEW WEST
FROM SE
CORNER.



VIEW NORTH
WEST FROM
SE CORNER



PERMIT
NUMBER

27-07103

RONALD ESPLIN

IRRIGATION

617



VIEW WEST
FROM SE
CORNER OF
SW CORNER
160



VIEW NORTH
WEST FROM
SE CORNER
OF SW 160.

PERMIT
NUMBER

27-07103

DONALD ESPLIN

IRRIGATION

7/7



VIEW NORTH
FROM EAST
CORNER OF
SW ~~40~~ 160.

PERMIT
NUMBER

27-07103

DEPARTMENT OF WATER RESOURCES

The Department of Water Resources will consider this as a statement that the permit holder has completed development to the extent shown by of Permit No. 77-7103

Name(s) of Permit Holder: Ronald E. Epler + Son

Post Office Address: Rt 2 Sp 63, Valley, Va. 22180

Tel. No. 221-3268

Source of Water: (Community)
 Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation (acres)
☐ Other

Measuring Device: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

6/21/82
 Date

Ronald E. Epler
 Signature of Permit Holder

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Idaho Department of Water Resources
Idaho Falls, Idaho 83401
Application No. 77-210
permit to appropriate water from
the Bear River Groundwater Basin
ground water source, located
of well and pump, located
NW1/4SE1/4, Sec. 17, T. 33N, R. 30E,
37E, B.M., Bingham County, Idaho,
be used from March 1, 1977, to
for the irrigation of 100 acres
within the NW1/4SE1/4, Sec. 17,
SE1/4, Sec. 17, T. 33N, R. 30E,
B.M.
If issued, this permit will be
subject to all prior water rights.
Protest against the granting of
the permit must be filed with
the Idaho Department of Water
Resources, 1515 Lincoln Road,
Idaho Falls, Idaho 83401 on or
before August 29, 1977.

C. STEPHEN ALLRED
Director

(5227)
Pub.: 8 11, 18

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. _____

Source _____
Point of Diversion _____
County _____
Quantity of Water and Period of Use _____
Description of Diverting Works _____
Time required for B/U of water _____
Place of Use or Acres Irrigated _____
Map _____
Signature _____
Fee _____

(1) 1st 8-24-77

In form to receipt 8-24-77

(2) _____

Send Copies to:

Idaho State Health Department
Idaho Fish and Game Department
Bureau of Land Management

(3) _____

Request Special Use Permit from U.S.F.S.
Request Easement from B.L.M.
Request Information from Applicant
Request Information from _____

(4) _____

In form for advertising 8-24-77

(5) _____

Platted on Map No. 511

(6) _____

Located within Water District No. Posin 37

(7) _____

Critical groundwater area: yes _____ no ✓

(8) _____

Groundwater levels: Check 2800' 70' x 30'

Declining, ✓ Stable, _____ Increasing _____

(comment) W.L. 1427-73

(9) _____

Other rights on the same place of use no

(10) _____

Comments: no known conflicting water rights

(11) 1st 8-24-77

Affidavit of Publication received (date) Aug 24 1977

(12) 2nd 8-24-77

Final date for protests August 24 1977

Protests received: yes _____ no ✓

(13) EMC 8-24-77

All requested information received from agencies or applicant: yes ✓ no _____

(14) " "

Action recommended:

✓ Approve

Deny _____

7-26-77 Proposed Priority

Reason for Reduction _____

✓ Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15)

District

Eastern

By

Ernest T. Carlson

Date

8-24-77

Supplemental

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT)
NO. 27-7103 IN THE NAME OF)
RONALD ESPLIN & SONS)

ORDER OF REINSTATEMENT

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 27-7103 for issuance of a license, the Department finds, concludes and orders:

FINDINGS OF FACT

1. The Department approved Application for Permit No. 27-7103 to appropriate the public waters of the State of Idaho with a proposed priority of JULY 20, 1977.
2. On APRIL 17, 1986 the Department advised the permit holder that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit. The examination fee was due on JUNE 16, 1986.
3. The license examination fee was not paid within one year of the date, and the permit lapsed for failure to pay the license examination fee.

MICROFILMED

JUN 12 1989

4. The license examination fee was received on
APRIL 24, 1989, 1042 day(s) late.

CONCLUSIONS OF LAW

1. The Director may advance the priority date of the permit one day for each day the license examination fee is late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The date of priority of Permit No. 27-7103 should be advanced 1042 day(s).

ORDER

IT IS HEREBY ORDERED that Permit to Appropriate Water No. 27-7103 is reinstated.

IT IS FURTHER ORDERED that the date of priority of Permit No. 27-7103 is advanced to MAY 28, 1980.

Dated this 16th day of May, 1989.

J. Glen Saxton
Chief, Water Allocation Bureau

MICROFILMED

JUN 12 1989

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 27-7103

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:
"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton
GLEN SAXTON
Chief, Operations Bureau


Identification No. 27 7143
Application No.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT **APPROVED**

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant: Ronald Esplin & Sons Phone: 357-3328
2. Location of address: Rt. #2, Box 63, Shelley, ID
3. Nature of water supply: ground water which is a tributary of
4. Location of point of diversion: NW 1/4 of SE 1/4 of Section 17 Township 1S
Range 37E B.M. Bingham County additional points of diversion if any
5. If water is not consumed it will be discharged into at a point in
of 1/4 of Section Township Range B.M.
6. Water will be used for the following purposes:
Amount 9.20 for irrigation purpose from Mar. 15 to Nov. 15 (both dates inclusive)
Amount for purpose from to (both dates inclusive)
Amount for purpose from to (both dates inclusive)
7. Total quantity to be appropriated:
a. 9.20 cubic feet per second and or
b. acre feet per annum
8. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well, pump and sprinkler system
b. Height of storage dam feet, active reservoir capacity acre feet; total reservoir capacity acre feet, materials used in storage dam:
Period of year during which storage will occur to inclusive
c. Proposed well diameter is 20 inches; proposed depth of well is 150 feet
9. Time required for the completion of the works and application of the water to the proposed beneficial use
a. 5 years
b. Estimated construction cost is \$ 18,000.00
10. Description of proposed uses:
a. If water is not for irrigation
b. From the place of use of water 1/4 of 1/4 of Section Township
Range B.M.
c. Amount of power to be generated hp under feet of head
d. Estimated number of each kind of livestock to be watered
e. Name of municipality to be served or number of families to be
served with domestic water
f. If water to be used for other purposes describe

Map of proposed project showing proposed project location, place of diversion, number, township and range number.



Scale: 2 inches equal 1 mile

BE IT REMEMBERED that the undersigned hereby makes application for permit to appropriate the public waters of the state of Idaho as herein set forth

Ronald E. Ertel
(Applicant)

[illegible]

Recommended for approval denial by EMC yo

Deputy Director

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Ronald Esplin & Sons, Shelley, Idaho have on 7-20-77 submitted Application No. 27-7103 for a permit to appropriate 9.20 cubic feet per second of water from a ground-water source by means of well and pump within the NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 17, T. 1S, R. 37E, B.M., Bingham County; to be used from Mar. 15 to Nov. 15 for the irrigation of 505 acres within the W $\frac{1}{2}$ NE $\frac{1}{4}$, W $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 17, T. 1S, R. 37E, B.M.

If issued, this permit will be subject to all prior water rights. Protest against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before August 29, 1977.

C. STEPHEN ALLRED
Director

(5227)
Pub.: 8-11, 18

AFFIDAVIT of PUBLICATION

County of Bingham

State of Idaho

David Mark Brown

solemnly

I, David Mark Brown Publisher of The Blackfoot News which is a daily newspaper of general circulation published each day except Sunday at Blackfoot, Bingham County, Idaho, said newspaper having been so published at Blackfoot, aforesaid for more than one year past; that said newspaper heretofore complied with all the provisions of Chapter 134 of the Sessions Laws of Idaho of 1933, approved March 11, 1933, and duly designated, pursuant to law, a particular day of the week as the day on which legal notices required by law or by the order of any Court of competent jurisdiction within the State of Idaho shall be published to-wit: Thursday of each week; that the notice attached hereto and which is a part of this affidavit and part of the proof of

publication was published in said issue or said newspaper two consecutive weeks

the first publication having been made on the 11th day of August, 19 77

and the last publication having been made on the 16th day of August, 19 77

that said notice was published in the regular and entire issue of every number of the paper as aforesaid during the period and time of publication, and that notice was published in the newspaper and not in a supplement.

David Mark Brown

Subscribed and sworn to before me this 23rd

day of August, 19 77

John W. Johnson

Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 28, 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 26 1998

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 27-07103

1. Owner: RONALD ESPLIN + SONS Phone No. (208) 357-3328

Current Address: 747 E. 1000 N., SHELLEY, IDAHO 83274

2. Accompanied by: OWNER EXAM DATE: 5/6/96

Address: N/A Phone No. N/A

Relationship to Permit Holder: SELF

3. Source: GROUND WATER tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with the same place of use: CANAL RIGHTS - SNAKE RIVER

2. Other water rights with the same point of diversion: N/A

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion: NO GOV LOTS

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SW	NW	SE	17	01S	37E	BINGHAM	U.S.G.S. TOPO MAP/ORTHOPHOTO

2. Place(s) of Use: NO GOV LOTS

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01S	37E	17	33.5	38	37	37	18	4.5	16.5	38	37.5	34	33.5	30.5	39	38	38	32	505
																			505

TOTAL

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.

SEE MAPS / PHOTOS / FIELD NOTES

Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for Irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	<i>U.S. MOTOR</i>	<i>125</i>			<i>10"</i>

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
<i>PRESSURE GAGE</i>		<i>U.S.G.</i>			<i>0-100</i>	

2. Measurements: *(PRESSURE GAGE)*
NONE - OPEN DISCHARGE

MODE SELECT
DATA SET

DATA SET MODE
? PRINTER

PRINTER USE
? YES

MODE SELECT
INPUT

OUTER DIAMETER
12.7500 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.1118 IN

INNER LINING
? NO LING.

KIND OF FLUID
? ANOTHER

SOUND VELOCITY
1460 M/S-

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
9.720 IN U

ZERO MODE
CLEAR

05-06 15:4400 *R
+002.80 % AIZ

MODE SELECT
T0 CHECK

0473.9 MMSEC
100.14 % T0

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

05-06 15:4700 *R
+ 2.435E 3GPM

27-07/03
OPEN DISCHARGE TO CHAL
OF TO TWO TURBIDE BOOSTER PUMPS

27-07/03

RONALD ESPLIN

SONIC TAPE

27-07103

THEORETICAL PUMP FLOW CALCULATIONS

Formula:

$$Q_{cfs} = [(Hp)(8.814)(Eff)] \div [Lift + (psi \times 2.308)]$$

$$Hp = \text{Horsepower} = \underline{125}$$

$$Eff = \text{Efficiency} = \underline{.7} \quad (\text{Usually } 70\%)$$

$$\text{Lift: } (\text{Static Level} + \text{Assumed Draw down}) \quad \text{AVERAGE OF 2 WELLS SAME SECTION}$$
$$\text{Static Water Level} = \underline{74} \text{ ft.}$$
$$\text{Assumed Draw down} = + \underline{10} \text{ ft.}$$
$$\text{Lift} = \underline{84}$$

OR

$$\text{Measured Dynamic Water Level} = \underline{\hspace{2cm}} \text{ ft.}$$

$$psi = \text{Operating Pressure} = \underline{60} \text{ psi} \quad \text{ASSUMED NOT KNOWN}$$

$$Q_{cfs} = \left[\frac{125}{Hp} \times 8.814 \times \frac{.7}{Eff} \right] \div \left[\frac{84}{Lift} + \left(\frac{60}{psi} \times 2.308 \right) \right]$$

$$Q_{cfs} = \left[\underline{771.225} \right] \div \left[\underline{222.48} \right]$$

$$Q_{cfs} = \underline{3.466} \text{ cfs}$$

PERMIT NO. 27-07103

FIELD EXAM NOTES

EXAM # 27-07103

DATE OF EXAM 5/6/96

PERMITEE NAME Ronald Explin + Sons

OTHER WATER RIGHTS SAME POD None

OTHER WATER RIGHTS SAME POU Canal Right

PUMP #1 HP 125 MAKE U.S. MOTOR SERIAL # _____
Op-Discharge to
Canal if no
booster in on line,
COLOR AND DESCRIPTION GRAY - Iron Pump
OUTPUT DIAMETER 10/12 SYSTEM PRESSURE _____ PSI WELL DEPTH 120
STATIC H2O _____ WELL DEPTH _____ DYNAMIC PUMP _____
PSI GAGE TYPE _____ CHECK VALVE [Y] [N] GATE VALVE [Y] [N]

PUMP #2 HP _____ MAKE _____ SERIAL # _____
COLOR AND DESCRIPTION _____
OUTPUT DIAMETER _____ SYSTEM PRESSURE _____ PSI WELL DEPTH _____
STATIC H2O _____ WELL DEPTH _____ DYNAMIC PUMP _____
PSI GAGE TYPE _____ CHECK VALVE [Y] [N] GATE VALVE [Y] [N]

BOOSTER PUMP #1 HP _____ MAKE _____ SERIAL # _____
COLOR AND DESCRIPTION _____

BOOSTER PUMP #2 HP _____ MAKE _____ SERIAL # _____
COLOR AND DESCRIPTION _____

CIRCLE PIVOT (Y) [N] NUMBER OF TOWERS _____ PIVOT LENGTH _____
PRESSURE [H] (L) 47100 TS

(2) 1/4 mile 8 TOWER 1320?
(2) 6 TOWER 3 TOWER } LOW PRESSURE

HAND LINES (Y) [N] NUMBER OF LINES 10 LENGTH OF LINES 1/4 mile

RAIN BIRDS PER LINE (32)10 NOZZEL DIAMETER 5/32


SURFACE WATER TYPE OF MEASUREING DEVICE _____


AA METER PIGMY METER WEIR OR FLUME BUCKET/WATCH 1



27-07/03

back





TOIS, R37E

HEL
4
518

8

17

OUT

OUT

OUT

OUT

PLACE OF USE

12 NHEL

HEL

11 NHEL

POINT OF DIVERSION


MAIN LINE

27-07103

RONALD ESPINO

IRRIGATION

10/7



VIEW OF
PIPING
SYSTEM

CENTER PORTION

←
PUMP FROM
CANAL

↔
INTAKE UNDER
WATER

← TWO
BOOSTER PUMPS



VIEW OF
PIPING SYSTEM
RIGHT SIDE

PIPING ACROSS
CANAL TO
SW PLOT

PERMIT
NUMBER

27-07103

RONALD ESPLIN

IRRIGATION

277

VIEW OF
PIPING SYSTEM
AND WELL

←
ON LEFT SIDE



PERMIT
NUMBER

27-07103

NEXT (4) PHOTO SEQUENCE
FROM LEFT TO RIGHT.

RONALD ESPLIN

IRRIGATION

3 of 7

VIEW OF
NORTH EAST
CORNER

POU

VIEW EAST

5 6'98

CENTER
PORTIONS
NE, NW
SECTIONS

VIEW SOUTH

5 6'98

PERMIT
NUMBER

27-07103

RONALD ESPLIN

IRRIGATION

4-17

CENTER
PORTIONS
NE, ND
SECTION
NE PLOT
VIEW SOUTH



VIEW OF
WEST FROM
NE SECTION



PERMIT
NUMBER

27-07103

RONALD ESPLIN

IRRIGATION

517

VIEW WEST
FROM SE
CORNER.



VIEW NORTH
WEST FROM
SE CORNER



PERMIT
NUMBER

27-07103


RONALD ESPLIN

IRRIGATION

617



VIEW WEST
FROM SE
CORNER OF
SW CORNER
160



VIEW NORTH
WEST FROM
SE CORNER
OF SW 160.

PERMIT
NUMBER

27-07103

RONALD ESPLIN

IRKILATON

717

VIEW NORTH
FROM EAST
CORNER OF
SW ~~400~~ 160.



PERMIT
NUMBER

27-07103

E. NARRATIVE/REMARKS/COMMENTS

THIS PUMP LIFTS WATER APPROXIMATELY 74 FEET TO A
MANIFOLD SYSTEM WHICH CAN: ① PUMP OPEN DISCHARGE TO
CANAL; ② PUMP TO BOOSTER PUMPS THEN TO PLACES OF USE; ③ PUMP
DIRECTLY TO PLACES OF USE.

AT TIME OF TEST, PUMP WAS OPEN DISCHARGE TO CANAL
WITH FULL PIPE FLOW (DUE TO MANIFOLD DESIGN).

PUMP IS USED DURING TIMES OF DROUGHT AND LOW CANAL
WATER.

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

Measured Method:

$$Q = \text{SONIC METEK} = 5.43 \text{ CFS}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 505 \text{ AC} \times 3.5 = 1,767.5 \text{ AF}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 5.43 \text{ CFS} \times 183 \times 1.9835 = 1,970.98 \text{ AF}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1,767.5 \text{ AFA}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/15	10/15	5.43	1,767.5
Totals:			5.43 CFS	1,767.5 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name SIMPKINS Date 1/13/97

Reviewer _____ Date _____

SEAL



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

May 18, 1989

RE: Permit No. 27-7103


Ronald Esplin & Sons
747 E. 1000 N.
Shelley, ID 83274

Gentlemen:

Enclosed is a copy of the Order of Reinstatement which advances the date of priority of the above referenced permit to May 28, 1980 due to late submittal of the exam fee.

If you have any questions concerning this matter, please feel free to contact our office.

Sincerely,


JIM JOHNSON
Water Rights Supervisor

JJ:hm

Enclosure

Minuteman

JUN 12 1989

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 27-7103

FROM: JIM JOHNSON

RE: PRIORITY ADVANCE REVIEW

DATE: 16-MAY-1989

=====

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	JULY 20 1977	201
EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 17 1986	107
Exam Fee/Info Sheet Received Date:	APRIL 24 1989	1209
Exam Fee or Info Due Date:	JUNE 16 1986	167
Days Late:		1042 DAY(S)
NEW PRIORITY DATE		
Original Priority Date:	JULY 20 1977	201
Total Days Late:		1042 DAY(S)
New Priority Date:	MAY 28 1980	148

MICROFILMED

JUN 12 1989

April 24, 1989

To Whom It May Concern

We are requesting the reinstatement
of permit # 27 7103

Its beneficial use was started
May 1, 1978.

Ronald Explin & Sons
by Ronald Explin


RECEIVED

MAY 03 1989

Department of Water Resources

MICROFILMED

JUN 12 1989



For Office Use Only
Fee Received 325⁰⁰
Date 24 April 89
Receipt # 2007003
Receipt by EMC
Reviewed by _____
Sent to region _____

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

REQUEST FOR REINSTATEMENT

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 27 7103

Name(s) of Permit Holder: Ronald Esplin & Sons

Post Office Address: 747 E. 1000 N. Shelley, Idaho 83274

Telephone No. 357-3328

Source of Water: Groundwater

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 525 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 9.20 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: May 1, 1978

Measuring Device: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ 325⁰⁰
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Same as above.

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JUN 12 1989

4-24-89
Date

Ronald Esplin & Sons by Ronald Esplin
Signature of Permit Holder (and title, if appropriate)

I certify that file No. 87-7103 has been
reviewed and is ready to be MICROFILMED
and DESTROYED.

K. Walker
Signature

11-16-87
Date



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

27-7103
ESPLIN & SONS, RONALD
RT. 2 BOX 63
SHELLEY, ID 83274

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 17, 1987

Dear Permit Holder:

LAPSE NOTICE
License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit will lapse and be on no further force nor effect on June 17, 1987, for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of § 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on April 17, 1986.

The lapsed permit can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department on or before August 17, 1987, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

If you have questions, please contact any office of the Department.

Sincerely,

L. Glen Saxton
L. GLEN SAXTON, Chief
Operations Bureau

js



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

27-7103
FISPLIN & SONS, RONALD
RT. 2 BOX 63
SHELLEY, ID 83274

Mailing address:
Statehouse
Boise, Idaho 83720

138148

April 17, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region
Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region
Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region
Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region
Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,

L. Glen Saxton

L. GLEN SAXTON
Chief, Operations Bureau

Enclosures



A. Kenneth Dunn
Director

150 Shoup
Idaho Falls, Idaho 83401
(208) 626-7161

RE: [REDACTED]

Dear _____

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

_____ A field examination of your system has
been scheduled for _____

If this time and date is not convenient for you, please contact this office as soon as possible.

1 A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED
DATE 08-11-2011 BY 60322
AIA, Secretary

DEPARTMENT OF WATER RESOURCES

The Department of Water Resources will consider this as a statement that the permit holder has completed development to the extent shown by Permit No. 77-7103.

Name(s) of Permit Holder: *Benjamin L. L. L. L.*

Post Office Address: *Box 2, 3705, 1400*

Tel. No. *251 5255*

Source of Water: *Comanche River*

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation (acres)
☐ Other

Measuring Device: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No
Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

10/21/62
Date

Benjamin L. L. L. L.
Signature of Permit Holder

PL
TEN CENT
STAMP
HERE



IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

February 11, 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

September 29, 1977

Re: Permit No. 27-7103

Ronald Esplin & Sons
Route #2
Box 63
Shelley, ID 83274

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 27-7103 . We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to either install and maintain a measuring device at your point of diversion or to provide the Department a certified measurement of the systems diversion capacity prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Operations Bureau

BDF/cah

Enclosure

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Idaho Department of Water Resources
April 1, 1977
Permit to appropriate water from
the Bear River
around water right
of well and pump
NW 1/4 SE 1/4 Sec 17
37E, B.M. Bryan
be used from May 1, 1977 to
for the irrigation of crops
within the 1/4 Sec 17
SE 1/4, Sec 17, T. 1 N., R. 1 E.,
B.M.

If issued, this permit will be
subject to all prior water rights.
Protest against the granting of
the permit must be filed with
the Idaho Department of Water
Resources, 1515 Lincoln Road,
Idaho Falls, Idaho 83401 on or
before August 22, 1977.

C. STEPHEN ALLRED
Director

(5227)
Pub.: 8 11, 18

August 5, 1977

RE: Application for Permit No. 27-7103 ESPLIN
35-7735 SWISS MILL
35-7737 SMITH

Blackfoot News
P.O. Box 70
Blackfoot, Idaho 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

RDC:CH

Bill submitted 8-24-77 by Red

Enc: Legal Notice (3)

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Ronald Esplin & Sons,
Shellev, Idaho

have //// 7-20-77 submitted Application No. 27-7103
has on _____
for a permit to appropriate 9.20 cubic feet per second XXXXXXXXXXXXXXXXXXXX
of water from a ground-water source acre feet per annum
by means of well and pump
within the W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 17, T. 1S, R. 37E, B.M., Bingham County;

to be used from Mar. 15 to Nov. 15
for the irrigation of 505 acres

within the W $\frac{1}{2}$ NE $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 17, T. 1S, R. 37E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before _____
August 29, 1977

C. STEPHEN ALLRED
XXXXXXXXXXXXXXXXXXXX
R. KEITH HILGINSO

Director

Published in the Blackfoot News, Blackfoot, Idaho
on August 11 and August 18, 1977

Handwritten signatures and initials:
D. C. W.
A.
K.

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Use _____ Date _____

Application No. _____

Source _____
Point of Diversion _____
County _____
Quantity of Water and Period of Use _____
Description of Diverting Works _____
Time required for B/U of water _____
Place of Use or Acres Irrigated _____
Map _____
Signature _____
Fee _____

In form to receipt _____

Send Copies to:

_____ Idaho State Health Department
_____ Idaho Fish and Game Department
_____ Bureau of Land Management

_____ Request Special Use Permit from U.S.F.S.
_____ Request Easement from S.L.M.
_____ Request Information from Applicant
_____ Request for State information

In form for advertising _____

Platted on Map No. _____

Located within Water District No. Region 27

Critical groundwater area: yes _____ no ✓

Groundwater levels: Obs. at 2500' 7' 1977

Declining, ✓ Stable, _____ Increasing

(comment) 6/11/77 1022 73

Other rights on the same place of use _____

Comments: to have conflicting water right

Affidavit of Publication received (date) Aug 4, 1977

Final date for protests Nov 1, 1977

Protests received: yes _____ no ✓

All requested information received from agencies or applicant: yes ✓ no _____

Action recommended:

✓ Approve _____ Deny

26-27 Proposed Priority

Reason for Reduction _____

✓ Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District Eastern

By Ernest T. Carlson Date 8-27-77

Supplemental