

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

R 43E

T
S
S

Sec. 32

PO & Place of Use

Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Elaine Stoo
(Applicant)

Affidavit of Publication

RECEIVED

AUG 19 1977

Department of Water Resources
Eastern District Office

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Elaine Stoor, Soda Springs, Idaho has on 7-27-77 submitted Application No. 27-7102 for a permit to appropriate 0.04 cubic feet per second of water from a ground-water source by means of well and pump within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, T. 5S, R. 43E, B.M., Caribou County; to be used from Jan. 1 to Dec. 31 for domestic purposes for one family and stockwatering purposes for 75 cows and calves, 2 bulls and 2 horses, all uses within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, T. 5S, R. 43E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before August 22, 1977.

C. STEPHEN ALLRED
Director

Published in the Caribou County Sun, Soda Springs, Idaho on August 4 and August 11, 1977.

County of Caribou }
State of Idaho } ss.

Mark Steele

being first duly sworn on his oath, states:

That he is Publisher of the Caribou County Sun, a newspaper of general circulation in Caribou County, Idaho, published weekly at Soda Springs in said County, that said newspaper has been published in said County uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement;

That the annexed notice was published as per clipping attached in the regular and entire edition of said newspaper and not in any supplement thereof

for 2 successive weekly issues thereof, the date of the first publication being the

4th day of

August, 1977

The date of the last publication

being the 11th day of

August, 1977

Subscribed and sworn to before me this 18th day


of August, 1977

W. H. Steele
Notary Public, residing
at Soda Springs, Idaho
(SEAL)

My Commission expires the
1st day of March


19 80...

MICROFILMED



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: ☒ HENRY CUTOFF RD.
SE 1/4 NE 1/4 Sect. 32 T5S R43E

Place(s) of Use ☒

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5S	43E	32				X													
						D/S													

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature Z.W. Jones
 Checked by K.C. Wilson
 Approved by Ray Walker

Date 5-17-84
 Date 18 Oct 1984
 Date 5-22-86

MICROFILMED

PERMIT NO. 27-7102

Elaine Steer
(Name)

EXAMINATION: DATE: 9-18-83 Accompanied by: Mrs. Steer

Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No.
Jacuzzi	1 1/2			

Measuring Device Type: Throat

Meter # _____ Annubar # _____ Size # _____

Remarks: _____


Approximate calculations:

Well - 118' Deep
- 1/2 HP Pump

Domestic - ok
Stock - ok

SCHEMATIC DIAGRAM OF SYSTEM

Mainline Diameter _____ Length _____



Harry Cutoff Rd

MICROFILMED

WATER RIGHT LICENSE

THIS IS TO CERTIFY, that Elaine Stoor

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Stockwater	from January 1 to December 31	at 0.02 cfs and	2.0 acre feet
Domestic (1 Unit)	from January 1 to December 31	at 0.02 cfs and	1.2 acre feet
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 0.04 cfs of water be diverted at any one time, and that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed 3.2 acre feet per year, said waters to be diverted within the SE 1/4 NE 1/4 Section 32, Twp 5S, Rge 43E in the County of Garibou

[illegible]

Total number of acres irrigated _____

MICROFILMED

MICROFILMED

CONDITIONS OF APPROVAL

- a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.
- b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.
- c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 11TH day of JUNE, 19 86.

Acting for the Director Norman C Young

OK
Jim

Identification No. 27 7102

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Elaine Stoor Phone: 574-2201
post office address Box 673, Soda Springs, Idaho 83276

2. Source of water supply Ground water which is a tributary of -

3. a. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 32 Township SS
Range 43 E B.M. Caribou County; additional points of diversion if any: _____
All additions and changes made per telecon
w/Elaine Stoor 7/28/77 LHJ

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____

4. Water will be used for the following purposes:

Amount .02 for domestic purpose from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .02 for livestock purpose from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .04 cubic feet per second and/or

b. _____ acre feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, Pump, & Pressure System

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____

Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)

c. Proposed well diameter is 6 1/2 inches; proposed depth of well is 150 feet.

7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.

b. Estimated construction cost is \$ 5,000.

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 32 Township SS
Range 43 E B.M.

(2) Amount of power to be generated: none hp under _____ feet of head.

(3) List number of each kind of livestock to be watered 15 cows, calves, & Bulls
2 horses

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water 1.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated_____

c. Describe any other water rights used for the same purposes as described above. None

9. a. Who owns the property at the point of diversion Elaine Stoeck
b. Who owns the land to be irrigated or place of use Elaine Stoeck
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks _____

R 43E

[illegible]

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Elaine Stoe
(Applicant)

Proposed Priority 7/27/77

Received by CW Date 7-27-77 Time 10:55 A.

Preliminary check by JS Fee \$ 10.00

Receipted by CW Date 7-28-77 # 8301

Publication prepared by CW Date 7-28-77

Published in Parishan County Sun

Publication dates Aug. 4 & 11-1977

Publication approved me Date August 22, 1977

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by JS

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 27-7102, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 82.

c. Other: _____

2. Denial of said application is for the following reasons: _____

Witness my hand this 7th day of September 19 77.


Director

RECEIVED

AUG 19 1977

Department of Water Resources
Eastern District Office

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Elaine Stoor, Soda Springs, Idaho has on 7-27-77 submitted Application No. 27-7102 for a permit to appropriate 0.04 cubic feet per second of water from a ground-water source by means of well and pump within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, T. 5S, R. 43E, B.M., Caribou County; to be used from Jan. 1 to Dec. 31 for domestic purposes for one family and stockwatering purposes for 75 cows and calves, 2 bulls and 2 horses, all uses within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, T. 5S, R. 43E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before August 22, 1977.

C. STEPHEN ALLRED
Director

Published in the Caribou County Sun, Soda Springs, Idaho on August 4 and August 11, 1977.

**Affidavit of
Publication**

County of Caribou }
State of Idaho } ss.

Mark Steele

being first duly sworn on his oath, states:

That he is Publisher of the Caribou County Sun, a newspaper of general circulation in Caribou County, Idaho, published weekly at Soda Springs in said County, that said newspaper has been published in said County uninterruptedly and continuously for over seventy-eight consecutive weeks, prior to the first publication of the annexed notice or advertisement;

That the annexed notice was published as per clipping attached in the regular and entire edition of said newspaper and not in any supplement thereof

for 2 successive weekly issues thereof, the date of the first publication being the

4th day of

August, 1977.

The date of the last publication

being the 11th day of

August, 1977.

Subscribed and sworn to before me this 18th day of

August, 1977.

Notary Public, residing at Soda Springs, Idaho
(SEAL)

My Commission expires the 1st day of March

1980.

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

June 16, 1986

RE: Permit No. 27-7102

Elaine Stoor
Box 673
Soda Springs, ID 83276

Dear Ms. Stoor:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
WATER RIGHT BENEFICIAL USE FIELD REPORT

27-7102

Permit No.

CONTACT WITH PERMIT HOLDER

DATE

INITIALS

REMARKS

☐ Appointment letter mailed:

☐ Telephone call made

(List Telephone No. used)

☐ Appointment scheduled for:

(Date, time, location)

RECEIVED

NOV 1 1984

Department of Water Resources

EXAMINATION

Date 9-15-83 Accompanied by Elaine Stoor Total Q measured Theoretical 0.05 cfs ✓

Source Groundwater Tributary to _____ Supp. annubar measurement sheet used? _____

If source is surface water, estimate total flow of source _____

Methods of measurement Theoretical Meets permit requirements? _____

Measurement calculations: $\frac{1\frac{1}{2}hp \times 8.814 \times 80\%}{118' \text{ lift} + (35psi \times 2.308)} = \frac{10.5768}{198.78} = 0.05 \text{ cfs}$ ✓

WELL/DIV. NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEVICE	REMARKS
	1 1/2	Jacuzzi						

System Description well/pump (set at 118') with line to one home and water trough

*Code with map on reverse side. Disregard code if only one.


RECOMMENDED AMOUNTS

Irrigation requirement = _____ AFA/Acre

USE	Q (cfs)	V (afa)	FROM	TO
<u>Domestic (one unit)</u> ✓	<u>0.02</u> ✓	<u>1.2</u> ✓	<u>1-1</u> ✓	<u>12-31</u>
<u>Stock (150 head)</u> ✓	<u>0.02</u> ✓	<u>2.0</u> ✓	<u>1-1</u>	<u>12-3</u>
Total	<u>0.04</u> ✓	<u>3.2</u> ✓		

Remarks _____

MICROFILMED



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: ☒ HENRY CUTOFF RD.
SE 1/4 NE 1/4 Sect. 32 T5S R43E

Place(s) of Use ☒

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5S	43E	32				X D/S													

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☐ Add P.U. as reflected above

- ☒ None
☐ Other

Examiner's Signature

Checked by

Approved by

Ray Walker

Date

Date

Date

5-17-84

18 Oct 1984

5-22-86

MICROFILMED

PERMIT NO. 27-7102 Elaine Steer
(Name)
Accompanied by: Mrs. Steer
EXAMINATION: DATE: 9-18-83

Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No.
Jacuzzi	1 1/2			

Measuring Device Type: Theoretical

Meter # _____ Annubar # _____ Size # _____

Remarks: _____


Measurement calculations:

Well - 118' Deep
- 1 1/2 HP Pump

Domestic - ok
Stock - ok

SCHEMATIC DIAGRAM OF SYSTEM

Mainline Diameter _____ Length _____



Army Cutoff Rd

MICROFILMED



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

A. Kenneth Dunn
Director

150 Shoup
Idaho Falls, Idaho 83401
(208) 525-7161

September 27, 1932

Elaine Stoor
P.O. Box 673
Soda Springs, Idaho 83276

RE: Permit No. 27-7102

Dear Ms. Stoor:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

☐ A field examination of your system has been scheduled for _____.

If this time and date is not convenient for you, please contact this office as soon as possible.

☒ A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office.

Sincerely,

COLLEEN WRAY
Adm. Secretary

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card statement that the permit holder(s) has completed development to the extent shown below Permit No. 27-7102

Name(s) of Permit Holder:

Elaine Stoss

Post Office Address:

P.O. Box 673

Soda Springs, Idaho 83276

Tel. No.

547-4580

Source of Water:

Well

Extent of Use:

☒ Domestic

(number of households)

☒ Stockwater

Cattle, 150
Horses, 6

(number and type of stock)

☐ Irrigation

(acres)

☐ Other

Measuring Device:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☐ No

Access Port:

Required?

☐ Yes

☒ No

Installed?

☐ Yes

☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.


Aug. 2, 1983
Date

MICROFILMED

Elaine Stoss

Signature of Permit Holder

Elaine St...
Box 673
Good Springs, Id. 83276



RECEIVED



AUG 9 1982

Department of Water Resources IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
138200

STOOR, ELAINE
P.O. BOX 673
SODA SPRINGS, ID 83276

JUNE 30, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 27-7102 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE SEPTEMBER 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED

September 8, 1977

Re: Permit No. 27-7102

Elaine Stoor
Box 673
Soda Springs, ID 83276

Dear Ms. Stoor:

Enclosed is a copy of your approved Application for Permit No. 27-7102. We direct your attention to the conditions of approval as listed on the fourth page.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:mef

Enclosure

MICROFILMED

WELL DRILLER'S REPORT

AUG 16 1977

State law requires that this report be filed with the Director, Department of Water Resources within 30
days after the completion or abandonment of the well. Department of Water Resources

Eastern District Office

1. WELL OWNER

Name Elaine Stoor
Address 425 Soda Springs,
Box 613 Idaho 83216
Owner's Permit No. 27-7102

7. WATER LEVEL

Static water level 16 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature 43 ° F. Quality Good
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☒ Other

Discharge G.P.M.	Draw Down	Hours Pumped
<u>40</u>		<u>3</u>

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☒ Stock ☐ Waste Disposal or
Injection

4. METHOD DRILLED

☐ Cable ☒ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 6 3/4 inches Total depth 118 feet
Casing schedule: ☐ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>0.250</u> inches	<u>6" I.D.</u> inches	<u>1</u> feet	<u>69.4</u> feet
<u>0.250</u> inches	<u>5" I.D.</u> inches	<u>62</u> feet	<u>105</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet


Was casing drive shoe used? ☐ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☒ Torch
Size of perforation 1/4 inches by 12 inches

Number	From	To
<u>40</u> perforations	<u>84</u> feet	<u>105</u> feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feetGravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feetSurface seal depth 30 Material used in seal ☐ Cement grout
☒ Pudding clay ☐ Well cuttingsSealing procedure used ☐ Slurry pit ☒ Temporary surface casing
☒ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County CarbonSE 1/4 NE 1/4 Sec. 32, T. 5 N/S, R. 43 E/W

10.

Work started 8-1-77 finished 8-7-77

11. DRILLERS CERTIFICATION

Firm Name Nelson Drilling Firm No. 215Address Soda Springs, Id. Date 8-8-77Signed by (Firm Official) R. Nelson

and

(Operator) R. Nelson

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Elaine Stoor

Application No. _____

- ☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) Jaf 7/28/77

In form to receipt yes

(2) " "

Send Copies to:

Idaho State Health Department
Idaho Fish and Game Department
NA Bureau of Land Management

(3) " "

Request Special Use Permit from U.S.F.S.
Request Easement from B.L.M.
NA Request Information from Applicant
Request Dam Safety Information

(4) " "

In form for advertising yes

(5) " "

Platted on Map No. SS-43E

(6) " "

Located within Water District No. Basin 27

(7) " "

Critical groundwater area: yes no ☒

(8) " "

Groundwater levels: No near obs wells

Declining, Stable, Increasing

(comment) _____

(9) " "

Other rights on the same place of use None

(10) _____

Comments: No conflicting water rights

(11) aw 8-19-77

Affidavit of Publication received (date) Aug 19-77

(12) aw 8-22-77

Final date for protests August 22-1977

Protests received: yes no ☒

(13) RDC 8/22/77

All requested information received from agencies or applicant: yes no

(14) " "

Action recommended:

☒ Approve Deny

7/27/77 Proposed Priority

Reason for Reduction _____

Measuring device required _____

See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District E

By RDC Date 8/22/77

RECEIVED

Aug 22 1977
Stoor

July 29, 1977

RE: Application for Permit Nos. 29-7416 GRATZER
27-7101 STGER
27-7102 STGER

Caribou County Sun
P.O. Box 815
Soda Springs, Idaho 83276

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Supervisor
Eastern Region

Bill submitted

8-19-77

by

aw

RDC:CD

Enc: Legal Notice (3)

RECEIVED
AUG 1 1977
FBI - SALT LAKE CITY

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Elaine Stoor,
Soda Springs, Idaho

has on 7-27-77 submitted Application No. 27-7102
for a permit to appropriate 0.04 cubic feet per second XXXXXXXXXXXXXXXXXXXXXX
of water from a ground-water source
by means of well and pump
within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, T. 5S, R. 43E, B.M., Caribou County;

to be used from Jan. 1 to Dec. 31
for domestic purposes for one family and stockwatering purposes for 75 cows
and calves, 2 bulls and 2 horses, all uses
within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 32, T. 5S, R. 43E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before _____
August 22, 1977

C. STEPHEN ALLRED
XXXXXXXXXXXXXXXXXXXXXX
R. KEITH HIGGINSON

Director

Published in the Caribou County Sun, Soda Springs, Idaho
on August 4 and August 11, 1977

MAILED
11
AUG 11 1977

He-S.
He-C.

July 28, 1977

RE: Application for Permit No. 27-7102

Elaine Steor
Box 673
Soda Springs, Idaho 83276

Dear Ms. Stoor:

Attached herewith is departmental receipt No. 8301 in the amount of \$10.00 for the above referenced application.

Very truly yours,

RONALD D. CARLSON
Supervisor
Eastern Region

RDC:CD

Attachment

THE

3/79

IDENT. NO. 27-7102

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

Initials

Date _____

Item

Original form entered

Edit Report Correct

Date Protested

Date of Hearing

Date Approved/Denied
(Proof due date, stage and/or status,
conditions of approval, water district)

Record Verified

Amendment Approved

Extension Approved

Partial Proof

Proof Complete

Field Exam Received

Field Exam Accepted
and changes entered

License Signed

Transfer Approved

Keypunched by State Office

VERIFIED SRC

6-12-86

110

7.30