



11. Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald E. Epler
(Applicant)



TO15, R37E


NO GOV LOTS

PLACE OF USE

POD



27-07082



T72
3596

T80
2656

HEL

TOIS, R37E

6" MAIN

HEL
1
25.0

59.2

T210
3

NHEL

52.4



8

NHEL

2
89.6

PLACE OF
USE

LATERAL

PLACE OF
USE
POINT OF
DISSECTION

LATERAL

NHEL

3
90.4

NHEL

4
51.8

HEL

4
51.8

HEL

3
8

8

9

27-07082



RONALD ESPLIN

IRRIGATION

1513

VIEW OF
WELL


POINT OF
DIVERSION

MANIFOLD
SYSTEM



CONT.

PART OF
MANIFOLD
SYSTEM AND
BOOSTER PUMPS.



PERMIT
NUMBER

27-07082

RONALD ESPINO

IRRIGATION

2013

PLACE OF
USE

VIEW
NORTHWEST
FROM ^{SW} CORNER
OF SW, SE
40



VIEW NORTH
TOWARD
POINT OF
DIVERSION



PERMIT
NUMBER

27-07082

RONALD ESPLIN

IRRIGATION

3.13



VIEW OF
PLACE OF USE
NORTH EAST



VIEW NORTH
EAST

PERMIT
NUMBER

27-07082

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF PERMIT

NO. 27-7082 IN THE NAME OF

RONALD ESPLIN

ORDER OF REINSTATEMENT

This matter having come before the Department of Water Resources (Department) as a result of preparing Permit No. 27-7082 for issuance of a license, the Department finds, concludes and orders:

FINDINGS OF FACT

1. The Department approved Application for Permit No. 27-7082 to appropriate the public waters of the State of Idaho with a proposed priority of APRIL 20, 1977.

2. On APRIL 17, 1986 the Department advised the permit holder that a license examination fee was required before an examination could be conducted to confirm the extent of use developed under the permit. The examination fee was due on JUNE 16, 1986.

3. The license examination fee was not paid within one year of the date, and the permit lapsed for failure to pay the license examination fee.

MICROFILMED

JUN 12 1989

4. The license examination fee was received on
APRIL 24, 1989, 1042 day(s) late.

CONCLUSIONS OF LAW

1. The Director may advance the priority date of the permit one day for each day the license examination fee is late, pursuant to the provisions of Section 42-217, Idaho Code.

2. The date of priority of Permit No. 27-7082 should be advanced 1042 day(s).

ORDER

IT IS HEREBY ORDERED that Permit to Appropriate Water No. 27-7082 is reinstated.

IT IS FURTHER ORDERED that the date of priority of Permit No. 27-7082 is advanced to FEBRUARY 26, 1980.

Dated this 16th day of May, 1989.

J. Glen Saxton
Chief, Water Allocation Bureau

MICROFILMED

JUN 12 1989

Identification No. 27 7082
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To Appropriately the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

APPROVED

1. Name of applicant Ronald Esplin Phone: 357-3328
post office address Rt #2, Box 63, Shelley, Idaho 83274
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 8 Township 15
Range 37E B.M. Bingham County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 3.60 for Irrigation purpose from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 3.60 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well, pump and sprinklers

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ (Mo. Day) to _____ (Mo. Day) inclusive.
c. Proposed well diameter is 16 inches; proposed depth of well is 120 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 10,000.00
8. Description of proposed uses:
a. If water is not for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

1. If water is to be used for irrigation, indicate the acreage to be irrigated by the following information below:

TWP	RANGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
15	37E	8				5					5		15		40	35	40	40	180

Total number of acres to be irrigated 180

c. Describe any other water rights used for the same purposes as described above.

Surface rights in Snake River Valley Canal through the Cox Lateral


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks Property is to be changed from surface to groundwater irrigation

11. Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Ronald E. Epler
(Applicant)

Proposed Priority 4/1/77

Received by Sec Date 4/1/77 Time 1:15 PM

Preliminary check by Sec Date 4/1/77

Received by Sec Date 4/1/77

Publication prepared by Sec Date 4/1/77

Published in Idaho State Journal

Publication dates 4/1/77

Publication approved Sec Date 4/1/77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by Sec

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No 27-7082, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 82.

c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 31 day of May, 19 77.


Deputy Director

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 27-7082
IN THE NAME OF RONALD ESPLIN

ORDER OF REINSTATEMENT

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before May 1, 1982; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders as to the steps to be taken to make said proof; and,

WHEREAS, the Department has notified the permit holders that the permit has lapsed for failure of the permit holders to submit proof of beneficial use; and

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing as to why said permit should be reinstated by submitting an extension of time on May 20, 1982 and proof of beneficial use on May 28, 1982;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 27-7082 be REINSTATED and the priority advanced to April 20, 1977.

Dated this 26th day of August, 1982.

L. Glen Saxton

L. GLEN SAXTON

Chief, Operations Bureau

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 27-7082

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:
"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton
GLEN SAXTON
Chief, Operations Bureau

AFFIDAVIT of PUBLICATION

County of Bingham)
 State of Idaho)
 I, David Mark Brown do
 solemnly

swear that I am the Publisher of
 The Blackfoot News which is a daily newspaper of
 general circulation published each day except Sunday
 at Blackfoot, Bingham County, Idaho, said newspaper
 having been so published at Blackfoot, aforesaid for
 more than one year past; that said newspaper
 heretofore complied with all the provisions of Chapter
 154 of the Sessions Laws of Idaho of 1933, approved
 March 11, 1933, and duly designated, pursuant to law, a
 particular day of the week as the day on which legal
 notices required by law or by the order of any Court of
 competent jurisdiction within the State of Idaho shall
 be published to-wit: THURSDAY each week; that the
 notice attached hereto and which is a part of this af-
 fidavit and part of the proof of publication was,
 published in said Thursday

..... Issue of said newspaper 2 consecutive
 wks, the first publication having been made on
 the 7th day of April, 19 77.....

and the last publication having been made on the
14th day of April, 19 77; that said

notice was published in the regular and entire issue of
 every number of the paper as aforesaid during the
 period and time of publication, and that notice was
 published in the newspaper and not in a supplement.

David Mark Brown

Subscribed and sworn to before me this 19th

day of April, 19 77.....

William H. Johnson
 Notary Public for the State of Idaho,
 Residing at Blackfoot, Idaho
 My commission expires
 Oct. 20, 1980


NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
 Ronald Espin, Shelley, Idaho,
 has on 4-01-77 submitted
 Application No. 27-7052 for a
 permit to appropriate 3.00 cubic
 feet per second of water from a
 ground-water source by means
 of well and pump within the
 SE1/4SE1/4, Sec. 8, T. 1S, R. 37E,
 B.M., Bingham County; to be
 used from Apr. 1 to Nov. 1 for
 the irrigation of 180 acres
 within the SE1/4NE1/4, E1/2SW1/4,
 SE1/4, Sec. 8, T. 1S, R. 37E, B.M.
 If issued, this permit will be
 subject to all prior water rights.
 Protests against the granting of
 the permit must be filed with
 the Idaho Department of Water

Residence: 1000 L...
 Idaho Falls, Idaho, 83401 on or
 before April 28, 1977.
 Director

(2009)
 PUB.: 47, 14

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. *SEE MAP/PHOTOS/ATTACHMENTS*



Scale: 1" = _____

_____ Copy of USGS Quadrange Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

_____ Aerial Photo Attached (required for irrigation of 10+ acres)

_____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	<i>U.S. MOTOR</i>	<i>100</i>			<i>8"</i>

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
<i>PRESSURE GAGE</i>		<i>U.S.G.</i>			<i>0-100</i>	

2. Measurements: *DURING SONIC TEST 70 PSI AT 1,083 GPM AND 54 PSI AT 1,230 GPM.*

MODE SELECT
DATA SET

DATA SET MODE
?

PRINTER USE
?

05-06 14:3300 *R
+002.50 % AI2

MODE SELECT
INPUT

OUTER DIAMETER
8.6299 IN

PIPE MATERIAL
?

WALL THICKNESS
0.3150 IN

INNER LINING
?

KIND OF FLUID
?

SOUND VELOCITY
1460 M/S-

SENSOR MOUNTING
?

TYPE OF SENSOR
?

DATA CHANGE
?

SPACING
6.560 IN U

05-06 14:3400 *R
+002.50 % AI2

MODE SELECT
T0 CHECK

0302.3 MMSEC
100.02 % T0

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

05-06 14:4200 *R
+ 1.003E 3GPM

05-06 14:4600 *R
+ 1.230E 3GPM

2.74 CFS

27-07082

27-07082

FLOW MEASUREMENT
27-7082

MODE SELECT
DATA SET

DATA SET MODE
? PRINTER

PRINTER USE
? YES

05-06 14:3300 *R
+002.50 % AI2

MODE SELECT
INPUT

OUTER DIAMETER
8.6299 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.3150 IN

INNER LINING
? NO LING.

KIND OF FLUID
? ANOTHER

SOUND VELOCITY
1460 M/S-

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
6.560 IN U

05-06 14:3400 *R
+002.50 % AI2

MODE SELECT
T0 CHECK

0302.3 MMSEC
100.02 % T0

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

05-06 14:4200 *R 70751
+ 1.083E 3GPM

05-06 14:4600 *R 54751
+ 1.230E 3GPM

27-07082

THEORETICAL PUMP FLOW CALCULATIONS

Formula:

$$Q_{cfs} = [(Hp)(8.814)(Eff)] \div [Lift + (psi \times 2.308)]$$

Hp = Horsepower = 100
Eff = Efficiency = .7 (Usually 70%)
Lift: (Static Level + Assumed Draw down)
Static Water Level = 80 ft.
Assumed Draw down = + 10 ft.
Lift = 90

OR

Measured Dynamic Water Level = _____ ft.


psi = Operating Pressure = 54 psi

$$Q_{cfs} = \left[\frac{100}{Hp} \times 8.814 \times \frac{.7}{Eff} \right] \div \left[\frac{90}{Lift} + \left(\frac{54}{psi} \times 2.308 \right) \right]$$

$$Q_{cfs} = \left[\frac{616.98}{} \right] \div \left[\frac{214.632}{} \right]$$

$$Q_{cfs} = \underline{2.87} \text{ cfs}$$

PERMIT NO. 27-07082



T015, R37E

NO GOV LOTS



27-07082

T72
9596

T80
2696

HEL
59.2
TOIS, R37E

HEL
25.0

T70
3596

NHEL
52.4



8

PLACE OF
USE
2
89.6

LATERAL

PLACE OF
USE
POINT OF
DIVISION

NHE
3
90.0

HEL
4
51.8

HEL
3
9.8

27-07082

FIELD EXAM NOTES

EXAM # 27-07082

DATE OF EXAM 5/6/96

PERMITEE NAME Ronald Explan

OTHER WATER RIGHTS SAME POD 2 Zone off pump.

OTHER WATER RIGHTS SAME POU Canal Right

PUMP #1 HP 100 MAKE US Mfg. SERIAL # _____
COLOR AND DESCRIPTION Gray over Green
OUTPUT DIAMETER _____ SYSTEM PRESSURE _____ PSI WELL DEPTH 120'
STATIC H2O 80' WELL DEPTH _____ DYNAMIC PUMP _____
PSI GAGE TYPE _____ CHECK VALVE [Y] [N] GATE VALVE [Y] [N]

PUMP #2 HP _____ MAKE _____ SERIAL # _____
COLOR AND DESCRIPTION _____
OUTPUT DIAMETER _____ SYSTEM PRESSURE _____ PSI WELL DEPTH _____
STATIC H2O _____ WELL DEPTH _____ DYNAMIC PUMP _____
PSI GAGE TYPE _____ CHECK VALVE [Y] [N] GATE VALVE [Y] [N]

BOOSTER PUMP #1 HP _____ MAKE _____ SERIAL # _____
COLOR AND DESCRIPTION _____

BOOSTER PUMP #2 HP _____ MAKE _____ SERIAL # _____
COLOR AND DESCRIPTION _____


CIRCLE PIVOT [Y] [N] NUMBER OF TOWERS _____ PIVOT LENGTH _____
PRESSURE [H] [L]

HAND LINES (Y) [N] NUMBER OF LINES 8 LENGTH OF LINES 8 1/4 mi
RAIN BIRDS PER LINE (32) 8 NOZZEL DIAMETER 5/32

SURFACE WATER TYPE OF MEASUREING DEVICE _____
AA METER PIGMY METER WEIR OR FLUME BUCKET/WATCH _____/_____

USE BACK OF PAGE FOR SKETCH AND MEASUREMENTS OF SYSTEM

27-07082



RONALD ESPLIN


IRRIGATION

15/3

VIEW OF
WELL


POINT OF
DIVERSION

MANIFOLD
SYSTEM



CONT.

PART OF
MANIFOLD
SYSTEM AND
BOOSTER PUMPS.



PERMIT
NUMBER

27-07082

RONALD ESPINO

IRRIGATION

2013

PLACE OF
USE

VIEW
NORTHWEST
FROM ^{SW} CORNER
OF SW, SE
40



VIEW NORTH
TOWARD
POINT OF
DIVERSION



PERMIT
NUMBER

27-07082

RONALD ESPLIN

IRRIGATION

3/3

VIEW OF
PLACE OF USE
NORTH EAST



VIEW NORTH
EAST



PERMIT
NUMBER

27-07082

E. NARRATIVE/REMARKS/COMMENTS

WATER IS LIFTED BY PUMP ABOUT 80+ FEET TO
A SYSTEM MANIFOLD WHICH DISTRIBUTES WATER TO
VARIOUS MAIN LINES. WATER IS THEN REDISTRIBUTED
BY 8 LATERAL HAND LINES. EACH HAND LINE IS APPROX.
1/4 MILE LONG WITH 32 MAIN BIRDS PER LINE; DISCHARGE
ORFICE IS 5/32".

$$GPM = \frac{5}{32} \text{ ORFICE AT 54 PSI} = 534 \text{ GPM} \times 32 \times 8 = \frac{1,367.04 \text{ GPM}}{448.8}$$

$$= 3.0459 \text{ CFS}$$

Have conditions of permit approval been met? ☒ yes ☐ no



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

May 18, 1989

RE: Permit No. 27-7082

Ronald Esplin
747 E. 1000 N.
Shelley, ID 83274

Dear Mr. Esplin:

Enclosed is a copy of the Order of Reinstatement which advances the date of priority of the above referenced permit to February 26, 1980 due to late submittal of the exam fee.

If you have any questions concerning this matter, please feel free to contact our office.

Sincerely,

A handwritten signature in cursive script, appearing to read 'Jim Johnson', written over the typed name and title.

JIM JOHNSON
Water Rights Supervisor
JJ:hm

Enclosure

MICROFILMED

JUN 12 1989

BENEFICIAL USE FIELD REPORT REVIEW

TO: FILE 27-7082

FROM: JIM JOHNSON

RE: PRIORITY ADVANCE REVIEW

DATE: 16-MAY-1989

=====

This review memo is prepared to show the process for determining what elements were involved in advancement of the priority.

	<u>DATE</u>	<u>JULIAN</u>
PERMIT		
Permit priority Date:	APRIL 20 1977	110
EXAM FEE NOTICE		
Exam Fee Notice Date:	APRIL 17 1986	107
Exam Fee/Info Sheet Received Date:	APRIL 24 1989	1209
Exam Fee or Info Due Date:	JUNE 16 1986	167
Days Late:		1042 DAY(S)
 NEW PRIORITY DATE		
Original Priority Date:	APRIL 20 1977	110
Total Days Late:		1042 DAY(S)
 New Priority Date:	FEBRUARY 26 1980	57

MINED

JUN 12 1989

April 24, 1989

To Whom It May Concern:

We are requesting the reinstatement
of permit # 27 7082.

Its beneficial use was started
July 1, 1977

Ronald Esplin & Loris
by Ronald Esplin

RECEIVED

MAY 03 1989

Department of Water Resources

RECEIVED

JUN 12 1989

RECEIVED

MAY 03 1989

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

For Office Use Only
Fee Received 175⁰⁰
Date 24 April 89
Receipt # 2007003
Receipt by ENC
Reviewed by _____
Sent to region _____

PROOF OF BENEFICIAL USE

REQUEST FOR REINSTATEMENT

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 27 7082

Name(s) of Permit Holder: Ronald Esplin & Sons

Post Office Address: 747 East 1000 No. Shelley, Idaho 83274

Telephone No. 357-3328

Source of Water: Groundwater

Extent of Use:

Domestic _____ (number of households) Stockwater _____ (number and type of stock)

Irrigation 240 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 3.60 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: July 1, 1977

Measuring Device: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Fee enclosed \$ 175⁰⁰
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☒ Yes ☐ No
Installed? ☒ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

Same as above.
(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

JUN 12 1989

4-24-89
Date

Ronald Esplin & Sons by Ronald Esplin
Signature of Permit Holder (and title, if appropriate)

I certify that file No. 27-7082 has been
reviewed and is ready to be MICROFILMED
and DESTROYED.

K. Walker
Signature

11-6-87
Date



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

27-7042
ENVELOPE, ENCLAVE
Rt. 2 Box 63
SHRIMP, ID 83274

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 17, 1987

Dear Permit Holder:

LAPSE NOTICE
License Examination Fee

You are hereby notified that under the provisions of Section 42-217 and 42-218a, Idaho Code, the above referenced permit will lapse and be on no further force nor effect on June 17, 1987, for failure of the permit holder to submit either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

Provisions of § 42-217, Idaho Code, and the Beneficial Use Examination Rules and Regulations provide that failure of the permit holder to submit either the fee or an acceptable field examination report within one (1) year and sixty (60) days after notification by the director that the submittal is due is cause for the director to reject the proof of beneficial use and lapse the permit. The Department notified you of the required submittal on April 17, 1986.

The lapsed permit can be reinstated upon a showing of reasonable cause for late submittal of proof of beneficial use, if you submit to the Department on or before August 17, 1987, either the license examination fee or an acceptable field examination report prepared by or under the supervision of a certified water right examiner.

If you have questions, please contact any office of the Department.

Sincerely,

L. Glen Saxton
L. GLEN SAXTON, Chief
Operations Bureau

jf



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
GO. 1982

A. KENNETH DUNN

Director

27-7082
F. SPLIN, RONALD
RT. 2 BOX 63
SHELLEY, ID 83274

Mailing address:
Storehouse
Boise, Idaho 83720

138144

April 17, 1

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region
Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region
Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region
Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region
Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,


L. GLEN SAXTON
Chief, Operations Bureau


Enclosures

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources **AUG 19 1977**
days after the completion of the well.

1. WELL OWNER Name <u>ROBERT ESPIN</u> Address <u>RT 4 2 5413 Shelly</u> Owner's Permit No. <u>APPLIED FOR 27-702</u>		2. WATER LEVEL Static water level <u>80'</u> feet below land surface Flowing? ☐ Yes ☒ No G.P.M. flow Temperature <u>51° F.</u> Quality <u>Good</u> Artesian closed in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug																																																																														
3. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning)		4. WELL TEST DATA ☐ Pump ☒ Bailor ☐ Other Discharge G.P.M. Draw Down Hours Pumped																																																																														
5. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type) ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection		6. LITHOLOGIC LOG																																																																														
7. METHOD DRILLED ☒ Cable ☐ Rotary ☐ Dug ☐ Other		<table border="1"><thead><tr><th rowspan="2">Hole Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yes, No</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td>16"</td><td>0'</td><td>3'</td><td>TOP SOIL</td><td>X</td></tr><tr><td></td><td>3'</td><td>10'</td><td>SAND GRAVEL & CLAY</td><td>X</td></tr><tr><td></td><td>10'</td><td>19'</td><td>SAND GRAVEL & LITTLE CLAY</td><td>X</td></tr><tr><td></td><td>19'</td><td>25'</td><td>SAND</td><td>X</td></tr><tr><td></td><td>25'</td><td>39'</td><td>SAND & GRAVEL</td><td>X</td></tr><tr><td></td><td>39'</td><td>46'</td><td>SAND & FINE GRAVEL</td><td>X</td></tr><tr><td></td><td>46'</td><td>48'</td><td>COARSE GRAVEL & CLAY</td><td>X</td></tr><tr><td></td><td>48'</td><td>65'</td><td>FINE GRAVEL & SAND</td><td>X</td></tr><tr><td></td><td>65'</td><td>77'</td><td>GRAVEL & CLAY & BOULDERS</td><td>X</td></tr><tr><td></td><td>77'</td><td>84'</td><td>GRAVEL & SAND & CLAY</td><td>X</td></tr><tr><td></td><td>84'</td><td>90'</td><td>GRAVEL & SAND</td><td>X</td></tr><tr><td></td><td>90'</td><td>91'</td><td>SAND</td><td>X</td></tr><tr><td></td><td>91'</td><td>114'</td><td>GRAVEL & SAND</td><td>X</td></tr><tr><td>16"</td><td>114'</td><td>126'</td><td>SAND</td><td>X</td></tr></tbody></table>		Hole Diam.	Depth		Material	Water Yes, No	From	To	16"	0'	3'	TOP SOIL	X		3'	10'	SAND GRAVEL & CLAY	X		10'	19'	SAND GRAVEL & LITTLE CLAY	X		19'	25'	SAND	X		25'	39'	SAND & GRAVEL	X		39'	46'	SAND & FINE GRAVEL	X		46'	48'	COARSE GRAVEL & CLAY	X		48'	65'	FINE GRAVEL & SAND	X		65'	77'	GRAVEL & CLAY & BOULDERS	X		77'	84'	GRAVEL & SAND & CLAY	X		84'	90'	GRAVEL & SAND	X		90'	91'	SAND	X		91'	114'	GRAVEL & SAND	X	16"	114'	126'	SAND	X
Hole Diam.	Depth		Material		Water Yes, No																																																																											
	From	To																																																																														
16"	0'	3'	TOP SOIL	X																																																																												
	3'	10'	SAND GRAVEL & CLAY	X																																																																												
	10'	19'	SAND GRAVEL & LITTLE CLAY	X																																																																												
	19'	25'	SAND	X																																																																												
	25'	39'	SAND & GRAVEL	X																																																																												
	39'	46'	SAND & FINE GRAVEL	X																																																																												
	46'	48'	COARSE GRAVEL & CLAY	X																																																																												
	48'	65'	FINE GRAVEL & SAND	X																																																																												
	65'	77'	GRAVEL & CLAY & BOULDERS	X																																																																												
	77'	84'	GRAVEL & SAND & CLAY	X																																																																												
	84'	90'	GRAVEL & SAND	X																																																																												
	90'	91'	SAND	X																																																																												
	91'	114'	GRAVEL & SAND	X																																																																												
16"	114'	126'	SAND	X																																																																												
8. WELL CONSTRUCTION Diameter of hole <u>16</u> inches Total depth <u>126</u> feet Casing schedule: ☐ Steel ☐ Concrete Thickness _____ inches Diameter _____ inches From _____ feet To _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet _____ inches _____ inches _____ feet _____ feet Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☐ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☒ Knife ☐ Torch Size of perforation <u>1/4</u> inches by <u>6</u> inches Number _____ From _____ To _____ <u>240</u> perforations <u>84</u> feet <u>114</u> feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal ☐ Cement grout ☐ Puddling clay ☐ Well cuttings Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing ☒ Overbore to seal depth		9. DRILLER'S CERTIFICATION Firm Name <u>WILLIAMSON DRILLING</u> Firm No. <u>24</u> Address <u>1116 S. 2nd St. Boise, ID</u> Date <u>5-14-77</u> Signed by (Firm Official) _____ and _____ Operator																																																																														
10. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Blaine</u> <u>SE 1/4 Sec. 8 T. 1 N/S. R. 37 E/W</u>		11. DRILLER'S CERTIFICATION Firm Name <u>WILLIAMSON DRILLING</u> Firm No. <u>24</u> Address <u>1116 S. 2nd St. Boise, ID</u> Date <u>5-14-77</u> Signed by (Firm Official) _____ and _____ Operator																																																																														

USE ADDITIONAL SHEETS IF NECESSARY FORWARD THE WHITE COPY TO THE DEPARTMENT

August 26, 1982

Ronald Eplin and Sons
Route 2 Box 63
Shelley, ID 83274

Dear Mr. Eplin:

Re: Permit No. 27-7082

This office acknowledges receipt of the statement of beneficial and has reinstated the permit with an advance in priority. See attached order.

Before a water right license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our regional office in Idaho Falls.

Also, please note that we are returning the extension of time form along with your check No. 6817 92-41/1241 in the amount of \$15.00 since we accepted the statement of beneficial use instead.

Sincerely,

RITA I. ELECK
Sr. Secretary

Enclosures: Order of Reinstatement
Extension of Time
Check No. 6817 92-41/1241

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of permit No. 27-7082.

Name(s) of Permit Holder: Ronald Esplin

Post Office Address: Rte 2, Box 68, Shelly 83274

Tel. No. 357 3228

Source of Water: Groundwater

Extent of Use: ☐ Domestic (number of households)
☐ Stockwater (number and type of stock)
☒ Irrigation 180 (acres)
☐ Other

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No
Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

5/27/82
Date

Ronald Esplin
Signature of Permit Holder

PLACE
TEN CENT
STAMP
HERE



RECEIVED

MAY 28 1982

Department of Water Resources
Ketchikan District Office

JUN 1 1982

U.S. DEPARTMENT OF THE INTERIOR

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

CALCULATION OF NEW PRIORITY DATE

FROM: Rita Fleck

TO: File # 27-7082

DATE: Aug. 11, 1982

Date ~~Proof~~ ^{Ext.} Received	May 20, 1982	140
Proof Due	May 1, 1982	121
Number of Days Proof Late		19

Priority Date	91	
Number of Days Proof Late	19	
New Priority Date	110	= April 20, 1977

Remarks

Number of days lapsed was figured only from the time the permit lapsed until the extension of time was received. No additional days were penalized from the time the extension was received until the postcard was received since Jim's letter allowed them until June 20, 1982. Postcard was received on ~~June 1~~ May 28, 1982.

June 7, 1982

RE: Permit No. 27-7082

Ronald Esplin
Route #2, Box 63
Shelley, ID 83274

Dear Mr. Esplin:

Thank you for responding to our letter of May 4, 1982 by submitting a request for an extension of time in which to submit proof to beneficial use of water under Permit No. 27-7082.

However, Idaho Code allows the Director to approve requests for extension of time if the permit holder can show that he has made reasonable diligence toward permit development; you indicated on your request form that no work had been done. Therefore, based upon this information rather than officially acting on your request we are returning the form and Check No. 6817, 92-41/1241 in the amount of \$15.00 with the suggestion if you still plan to develop the water as intended you refile for a new permit.

If you have additional information concerning the permit or wish us to act officially on your extension request, please return the form with the fee on or before June 20, 1982.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:kw
Enclosures: Extension Form
Check

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

ESPLIN, RONALD
RT. 2 BOX 63
SHELLEY, ID 83274

MAY 04, 1982

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A OF THE IDAHO CODE, PERMIT NO. 27-7082 HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER A NOTICE THAT YOU HAVE COMPLETED THE PROJECT BY THE DATE REQUIRED ON YOUR PERMIT, OR A REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR NOTICE TO YOU DATED FEBRUARY 28, 1982.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT THE STATEMENT OF BENEFICIAL USE POSTCARD OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED POSTCARD OR THE EXTENSION REQUEST MUST BE RECEIVED BY THIS OFFICE WITHIN SIXTY DAYS OF THE DATE OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A STATEMENT OF BENEFICIAL USE POSTCARD AND A REQUEST FOR EXTENSION OF TIME FORM ARE ENCLOSED FOR YOUR USE. PLEASE NOTE THAT A FEE OF \$15.00 MUST ACCOMPANY AN EXTENSION OF TIME REQUEST.

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

CERTIFICATION OF MAILING

I hereby certify that on 5-17-82
this document was
mailed by registered States mail,
and that the same was delivered to the
addressee.

Pat Sears

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

#138279

ESPLIN, RONALD
MT. 2 BOX 63
SHELLEY, ID 83274

FEBRUARY 29, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 27-7082 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE MAY 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SM. SECRETARY

ENC: 1



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. REDGETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

FEB 29 1982

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

A handwritten signature in cursive script that reads "David R. Tuthill Jr.".

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

June 6, 1977

Re: Permit No. 27-7082

Ronald Espin
Route #2, Box 63
Shelley, ID 83274

Dear Mr. Espin:

Enclosed is a copy of your approved Application for Permit No. 27-7082. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

April 1, 1977

RE: Application for Permit No. 35-7687 SANDOW
No. 27-7082 ESPLIN

Blackfoot News
P.O. Box 70
Blackfoot, Idaho 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

Bill submitted 4-20-77 by Cul

RDC:CM

Enc: Legal Notice (2)

FOR WATER PERMIT
 State of Idaho, County of Blaine, Idaho.
 I, _____, County Clerk of said County, do hereby certify that the foregoing is a true and correct copy of the original as the same appears on file in my office.
 In testimony whereof, I have hereunto set my hand and the seal of said County at _____, Idaho, this _____ day of _____, 1977.

 County Clerk

Director

(5039)

Pub. 47, 1:

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Ronald Esplin,
Shelley, Idaho
has on 4-01-77 submitted Application No. 27-7082
for a permit to appropriate 3.60 cubic feet per second ~~XXXXXX~~ XXXXXX acre feet per annum
of water from a ground-water source
by means of well and pump
within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 8, T. 1S, R. 37E, B.M., Bingham County;

to be used from Apr. 1 to Nov. 1 for
~~for~~ the irrigation of 180 acres

within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 8, T. 1S, R. 37E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before _____
April 25, 1977

~~XXXXXXXXXXXXXXXXXXXX~~
~~CHAS. E. NELSON~~

Director

Published in the Blackfoot News, Blackfoot, Idaho
on April 7 and April 14, 1977

*the R.
the B.
the C.*

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

E. Splen

Item Initial Date

Application No. _____

- ☒ Source
- ☒ Point of Diversion
- ☒ County
- ☒ Quantity of Water and Period of Use
- ☒ Description of Diverting Works
- ☒ Time required for B/U of water
- ☒ Place of Use or Acres Irrigated
- ☒ Map
- ☒ Signature
- ☒ Fee

(1) *JOG* *4/1/77*

In form to receipt

(2) *"* *"*

Send Copies to:

- ☒ Idaho State Health Department
- ☒ Idaho Fish and Game Department
- ☒ Bureau of Land Management

(3) *"* *"*

- ☒ Request Special Use Permit from U.S.F.S.
- ☒ Request Easement from B.L.M.
- ☒ Request Information from Applicant
- ☒ Request Dam Safety Information

(4) *"* *"*

In form for advertising *yes*

(5) *"* *"*

Platted on Map No. *15, 37E - Y90*

(6) *"* *"*

Located within Water District No. *Basin 27*

(7) *"* *"*

Critical groundwater area: yes ☒ no ☒

(8) *"* *"*

Groundwater levels:

Declining, ☒ Stable, ☒ Increasing

(comment) *Obs N/A! Basin 27*

(9) *"* *"*

Other rights on the same place of use. None

(10) *"* *"*

Comments: *Surface right in Snake River Valley*
Canal. Through Cox lateral

(11) *Cal* *4-20-77*

Affidavit of Publication received(date) *Apr 20-77*

(12) *"* *"*

Final date for protests *April 25-77*
Protests received: yes ☒ no ☒

(13) *DC* *4-20-77*

All requested information received from agencies or applicant: yes ☒ no ☒

(14) *"* *"*

Action recommended:

☒ Approve ☒ Deny

4/1/77 Proposed Priority

Reason for Reduction _____

☒ Measuring device required

☒ See attached sheet for other conditions of approval

☒ No special conditions for approval

(15) District *E* *By DC* Date *4/25/77*

W.H. Smith