


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Grant Kohler
(Applicant)

RECEIVED

MAR 21 1977

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)
State of Idaho) ss.
I, David Mark Brown do
solemnly

swear that I am the Publisher of
The Blackfoot News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law, a
particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of Idaho shall
be published to-wit: Thursday of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was,
published in said Thursday

..... issue of said newspaper 2..... consecutive
wks., the first publication having been made on
the 10th day of March, 19 77..
and the last publication having been made on the
17th day of March, 19 77..; that said
notice was published in the regular and entire issue of
every number of the paper as aforesaid during the
period and time of publication, and that notice was
published in the newspaper and not in a supplement.

Subscribed and sworn to before me this 18th

day of March, 19 77..
Patricia A. Johnson
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1976 1980

NOTICE OF APPLICATION FOR WATER PERMIT


Notice is hereby given that
Grant Kohler, Shelley, Idaho,
has on 2-28-77, submitted
Application No. 27-7076, for a
permit to appropriate 1.60 cubic
feet per second of water from a
ground-water source by means
of well and pump within the
NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 25, T. 1S, R.
36E, B.M., Bingham County; to
be used from April 1 to Nov. 1
for the irrigation of 80 acres
within the S $\frac{1}{2}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$,
Sec. 25, T. 1S, R. 36E, B.M.

If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with
the Idaho Department of Water
Resources, 1515 Lincoln Road,
Idaho Falls, Idaho, 83401, on or
before March 28, 1977.

R. KEITH HIGGINSON
Director
(5002)
Pub.: 3-10, 17


MICROFILMED

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: NE 1/4 SW 1/4 Sect. 25 T1S R36E

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1S	36E	25					1		25	16	5								47 ✓
		26				2													2 ✓

Total = 49

Recommended Amendments:

- ☐ Change P.D. as reflected above
☐ Change P.U. as reflected above

- ☐ Add P.D. as reflected above
☒ Add P.U. as reflected above

- ☐ None
☐ Other

Examiner's Signature

Checked by

Approved by

H.W. Jones
R. Walker

Date

Date

Date

12-21-83

9 Nov 1984

5-13-86

MICROFILMED



PERMIT N° 27-7070 Grant Kohler
(Name)
Accompanied by: Mr Kohler
EXAMINATION: DATE: 7-30-82

Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No.
GE	40	BNJ209312	Johnston	NA

Measuring Device Type: McCrometer meter
Meter # 75-8-356 Annubar # _____ Size # _____


Remarks: 3 wheel lines

Measurement calculations:

450 gpm by meter

SCHEMATIC DIAGRAM OF SYSTEM

Mainline Diameter _____ Length _____



State of Idaho
Department of Water Resources
WATER RIGHT LICENSE

License of Water Right No. 27-7076 Priority February 28, 1977 Amount 0.98 cfs

THIS IS TO CERTIFY, that Grant Kohler
of Shelley, Idaho, has complied with the terms and conditions of Permit
No. 27-7076 issued pursuant to Application for Permit dated February 28, 1977,
and has submitted proof to the Department of Water Resources on February 10, 1982,
that he has applied water to a beneficial use, an examination by the Department indicates that the works have a
capacity for the diversion of 1.00 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>November 1</u>	at <u>0.98</u> cfs and	<u>171.5</u> acre feet
_____	from _____ to _____	at _____ cfs and	_____
_____	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.98 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
171.5 acre feet per year, said waters to be diverted within the NE 1/4, Section 25,
Twp 1S, Rge 36E in the County of Bingham

Description and location of place of use:

Twp.	Range	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1S	36E	25					1			25	16			5					47
		26				2													2

Total number of acres irrigated 49

MICROFILMED

CONDITIONS OF APPROVAL

- a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.
- b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.
- c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 28TH day of August, 19 86.

Acting for the Director

MICROFILMED

RECEIVED

JUL 30 1986

Ident. No. _____

Department of Water Resources

STATE OF IDAHO

APPLICATION FOR AMENDMENT
(For Licensing Purposes)

APPROVED

Comes now Grant Kohler Phone 357-7039
of (address) Rt. 2, Box 354 Shelley, ID 83274, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the
State of Idaho No. 27-7076, and requests that the permit be changed as follows:

1a. Point of diversion: NE 1/4 - SW 1/4, Section 25, Township 1S, Range 36E,
B.M., County of Bingham. Other points of diversion: _____

1b. Source: groundwater tributary to -----

2a. Period and nature of use:

Amount 0.98 for Irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

2b. The maximum quantity diverted shall not exceed 0.98 cfs or 171.5 acre feet
per year.

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1S	36E	25					1		25	16		5							47
		26				2													2

Total number of acres to be irrigated = 49

4. Date of priority: February 28, 1977

MICROFILMED

5. Conditions (if any):

This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at _____, this 22 day of July, 1986

Grant Kohler
(Signature)

FOR DEPARTMENT USE ONLY

Preliminary check by KW Fee = \$20.00 ✓ Received by rg Date 7/30/86 #38882

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, A. KENNETH DUNN, of the Department of Water Resources hereby Approve the above Application for Amendment for Permit No. 27-7076.

Witness my hand this 28TH day of August, 1986.

Norm Young
Acting for the Director

MICROFILMED

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 27-7076

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 1st day of June 1981.

Glen Saxton

GLEN SAXTON
Chief, Operations Bureau

RECEIVED
JUN 11 1981

Identification No. 27 7076
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant Grant Kohler Phone: 357-7039
post office address Rt. #2, Shelley, Idaho
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is NE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 25 Township 1S
Range 36E B.M. Bingham County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount 1.60 for Irrigation purpose from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. 1.60 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well, 25 Hp pump, 8" & 6" main
hand laterals

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 16 inches; proposed depth of well is 50 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 21,000.00
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]


Total number of acres to be irrigated 80

c. Describe any other water rights used for the same purposes as described above. 1.66 shares Blackfoot Irrigation

9. a. Who owns the property at the point of diversion Applicant
b. Who owns the land to be irrigated or place of use Applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

[illegible]

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Grant Koller
(Applicant)

Proposed Priority 2/28/77

Received by OW Date 2-28-77 Time 11:30 A.

Preliminary check by EMC Fee \$ 35.00

Receipted by OW Date 2-28-77 # 4585

Publication prepared by OW Date 3-24-77

Published in Blackfoot News

Publication dates March 10 & 17, 1977

Publication approved me Date 3-21-77

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ROC JG

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 27-7076, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:


a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 82.

c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

Witness my hand this 26 day of April 19 77.


Director

RECEIVED

MAR 21 1977

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho)

I, David Mark Brown do
solemnly

swear that I am the Publisher of
The Blackfoot News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law, a
particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of Idaho shall
be published to-wit: Thursday of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was,
published in said Thursday

..... issue of said newspaper 2 consecutive
wks., the first publication having been made on
the 10th day of March, 19 77,
and the last publication having been made on the
17th day of March, 19 77; that said
notice was published in the regular and entire issue of
every number of the paper as aforesaid during the
period and time of publication, and that notice was
published in the newspaper and not in a supplement.

Subscribed and sworn to before me this 18th

day of March, 19 77
Patricia A. Johnson
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1978 1980

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
Grant Kohler, Shelley, Idaho,
has on 2-28-77, submitted
Application No. 27-7076, for a
permit to appropriate 1.60 cubic
feet per second of water from a
ground-water source by means
of well and pump within the
NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 25, T. 1S, R.
36E, B.M., Bingham County; to
be used from April 1 to Nov. 1
for the irrigation of 80 acres
within the S $\frac{1}{2}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$,
Sec. 25, T. 1S, R. 36E, B.M.

If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with
the Idaho Department of Water
Resources, 1515 Lincoln Road,
Idaho Falls, Idaho, 83401, on or
before March 28, 1977.

R. KEITH HIGGINSON

Director

(5002)

Pub.: 3-10, 17

MICROFILMED

September 4, 1986

RE: Permit No. 27-7076

Grant Kohler
937 E. 1000 N.
Shelley, ID 83274

Dear Permit Holder(s):

Enclosed herewith is a copy of your Water Right License issued on the above referenced permit along with a copy of your approved application for amendment. Also enclosed is Departmental Receipt No. 38382 in the amount of \$20.00.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosures

APPROVED


Grant Keller
937 E 1000 N
Shelley Idaho
83274

Note New
address

Statehouse

Boise, Idaho

83720



July 16, 1986

RE: Permit No. 27-7076

Grant Kohler
Rt.2, Box 354
Shelley, ID 83274

Dear Permit Holder:

On June 5, 1986, we forwarded to you an Amendment for Water Permit so that you could amend your permit to correspond with the findings of the Department's field examiner.

As of this date, we have not received this amendment.

If we do not receive the amendment within fifteen (15) days, we will issue a Water Right License which reduces the amount that could have been allowable to you.

Since the license will be a permanent water right your prompt attention to this matter will be appreciated.

If you have any questions please contact us as soon as possible.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

June 5, 1986

RE: Permit No. 27-7076

Grant Kohler
Rt. 2, Box 354
Shelley, ID 83274

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains all of the information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 30 days.

If you do not concur with these findings or if you have any questions, please contact us within the 30-day period.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

RECEIVED

NOV 16 1984

Department of Water Resources

27-7076
Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 7-30-1982 Accompanied by Grant Kohler Total Q measured 1.00 cfs

If source is surface water, estimate total flow of source

Methods of measurement McGrometer Meter #75-9-356 Meets Permit requirements?

Measurement calculations: $V = 49 \text{ acres} \times 3.5 \text{ afk}$ $= 171.5 \text{ afk}$ $V = 0.98 \text{ cfs} \times 1.9835 \times 214 \text{ days}$ $= 415.97 \approx 416$	By meter 450 gpm or 1.00 cfs	49 acres $\times$ 0.02 cfs = 0.98 cfs
---	------------------------------	---------------------------------------

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	40	GE	BWJ209312	Johnston	N.A.			

System Description well/pump thru mainline to 3 wheel lines

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = 3.5 AFA/Acre

USE	Q (cfs)	V (afa)	FROM	TO
Irrigation	0.98 cfs	171.5	4-1	11-1

Total 0.98 cfs 171.5 AF

Remarks Need Amendment to add Place of use.


No overlapping rights

P/D overlap per VAX: none

Recommend R30 - Blackfoot Irrig. Dist
shown on permit


UNRECORDED

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: NE 1/4 SW 1/4 Sect. 25 T1S R36E

Place(s) of Use

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1S	36E	25					1		25	16	5								47 ✓
		26				2													2 ✓

Total = 49


Recommended Amendments:

- ☐ Change P.D. as reflected above
 ☐ Add P.D. as reflected above
 ☐ None
☐ Change P.U. as reflected above
☒ Add P.U. as reflected above
☐ Other

Examiner's Signature J.W. Jones Date 12-21-83
 Checked by Scott C. Wilson Date 9 Nov 1984
 Approved by R. Walder Date 5-13-86

MICROFILMED

97-7076



PERMIT NO. 27-7070

Grant Kohler
(Name)

Accompanied by: Mr. Kohler

EXAMINATION: DATE: 7-30-82

Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No.
GE	40	BNJ209312	Johnston	NA

Measuring Device Type: McCrometer meter

Meter # 75-8-356 Annubar #

Size #


Remarks: 3 wheel lines

Measurement calculations:

450 gpm by meter

SCHEMATIC DIAGRAM OF SYSTEM

Mainline Diameter _____ Length _____



WATER RIGHT NUMBER 27-7076

OWNER LAST NAME - KOHLER
ADDRESS LINE 1 - RT. 2 BOX 354
ADDRESS LINE 3 -FIRST NAME - GRANT
ADDRESS LINE 2 -
CITY - SHELLEY

ORIG OWNER -

STATE - ID ZIP CODE - 83274

SOURCE - GROUNDWATER

TRIBUTARY OF -

STAGE - PERMIT

STATUS -

PRIORITY - 02-28-1977 COUNTY - BINGHAM

TOTAL DIV. RATE - 1.6000 -CFS

TOTAL DIV. VOLUME -

.00 AFA TRFR/AMEND -

WATER DIST. -

DLE/CAREY ACT -

RIGHT BASIS -

DIVERSION POINT - NESW 25 01S 36E LOT REDIV -

0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

FROM - 04-01 TO - 11-01 USE - IRRIGATION

USE DIV. RATE - 1.6000 CFS USE DIV. VOLUME - .00 AFA

USE - IRRIGATION

PLACE OF USE - TWN 01S RNG 36E SEC 25 TRACT SWNW LOT AC 25 TRACT SENW LOT AC 25

TRACT NESW LOT AC 10 TRACT NWSW LOT AC 20

DATE - TOTAL ACRES 80

DECREE NAME -

REMARKS -

NON IRRIG USE -

OTHER RIGHTS FOR SAME USE - BLACKFOOT IRR.

PROOF DUE - 04-01-1982 PERMIT/DENIED - 04-26-1977 PROTESTED -

HEARING -

OLD NO. -

PROOF MADE - P FLD EXAM - COND. OF APPROVAL - 03A/01B ✓

DIVERSION MEANS - WELL, PUMP & PIPELINES. ✓

01/30/85



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

March 30, 1982

RE: Permit No. 27-7076

Grant A. Kohler
Box 354 Rt. #2
Shelley, Id. 83274

Dear Mr. Kohler:

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.


If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

BOBBIE R. STEPHENS
Principal Clerk

cc: IDWR - State Office

MICROFILMED



RECEIVED



MICROFILMED

FEB 10 1982

IDAHO DEPARTMENT OF WATER RESOURCES

STATEHOUSE

Department of Water Resources

BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below. Permit No. 27-7076

Name(s) of Permit Holder: GRANT A. KOHLER

Post Office Address: Box 354 Rt #2 Shelly Idaho 83274

Tel. No. 357-7039

Source of Water: _____

Extent of Use:

- ☐ Domestic _____ (number of households)
- ☐ Stockwater _____ (number and type of stock)
- ☒ Irrigation _____ (acres)
- ☐ Other _____

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Feb. 9 1982
Date

Grant Kohler
Signature of Permit Holder

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

#138138

KOHLER, GRANT
RT. 2
SHELLEY, ID 83274

JANUARY 31, 1982

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 27-7076 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE APRIL 01, 1982. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENC: 1

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 28, 1981

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

DAVID R. TUTHILL JR., P. E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

NORTHERN REGION OFFICE
Route #5, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

SOUTHERN REGION OFFICE
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

EASTERN REGION OFFICE
150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 525-7161

WESTERN REGION OFFICE
92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

MICROFILMED

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

RECEIVED
JUN 30 1977

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

Department of Water Resources
Eastern District Office

1. WELL OWNER

Name GRANT Kohler

Address RT 1 Firth Idaho

Owner's Permit No. 27-7076

7. WATER LEVEL

Static water level 16 1/2 feet below land surface

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Temperature _____ ° F. Quality _____

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning)

8. WELL TEST DATA

☐ Pump ☐ Bailor ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

3. PROPOSED USE

☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type)

☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☒ Cable ☐ Rotory ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 16 inches Total depth 49 feet

Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>250</u> inches	<u>16</u> inches	<u>+ 1</u> feet	<u>59 11</u> feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☒ Yes ☐ No

How perforated? ☐ Factory ☒ Knife ☐ Torch

Size of perforation 4 inches by inches

Number	From	To
<u>8</u> <u>160</u> perforations	<u>28</u> feet	<u>48</u> feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☒ Yes ☐ No Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 19 Material used in seal ☐ Cement grout


☐ Pudding clay ☒ Well cuttings

Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing

☐ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County BINGHAM

NE SW
N 1/4 NE 1/4 Sec. 25 T. 1 N. R. 36 E. 4

10.

Work started 2-14-77 finished 2-18-77

11. DRILLERS CERTIFICATION

Firm Name BARRUS DRILLING @PUMP Firm No. 23

Address P.O. BOX 146, BASALT IDAHO Date _____

Signed by (Firm Official) James N. Barrus

and

(Operator) Herb Butler

April 28, 1977

Re: Permit No. 27-7076

Grant Kohler
Route #2
Shelley, ID 83274

Dear Mr. Kohler:

Enclosed is a copy of your approved Application for Permit No. 27-7076. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

MICROFILMED

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

Application No. _____

☒ Source GROUND WATER
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) EMC 2/28/77

In form to receipt

(2) EMC 2/28/77

Send Copies to:

☒ Idaho State Health Department
☒ Idaho Fish and Game Department
☒ Bureau of Land Management

(3) EMC 2/28/77

☒ Request Special Use Permit from U.S.F.S.
☒ Request Easement from B.L.M.
☒ Request Information from Applicant

(4) EMC 2/28/77

In form for advertising YES

(5) EMC 2/28/77

Platted on Map No. 1S 36E BASIN 27

(6) EMC 2/28/77

Located within Water District No. 27

(7) EMC 2/28/77

Critical groundwater area: yes _____ no X

(8) EMC 2/28/77

Groundwater levels:

Declining, _____ X Stable, _____ Incr. _____

(comment) OB WELL 18 37E 28 aqa.

(9) EMC 2/28/77

Other rights on the same place of use 1.66 shares.
BLACKFOOT IRRIGATION

(10) EMC 2/28/77

Comments: P. 27-7022 WAS FILED ON LAND OWNED
BY MR. KOHLER, HENSE THERE APPEARS TO
BE AN OVERLAP (LAPSED)

(11) OW 3-21-77

Affidavit of Publication received (date) MAR. 21, 1977

(12) OW 3-28-77

Final date for protests March 28, 1977

Protests received: yes _____ no X

(13) RDC 3/28/77

All requested information received from agencies or applicant: yes _____ no _____

(14) ll ll

Action recommended:

☒ Approve _____ Deny _____

2/28/77 Proposed Priority

Reason for Reduction _____

☒ Measuring device required

See attached sheet for other conditions of approval

No special conditions for approval

(15) District E By RDC Date 3/28/77

MICROFILMED

Copied

March 4, 1977

RE: Application for Permit No. 27-7076

Mr. Grant Kohler
Rt. #2
Shelley, Idaho 83274

Dear Mr. Kohler:

Attached herewith is departmental receipt No. 4585 in the amount of \$35.00
for the above referenced application.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

RDC:CW

Attachment

RECEIVED

March 4, 1977

RE: Application for Permit No. 35-7677 BOWERS
27-7076 KOHLER

Blackfoot News
P.O. Box 70
Blackfoot, Idaho 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

Bill submitted 3-21-77 by CW

RDC:CW

Enc: Legal Notice (2)

MICROFILMED

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Grant Kohler, Shelley, Idaho, has on 2-28-77, submitted Application No. 27-7076, for a permit to appropriate 1.60 cubic feet per second of water from a ground-water source by means of well and pump within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 25, T. 1S, R. 36E, B.M., Bingham County; to be used from April 1 to Nov. 1 for the irrigation of 80 acres within the S $\frac{1}{2}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 25, T. 1S, R. 36E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401, on or before March 28, 1977.

R. KEITH HIGGINSON
Director

(5002)

Pub.: 3-10, 17

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Grant Kohler,
Shelley, Idaho
has on 2-28-77 submitted Application No. 27-7076
for a permit to appropriate 1.60 cubic feet per second ~~acre feet per annum~~
of water from a ground-water source
by means of well and pump
within the NE $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 25, T. 1S, R. 36E, B.M., Bingham County;

to be used from Apr. 1 to Nov. 1
for the irrigation of 80 acres

within the S $\frac{1}{2}$ NW $\frac{1}{4}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 25, T. 1S, R. 36E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before _____
March 28, 1977

R. KEITH HIGGINSON

Director

Published in the Blackfoot News, Blackfoot, Idaho
on March 10 and March 17, 1977

MICROFILMED

me - J.
the - H.

3/79

IDENT. NO. 27-7076

IDAHO DEPARTMENT OF WATER RESOURCES

WATER RIGHT
DATA ENTRY LOG[illegible]