


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Garth Holm
(Applicant)

RECEIVED

OCT 20 1976

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)
State of Idaho) ss.
I, David Mark Brown do
solemnly

Publisher

swear that I am the of
The Blackfoot News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law, a
particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of Idaho shall
be published to-wit: Thurs of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was,
published in said Thursday

..... issue of said newspaper ...2... consecutive
wks the first publication having been made on
the 7th day of October, 76,
and the last publication having been made on the
11th day of Oct., 19 76; that said

notice was published in the regular and entire issue of
every number of the paper as aforesaid during the
period and time of publication, and that notice was
published in the newspaper and not in a supplement.

David Mark Brown

Subscribed and sworn to before me this 19th
day of October 19 76

Patricia A. Johnson
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, ~~1976~~ 1980

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
Arthur Holm &-or Garth Holm,
Shelley, Idaho, have on 9-24-76,
submitted Application No. 27-
7066, for a permit to ap-
propriate 1.70 cubic feet per
second of water from a ground-
water source by means of well
and pump within the
SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 20, T. 1S, R.
37E, B.M., Bingham County; to
be used from Apr. 1 to Nov. 1 for
the irrigation of 85 acres within
the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 17,
E $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 20, T. 1S, R. 37E,
B.M.

If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with
the Idaho Department of Water
Resources, 1515 Lincoln Road,
Idaho Falls, Idaho, 83401, on or
before October 26, 1976.


R. KEITH HIGGINSON
Director

(4839)
Pub.: 10-7, 14

31 me


MICROFILMED

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: SE 1/4 NE 1/4 Sect. 20 T1S R37E

Place(s) of Use ☒

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
~~Part A~~	1S	37E	17															4	4
~~Part B~~	1S	37E	20	36		3													39

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


Examiner's Signature: Th. Jones Date: 12-19-83
 Checked by: Keith Wilson Date: 14 Nov 1984
 Approved by: Kay Walker Date: 5-12-86

22

NOT TO SCALE


27-7066

This portion retained
by Garth Holm



MICROFILMED

NOT TO SCALE



Assign to Ronald Esplin

PERMIT NO. 27-7066 (Name) Ronald Esplin
 EXAMINATION: DATE: 7-26-82 Accompanied by: Esplin

Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No.
GE	50	FRT623480	Johnston	11A


Measuring Device Type: Pitot Gauge
 Meter # Annubar # Size #

Remarks: SS sign across in A-427 on map to Esplin

Measurement calculations: ~~5/32~~ 5/32
 $\begin{array}{lcl} \text{#1} & \times & \text{64 psi} \quad 286.25 \quad \times \text{63 psi} \\ \text{#2} & \times & \text{62 psi} \quad 286 \quad \times \text{60 psi} \\ \text{#3} & \times & \text{62 psi} \quad 285 \quad \times \text{60 psi} \\ \text{#4} & \times & \text{60 psi} \quad 286 \quad \times \text{58 psi} \end{array}$
 #5 $\begin{array}{l} \times \\ 8 \text{ ft} \\ \times \end{array}$ 55 psi

SCHEMATIC DIAGRAM OF SYSTEM

Mainline Diameter Length



MICROFILMED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 27-7066 Priority September 24, 1976 Amount 0.86 cfs

THIS IS TO CERTIFY, that Ronald Esplin
of Shelley, Idaho, has complied with the terms and conditions of Permit
No. 27-7066 issued pursuant to Application for Permit dated September 24, 1976,
and has submitted proof to the Department of Water Resources on September 10, 1981,
that he has applied water to a beneficial use. an examination by the Department indicates that the works have a
capacity for the diversion of 1.52 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>November 1</u>	at <u>0.86</u> cfs and	<u>150.5</u> acre feet
_____	from _____ to _____	at _____ cfs and	_____
_____	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.86 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
150.5 acre feet per year, said waters to be diverted within the SE 1/4 NE 1/4 Section 20,
Twp 1S, Rge 37E in the County of Bingham

Description and location of place of use:

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1S	37E	17																4	4
		20	36			3													39

Total number of acres irrigated 43

MICROFILMED

516
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600

MICROFILMED

CONDITIONS OF APPROVAL

- a. Modifications to or variance from this license must be made within the limits of Section 42-222, **Idaho Code**, or the applicable Idaho Law. This right may be forfeited by five years of non-use.
- b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.
- c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

P/U in Sec. 17 is owned by Arthur &/or Garth Holm, Rt. 2, Box 90, Shelley, Idaho.

This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 28TH day of July, 19 86.

Acting for the Director



WATER RIGHT SPLIT

SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	27-7066	Arthur Holm &/or Garth Holm	1.70 cfs
Full Assignment	27-7066	Ronald Esplin	1.70 cfs

REPRODUCTION

State of Idaho
Department of Water Resources
ASSIGNMENT OF PERMIT

Garth Holm
Rt 2 Box 88
she
RECEIVED
MAY 18 1984

I, Garth Holm, hereby assign to Ronald Esplin Department of Water Resources
of Route #2, Shelley, Idaho 83274
Address

CHECK ONE



All my right, title, and interest in and to Permit No. 27-7066
to appropriate the public waters of the State of Idaho.



The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this 14th day of MAY, 19 84.

Garth Holm
Permit Holder


5/18/84

Ruthelda A. Holm
Spouse of Permit Holder

5/18/84

State of Idaho)
County of Donnerville) ss.

On this 14th day of MAY, 19 84, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.



Jamaine Robinson
Notary Public residing at

Idaho Falls

RECEIVED

MAY 16 1984

Department of Water Resources
Eastern District Office

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 27-7066

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,


WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows: "The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 18th day of August, 1978.


C. STEPHEN ALLRED
Director

RECORDED
INDEXED
AUG 21 1978

27 7066

Identification No. _____

Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
 (TYPE OR PRINT IN INK)

1. Name of applicant Arthur Holm &/or Garth Holm Phone: 346-6677
 post office address Rt. #2, Box 65, Shelley, Idaho 83724
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 20 Township 1S
Range 37E B.M. Bingham County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
 of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
 Amount 1.70 for irrigation purpose from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
 Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
 Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
 a. 1.70 cubic feet per second and/or
 b. _____ acre feet per annum.
6. Proposed diverting works:
 a. Description of ditches, flumes, pumps, headgates, etc. well, pump and sprinkler system

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
 Period of year during which storage will occur _____ to _____ inclusive.
(Mo., Day) (Mo., Day)
- c. Proposed well diameter is 12 inches; proposed depth of well is 100 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
 b. Estimated construction cost is \$ 30,000.
8. Description of proposed uses:
 a. If water is **not** for irrigation:
 (1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
 Range _____ B.M. _____
 (2) Amount of power to be generated: _____ hp under _____ feet of head.
 (3) List number of each kind of livestock to be watered _____

 (4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____
 (5) If water is to be used for other purposes describe: _____

APPROVED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1S	37E	17																5	5
		20	40			40													80

Total number of acres to be irrigated 85

c. Describe any other water rights used for the same purposes as described above. Snake River Valley Irrigation Company - 125"

9. a. Who owns the property at the point of diversion Applicant
- b. Who owns the land to be irrigated or place of use Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks NONE

R37E

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Garth Holm
(Applicant)

Priority 9-24-76

Received by me Date 9-24-76 Time 4:05 p.

Preliminary check by me Fee \$ 35.00

Receipted by me Date 9-24-76 # 2560

Publication prepared by me Date 9-28-76

Published in Blackfoot News

Publication dates Oct. 7 + 14, 1976

Publication approved me Date 10-20-76

Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EDF

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 27-7066, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 81.

c. Other: A measuring device of a type approved by the Director shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 4 day of November 19 76.

R. Karl Hjort
Director

RECEIVED

OCT 20 1976

Department of Water Resources
Eastern District Office

AFFIDAVIT of PUBLICATION

County of Bingham)

State of Idaho) ss.

I, David Mark Brown do

solemnly

Publisher

swear that I am the of
The Blackfoot News which is a daily newspaper of
general circulation published each day except Sunday
at Blackfoot, Bingham County, Idaho, said newspaper
having been so published at Blackfoot, aforesaid for
more than one year past; that said newspaper
heretofore complied with all the provisions of Chapter
154 of the Sessions Laws of Idaho of 1933, approved
March 11, 1933, and duly designated, pursuant to law, a
particular day of the week as the day on which legal
notices required by law or by the order of any Court of
competent jurisdiction within the State of Idaho shall
be published to-wit: Thurs of each week; that the
notice attached hereto and which is a part of this af-
fidavit and part of the proof of publication was,
published in said Thursday

..... issue of said newspaper ...2... consecutive

was the first publication having been made on
the 7th day of October, 76...

and the last publication having been made on the
11th day of Oct., 19 76...; that said

notice was published in the regular and entire issue of
every number of the paper as aforesaid during the
period and time of publication, and that notice was
published in the newspaper and not in a supplement.

David Mark Brown

Subscribed and sworn to before me this 19th

day of October 19 76.....

Patricia A. Johnson
Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, ~~1976~~ 1980

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that
Arthur Holm & or Garth Holm,
Shelley, Idaho, have on 9-24-76,
submitted Application No. 27-
7066, for a permit to ap-
propriate 1.70 cubic feet per
second of water from a ground-
water source by means of well
and pump within the
SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 20, T. 1S, R.
37E, B.M., Bingham County; to
be used from Apr. 1 to Nov. 1 for
the irrigation of 85 acres within
the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 17,
E $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 20, T. 1S, R. 37E,
B.M.

If issued, this permit will be
subject to all prior water rights.
Protests against the granting of
the permit must be filed with
the Idaho Department of Water
Resources, 1515 Lincoln Road,
Idaho Falls, Idaho, 83401, on or
before October 26, 1976.

R. KEITH HIGGINSON
Director

(4839)
Pub.: 10-7, 14

31

me

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 31, 1986

RE: Permit No. 27-7066

Ronald Esplin
Rt. 2
Shelley, ID 83274

Dear Mr. Esplin:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

RECEIVED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

July 3, 1986

RE: Permit No. 27-7066

Ronald Esplin

Rt. 2

Shelley, ID 83274

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

If you do not concur with the information shown on the draft license, please advise the Department within ten (10) days. If you have any questions, please let us know; otherwise, the license will be issued as identified on the draft copy.

Sincerely,

JIM JOHNSON

Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

27-7066

Permit No.

A + B portions

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 7-26-1982 Accompanied by Ron Esplin Total Q measured 1.52 cfs ✓

If source is surface water, estimate total flow of source

Methods of measurement Pitot Gauge Meets Permit requirements?

Measurement calculations:	#1 - 63 psi, 28b, 1/2" = 5.78 gpm x 28b = 161.84 gpm 5/32N	#4 - 59 psi, 28b, 1/2" = 5.60 gpm x 28b = 156.8 gpm 5/32N
V = 43 ac x 3.50 ft = 150.5 cfs ✓	#2 - 61 psi, 28b, 1/2" = 5.69 gpm x 28b = 159.32 gpm 5/32N	#5 - 55 psi, 8b, 1/2" = 5.39 gpm x 8b = 43.12 gpm 5/32N
V = 0.86 cfs x 1.985 ft x 214 ft = 365 cfs ✓	#3 - 61, 28b = 5.69 gpm x 28b = 159.32 gpm 5/32N	Total - 680.4 gpm or 1.52 cfs ✓ 43 ac x 0.02 cfs = 0.86 cfs

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	50	GE	FKJ623450	Johnston	NA	Pitot Gauge		

System Description well pump thru mainline to 5 sprinkler lines - Ground irrigated
belongs to 2 different parties (Garth Helm 4 acres) (Ron Esplin 39 acres)

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = 3.5 AFA/Acre

USE	Q (cfs)	V (afa)	FROM	TO
~~Part B~~ Irrigation (39 acres)	0.78	136.5	4-1	11-1
~~Part A~~ Irrigation (4 acres)	0.08	14.0	4-1	11-1
Irrigation (43 ac)	0.86	150.5 AFA	4-1	11-1
Total	0.86	150.5 AFA		

Remarks This pump also waters small acreage across road which belongs to
Garth Helm (sect. 17) - Do not recommend splitting right;
is all one system - kw

License Part B - should be assigned to Ronald Esplin, Firth ID.

License Part A - To Arthur + /or Garth Helm Rt 2 Box 90 Shelley, ID.


P/D overlap per VAX 5/12/86: none

Recommend R30

MICROFILMED


MAP (Attach Aerial Photo)

R37E



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: SE 1/4 NE 1/4 Sect. 20 T1S R37E

Place(s) of Use ☒

2-11-83
B-1-8

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1S	37E	17																4	4
1S	37E	20	36			3													39


Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ None
☐ Other

Examiner's Signature Thy Jones
 Checked by Keith Edlin
 Approved by Ray Walker


Date 12-19-83
 Date 14 Nov 1984
 Date 5-12-86

27-7066



MICROFILMED

NOT TO SCALE



MICROFILMED

NOT TO SCALE


Assign to Ronald Esplin

PERMIT NO. 27-7066 (Name) Ronald
 EXAMINATION: DATE: 7-26-82 Accompanied by: Esplin

Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No.
GE	50	FRT623480	Johnston	11A


Measuring Device Type: Pilot Gauge
 Meter # _____ Annubar # _____ Size # _____

Remarks: 955 ft across in A-427 on map
to Esplin



SCHEMATIC DIAGRAM OF SYSTEM

Mainline Diameter _____ Length _____



MICROFILMED

May 23, 1984

RE: Permit No. 27-7066

Ronald Esplin
Route #2
Shelley, ID 83274

Dear Mr. Esplin:

This office acknowledges receipt of the Assignment of the above referenced permit to you.

Enclosed for your records is a copy of the permit. Be sure to note the special conditions of approval on the fourth page that identify requirements necessary for developing the permit into a licensed water right.

In reviewing the permit, we find that the requirement for submitting proof of construction of works and application of water to beneficial use has been met. The next step towards licensing of the permit will be for our regional office to examine your water right system.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

KAY WALKER
Technical Records Specialist

KW:sc
Enclosures

RECEIVED
MAY 24 1984
FBI - SHELLEY

Permit No. 27-7066

ASSIGNMENT REVIEW CHECK LIST

1. Signature of Permit Holder? ✓
2. Notary? ✓
3. (a.) Full Assign?
b. Partial Assign?
4. "No assignment" condition on permit? NO
5. Commencement of works received? ~~YES~~ - proof in file
6. Affidavit of Residency required? NO

1. Type Permit Summary sheet ✓
2. Coding sheet ✓
3. Acknowledgement letter type #1a
4. Copy to region ✓

Date: 5/23/84

Employee: R. Walker

RECEIVED



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EASTERN REGION

John V. Evans
Governor

C. Stephen Allred
Director

1515 Lincoln Road
Idaho Falls, Idaho 83401
(208) 523-7186

Sept. 21, 1981

RE: Permit No. 27-7066

Arthur & Garth Holm
Rt. #2, Box 90
Shelley, Idaho 83274

Gentlemen:

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.

Very truly yours,

BOBBIE R. STEPHENS
Principal Clerk

cc: IDWR - State Office

RECEIVED

Arthur Holm
Route 2 Box 90
Shelley, Idaho 83827



RECEIVED



SEP 10 1981

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE

Department of Water Resources
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 27-7066

Name(s) of Permit Holder: HOLM, Arthur & Garth

Post Office Address: Route 2 Box 90

Shelley Idaho Tel. No. 346-6781

Source of Water: well

Extent of Use: ☐ Domestic _____ (number of households)
☐ Stockwater _____ (number and type of stock)
☒ Irrigation _____ (acres)
☐ Other _____

Measuring Device: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

Access Port: Required? ☒ Yes ☐ No Installed? ☒ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Sept. 8, 1981 Date Arthur Holm Signature of Permit Holder

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

HOLM, ARTHUR & GARTH
RT. 2 BOX 65
SHELLEY, ID 83724

#138497

AUGUST 31, 1981

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 27-7066 WAS THAT EVIDENCE OF THE EXTENT OF DEVELOPMENT MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE NOVEMBER 01, 1981. (SEE LAST PAGE OF YOUR APPROVED PERMIT). ENCLOSED IS A POST CARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF OF BENEFICIAL USE.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU HAVE NOT PREVIOUSLY RECEIVED AN EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME PROVIDED THE DELAY IS FOR REASONABLE CAUSE AS INDICATED IN SECTION 42-204, IDAHO CODE, AMENDED. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. A REQUEST FOR EXTENSION OF TIME FORM IS ENCLOSED FOR YOUR CONVENIENCE. PLEASE NOTE THAT A FEE OF \$15.00 MUST BE SUBMITTED WITH THIS FORM.

EITHER THE BENEFICIAL USE POST CARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE MENTIONED DATE, OTHERWISE, THE PERMIT WILL LAPSE AND BE OF NO FURTHER FORCE OR EFFECT WITHIN 60 DAYS.

SINCERELY,

RITA FLECK
SR. SECRETARY

ENCLOSURES

RECEIVED
AUG 31 1981



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 31, 1980

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the Regional Office nearest to you.

Sincerely,

David R. Tuthill Jr.

DAVID R. TUTHILL JR., P.E.
Supervisor, Water Allocations Section

DRT:jg

Enclosures

Northern Region Office
Rt. #5 Box 203, Government Way
Coeur d'Alene, Idaho 83814

Eastern Region Office
1515 Lincoln Road
Idaho Falls, Idaho 83401

Southern Region Office
1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301

Western Region Office
92 South Cole Road
Boise, Idaho 83705

NOTED
11/1/80

State of Idaho
Department of Water Resources

RECEIVED

JUN 30 1977

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

~~Department of Water Resources~~
Eastern District Office

1. WELL OWNER		7. WATER LEVEL																																									
Name <u>GARTH HOLM Holm</u>		Static water level <u>54</u> feet below land surface																																									
Address <u>RT 1 FIRTH IDAHO</u>		Flowing? ☐ Yes ☒ No G.P.M. flow _____																																									
Owner's Permit No. <u>27-7066</u>		Temperature _____ °F. Quality _____																																									
		Artesian closed-in pressure _____ p.s.i.																																									
		Controlled by ☐ Valve ☐ Cap ☐ Plug																																									
2. NATURE OF WORK		8. WELL TEST DATA																																									
☒ New well ☐ Deepened ☐ Replacement		☐ Pump ☐ Bailor ☐ Other																																									
☐ Abandoned (describe method of abandoning) _____		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 33%;">Discharge G.P.M.</th> <th style="width: 33%;">Draw Down</th> <th style="width: 33%;">Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>		Discharge G.P.M.	Draw Down	Hours Pumped																																					
Discharge G.P.M.	Draw Down	Hours Pumped																																									
3. PROPOSED USE		9. LITHOLOGIC LOG																																									
☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type) _____		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Hole Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td>12</td> <td>0</td> <td>2</td> <td>Clay</td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td>2</td> <td>20</td> <td>Clay @Gravel</td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td>20</td> <td>75</td> <td>SAND @ GRAVEL</td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td>75</td> <td>100</td> <td>GRAVEL @ SAND</td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td>GRAVEL</td> <td> </td> <td> </td> </tr> </tbody> </table>		Hole Diam.	Depth		Material	Water		From	To	Yes	No	12	0	2	Clay				2	20	Clay @Gravel				20	75	SAND @ GRAVEL				75	100	GRAVEL @ SAND						GRAVEL		
Hole Diam.	Depth		Material		Water																																						
	From	To		Yes	No																																						
12	0	2	Clay																																								
	2	20	Clay @Gravel																																								
	20	75	SAND @ GRAVEL																																								
	75	100	GRAVEL @ SAND																																								
			GRAVEL																																								
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection																																											
4. METHOD DRILLED																																											
☒ Cable ☐ Rotary ☐ Dug ☐ Other																																											
5. WELL CONSTRUCTION																																											
Diameter of hole <u>12</u> inches Total depth <u>100</u> feet																																											
Casing schedule: ☐ Steel ☐ Concrete																																											
<table border="0" style="width: 100%;"> <tr> <td>Thickness <u>12</u> inches</td> <td>Diameter <u>99</u> inches</td> <td>From <u>1</u> foot</td> <td>To <u>99</u> feet</td> </tr> <tr> <td><u>.250</u> inches</td> <td><u>99</u> inches</td> <td><u> </u> feet</td> <td><u> </u> feet</td> </tr> <tr> <td><u> </u> inches</td> <td><u> </u> inches</td> <td><u> </u> feet</td> <td><u> </u> feet</td> </tr> <tr> <td><u> </u> inches</td> <td><u> </u> inches</td> <td><u> </u> feet</td> <td><u> </u> feet</td> </tr> <tr> <td><u> </u> inches</td> <td><u> </u> inches</td> <td><u> </u> feet</td> <td><u> </u> feet</td> </tr> </table>		Thickness <u>12</u> inches	Diameter <u>99</u> inches	From <u>1</u> foot	To <u>99</u> feet	<u>.250</u> inches	<u>99</u> inches	<u> </u> feet	<u> </u> feet	<u> </u> inches	<u> </u> inches	<u> </u> feet	<u> </u> feet	<u> </u> inches	<u> </u> inches	<u> </u> feet	<u> </u> feet	<u> </u> inches	<u> </u> inches	<u> </u> feet	<u> </u> feet																						
Thickness <u>12</u> inches	Diameter <u>99</u> inches	From <u>1</u> foot	To <u>99</u> feet																																								
<u>.250</u> inches	<u>99</u> inches	<u> </u> feet	<u> </u> feet																																								
<u> </u> inches	<u> </u> inches	<u> </u> feet	<u> </u> feet																																								
<u> </u> inches	<u> </u> inches	<u> </u> feet	<u> </u> feet																																								
<u> </u> inches	<u> </u> inches	<u> </u> feet	<u> </u> feet																																								
Was casing drive shoe used? ☒ Yes ☐ No																																											
Was a packer or seal used? ☐ Yes ☒ No																																											
Perforated? ☒ Yes ☐ No																																											
How perforated? ☐ Factory ☒ Knife ☐ Torch																																											
Size of perforation <u>4</u> inches by <u> </u> inches																																											
<table border="0" style="width: 100%;"> <tr> <td>Number <u>280</u> perforations</td> <td>From <u>60</u> feet</td> <td>To <u>100</u> feet</td> </tr> <tr> <td><u> </u> perforations</td> <td><u> </u> feet</td> <td><u> </u> feet</td> </tr> <tr> <td><u> </u> perforations</td> <td><u> </u> feet</td> <td><u> </u> feet</td> </tr> </table>		Number <u>280</u> perforations	From <u>60</u> feet	To <u>100</u> feet	<u> </u> perforations	<u> </u> feet	<u> </u> feet	<u> </u> perforations	<u> </u> feet	<u> </u> feet																																	
Number <u>280</u> perforations	From <u>60</u> feet	To <u>100</u> feet																																									
<u> </u> perforations	<u> </u> feet	<u> </u> feet																																									
<u> </u> perforations	<u> </u> feet	<u> </u> feet																																									
Well screen installed? ☐ Yes ☒ No																																											
Manufacturer's name _____																																											
Type _____ Model No. _____																																											
Diameter _____ Slot size _____ Set from _____ feet to _____ feet																																											
Diameter _____ Slot size _____ Set from _____ feet to _____ feet																																											
Gravel packed? ☐ Yes ☒ No Size of gravel _____																																											
Placed from _____ feet to _____ feet																																											
Surface seal depth <u>20</u> Material used in seal ☐ Cement grout																																											
☒ Puddling clay ☒ Well cuttings																																											
Sealing procedure used ☐ Shurry pit ☐ Temporary surface casing																																											
☐ Overbore to seal depth																																											
6. LOCATION OF WELL		10.																																									
Sketch map location must agree with written location.		Work started <u>1-26-77</u> finished <u>2-7-77</u>																																									
		II. DRILLERS CERTIFICATION																																									
Subdivision Name _____		Firm Name <u>BARRUS BARRUS DRILLING & PUMP CO.</u>																																									
Lot No. _____ Block No. _____		Address <u>P.O. 146 basalt</u> Date _____																																									
County _____ bingham		Signed by (Firm Official) <u>L. M. Barrus</u>																																									
<u>SE 1/4 14E 1/4 Sec. 20 T. 1 N/S. R. 37 E/W</u>		and <u>Herb Butler</u>																																									
		(Operator)																																									

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT OF

November 9, 1976

Re: Permit No. 27-7066

Arthur &/or Garth Holm
Rt. #2, Box 65
Shelley, ID 83724

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 27-7066. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

Enclosure: Copy of permit

RECORDED
INDEXED
NOV 11 1976
FBI - ID

DEPARTMENT OF WATER RESOURCES
- STAFF ANALYSIS -

Item Initial Date

27 7066

Application No. _____

☒ Source
☒ Point of Diversion
☒ County
☒ Quantity of Water and Period of Use
☒ Description of Diverting Works
☒ Time required for B/U of water
☒ Place of Use or Acres Irrigated
☒ Map
☒ Signature
☒ Fee

(1) EMC 9/27/76

In form to receipt YES

(2) EMC 9/27/76

Send Copies to:

NA Idaho State Health Department
NA Idaho Fish and Game Department
NA Bureau of Land Management

(3) EMC 9/27/76

NA Request Special Use Permit from U.S.F.S.
NA Request Easement from B.L.M.
NA Request Information from Applicant

(4) EMC 9/27/76

In form for advertising YES.

(5) EMC 9/27/76

Platted on Map No. 15 37E Basin 27

(6) EMC 9/27/76

Located within Water District No. N.A.

(7) EMC 9/27/76

Critical groundwater area: yes _____ no X

(8) EMC 9/27/76

Groundwater levels:

_____ Declining, X Stable, _____ Increasing

(comment) _____

(9) EMC 9/27/76

Other rights on the same place of use - 125" of surface water.

(10) EMC 9/27/76

Comments: _____

(11) CW 10-20-76

Affidavit of Publication received (date) Oct. 20, 1976

(12) CW 10-26-76

Final date for protests October 26, 1976

Protests received: yes _____ no X

(13) FDJ 10/27/76

All requested information received from agencies or applicant: yes ✓ no _____

(14) " "

Action recommended:

✓ Approve _____ Deny

9/24/76 Proposed Priority

_____ Reason for Reduction _____

✓ Measuring device required

_____ See attached sheet for other conditions of approval

_____ No special conditions for approval

(15) District Eastern

By Logan Johnson

Date 10/27/76

Copy
M. M. M.

RECEIVED

October 1, 1976

RE: Application for Permit No. 27-7066 HOLM

Blackfoot News
P.O. Box 70
Blackfoot, Idaho 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

RONALD D. CARLSON
Supervisor,
Eastern Region

Bill submitted 10-20-76 by CW

RDC:CW

Enc: Legal Notice (1)

RECEIVED

LEGALS - Jackie

**NOTICE OF APPLICATION
FOR WATER PERMIT**

Notice is hereby given that Arthur Holm &-or Garth Holm, Shelley, Idaho, have on 9-24-76, submitted Application No. 27-7066, for a permit to appropriate 1.70 cubic feet per second of water from a ground-water source by means of well and pump within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 20, T. 1S, R. 37E, B.M., Bingham County; to be used from Apr. 1 to Nov. 1 for the irrigation of 85 acres within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 17, E $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 20, T. 1S, R. 37E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401, on or before October 26, 1976.

R. KEITH HIGGINSON
Director

(4839)

Pub.: 10-7, 14



NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Arthur Holm &/or Garth Holm,
Shelley, Idaho

have ~~XXX~~ on 9-24-76 submitted Application No. 27-7066
has on _____ submitted Application No. _____
for a permit to appropriate 1.70 cubic feet per second ~~acre feet per annum~~
of water from a ground-water source
by means of well and pump
within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 20, T. 1S, R. 37E, B.M., Bingham County;

to be used from Apr. 1 to Nov. 1
for the irrigation of 85 acres

within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 17, E $\frac{1}{2}$ NE $\frac{1}{4}$, Sec. 20, T. 1S, R. 37E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Resources, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before _____
October 26, 1976

R. KEITH HIGGINSON

Director

Published in the Blackfoot News, Blackfoot, Idaho

on October 7 and October 14, 1976

RECEIVED
OCT 21 1976

*me - H.A.
me - Cw-L.*