


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

GP0D of Idaho
Carl T. Thompson Jr.
(Applicant) Owner & Manager

27 7040

RECEIVED

JUN 6 1974

AFFIDAVIT of PUBLICATION

County of Bingham

State of Idaho

) ss.
)

I, David Mark Brown do solemnly

swear that I am the Publisher of The Blackfoot News which is a daily newspaper of general circulation published each day except Sunday at Blackfoot, Bingham County, Idaho, said newspaper having been so published at Blackfoot, aforesaid for more than one year past; that said newspaper heretofore complied with all the provisions of Chapter 154 of the Sessions Laws of Idaho of 1933, approved March 11, 1933, and duly designated, pursuant to law, a particular day of the week as the day on which legal notices required by law or by the order of any Court of competent jurisdiction within the State of Idaho shall be published to-wit: Friday of each week; that the notice attached hereto and which is a part of this affidavit and part of the proof of publication was, published in said

Friday issue of said newspaper 2 consecutive

weeks, the first publication having been made on

the 16th day of May, 1974,

and the last publication having been made on the

24th day of May, 1974; that said

notice was published in the regular and entire issue of every number of the paper as aforesaid during the period and time of publication, and that notice was published in the newspaper and not in a supplement.

David Mark Brown

Subscribed and sworn to before me this 24th

day of May, 1974

Patricia H. Johnson

Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1975

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that GPOD of Idaho, P.O. Box 514, Shelley, Idaho, has on 5-6-74, submitted Application No. 27-7040, for a permit to appropriate 0.55 cubic feet per second of water from a ground-water source by means of well and pump within the NW1/4NE1/4, Sec. 28, T. 1N, R. 37E, B.M., Bingham County; to

be used from Sept. 15 to June 15 for industrial purposes for processing potatoes for fresh pack and domestic purposes for 100 seasonal workers; all uses within the NW1/4NE1/4, Sec. 28, T. 1N, R. 37E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1515 Lincoln Road, Idaho Falls, Idaho, 83401, on or before June 3, 1974.

T. A. ROKEITH HIGGINSON

Director

(3840)

Pub.: 5-16, 23

33

27 7040





Diagram of System



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 27-7040 Priority May 6, 1974 Amount .55 cfs

THIS IS TO CERTIFY, that G. P. O. D. OF IDAHO
of Shelley, Idaho, has complied with the terms and conditions of Permit
No. 27-7040 issued pursuant to Application for Permit dated May 6, 1974,
and has submitted proof to the Department of Water Resources on May 18, 1979,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of .74 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Domestic</u>	<u>from September 15 to June 15</u>	<u>at .04 cfs and</u>	<u>.90 acre feet</u>
<u>Industrial</u>	<u>from September 15 to June 15</u>	<u>at .55 cfs and</u>	<u>111.68 acre feet</u>
	<u>from _____ to _____</u>	<u>at _____ cfs and</u>	

(both dates inclusive)

Subject, however, to the condition that no more than .55 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
112.58 acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 28, Twp. 1N,
Rge. 37E, B.M. in the County of Bingham

Description and location of place of use:

Twp.	Range	Sec.																	Totals
			NEW	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NEW	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NEW	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NEW	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
1N	37E	28																	

Total number of acres irrigated _____

Industrial use is potato processing,

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 15th day of
April, 19 81.

Director

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF REMOVAL OF THE MEASURING
DEVICE REQUIREMENT FOR PERMIT NO. 27-7040 }

ORDER

WHEREAS, it has been determined by the Department of Water Resources that a measuring device is not required at this time for a determination of the quantity of water appropriated under said permit;

IT IS, THEREFORE, HEREBY ORDERED that the condition of approval that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works, be and is, REMOVED from said permit.

Dated this 28th day of August, 1978.

L. Glen Saxton
L. GLEN SAXTON

Chief, Operations Bureau

RECEIVED

Identification No. 27 7040
Application No. _____

STATE OF IDAHO
DEPARTMENT OF WATER ADMINISTRATION

APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)

1. Name of applicant GPOD of Idaho
post office address P.O. Box 514, Shelley, Idaho 83274 Ph. 357-7646
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 28 Township 1N
Range 37E B.M. Bingham County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount .55 for Industrial purpose from Sept. 15 to June 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .04 for Domestic purpose from Sept. 15 to June 15 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. .55 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well, pump, and closed pressure system

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 12 inches; proposed depth of well is 175 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$ 11,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 28 Township 1N
Range 37E B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.
(5) If water is to be used for other purposes describe: Processing potatoes for fresh pack and toilet facilities for 100 seasonal workers.

27 7040

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. None


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks This plant operates approximately 9 months out of the year.
System is also part of fire protection system.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

OPOD of Idaho
Orville Thompson Jr.
(Applicant) Owner & Manager

27 7040

Proposed Priority 5-06-1974

27 7040

Received by CB Date 5/06/74 Time 11:35A.
Preliminary check by MB Fee \$ 25.00
Receipted by MB Date 5-06-74 # 12864
Publication prepared by MB Date 5-10-74
Published in The Blackfoot News
Publication dates May 16 + 23, 1974
Publication approved CB Date 6/06/74
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by NCY dv

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER ADMINISTRATION

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 27-7040, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 79.
- c. Other: A measuring device of a type approved by this Department shall be permanently installed and maintained as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 13th day of June 19 74.


Deputy Director

DEPARTMENT OF WATER ADMINISTRATION
- STAFF ANALYSIS -

Item	Initial	Date	
(1)	<u>RDC</u>	<u>5/6/74</u>	Application No. <u>6PDD</u>
(2)			☒ Source ☒ Point of Diversion ☒ County ☒ Quantity of Water and Period of Use ☒ Description of Diverting Works ☒ Time required for B/U of water ☒ Place of Use or Acres Irrigated ☒ Map ☒ Signature ☒ Fee
(3)	<u>11</u>	<u>11</u>	In form to receipt <u>YES</u>
	<u>11</u>	<u>11</u>	Send Copies to: ☒ Idaho State Health Department <u>NCY 6/6/74</u> ☐ Idaho Fish and Game Department ☐ Bureau of Land Management ☒ <u>SHIRL BOYCE</u>
(4)	<u>11</u>	<u>11</u>	☐ Request Special Use Permit from U. S. F. S. ☐ Request Easement from B. L. M. ☐ Request Information from Applicant
(5)	<u>11</u>	<u>11</u>	In form for advertising <u>YES</u>
(6)			Located within Water District No. _____
(7)	<u>11</u>	<u>11</u>	Critical groundwater area: yes _____ no ☒
(8)	<u>11</u>	<u>11</u>	Groundwater levels: _____ Decline (comment) _____ ☒ Stable (comment) <u>WIB #24 SHOWS NO OBS.W EL.</u> _____ Increasing (comment) <u>IN AREA</u>
(9)			Comments: _____
(10)	<u>MB</u>	<u>6/6/74</u>	Affidavit of Publication received (date) <u>June 6, 1974</u>
(11)	<u>11</u>	<u>11</u>	Final date for protests <u>June 3, 1974</u> Protests received: yes _____ no ☒
(12)	<u>11</u>	<u>11</u>	Date and Place of hearing <u>N.A.</u> Decision reached at hearing <u>N.A.</u>
(13)	<u>NCY</u>	<u>11</u>	All requested information received from agencies or applicant yes ☒ no _____
(14)	<u>11</u>	<u>11</u>	Action recommended: ☒ Approve Priority <u>5/6/74</u> ☐ Deny Reason for Reduction _____ ☒ Measuring device required ☐ See attached sheet for additional conditions of approval ☒ No additional conditions for approval
(15)	District <u>E</u>	By <u>NC</u>	Date <u>6/6/74</u>

RECEIVED
JUN 20 1974
Department of Water Administration

27 7040 Copy
B. J.

RECEIVED

JUN 6 1974

AFFIDAVIT of PUBLICATION

County of Bingham }
State of Idaho } ss.

I, David Mark Brown do solemnly

swear that I am the Publisher of The Blackfoot News which is a daily newspaper of general circulation published each day except Sunday at Blackfoot, Bingham County, Idaho, said newspaper having been so published at Blackfoot, aforesaid for more than one year past; that said newspaper heretofore complied with all the provisions of Chapter 154 of the Sessions Laws of Idaho of 1933, approved March 11, 1933, and duly designated, pursuant to law, a particular day of the week as the day on which legal notices required by law or by the order of any Court of competent jurisdiction within the State of Idaho shall be published to-wit: Friday of each week; that the notice attached hereto and which is a part of this affidavit and part of the proof of publication was, published in said

Friday issue of said newspaper 2 consecutive weeks, the first publication having been made on the 16th day of May, 1974...

and the last publication having been made on the 24th day of May, 1974...

that said notice was published in the regular and entire issue of every number of the paper as aforesaid during the period and time of publication, and that notice was published in the newspaper and not in a supplement.

David Mark Brown

Subscribed and sworn to before me this 24th day of May, 1974...

Patricia A. Johnson

Notary Public for the State of Idaho,
Residing at Blackfoot, Idaho
My commission expires
Oct. 20, 1975

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that GPOD of Idaho, P.O. Box 514, Shelley, Idaho, has on 5-6-74, submitted Application No. 27-7040, for a permit to appropriate 0.55 cubic feet per second of water from a ground-water source by means of well and pump within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 28, T. 1N, R. 37E, B.M., Bingham County; to be used from Sept. 15 to June 15 for industrial purposes for processing potatoes for fresh pack and domestic purposes for 100 seasonal workers; all uses within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 28, T. 1N, R. 37E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1515 Lincoln Road, Idaho Falls, Idaho, 83401, on or before June 3, 1974.

T. ROBERT H. GUNSON
Director
(3840)
Pub.: 5-16, 23 **33**



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

C. STEPHEN ALLRED

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

April 16, 1981

G.P.O.D. of Idaho
P.O. Box 514
Shelley, Idaho 83274

Dear Sirs,

RE: License No. 27-7040

Enclosed is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:mr

Enclosure



TOTAL ACREAGE_____





Diagram of System



DATE OF EXAM 7th day of August, 1979

ACREAGE

Found n/a

Recommended n/a

Irrigation Requirement 74

Ac Ft/Ac

USE

Irrigation Q = 0.07 c.f.s.

V = 112.58

AF/Ann. from 9-15 to 6-15

Domestic Q = 0.07 c.f.s.

V = 112.58

AF/Ann. from 9-15 to 6-15

Livestock Q = 0.55 c.f.s.

V = 112.58

AF/Ann. from 9-15 to 6-15

Industrial Q = 0.55 c.f.s.

V = 112.58

AF/Ann. from 9-15 to 6-15

Q total = 0.55 c.f.s.

V total = 112.58

AF/Ann. from 9-15 to 6-15

Is water co-mingled? yes no X

Name source: n/a

twp. N/S, Rge E/W, B.M., Sec. 1/4

Sub. 1/4

County

Exchange? yes no X

Name source exchanged with: n/a

twp. N/S, Rge E/W, B.M., Sec. 1/4

Sub. 1/4

County

Point of injection: n/a

twp. N/S, Rge E/W, B.M., Sec. 1/4

Sub. 1/4

County

Point of exchange: n/a

twp. N/S, Rge E/W, B.M., Sec. 1/4

Sub. 1/4

County

Total Q measured 74 cfs (theoretical)

Method of measurement Theoretical *

Total Q recommended 0.55 cfs

Meter No. n/a

Type n/a

Condition n/a

Total V recommended 112.58

Recommended Amendments:

P.D. None

Place of Use None

Other None

MEASUREMENT CALCULATION

$$Q = \frac{(HP)(\text{pump eff})(8.814)}{(SWH) + (\text{friction loss})}$$

$$= \frac{(20)(.80)(8.814)}{(97) + (40)(2.31)}$$

$$= \frac{141.024}{189.40}$$

$$= 0.74 \text{ cfs}$$

$$Q_{\text{dom}} = .07 \text{ cfs} \quad V_{\text{dom}} = 1.20 \text{ AF/yr by assignment} \times .75 \text{ yr} = .90 \text{ AF/yr}$$

$$Q_{\text{ind}} = \text{recommended } .55 \text{ cfs} \quad V_{\text{ind}} = 1.9835 \text{ AF/yr} \times 213 \text{ days} \times .55 \text{ cfs} \times 375 \text{ ft} = 112.58 \text{ AF/yr}$$

Allow as per permit

SYSTEM DESCRIPTION:

Groundwater is pumped by a 20 HP submersible pump (motor) unknown make model & F.D. (from) a 150 deep 17" diam well. SWH = 97' operating pressure range = 40-60 psi. Water is used for potato processing - washing and transport of hussets from storage bins to sorting tables. Water is also used for domestic purposes by employees. Water used for potato processing can be recycled.

REMARKS

*System is not measurable.
System shown & described by Bob Wilkins.
Domestic use - (downstairs) men's room - 1 urinal, 2 toilets, 1 sink.
women's room - 3 sinks, 3 toilets. (upstairs) - men's room - 1 sink, 1 toilet; women's room - 1 sink, 1 toilet. Also 1 deep sink in the

Examiner's Signature Anthony R. Kozlowski

Date 2-6-80

Checked by Jon D. Carlson

Date 4/1/80

Approved by [Signature]

Date 3/24/81

employees lunch room, 3 drinking fountains in corridors and various fountains.
Potato processing - water is conveyed thru a 10" diam pipe to the front of 8 potato bins. Potatoes are emptied into a flume by conveyor belts into the bottom of the bins. Water is open discharged into the flume for purposes of washing hussets.

The potatoes are actually washed in the flume however, a overhead sprinkler system runs continuously in order to wash residue off potatoes.

Volume - This plant is not operated year round. The operating season begins on the 15th day of sept. and terminates on the 15th day of June. During this period the plant and associated water delivery systems are in use for 9 hrs/day - 5 days a week.

WATER

WATER RIGHT NUMBER 27-7040

WATER RIGHTS EDIT REPORT

07/30/79

PAGE 59

ACT

ION

N OWNER LAST NAME - G.P.O.D. OF IDAHO

N ADDRESS LINE 1 - P.O. BOX 514

N CITY - SHELLEY

STATE - ID ZIP CODE - 83274

N SOURCE - GROUNDWATER

N STAGE - PERMIT

PRIORITY - 05-06-1974

COUNTY - BINGHAM

TOTAL DIV. RATE -

.5500CFS

N DIVERSION POINT - NWNE 28 01N 37E

N FROM - 09-15 TO - 06-15 USE - INDUSTRIAL

USE DIV. RATE - .5500CFS

N FROM - 09-15 TO - 06-15 USE - DOMESTIC

USE DIV. RATE - .0400CFS

N USE - INDUSTRIAL PLACE OF USE - TWN 01N RNG 37E SEC 28 TRACT NWNE

N NON IRRIG USE - I/POTATO PROCESSING D/100 WORKERS.

N PROOF DUE - 06-01-1979 PERMIT/DENIED - 06-13-1974

N DIVERSION MEANS - WELL, PUMP & PRESSURE SYSTEM.

IDENT. NO. 27-7040

IDAHO DEPARTMENT OF WATER RESOURCES

WATER RIGHT
DATA ENTRY LOG

[illegible]

- DATA ENTRY -

Record

2. Address: P.O. Box 514

3. City: Shelley State: ID Zip: 83274

4. A. Source of Water: gw

B. Tributary of:

5. A. Stage (A,P,L,D,S,J): P

B. Status (D,L,R,C,A,I,F - leave blank if valid):

C. Priority Date: 5-6-1974

D. County: 11

E. Total Diversion Rate: .55

F. Total Diversion Volume:

G. Transfer/Amendment (P,T of A or blank):

H. Water District:

I. DLE/Carey Act (D,C or blank):

J. Right Basis (for adjudication claims A,B,C only):

	<u>Tract</u>	<u>Sec.</u>	<u>Twp.</u>	<u>Rge.</u>	<u>Gov't</u> <u>Lot</u>	<u>Rediv.</u>
6. A. Point of Diversion	<u>NWNE</u>	<u>28</u>	<u>1N</u>	<u>37E</u>		

7. Period of Use, Use, Diversion Rate/Volume:

[illegible]

8. Use Code: 7

[illegible]

9. A. Decree Name:

B. Decree Date:

10. Remarks: A.

B.

C.

D.

E.

11. Other Uses (Non-irrigation explanatory information):

I/potato processing D/100 workers

12. Other Rights for Same Use:

13. A. Proof Due Date: 6-1-1979

B. Date Permit Approved or Denied: 6-13-1974

C. Protested Date:

D. Hearing Date:

E. Old Number:

F. Proof Made (P or blank):

G. Field Exam Made (P,R,F or blank):

H. Conditions of Approval:

14. Diversion Means (brief narrative): *well, pump & pressure system.*

June 28, 1979

RE: Permit No. 27-7040

GPOD of Idaho
P.O. Box 514
Shelley, Idaho 83274

Gentlemen:

We acknowledge receipt of the proof of beneficial use card submitted for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field examination, please contact our eastern regional office.


Very truly yours,

COLLEEN WRAY
Sr. Secretary

cc: IDWR - State Office

MICROFILMED

GPOD of Idaho
P.O. Box 5147
Shelley Idaho 83274



RECEIVED



MAY 18 1979

IDAHO DEPARTMENT OF WATER RESOURCES
Department of Water Resources
STATEHOUSE
BOISE, IDAHO 83720

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 27-7040

Name(s) of Permit Holder: GPOD of Idaho

Post Office Address: P.O. Box 514
Shelley, Idaho 83274

Source of Water: Ground water

Extent of Use: ☒ Domestic 2 (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☒ Other Industrial

Measuring Device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

Access Port: Required? ☐ Yes ☒ No Installed? ☐ Yes ☒ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

5-17-79
Date

Jeff Thompson Jr.
Signature of Permit Holder



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

CERTIFIED MAIL

March 30, 1979

Re: Permit No. 27-7040

103726

GPOD of Idaho
P. O. Box 514
Shelley, ID 83274

Gentlemen:

One of the conditions of approval of your water Permit No. 27-7040 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before June 1, 1979. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise, the permit will lapse and be of no further force or effect.


RITA FLECK
Water Rights

Encl: Proof affidavit

MICROFILMED



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 373 W. Franklin Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 384-2215

NOV 22 1979

Dear Wateruser:

The enclosed Order removes the measuring device requirement as a condition of approval from your permit.

If you have installed the measuring device, the field examination can be more expediently conducted by the Department's field examiner as well as you will derive benefit from water management information which may be obtained from the installed meter.

If you have questions regarding this matter, please contact this office or our regional offices.

Sincerely,

L. GLEN SAXTON
Chief, Operations Bureau

LGS:JG:kw

Enclosure

NOV 22 1979

Water Rights

XXXXXXXXXXXXXX

1515 Lincoln Road

January 7, 1974

General Potato & Onion Company
150 E. Utah Avenue
Idaho Falls, Idaho 83401

Gentlemen:

We have received a well drillers report indicating that a well was drilled for you in the NW-NE-SE, Sec. 28, T. 1N, R. 37E, Bonneville County.

A review of our records indicates that you have not filed an application for a permit to appropriate the public water of the State of Idaho. Since March 25, 1963, an application has been required prior to construction of a well and a valid permit must be obtained before ground water may be diverted. The only exception to this requirement is a well drilled for stock-watering or single family household use and water used for all other purposes, including irrigation of one-half acre of land in connection with the household use where the total use does not exceed 13,000 gallons of water per day.

If you have already filed an application, which we over-looked in the review of our records, please advise us of the number of the application or the name under which the application was filed. However, if you have not yet filed the required application, you should do so as soon as possible. You may obtain the forms upon request from this office.

If you have any questions, please do not hesitate to contact this office.

Very truly yours,

LOY H. JOHNSON
Water Resource Supervisor

LHJ:cb

cc: IDWA - State Office

Application #27-7040 filed 5/6/74 - CB

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

[illegible]

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE, BLUE, AND PINK COPIES TO THE DEPARTMENT

June 13, 1974

Re: Permit No. 27-7040

GPOD of Idaho
P. O. Box 514
Shelley, Idaho 83274

Gentlemen:

Enclosed is a copy of your approved Application for Permit No. 27-7040. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note that a special condition requiring you to install and maintain a measuring device at your point of diversion has been placed upon your permit. We are enclosing a letter describing different types of measuring devices accepted by this office.

Sincerely,

BOBBY D. FLEENOR
Assistant Director

BDF/bjg

Enclosures

27 7040

June 6, 1974

Re: Application for Permit No. 27-7040

Mr. Howard L. Burkhardt
Sr. Public Health Engineer
Idaho Dept. of Health
316 North 7th Street
Pocatello, Idaho 83201

Dear Mr. Burkhardt:

We are enclosing a copy of an application that may be of interest to your agency. Since we failed to send the copy the date the application was received, please submit any comments to this Department as soon as possible as the application is being forwarded to our State office for final action this date.

If we may be of further assistance, please contact us.

Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:MB

Enclosure

27 7040

June 3, 1974

C
Re: Application for Permit No. 27-7040 GPOD of Idaho
" " " No. 35-7417 Saxton

P
The Blackfoot News
P.O. Box 70
Blackfoot, ID 83221

Gentlemen:

P
Would you please submit affidavits of publication and certified bills in connection with the above referenced applications. The legal notices were to have been published in your paper on May 16 and May 23, 1974.

Your cooperation in this matter is greatly appreciated.

Y
Very truly yours,

NORMAN C. YOUNG
District Engineer

NCY:MB

27 7040

May 10, 1974

Re: Application for Permit No. 27-7040 GPOD of Idaho
No. 35-7417 SEXTON

The Blackfoot News
P.O. Box 70
Blackfoot, ID 83221

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted, assuming the notice is correct. If we have any corrections, we will notify you before the first publication. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill.

Very truly yours,

NORMAN C. YOUNG
District Engineer

Bill submitted 6-6-74 by MB

NCY:MB
Enc: Legal Notices (2)

27 7040

MS
**NOTICE OF
APPLICATION FOR
WATER PERMIT**

Notice is hereby given that GPOD of Idaho, P.O. Box 514, Shelley, Idaho, has on 5-6-74, submitted Application No. 27-7040, for a permit to appropriate 0.55 cubic feet per second of water from a ground-water source by means of well and pump within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 28, T. 1N, R. 37E, B.M., Bingham County; to be used from Sept. 15 to June 15 for industrial purposes for processing potatoes for fresh pack and domestic purposes for 100 seasonal workers; all uses within the NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 28, T. 1N, R. 37E, B.M.

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Idaho Department of Water Administration, 1515 Lincoln Road, Idaho Falls, Idaho, 83401, on or before June 3, 1974.

R. KEITH HIGGINSON
Director

(3840)

Pub.: 5-16, 23

27-7040

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that CPON of Idaho,
P.O. Box 514, Shelley, Idaho
has on 5-6-74 submitted Application No. 27-7040
for a permit to appropriate 0.55 cubic feet per second acre feet per annum
of water from a ground water source
by means of well and pump
within the NW 1/4, Sec. 28, T. 1N, R. 37E, B.M. Bingham County;

to be used from Sept. 15 to June 15
for industrial purposes for processing potatoes for fresh pack and domestic
purposes for 100 seasonal workers; all uses
within the NW 1/4, Sec. 28, T. 1N, R. 37E, B.M.

If issued, this permit will be subject to all prior water rights. Protests
against the granting of the permit must be filed with the Idaho Department of
Water Administration, 1515 Lincoln Road, Idaho Falls, Idaho, 83401 on or before
June 3, 1974.

R. KEITH HIGGINSON
Director

Published in the Blackfoot News, Blackfoot, Idaho
on May 16 and May 23, 1974.

27 7040

CB-L
CB-M
CB-A

May 9, 1974

C
Re: Application for Permit No. 27-7040

Mr. Shirl C. Boyce, Jr.
Idaho State Planning & Community Affairs Agency
Regional Office, Idaho State University
Box 73
Pocatello, Idaho 83201

Dear Mr. Boyce:

D
We are enclosing a copy of an application that may be of interest to your agency. Please review the application and if you have any comments, please submit them to our Department as soon as possible. The last date of protest is June 3, 1974, and we are required to take final action shortly thereafter.

If we may be of further assistance, please contact us.

Y
Very truly yours,

RONALD D. CARLSON
Asst. to District Engineer

RDC:MB

Enclosure

27 7040

May 6, 1974

GPOB of Idaho
P.O. Box 514
Shelley, Idaho 83274

Gentlemen:

Attached herewith is departmental receipt No. 12864 in the amount of \$25.00 for the Application for Permit which was received in this office this date.

If we may be of further assistance, please contact us.

Very truly yours,

RONALD D. CARLSON
Asst. to the District Engineer

RDC:MB

Attachment