


Complete the following map by showing land and point of diversion as proposed by this amendment. Show 40-acre subdivisions, townships, ranges and ditches.



Scale: 2 inches equal 1 mile

That no one will be injured by such change, and that such change will be made at permit holders own risk.

Signed at Shelley, Idaho, this 23 day of Jan., 19 75.

Amel W. Fielding
(signature)


ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, R. KEITH HIGGINSON, Director of the Department of Water Resources
hereby approve the above application for amendment for Permit No. 27-7003.

Witness my hand this 28 day of January, 19 75.

R. Keith Higgins
Director

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Paul W. Fielding
(Applicant)

NOTICE OF APPLICATION
FOR WATER

Notice is hereby given that Arvel W. Fielding, Route No. 1, Shelley, Idaho, has on March 18, 1968, applied for permit to divert 6.4 cubic feet per second of water from a subterranean source under application No. 27-7003. Water will be diverted by a well, pump, and sprinklers within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, sec. 25, T. 1 S., R. 37 E. B.M., Bingham County and is to be used from March 1 to November 30 for irrigation and from January 1 to December 31 for domestic use in the S $\frac{1}{2}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, sec. 25: N $\frac{1}{2}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ NW $\frac{1}{4}$, sec. 36, T. 1 S., R. 37 E. B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last publication of this notice.

R. KEITH HIGGINSON,
State Reclamation Engineer
Published in the Shelley Pioneer
on April 4 and April 11, 1968.

Affidavit of Publication

I, Miriam Mitchell
co-publisher of the
SHELLEY PIONEER, published weekly at Shelley, Idaho, do solemnly swear that a copy of the notice, as per clipping attached was published weekly in the regular and entire issue of said newspaper, and not in

any supplement thereof, for 2 consecutive weeks, commencing with the issue dated April 4, 1968, and ending with the issue dated April 11, 1968.

Subscribed and sworn to before me this 15th day of

April, 1968

Ruby Nielsen
Notary Public

RECEIVED
APR 17 1968
Department of Reclamation

bill submitted 4-17-68

27-7003

T
1
S





Diagram of System



111



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 27-7003 Priority March 19, 1968 Amount 5.24 cfs

THIS IS TO CERTIFY, that ARVEL W. FIELDING
of Shelley, Idaho, has complied with the terms and conditions of Permit
No. 27-7003 issued pursuant to Application for Permit dated March 18, 1968,
and has submitted proof to the Department of Water Resources on November 2, 1973 (late proof),
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 5.24 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Stockwater	from <u>Sept. 15</u> to <u>Dec. 15</u> at <u>0.09</u> cfs and	<u>1.4</u> acre feet	
Irrigation	from <u>March 1</u> to <u>Nov. 30</u> at <u>5.24</u> cfs and	<u>1,015</u> acre feet or <u>3.5</u> af per acre	
	from _____ to _____ at _____ cfs and		

(both dates inclusive)

Subject, however, to the condition that no more than 5.24 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
1,016.4 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 25,
Twp. 1 S, Rge. 37-E, B.M. in the County of Bingham

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
1 S	37 E	25									33	34			28	24			119
		36	40	38	12	4	36	24		17									171
Stockwater Use:																			
1 S	37 E	25									X								

Total number of acres irrigated 290

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 28 day of
January, 19 75.

Director

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR AMENDMENT

RECEIVED

JAN 27 1975

Department of Water Resources

Permit No. 27-7003

Comes now Arvel W. Fielding of (address) _____

Shelley, Idaho, and represents to the Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 27-7003, and requests that the permit and permit map be changed as follows:

NO CHANGE

1. Point of diversion: _____ $\frac{1}{4}$ _____ $\frac{1}{4}$, Sec. _____ Twp. _____

Rge. _____, B.M., County of _____. Other points of diversion:

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

Amount .09 for Stockwater purposes from 9/15 to 12/15 (both dates inclusive)

Amount 5.24 for Irrigation purposes from 3/01 to 11/30 (both dates inclusive)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)

(cfs or acre feet per annum) TOTAL: 5.24 cfs

3. Place of use or land to be irrigated:

TWP	RANGE	SEC	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				TOTALS
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
1 S	37 E	25											33	34			28	24	119
		36	40	38	12	4	36	24		17									171
Stockwater Use:																			
1 S	37 E	25											X						

Total number of acres to be irrigated

290

MICROFILMED

Identification No. 27-7003
Application No. 42373

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

1. Name of applicant Arvel W. Fielding
post office address Route 1, Shelley, Idaho
2. Source of water supply Subterranean which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 25 Township 1 S
Range 37 E B.M. Bingham County; additional points of diversion if any: _____
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M.
4. Quantity to be appropriated:
a. 6.4 c.f.s. cubic feet per second and/or
b. _____ acre feet per annum will be stored.
5. Water will be used for the following purposes:
Irrigation purpose from March 1 to November 30 (both dates inclusive)
Domestic purpose from January 1 to December 31 (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well, pump column, well casing, pump, discharge head, mainline and laterals

b. Height of storage dam _____ feet; active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet; materials used in storage dam: _____

c. Proposed well diameter is 20 inches; proposed depth of well is 611 feet. 350
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$ 37,500.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 25 Township 1 S
Range 37 E B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

27-7003

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1S	37 E	25											40	40			40	40	160
1S	37 E	36	40	40			40	40											160

Total number of acres to be irrigated 320

c. Describe any other water rights used for the same purposes None


9. a. Who owns the property at the point of diversion Bryce Fielding

b. Who owns the land to be irrigated or place of use Arvel W. Fielding and Bryce Fielding

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Bryce Fielding is the son of Arvel W. Fielding. Bryce Fielding will file an acknowledgement authorizing the same. Bryce Fielding owns the SW¼SW¼ of Sec. 25. All other land is owned by Arvel W. Fielding.

10. Remarks The well in Section 25 and the land to which its water will be applied is uesed in conjunction with Mr. Fielding's present farm which takes in all of Section 36 and that portion of Section 1 North of the County Road. Mr. Fielding is obtaining water in Section 1 and Section 36 from a pump located on the Blackfoot River and from a well situated in Section 36. He does not believe that any of said water is appurtenant to any of the ground indicated in this permit.

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Paul W. Fielding
(Applicant)

Received by ef Date 3-18-68 Time 8:00am
Preliminary check by SP Fee \$ 50.00
Receipted by ef Date 3-19-68
Publication prepared by TS Date 3-29-68
Published in Shelley Pioneer
Publication dates 4-4 and 11-68
Publication approved TS Date NO TS
Priority reduced to _____ Reason _____

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by ASA Deane

APPROVED

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 27-7003, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 73.
- c. Other: The applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 13 day of May, 19 68.

R. Keith Higgins
State Reclamation Engineer

BEFORE THE DEPARTMENT OF WATER ADMINISTRATION
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 27-7003)
IN THE NAME OF ARVEL W. FIELDING)
_____)

ORDER OF REINSTATEMENT

WHEREAS, on March 18, 1968, Arvel W. Fielding filed with the Department of Water Administration (formerly the Department of Reclamation) an application for permit to appropriate 6.4 cubic feet per second of water from a ground water source within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 25, Twp. 1S, Rge. 37E, B.M., Bingham County, to be used for irrigation and domestic purposes; and,

WHEREAS, on May 13, 1968, the Department approved said application and issued Permit No. 27-7003 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before May 1, 1973; and,

WHEREAS, on April 5, 1973, the Department extended the time within which to submit proof of beneficial use to November 1, 1973; and,

WHEREAS, on August 31, 1973, the Department notified the permit holder by certified mail that proof of beneficial use was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on November 1, 1973, Permit No. 27-7003 automatically lapsed; and,

WHEREAS, on November 2, 1973, the Department received the required proof of beneficial use of water; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within 60 days from the date of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 27-7003 be REINSTATED and the priority advanced to March 19, 1968.

Dated this 15th day of November, 1973.


A. KENNETH DUNN
Deputy Director

27 7003

BEFORE THE DEPARTMENT OF WATER ADMINISTRATION
OF THE
STATE OF IDAHO

IN THE MATTER OF Extending the Proof Due)
Date Under Permit No. 27-7003 in the name)
of ARVEL W. FIELDING)

ORDER

WHEREAS, on March 18, 1968, Arvel W. Fielding filed with the Department of Water Administration (formerly the Department of Reclamation) an application for permit to appropriate 6.4 cfs of water from a ground water source within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, Sec. 25, Twp. 1 S, Rge. 37 E, B.M., Bingham County, to be used for irrigation and domestic purposes; and,

WHEREAS, on May 13, 1968, the Department approved said application and issued Permit No. 27-7003 with the condition that proof of construction of works and application of water to beneficial use be submitted to the Department on or before May 1, 1973, and that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,


WHEREAS, on March 1, 1973, the Department notified the permit holder by certified mail that proof of beneficial use was due and instructed the permit holder as to the steps to be taken to make said proof; and,

WHEREAS, on March 29, 1973, the Department received a request from the permit holder asking for an extension of time within which to install the required measuring device; and,

WHEREAS, it has been determined by the Department that sufficient cause has been shown to grant an extension of time;

IT IS, THEREFORE, HEREBY ORDERED that the time within which to submit proof of beneficial use of water under Permit No. 27-7003 be and is EXTENDED to November 1, 1973.

Dated this 5 day of April, 1973.


R. KEITH HIGGINSON
Director

27 7003

BDF:DR

STATE OF IDAHO
OFFICE OF STATE RECLAMATION ENGINEER
POWER OF ATTORNEY

RECEIVED
MAR 18 1968
Department of Reclamation

The undersigned owner (s) of Permit (Application) No. _____
of the State Reclamation Engineer of the State of Idaho hereby nominates
and appoints Alva A. Harris, whose address is
171 South Emerson, Shelley, Idaho, as attorney-in-fact, with full author-
ity to act for and on behalf of the undersigned in all matters pertaining
to Application or Permit. Such acts shall include, but not be limited
to the filing of applications, receiving of all notices, the signing and
filing of applications for extension of time and for amendment of said
Permit, and the submission of proofs of completion of works and beneficial
use of water.

Dated this 27th day of February, 1968.

STATE OF IDAHO)
County Bingham) ss

On this 27th day of February 1968, personally
appeared before me the signer (~~ss~~) of the above instrument, who duly
acknowledged to me that he (~~ss~~) (~~they~~) executed the same.

My Commission expires: 1-2-69

Ruby Nielsen
Notary Public
Residing at Shelley, Idaho

27-7003

**NOTICE OF APPLICATION
FOR WATER**

Notice is hereby given that Arvel W. Fielding, Route No. 1, Shelley, Idaho, has on March 18, 1968, applied for permit to divert 6.4 cubic feet per second of water from a subterranean source under application No. 27-7003. Water will be diverted by a well, pump, and sprinklers within the SW $\frac{1}{4}$ SW $\frac{1}{4}$, sec. 25, T. 1 S., R. 37 E. B.M., Bingham County and is to be used from March 1 to November 30 for irrigation and from January 1 to December 31 for domestic use in the S $\frac{1}{2}$ SW $\frac{1}{4}$, S $\frac{1}{2}$ SE $\frac{1}{4}$, sec. 25: N $\frac{1}{2}$ NE $\frac{1}{4}$, N $\frac{1}{2}$ NW $\frac{1}{4}$, sec. 36, T. 1 S., R. 37 E. B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last publication of this notice.

R. KEITH HIGGINSON,
State Reclamation Engineer
Published in the Shelley Pioneer
on April 4 and April 11, 1968.

Affidavit of Publication

I, Miriam Mitchell
co-publisher of the
SHELLEY PIONEER, published weekly at Shelley, Idaho, do solemnly swear that a copy of the notice, as per clipping attached was published weekly in the regular and entire issue of said newspaper, and not in any supplement thereof, for 2 consecutive weeks, commencing with the issue dated April 4, 1968, and ending with the issue dated April 11, 1968.

Subscribed and sworn to before me this 15th day of


April, 1968

Ruby Nielsen
Notary Public

bill submitted 4-17-68

27-7003

RECEIVED
APR 17 1968
Department of Reclamation





STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Cecil D. Andrus
Governor

R. Keith Higginson
Director

Statehouse
Boise, Idaho 83720
(208) 384-2215

January 20, 1975

Re: Permit No. 27-7003

Mr. Arvel Fielding
Route 1
Shelley, Idaho 83274

Dear Mr. Fielding:

Enclosed herewith is a copy of the water license issued on the above referenced permit.

We are also enclosing a copy of the approved amendment along with Receipt No. 712 in the amount of \$10.00 covering the amendment fee.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:fr

Enclosures

MICROFILMED

WATER RESOURCE BOARD:

John F. Streiff
Chairman

Franklin Jones
Member

George L. Yost
Vice-Chairman

M. Reed Hansen
Member

Donald R. Kramer
Secretary

Scott W. Reed
Member

Edwin C. Schlender
Member

Joseph H. Nettleton
Member

January 22, 1975

Mr. Arwel Fielding
Route 1
Shelley, Idaho 83274

Dear Mr. Fielding:

A representative of this Department has made an examination of the works covered by your Permit, No. 27-7003 and has found the following:

Quantity of water diverted: 5.24 cfs

Amount of water that can be recognized as beneficially used under Idaho law: 5.24 cfs

The maximum quantity diverted shall not exceed 1,016.4 acre feet per year.

Beneficial use: For irrigation of 290 acres within the S¹/₂SW¹/₄, S¹/₂SE¹/₄, Sec. 25; NE¹/₄, N¹/₂NW¹/₄, SE¹/₂NW¹/₄, Sec. 36; and for stockwater purposes within the SW¹/₄SW¹/₄, Sec. 25; All in Twp. 1S, Rge. 37E

Point of diversion: SW¹/₄SW¹/₄, Sec. 25, Twp. 1S, Rge. 37E, R.M.

Priority date established: March 19, 1968

The beneficial use and the place of use was found by our examiner to differ from that listed on your permit, therefore, it will be necessary for you to amend the permit before a water license can be issued. We are enclosing a partially completed application for amendment for your use. Please sign the application and return it to this office with a \$10.00 filing fee within 20 days of the date of this letter in order that we may issue a water license as set forth above.

If you do not concur with these findings, please contact this office within the 20 day period.

Sincerely,

BOBBY D. FLEENOR
Chief, Water Rights

BDF:jfr
Enclosure

MICROFILMED

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

RECEIVED

1. Name of permit holder Arvel W. Fielding
Post office address Route #1, Shelley, Idaho 83274
Person to contact _____
Phone NOV 19 1973
Department of Water Administration
Eastern District Office

2. Source of water supply: Groundwater ☒ Surface water ☐
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount 6.4 c.f.s. for irrigation
_____ AF/Annum (nature of use)

Period of Use: from Mar. 1 to Nov. 30
(mo.-day) inclusive (mo.-day)

Amount 6.4 c.f.s. for domestic
_____ AF/Annum (nature of use)

Period of Use: from Jan. 1 to Dec. 31
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
_____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

Permit No. 27-7003
Examination for b/u

4. Total amount to be appropriated:

Max Rate of Diversion 6.4 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 1S N/S, Range 37E E/W, B.M., Section 25, Subdivision SW 1/4 SW 1/4, Bingham County
Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____ County
Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____ County

Other Points of Diversions: _____

Description of diverting works: 14" bowls, 7 stages, Johnson, 20" hole, 10" columns, 400 hp motor, 611' deep.

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1S	37E	25											X(domestic)				40	40	160
		36	40	40			40	40											160

MICROFILMED

2 5


POINT OF DIVERSION

33	34	28	24
24	36	38	40
	17	12	4

3 6

Diagram illustrating a water distribution system layout:

- A main pipe runs horizontally.
- A branch pipe, labeled "meter", connects the main pipe to a smaller pipe.
- The distance from the pump to the branch is 20'.
- The distance from the branch to the end of the main pipe is 5'.
- An arrow labeled "E" points to the left above the main pipe.
- The pump and motor are located at the right end of the main pipe.



DATE OF EXAM June 28, 1974

ACREAGE
Found 290
Recommended 290

Irrigation Requirement 3.5 Ac Ft/Ac

USE
Irrigation Q = 5.24 c.f.s. V = 1015.0 AF/Ann. from March 15 to Nov 15
Domestic Q = c.f.s. V = AF/Ann. from to
Livestock Q = .09 c.f.s. V = 1.4 AF/Ann. from Sept 15 to Dec 15

Is water co-mingled? yes no ✓

Name source:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Exchange? yes no ✓

Name source exchanged with: N/A
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Point of injection:
twp. N/S, Rge E/W, B.M., Sec. , Sub. 1/4 1/4 County

Point of exchange:
twp. N/S, Rge E/W, B.M., Sec. N/A, Sub. 1/4 1/4 County

Total Q measured 5.24 CFS Method of measurement bellison tube with read out to Eagle Eye flow DP Meter

Total Q recommended 5.24 CFS Meter No. 43990 Type 745-316 SS Condition good

Total V recommended 1016.4 Size = 13.79"

Recommended Amendments:

P.D.
Place of Use ✓ Pick up land in SE 1/4 NW 1/4 1/2, S 1/2 NE 1/4
Other ✓ Nature of Use from domestic to stockwater
None

MEASUREMENT CALCULATION:

.8 reading on bellison meter * 2350 gal/min = 448.8 = 5.24 CFS
meter with calibration chart kept in meter box
IRRIGATION = (290)(3.5) = 1015 < (5.24)(1.983)(245) = 2546
LIVESTOCK = (2 gal/day) * (2500 head) * (91 days) = 455,000 ÷ 325,829 = 1.4 AF

SYSTEM DESCRIPTION:

400 H.P. U.S. Nello shaft motor # HJ1418447 with Peerless
pump # 251609 14" discharge east thru meter setup
611 ft depth - static water 175

REMARKS:

System shown by Mr. Bryan Fielding
No Domestic Use
Stockwater for 2500 head sheep Sept 15 - Dec 15

Examiner's Signature John Ferebaner Date June 28, 1974

Checked by J.O. Halme Date Oct 1, 1974

Approved by Date

November 16, 1973

Re: Permit No. 27-7003

Arvel W. Fielding
Route #1,
Shelley, Idaho 83274

Dear Mr. Fielding:

We acknowledge receipt of the affidavit submitted as proof of beneficial for the above referenced permit. Enclosed is an Order of Reinstatement; please note that the priority has been advanced to March 19, 1968.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions concerning the field exam, please contact our Eastern District Office at 1515 Lincoln Road, Idaho Falls, Idaho.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JC
Enclosure

cc: Alva A. Harris
Enclosure

27 7003

RECEIVED

NOV 13 1973

Department of Water Administration

STATE OF IDAHO
DEPARTMENT OF RECLAMATION

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Identification No. _____

Permit No. 27-7003

RECEIVED

NOV 2 1973

late
Department of Water Administration

1. a) Name of Permit Holder Arvel W. Fielding
b) Post Office Address Route #1, Shelley, Idaho 83274
2. Permit Number 27-7003
3. Date of Priority that you are prepared to establish May 13, 1968
4. a) Source from which water was appropriated Subterranean
b) Location of the point of diversion: S W 1/4 S W 1/4, Section 25
Township 1 S., Range 37 E Boise Meridian, Other points of diversion: _____
5. a) The amount of water and use to which the water has been applied:
amount 6.4 c.f.s. for Irrigation purposes from march 1 to November 30,
(cfs and/or acre feet per annum) (Month-Day) (Month-Day) incl.
amount 6.4 C. f.s. for Domestic purposes from Jan. 1 to Dec. 31 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)
b) Total amount appropriated 6.4 c.f.s. cfs and/or acre feet per annum
c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: measurements were made at time of pump installation by those installing the same.
6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:
a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____
b) Describe the agreement or understanding by which you take water from the works: _____
7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief description of diversion structure and/or canal or ditch) 14 Inch bowls 7 stages, Johnson, 20 inch hole, 10 inch Columns, Motor size 400 horse power, depth 611 feet.
b) Describe the type and size of measuring device which you have installed at your point of diversion: Eagle Eye Meter with Annubar flow elements
c) Give well drillers name and address and date the well was completed Doug Cushman, Blackfoot May 1968

Exam typed 11/16/23 by jc2

27 7003

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use Livestock watering

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1S	37E	25											40	40			40	40	160
1 S	37E	36	40	40			40	40											160

Total number of acres irrigated 320

10. Remarks: Sandy hole - replacement of pumps has been expensive.

The above information is a true statement of the extent to which the above numbered permit has been developed.

November 1, 1973
(Date)

Arvel W. Fuldling
(Signature)

State of Idaho)
County of Bingham) ss.

On this 1st day of November, 1973, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Alvin G. Harris
Notary Public residing at Shelley, Idaho

My commission expires 11/27/74

November 7, 1973

Re: Permit No. 27-7003

Alva A. Harris
Attorney at Law
171 South Emerson
Shelley, Idaho 83274

Dear Mr. Harris:

Enclosed is the affidavit you submitted as proof of beneficial use for the above referenced permit, on behalf of Arvel W. Fielding.

We note that the notary seal was not affixed on this affidavit, therefore, we request that you affix your notary seal and return this affidavit to us, as soon as possible.

Sincerely,

D. Darlene Reich
Water Rights Supervisor

DDR:JC
Enc: Proof affidavit

cc: Arvel W. Fielding

27 7003

ALVA A. HARRIS

ATTORNEY-AT-LAW

171 SOUTH EMERSON
SHELLEY, IDAHO 83274

TELEPHONE 208-357-3448

November 1, 1973

RECEIVED
NOV 2 1973
Department of
Administration


State of Idaho
Department of Water Administration
Statehouse Annex 2
Boise, Idaho 83707

Re: Arvel W. Fielding

Gentlemen:

Enclosed you will find Proof of Application of water
to Beneficial use, Permit No. 27-7003.

Yours truly,



Alva A. Harris

27 7003

cc
enclosure

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S).
REQUIRED FEE(S) PAID.

☐ Show to whom, date and address
where delivered

☐ Deliver ONLY
to addressee

RECEIPT

Received the numbered article described below.

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (*Must always be filled in*)

CERTIFIED NO.

1

Arnel Fielding

INSURED NO.

2

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

DATE DELIVERED

SHOW WHERE DELIVERED (*only if requested*)

3

27 785

Arnel Fielding

POST OFFICE DEPARTMENT
OFFICIAL BUSINESS



PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300

POSTMARK OF DELIVERING OFFICE

Print your name and address below. If you want to restrict delivery, or to have the address of delivery shown on this receipt, check block(s) on other side. Moisten gummed ends and attach this card to back of article.

RETURN
TO



DEPARTMENT OF WATER ADMINISTRATION
STATEHOUSE - ANNEX 10
DUNEL, GRAND CAYMAN

27 7093

POD Form 3811 Apr. 1969 c55-10-71548-11

August 31, 1973

CERTIFIED MAIL

#24785

Re: Permit No. 27-7003

Arvel W. Fielding
Route #1
Shelley, Idaho 83274

Dear Mr. Fielding:

One of the conditions of approval of your water Permit No. 27-7003 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before November 1, 1973. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit

27 7003

April 11, 1973

Re: Permit No. 27-7003

Arvel W. Fielding
Route 1
Shelley, Idaho 83274

Dear Mr. Fielding:

Enclosed please find an order which extends the time for making proof of beneficial use, in connection with the above referenced permit.

The time within which to submit proof of beneficial use of water has been extended to November 1, 1973.

Very truly yours,

Bobby D. Fleenor
Assistant Director

kss

Enclosure

27 7003

INTER-DEPARTMENT MEMO — 1

DATE March 30, 1973

RECEIVED

Department of Water Administration

FROM Loy Johnson

TO Bob Fleenor

SUBJECT Permit #27-7003 - Arvil W. Fielding

I have enclosed a copy of a letter from Mr. Fielding to the Department requesting an extension of time for this measuring device, and a copy of a letter from Pace Industries to Beaver Creek Ranches in regard to the delivery of the Annubar Measuring Device. There seems to have been problems in getting the Eagle Eye meter (which is the read out for the Annubar) in to productive operation.

Because of Mr. Fielding's complex set up, I suggest the extension be granted.

Our records show B/U should be made by May 1. Hope forms have been sent out.

27 7003



SIGNATURE

28 March 1973

RECEIVED

MAR 29 1973

Department of Water Administration
Eastern District Office

Mr. Loy Johnson
Dept. of Water Administration
Idaho Falls, Idaho

Dear Mr. Johnson:

This letter is in response to our telephone conversation of 23 March, 1973, wherein I asked for information and the advisability of using Annubar and the Ellison Eagle Eye meter as my measuring device, etc.

I have a water permit No. 27-7003, which will expire on May 1, 1973. If a measuring device is not installed by then. I have been in contact with Mr. C. L. Allred of the Pace Industries of Salt Lake City, Utah. I find that the Annubar units are available by that time but the meters are not available for about 90 days.

I would like an extension of about 120 days so that I may obtain this equipment. It would seem that this equipment is the only type that will work on some of my wells. It would also be very useful on some of my diversion lines.

Thank You,

Arvel W. Fielding
Route 1, Box 71
Shelley, Idaho 83274

Arvel W. Fielding

27 7003



PACE INDUSTRIES

1081 SOUTH SECOND WEST • P. O. BOX 2605 • SALT LAKE CITY, UTAH 84110 • (801) 521-3740

March 23, 1973

RECEIVED

MAR 27 1973

Department of Water Administration
Eastern District Office

BEAVER CREEK RANCH
P. O. Box 157
Idaho Falls, Idaho - 83401

Gentlemen:

The Eagle-Eye meter set to be used in connection with the Annubar element has been delayed in shipment due to manufacturing problems. We have now been advised that your meter is scheduled to be shipped the week of May 7. These unanticipated delays have certainly been a nuisance to you and we appreciate your patience.

We might say that the demand for this equipment is considerable, but the factory is finally into production, but due to the heavy back log, your order can not be shipped until May.

Yours very truly,

PACE INDUSTRIES

E L Allred
Ernest L. Allred

ELA/hy



27 7063

POWER PLANT AND INDUSTRIAL EQUIPMENT

28 March 1973

RECEIVED
Mar 29 1973
Department of Water

Mr. Loy Johnson
Dept. of Water Administration
Idaho Falls, Idaho

Dear Mr. Johnson:

This letter is in response to our telephone conversation of 23 March, 1973, wherein I asked for information and the advisability of using Annubar and the Ellison Eagle Eye meter as my measuring device, etc.

I have a water permit No. 27-7003, which will expire on May 1, 1973. If a measuring device is not installed by then. I have been in contact with Mr. C. L. Allred of the Pace Industries of Salt Lake City, Utah. I find that the Annubar units are available by that time but the meters are not available for about 90 days.

I would like an extension of about 120 days so that I may obtain this equipment. It would seem that this equipment is the only type that will work on some of my wells. It would also be very useful on some of my diversion lines.

Thank You,

Arvel W. Fielding
Route 1, Box 71
Shelley, Idaho 83274

Arvel W. Fielding

Copy

orig. to Mr Johnson

27 7003

PS Form 3811 Nov. 1970 c55-16-81277-1

U.S. POSTAL SERVICE
OFFICIAL BUSINESS



PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300

Postmark of Delivering Office

SENDER INSTRUCTIONS

Print in the space below your name, address, including ZIP Code.

- If special services are desired, check block(s) on other side.
- Moisten gummed ends and attach to back of article.

**RETURN
TO**

DEPARTMENT OF WATER ADMINISTRATION
STATEHOUSE - ANNEX #2
BOISE, IDAHO 83707

27 7003

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)

(Additional charges required for these services)

☐

Show to whom, date and address
where delivered

☐

Deliver **ONLY**
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE *(Must always be filled in)*

CERTIFIED NO.

21337

1

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

2

DATE DELIVERED

SHOW WHERE DELIVERED *(Only if requested, and include ZIP Code)*

3

27 7003

March 1, 1973 CERTIFIED MAIL # 24337

Re: Permit No. 27-7003

Arvel W. Fielding
Route # 1
Shelley, Idaho 83274

Dear Mr. Fielding:

One of the conditions of approval of your water Permit No. 27-7003 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before May 1, 1973. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

27 7003

Enc: Proof affidavit

cc: Alva A. Harris
171 So. Emerson
Shelley, Idaho

January 27, 1972

Re: Permit Nos. 27-7017 - Roy E. and Arvel W. Fielding
27-7003 - Arvel W. Rielsing

Mr. Alva A. Harris
Attorney at Law
171 South Emerson
Shelley, Idaho 83274

Dear Mr. Harris:

In researching our records, we find that there are two permits in the name of Arvel Fielding. Enclosed, please find copies of these two permits referenced above. The proof of beneficial use is due for Permit No. 27-7017 on July 1, 1976 and proof of beneficial use for Permit No. 27-7003 is due on May 1, 1973.

The well located in the SW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 36, Township 1 South, Range 37 East, has been licensed under No. 23828/27-2091, for 4.64 cubic feet per second and has since been transferred under Transfer No. 916, to be appurtenant to those lands located in the S $\frac{1}{2}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$, SW $\frac{1}{4}$ SE. Section 26, Township 1 South, Range 37 East and the NE $\frac{1}{4}$, NW $\frac{1}{4}$, N $\frac{1}{2}$ NW $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, NW $\frac{1}{4}$ SE $\frac{1}{4}$, Section 1, Township 2 South, Range 37 East, Boise, Meridian.

If we can be of any further assistance in this matter, please feel free to contact this Department.

Very truly yours,

Fred Eisenbarth
Appropriation Examiner

FE:Cs

Enc: copies of above referenced permits

27 7003

ALVA A. HARRIS
ATTORNEY-AT-LAW

171 SOUTH EMERSON
SHELLEY, IDAHO 83374

Telephone 387-3408
Area Code 208

January 24, 1972

RECEIVED

JAN 26 1972

Department of Water Administration

Mr. C. Stephen Allred
State Reclamation Engineer
Department of Water Resources
Statehouse, Annex 2
Boise, Idaho

Re: Arvil Fielding

Dear Mr. Allred:

I would appreciate obtaining a report from your department concerning the status of the water permits and rights owned and possessed by Mr. Arvil Fielding. He has wells and also takes water from the Blackfoot River.


In a grantee's right of way from the Bureau of Land Management which commences in Township 2 South, Range 37 East of the Boise Meridian, the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 1 is crossed by 20 foot right of way and Section 7, Lot 1, where the point of diversion comes from, he has a right of way of 50 feet. He owns permit #27-7003. Also enclosed is a copy of the front page copy of a Deed of Water Right issued to him by Earl H. Tew. He owns an Order Granting Transfer #916 from the Department of Reclamation to Warren S. Tew issued the 1st of December, 1958, that covers property in Section 1, Township 2, South, Range 37 E.B.M. and Section 36, Township 1 South, Range 37 E.B.M. I assume that this transfer

27 7003

Mr. C. Stephen Allred
January 24, 1972
Page 2

is the order granted on Permit #G23828. I would appreciate all assistance you can give me in the matter.

Yours truly,



Alva A. Harris

kc
Enclosure

27 5003

July 24, 1970

Re: Permit No. 27-7003 - Arvel Fielding

C Alva A. Harris
Attorney at Law
171 South Emerson
Shelley, Idaho 83274

Dear Mr. Harris:

O
P
Y With reference to your letter of July 13, 1970, concerning the above referenced permit. Please be advised that in cases where water is diverted from a ground water source by means of a well, pump motor, and sprinkler system, it will be necessary for the permit holder to install a flow meter with totalizing capabilities. We must measure the water with a method of diversion and application. Therefore, an open discharge device would not be sufficient.

We are enclosing a set of beneficial use forms for use in submitting proof, as required under the permit.

If we can be of further assistance, please contact us.

Very truly yours,

Donald W. McEldowney
Appropriation Supervisor

DWM/cm

Enclosure: Beneficial Use Package

27 7003

ALVA A. HARRIS
ATTORNEY-AT-LAW

171 SOUTH EMERSON
SHELLEY, IDAHO 83274

Telephone 357-3448
Area Code 208

July 13, 1970

Mr. C. Stephen Allred, Assistant
Department of Water Resources
Statehouse
Boise, Idaho

Re: Permit No. 27-7003
Arvel Fielding

Dear Mr. Allred:

As a condition for issuing a proof of water permit, Mr. Fielding was to install a measuring device of a type approved by your department as part of the diversion works.

Mr. Fielding's water system consists of wells, main lines, and sprinkler lateral lines. Can you give advice as to which of the standard types you listed in your form letter to be the most appropriate and the least expensive for his purposes? The installation of the measuring device is the only thing that holds up offering proof of application of water to beneficial use to your agency.

Any information you can give me on this for Mr. Fielding would be truly appreciated.

Yours truly,

Alva A. Harris
rn

Alva A. Harris

rn

27 7003

ALVA A. HARRIS
ATTORNEY-AT-LAW

RECEIVED

171 SOUTH EMERSON
SHELLEY, IDAHO 83274

Telephone 357-3448
Area Code 208

July 28, 1970


Donald W. McEldowney, Appropriation Supervisor
State of Idaho Department of Water Administration
Statehouse - Annex 2
Boise, Idaho 83707

Re: Permit No. 27-7003
Arvel Fielding

Dear Sir:

Enclosed is a copy of your letter of July 24, 1970.
However, the enclosure of beneficial use package was not
enclosed. Will you please forward the same?

Yours truly,



Alva A. Harris

rn

Enclosure

27 7003

STATE OF IDAHO

DEPARTMENT OF WATER ADMINISTRATION

Statehouse - Annex 2

Boise, Idaho 83707

(208) 384-2215

July 24, 1970

Re: Permit No. 27-7003 - Arvel Fielding



R. Keith Higginson
Director

Water Rights Administration
Water Resource Investigations
Dam and Reservoir Safety
Water Well Drilling
Flood Plain Management
Irrigation and
Flood Control Districts

Alva A. Harris
Attorney At Law
171 South Emerson
Shelley, Idaho 83274


Dear Mr. Harris:

With reference to your letter of July 13, 1970, concerning the above referenced permit; please be advised that in cases where water is diverted from a ground water source by means of a well, pump motor, and sprinkler system, it will be necessary for the permit holder to install a flow meter with totalizing capabilities. We must measure the water with a method of diversion and application. Therefore, an open discharge device would not be sufficient.

We are enclosing a set of beneficial use forms for use in submitting proof, as required under the permit.

If we can be of further assistance, please contact us.

Very truly yours,


Donald W. McEldowney
Appropriation Supervisor

DWM/cm

Enclosure: Beneficial use package

27 7003

January 16, 1969

Re: Permit No. 27-7003

Mr. Arvel W. Fielding
Route #1
Shelley, Idaho

Dear Mr. Fielding:

Thank you for your letter of December 10, 1968 concerning the above referenced permit. Proof of beneficial use may be submitted by the permit holder by completing an affidavit furnished by the Department of Reclamation stating to what beneficial use the water has been applied. Forms for this beneficial use requirement are enclosed.

Types of approved measuring devices are indicated in the enclosed form letter. As the letter will point out, any standard type of measuring device for which some type of rating table is available will be acceptable. If you have any questions on a specific type of measuring device, please advise the department and we will be glad to assist you.

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks
enclosure: Proof form
Form letter

27-7003

RECEIVED

DEC 12 1968

C. Stephen Alfred Asseman
State Reclamation Engineer
Boise, Idaho

Department of Reclamation

Shelly, Idaho

Dec. 10, 1968

Dear Sir;

In regard to Application for Permit
H 2373 Identification # 27-7003
I would like to ask you two
questions.

1. How do I make Proof of Construction
of work & Application of water to
beneficial use.

This has already been done.

2. What kind of measuring device
is approved by the department, that
is ask for in part C under paragraph
1. on the page "Action of State Reclamation
Engineer".

The pump is designed only
to pump so much water.

Yours truly

Arvid W. Fuldin

P#1

Shelly, Idaho

27-7003

May 13, 1968

Re: Permit 27-7003

Arvel W. Fielding
Route 1
Shelley, Idaho 83274

Dear Mr. Fielding:

We enclose a copy of your approved application for permit 27-7003 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred, Assistant
State Reclamation Engineer

CSA:kd

Enclosure: Copy of application
Receipt No. 663 for \$50.00

cc. Alva A. Harris
171 South Emerson
Shelley, Idaho 83274

Form 4

27-7003

March 29, 1968

Re: Application No. 27-7003
Arvel W. Fielding

Shelley Pioneer
Shelley,
Idaho 83274

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid.

(Do not sign letter)

Signature of claimant

Very truly yours,

Donald W. McEldowney
Appropriation Examiner

DWM:ks

Enclosure: legal notice

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Arvel M. Fielding, Route #1, Shelley,
Idaho has on March 18, 1968
applied for permit to divert ~~store~~ 6.4 cubic feet per second ~~acre-foot~~
of water from a subterranean source
under application No. 27-7003. Water will be diverted by a well,
pump, and sprinklers within the SW¹/₄SW¹/₄, sec. 25, T. 1 S.,
R. 37 E., B.M., Bingham County
and is to be used from March 1 to November 30 for irrigation and from
January 1 to December 31 for domestic use
in the SE¹/₄SW¹/₄, S¹/₂SW¹/₄, sec. 25; NE¹/₄NE¹/₄, sec. 36, T. 1 S. R. 37 E., B.M.

Any protest against this application must be filed with the Department of
Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Shelley Pioneer, Shelley, Idaho,
on April 4 and April 11.

27-7003 *Ly*

LAW OFFICES
HARRIS & COOK
171 SOUTH EMERSON
P. O. BOX 838
SHELLEY, IDAHO 83274

ALVA A. HARRIS
DAVID S. COOK

TELEPHONE 357-3448
AREA CODE 208

March 15, 1968

RECEIVED
MAR 18 1968
Department of Reclamation

State of Idaho
Department of Reclamation
Room 107 State House
Boise, Idaho

Re: Arvel W. Fielding
Application for Permit

Gentlemen:

Enclosed is Application for Permit wherein Arvel W. Fielding, Route 1, Shelley, Idaho, makes application to appropriate 6.4 c.f.s. of water incident to development of the SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 25, Twp. 1 S., R. 37 E., B.M. in Bingham County, Idaho, together with his check to cover filing fees in the sum of \$50.00. Please file the same, and direct all correspondence concerning it to this office.

Thank you for your cooperation.

Yours truly,

HARRIS & COOK

Alva A. Harris
Alva A. Harris

rn

Encls. 3

27-2003