

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 27-07001

Priority: November 1, 1967

Maximum Diversion Rate:

19.21 CFS

Maximum Diversion Volume:

4160.0 AF

This is to certify, that GERALD E STOLWORTHY & SON INC

C/O BRENT STOLWORTHY

3669 S HOLMES

IDAHO FALLS ID 83404

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated November 1, 1967; and has submitted Proof of Beneficial Use on November 30, 1972. An examination indicates that the works have a diversion capacity of 19.210 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	19.21 CFS	4160.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSWNW , Sec. 3, Township 02S, Range 37E
NWNWNE , Sec. 9, Township 02S, Range 37E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02S	37E	1	Lot 4 (NWNW) 4	SWNW 4	NWSW 1	9
		2	Lot 1 (NENE) 40	Lot 2 (NWNE) 40	SWNE 39	
			SENE 40	Lot 3 (NENW) 40	Lot 4 (NWNW) 40	
			SWNW 39	SENE 39	NESW 36	
			NWSW 39	NESE 3		395
		3	Lot 1 (NENE) 40	Lot 2 (NWNE) 18	SWNE 38	
			SENE 39	SWNW 2	SENE 23	
			NESW 40	NWSW 35	SWSW 40	
			SESW 32	NESE 39	NWSE 40	386
		4	SENE 1	SESW 9	NESE 24	
			NWSE 15	SWSE 32	SESE 37	118
		9	NWNE 38	SWNE 33	NENW 28	
			SENE 32			131

Total number of acres irrigated: 1039

CONDITIONS OF APPROVAL AND REMARKS

- After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
- This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.

MICROFILMED
FEB 02 2000

State of Idaho
Department of Water Resources

Water Right License

WATER RIGHT NO. 27-07001

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be administered in accordance with Idaho law and applicable rules of the Department of Water Resources. Signed and sealed this 28th day of JANUARY, 2000.

Acting for

KARL J. DREHER, Director

MICROFILMED

FEB 02 2000

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 27-07001

Date of Priority: November 1, 1967 Maximum Diversion Rate: 19.21 CFS
Maximum Diversion Volume: 4160.0 AF

Comes now GERALD E STOLWORTHY & SON INC

C/O BRENT STOLWORTHY

3669 S HOLMES

IDAHO FALLS ID 83404

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 27-07001, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	19.21 CFS	4160.0 AF

LOCATION OF POINT(S) OF DIVERSION: NWSWNW , Sec. 3, Township 02S, Range 37E
NWNWNE , Sec. 9, Township 02S, Range 37E
BINGHAM County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02S	37E	1	Lot 4 (NWNW) 4	SWNW 4	NWSW 1	9
		2	Lot 1 (NENE) 40	Lot 2 (NWNE) 40	SWNE 39	
			SENE 40	Lot 3 (NENW) 40	Lot 4 (NWNW) 40	
			SWNW 39	SENE 39	NESW 36	
			NWSW 39	NESE 3		395
		3	Lot 1 (NENE) 40	Lot 2 (NWNE) 18	SWNE 38	
			SENE 39	SWNW 2	SENE 23	
			NESW 40	NWSW 35	SWSW 40	
			SESW 32	NESE 39	NWSE 40	386
		4	SENE 1	SESW 9	NESE 24	
			NWSE 15	SWSE 32	SESE 37	118
		9	NWNE 38	SWNE 33	NENW 28	
			SENE 32			131

Total number of acres irrigated: 1039

MICROFILMED
FEB 02 2000



JAN-24-00 MON 11:44 AM


P.04

PAGE 2

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 27-07001

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Idaho Falls, this 24 day of Jan, 192000.

(Signature)

MICROFILMED
FEB 02 2000

JAN-24-00 MON 11:45 AM

P. 05

PAGE 3

State of Idaho
Department of Water Resources

RECEIVED

JAN 26 2000

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 27-07001

Department of Water Resources

FOR DEPARTMENT USE ONLY

Preliminary check by KW Fee \$175.00 Receipted by DM # 004790 Date 1-26-2000

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 27-07001 with the following:

CONDITIONS OF APPROVAL AND REMARKS

1. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
2. This right when combined with all other rights shall provide no more than 0.02 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.

Witness my hand this 28TH day of JANUARY, 2000.


Acting for KARL J. DREHER, Director

MICROFILMED
FEB 02 2000

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR AMENDMENT OF A PERMIT

Add
To ~~change~~ the point of diversion and/or the place of use.

Comes now Gerald E. Stalworthy + Son ^{c/o Brent Stalworthy}
of (address) 3669 S. Holmes Idaho Falls, ID 83404, and represents to the
Director of the Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho
No. 27-07001, and requests that the permit and permit map be changed as follows:

1. Point of diversion: NW 1/4 NE 1/4, Section 9, Township 2S, Range 37E, B.M.,
County of Bingham. Other points of diversion: SW 1/4 NW 1/4 Sect 3
T2S R37E

2. Period and nature of use: (irrigation, domestic, stockwatering, industrial, etc.)

23.30 cfs
Amount 24.40 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre feet per annum)

3. Place of use or land to be irrigated:

TWP	RGE	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2S	37E	2	40	40	40	40	40	40	40	40	40	40							400
		3	40	20	40	40			25	40	40	40	40	40	40	40			445
		4												15	40	25	40	40	160
		9		40	40		40			40									160

Total number of acres to be irrigated = 1165

4. a. Who owns the property at the point of diversion? Applicant
b. Who owns the land to be irrigated or the place of use? Applicant
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the
applicant to make this filing: _____

MICROFILMED

JUL 1 / 1989

Show 40-acre subdivisions, townships, ranges and ditches.

This image shows a full page of graph paper. It features a grid of squares defined by solid black lines. Each square is further divided into four smaller quadrants by dashed black lines running through the center of each square. The grid covers the entire area of the page, leaving small margins at the top and bottom. There are some faint, illegible markings in the upper right corner, possibly from a stamp or previous writing.

That no one will be injured by such change, and that such change will be made at permit holder's own risk.

Brent Stolorz
 (Signature)
 Title General Partner

FOR DEPARTMENT USE ONLY

Publication dates _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

I, L. GLEN SAXTON, of the Department of Water Resources hereby
Approve the above Application for Amendment provided the conditions as set forth in
Permit No. 27-7001 are met.

Witness my hand this

30th day of June, 1989

JUL 17 1989

Chief, Water Alloc. Bureau

Identification No. _____

Permit No. 27-7001

**STATE OF IDAHO
DEPARTMENT OF RECLAMATION**

RECEIVED

NOV 30 1972 *sk*

PROOF OF APPLICATION OF WATER TO BENEFICIAL USE

Department of Water Administration

1. a) Name of Permit Holder Gerald E. Stolworthy & Son, Inc.

b) Post Office Address 2865 E. Morningside Dr., Idaho Falls, Idaho

2. Permit Number 27-7001

3. Date of Priority that you are prepared to establish October, 1967

4. a) Source from which water was appropriated Underground

b) Location of the point of diversion: SW 1/4 SE 1/4, Section 4

Township 2S, Range 37 East Boise Meridian, Other points of diversion: _____

SW 1/4 NW 1/4 of Sec. 3, Twp 2S, Rge. 37 E.B.M., Bingham County, Idaho

5. a) The amount of water and use to which the water has been applied:

amount 24.40 for Irrigation purposes from March 15 to Nov. 15 incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

amount _____ for _____ purposes from _____ to _____ incl.
(cfs and/or acre feet per annum) (Month-Day) (Month-Day)

b) Total amount appropriated 24.40 cfs and/or acre feet per annum

c) Describe how and by whom measurement of rate of flow or amount of storage was made and the qualifications of the person making the measurement: Estimated by company installing motor and pump.

6. If the means of diversion and conveyance are owned by someone other than the Permit Holder:

a) Give the name or description of the canal, ditch or other works by which the water is conducted to the place of use: _____

b) Describe the agreement or understanding by which you take water from the works: _____

7. a) Briefly describe the works for diverting and conveying the water to the place of use, (If from a subterranean source, give the pump size, motor size, size of well casing, depth of well; if from surface water, give brief

description of diversion structure and/or canal or ditch) The subterranean well is 332 feet deep with a steel casing which is 250" x .312" thick. A 14" column pump with a 600 horsepower motor is installed on said well.

b) Describe the type and size of measuring device which you have installed at your point of diversion: _____

A 14" measuring device is being installed by Mel Brown Co., of Idaho Falls Idaho.

c) Give well drillers name and address and date the well was completed Doug Cushman, 945 S. Broadway, Blackfoot, Idaho. The well was complete April 6, 1967.

IDAHO DEPARTMENT OF WATER ADMINISTRATION
EASTERN DISTRICT OFFICE
240 S. HOLMES
IDAHO FALLS, IDAHO 83401

Exam typed 12-18-72 by sk

27 7001

8. If for other than irrigation, describe the beneficial use to which you have applied the water and the place of use _____

9. Irrigation uses: Describe the lands irrigated by giving the acreages irrigated within each 40 acre subdivision: _____

TWP.	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2 S.	37 E	2	40	40	40	40	40	40	40	40	40	40							400
		3	40	40	40	40			40	40	40	40	40	40	40	40			480
		4												35	40	25	40	40	180
		9		40	40		40			40									160

Total number of acres irrigated 1220

10. Remarks: _____

The above information is a true statement of the extent to which the above numbered permit has been developed.

GERALD STOLWORTHY & SON, INC.

11/28/72

(Date)

BY:

Burt Stolworthy Vice Pres.
(Signature)

State of IDAHO)

County of Bingham) ss.

On this 28 day of November, 19 72, personally appeared before me the signer(s) of the above instrument, who duly acknowledged to me that he (she) (they) executed the same.

Kristine Cook

Notary Public residing at Shelley, Idaho

My commission expires October 25, 1975

Identification No.

Application No.

27-7001

42116

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
APPLICATION FOR PERMIT

APPROVED

To Appropriate the Public Waters of the State of Idaho

1. Name of applicant Gerald E. Stolworthy & Son, Inc.
post office address Route 1, Box 178, Firth, Idaho
2. Source of water supply Underground which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 4 Township 2 S
Range 37 E B.M. Bingham County; additional points of diversion if any: _____
SW $\frac{1}{4}$ NW $\frac{1}{4}$ of Sec. 3, Twp. 2 S., Rge. 37 E., B.M., Bingham
County
- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M.
4. Quantity to be appropriated:
a. 24.40 cubic feet per second and/or
b. _____ acre feet per annum will be stored.
5. Water will be used for the following purposes:
Irrigation purpose from March 15 to November 15 (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
_____ purpose from _____ to _____ (both dates inclusive)
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. 2 wells, 2 pumps, 2 pump column,
2 motors, 2 miles of mainline, 2 miles lateral mainline, hand-moved
sprinkler pipes, self-propelled sprinkler pipes, and solid-set
sprinkler pipe, as needed to cover property.
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet; materials used in storage dam: _____
- c. Proposed well diameter is 24 inches; proposed depth of well is 300 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 150,000.00.
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.
(5) If water is to be used for other purposes describe: _____

27-7001

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP.	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2 S	37E	2	40	40	40	40	40	40	40	40	40	40							400
		3	40	40	40	40			40	40	40	40	40	40	40	40			480
		4													35	40	25	40	180
		9		40	40		40			40									160
															Total				1220

Total number of acres to be irrigated 1220

c. Describe any other water rights used for the same purposes None


9. a. Who owns the property at the point of diversion Gerald E. Stolworthy & Son, Inc.

b. Who owns the land to be irrigated or place of use Gerald E. Stolworthy & Son, Inc.

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing The 160 acres in Sec. 9 are being purchased on a 40 year contract from the State of Idaho

10. Remarks Well driller is Doug Cushman, Blackfoot, Idaho


11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

GERALD E. STOLWORTHY & SON, INC.


(Applicant)

27-7001

Received by ef Date 11-1-67 Time 9:00 a
Preliminary check by Dale Fee \$ 100.00
Received by ef Date 11-2-67
Publication prepared by KS Date 11-8-67
Published in Shelley Pioneer
Publication dates 11-16-67 & 11-23-67
Publication approved KS Date Shelley Co.
Priority reduced to _____ Reason _____

Protests filed by: _____

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial est. for DM

APPROVED

ACTION OF STATE RECLAMATION ENGINEER

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 27-7001, and said application is hereby APPROVED.


1. Approval of said application is subject to the following limitations and conditions:

- a. ~~SUBJECT TO ALL PRIOR WATER RIGHTS.~~
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 1972.
- c. Other: The applicant shall permanently install a measuring device of a type approved by the department as part of the diverting works.

2. Denial of said application is for the following reasons: _____

Witness my hand this 26th day of December, 19 67.

R. Keith Higgins
State Reclamation Engineer



STATE OF IDAHO
OFFICE OF STATE RECLAMATION ENGINEER
POWER OF ATTORNEY

NOV 1 1967

Department of Reclamation

The undersigned owner (s) of Permit (Application) No. _____
of the State Reclamation Engineer of the State of Idaho hereby nominates
and appoints Alva A. Harris, whose address is
P. O. Box 838
171 S. Emerson, Shelley, Idaho, as attorney-in-fact, with full author-
ity to act for and on behalf of the undersigned in all matters pertaining
to Application or Permit. Such acts shall include, but not be limited
to the filing of applications, receiving of all notices, the signing and
filing of applications for extension of time and for amendment of said
Permit, and the submission of proofs of completion of works and beneficial
use of water.

Dated this 1st day of August, 1967.

GERALD E. STOLWORTHY & SON, INC.

By

Gerald E. Stolworthy
President

STATE OF IDAHO)
County Bingham) ss

On this 1st day of August, 1967, personally
appeared before me the signer (s) of the above instrument, who duly
acknowledged to me that he (she) (they) executed the same.

Ruby Nielsen
Notary Public

My Commission expires:

January 1, 1969

OCT 12 1967

Department of Reclamation

27-7001

NOTICE OF APPLICATION
FOR WATER

Notice is hereby given that Gerald E. Stoworthy & Son, Inc. has on November 2, 1967, applied for permit to divert 24.40 cubic feet per second of water from a subterranean source under application No. 27-7001. Water will be diverted by two wells, pumps, motors and laterals within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, sec. 4; SW $\frac{1}{4}$ NW $\frac{1}{4}$, sec. 3; T. 2 S, R. 37 E, B.M., Blingham County, and is to be used from March 15 to November 15 for irrigation in N $\frac{1}{2}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, sec. 2; NE $\frac{1}{4}$, S $\frac{1}{2}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$, sec. 3; SE $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$, sec. 4; W $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, sec. 9, T. 2 S, R. 37 E, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON,
State Reclamation Engineer

Published in the Shelley Pioneer,
Shelley, Idaho, on November 16
and 23, 1967.

new

RECEIVED

DEC 4 1967

Affidavit of Publication

Department of Reclamation

I, Mrs. Robert Mitchell
co-publisher, of the
SHELLEY PIONEER, published weekly at Shelley, Idaho, do solemnly
swear that a copy of the notice, as per clipping attached was published
weekly in the regular and entire issue of said newspaper, and not in
any supplement thereof, for 2 consecutive weeks, com-
mencing with the issue dated Nov. 16, 1967,
and ending with the issue dated Nov. 23, 1967.

Mrs. Robert Mitchell
Subscribed and sworn to before me this 27th day of
November, 1967.

Ruby Nielsen
Notary Public

27-7001

STATEMENT

The Shelley Pioneer

Phone 357-3435 - Shelley, Idaho

Commercial Printing

Publishing

Date January 31, 1968DONALD W. MC ELDOWNY107 STATE HOUSEBOISE, IDAHO 83701

Credit is a business asset — Don't abuse it.

Re-application No. 27-7001

Gerald R. Stolworthy & Sons, Inc.

Published Nov 16 and Nov 23, 1967 in

The Shelley Pioneer

correct amount

\$7.13

I certify that the foregoing account is just
and correct claimed is legally due, after
allowing all just credits, and that no part
of same has been paid.

Robert M. Mitchell

27-7001



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

January 31, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

GERALD E STOLWORTHY & SON INC
C/O BRENT STOLWORTHY
3669 S HOLMES
IDAHO FALLS ID 83404

RE: WATER RIGHT NO. 27-07001

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as described in the enclosed information sheet.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

Also, please note that water right owners are required to report any change of water right ownership and/or change of mailing address to the department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department or visit the department's homepage on the Internet to obtain the proper reporting form.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED


FEB 02 2000

CERTIFICATE OF MAILING

I hereby certify that on the 31st day of January, 2000, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 27-07001

GERALD E STOLWORTHY & SON INC
C/O BRENT STOLWORTHY
3669 S HOLMES
IDAHO FALLS ID 83404


Kari Lynn Townsend
Secretary

RECORDED
FEB 02 2000

Responding to Preliminary Orders Issued by the Idaho Department of Water Resources

The Idaho Department of Water Resources (Department) issues water right permits, licenses, and transfers as preliminary orders pursuant to section 67-5243, Idaho Code. A preliminary order can and will become a final order without further action of the department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of the order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from a preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, a preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to a preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

ORAL ARGUMENT

If the Department grants a petition to review a preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

MICROFILMED

FEB 02 2000

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with a preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MICROFILMED

FEB 02 2000

Memorandum

To: File 27-07001

From: Kay Walker *KW*

Date: 1/24/2000

Re: Licensing Amendment

.....

I contacted Shawn Stolworthy this morning in regard to the licensing amendment and extra exam fee that is required for this permit. Shawn is Brent Stolworthy's son and business partner; his dad is in Arizona.

Shawn had never seen my letter of December 23, 1999, before I faxed a copy to him this morning. He says they want to retain this water right and they want to pay the extra exam fee for the water. He is concerned that they would lose their 1967 priority date for failure to submit the amendment and fees as of today. I explained that if they had not seen my correspondence, we could allow a few more days for him to submit the form and fees. Shawn did not know if he was authorized to sign the amendment form or not, he would check into that – if he is not authorized to sign it he will fax the amendment to his dad to sign and send in from Arizona. Shawn will put a check in the mail for the fees today with or without the amendment form. I asked him to at least send a copy of the front page of the amendment with his check so we could attach it to the water right when it arrives.

MICROFILMED

FEB 02 2000



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866 www.idwr.state.id.us

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

FAX TRANSMITTAL COVER SHEET

DATE: 1-24-2000

TO: Shawn
(FAX) 208-524-3304

FROM: Kay Walker
327-7944

DOCUMENT DESCRIPTION: letter of 12/23/99
a licensing amendment of
Permit 27-07001.

COMMENTS: I need to know if
we will be hearing back from
you or not.

COVER SHEET + 4 PAGES

PLEASE CONTACT Kay
IF YOU DO NOT RECEIVE THIS ENTIRE DOCUMENT

MICROFILMED
FEB 02 2000



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

December 23, 1999

GERALD E. STOLWORTHY & SONS INC.
C/O BRENT STOLWORTHY
3669 S. HOLMES
IDAHO FALLS, ID 83404

RE: Permit No. 27-07001

Gentlemen:

Permit No. 27-07001 is currently being reviewed for licensing. Our review has revealed two issues that you need to address.

First, the Department's field examiner reported that your irrigation wells actually divert up to 19.21 cfs. However, because you submitted your Exam Fee Information Sheet for only 16.0 cfs and paid a \$475.00 examination fee, the license will be limited to a diversion rate of 16.0 cfs. I have enclosed a copy of your Exam Fee Information Sheet for your reference.

If you want your water right license to reflect the 19.21 cfs found by the field examiner, you must submit an additional examination fee of \$100.00 required for a diversion of 19.21 cfs, plus the late penalty of \$25.00, within 30 days. If we receive the examination fees after 30 days from the date of this letter, the priority date of your water right will be advanced in accordance with Section 42-217 of the Idaho Code.

Second, before a license can be issued, your permit must be amended to correspond with the field examiner's findings related to the place of use description of your water use. Please review the enclosed amendment application carefully. If you concur with the examiner's findings, sign the amendment and return it with the statutory \$50.00 amendment fee within 30 days.

The last page of the Application for Amendment form contains a list of CONDITIONS/REMARKS proposed for the license when it is issued. These conditions/remarks may be modified upon further administrative review.

If you have any questions, please contact me as soon as possible at (208)327-7944.

Sincerely,

KAY WALKER
Sr. Water Resource Agent

Enclosures

MICROFILMED

FEB 02 2000

LICENSE REVIEW CHECKLIST

Permit No. 27-07001 Date: 12/22/99 Reviewer: Kay Walker

Change/OK

Name/Address OK

Source OK

Point of Diversion: OK

Does change clarify original intended source? If no, void permit.

Change (P39/P47) Add (P45/P42) Feds (P43)

W32 (multiple in 1/4/1/4)

W36 (overlap)

W59 (subdivision description)

no other rights @ these pld's in WR/AJ

Place of Use change

Change (P41/P47) Add (P41/P42) Feds (P43)

W60 (subdivision description)

W27 (ppu acre limit)

Overlaps: Right(s): R64 -

File reviewed _____ Profile reports printed _____

P/D & P/U amend (P37) Feds (P48)

Rate of Diversion:

Permitted rate 23.3 cfs

Fee Limit 16.0 cfs

Measured 19.21 cfs

Theoretical _____ cfs

Recommended Total Diversion Rate _____

allow 19.21 cfs if they pay additional exam-fee. 1039 ac

Water Uses

Change (P46)

Irrigation _____ cfs _____ af
Stockwater _____ cfs _____ af
Domestic _____ cfs _____ af
_____ cfs _____ af
_____ cfs _____ af
Total _____ cfs _____ af

Irrigation - overlap (R58-R61, R62-R65, R66-R69)

supp. Gw (WB7/065/079)

overlap spec combined rts (W35)

>1 acre (W31)

Domestic (W01/wb5/070/071/075)

Power (W42 or W43/025/027/R22 or R23)

Fish (042)

Fire (077)

Water Quality (081/R07)

Payette - (W22/047/27A)

*0.02
20.78 cfs
for 1" ac*

Volume Determination

19.21 cfs x 1.9835 x 214 days = 8139.7 af (vs) 1039 acres x 4.0 (FHR) = 4156.0 af

4160.

Remarks: _____

Additional Conditions

1/0 Watermaster Control

_____ GW Measurement/Measuring Device

_____ Other

Trust (052/R55 - remove 051)

Non-trust (048/049)

Government Lots? yes

*conditions
R64
OIM*

Advance Priority? yes

If yes, explain why below.

SRBA Claim? yes

Adjust memo _____

Amend Letters P41

P87, S06

Second Amendment Notice P44

S06

*~~P41~~ Season of use 4/1 to 10/31
per new S.O.U. map*

WROders-
Letter Temp
Examfee.Doc

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)
(QUARTER-QUARTERS WITH A '?' HAVE DIFFERENT ACREAGE AMOUNTS--CHECK THE DATA BASE RECORDS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		NE		NW		SW		SE		NE		NW		SW		SE		
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
L2707001	T02S R37E S 1 GROUNDWATER																	
																		9
A0100075Z1	LARGE CLAIM	1		1				1		1		1				1		1
A0100076Z1	LARGE CLAIM	1		1				1		1		1				1		1
A0100312Z1	LARGE CLAIM	1		1				1		1		1				1		1
A0100368Z1	LARGE CLAIM	1		1				1		1		1				1		1
A0100369Z1	LARGE CLAIM	1		1				1		1		1				1		1
A0100370Z1	LARGE CLAIM	1		1				1		1		1				1		1
A2500224Z1	LARGE CLAIM	1		1				1		1		1				1		1
2700001	BLACKFOOT									15		27		40		40		167
A2700001A	BLACKFOOT											14		20				34
A2700001B	BLACKFOOT									15		12		20		37		129
2700002	BLACKFOOT									15		27		40		40		167
A2700002A	BLACKFOOT											14		20				34
A2700002B	BLACKFOOT									15		12		20		37		129
2700003A	BLACKFOOT									15		27		40		40		167
A2700003D	BLACKFOOT											14		20				34
A2700003E	BLACKFOOT									15		12		20		37		129
A2700004AC	BLACKFOOT			40		40				22		13				40	36	191
2700004J	BLACKFOOT									15		27		40		40		167
A2700004Y	BLACKFOOT											14		20				34
A2700004Z	BLACKFOOT									15		12		20		37		129
2700005	BLACKFOOT									15		27		40		40		167
A2700005A	BLACKFOOT											14		20				34
A2700005B	BLACKFOOT									15		12		20		37		129
A2700013A	BLACKFOOT			40		40				22		13				40	36	191
2702091	GROUNDWATER	1		1		1		1		1		1				1		
A2702091	GROUNDWATER	40		40				40		36		40						236
2707002	GROUNDWATER									15		27		40		40		167

L2707001	T02S R37E S 2 GROUNDWATER																	
		01-40	02-40	39		40		03-40	04-40	39		39		36		39		395
2700001	BLACKFOOT											40		37		40	40	197
A2700001A	BLACKFOOT													36		40	40	155
2700002	BLACKFOOT											40		37		40	40	197
A2700002A	BLACKFOOT													36		40	40	155
2700003A	BLACKFOOT											40		37		40	40	197
A2700003D	BLACKFOOT													36		40	40	155
2700004J	BLACKFOOT											40		37		40	40	197
A2700004Y	BLACKFOOT													36		40	40	155
2700005	BLACKFOOT											40		37		40	40	197
A2700005A	BLACKFOOT													36		40	40	155
A2700014C	BLACKFOOT											37		33				70
A2700021B	BLACKFOOT											37		33				70
A2700022D	BLACKFOOT													30		40	40	150
A2700035D	BLACKFOOT													30		40	40	150

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)
(QUARTER-QUARTERS WITH A '?' HAVE DIFFERENT ACREAGE AMOUNTS--CHECK THE DATA BASE RECORDS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	
2707001	GROUNDWATER :	40	40	40	40?	40	40	40	40?	40	40?							400
A2707001	GROUNDWATER :	01-40	01-40	40	40?	03-40	04-40?	40	40?	40	40?							400
2707002	GROUNDWATER :													40	37	40	40	197
A2710390	BLACKFOOT :													33				33
A2710398	BLACKFOOT :											37	33					70

L2707001 T02S R37E S 3 GROUNDWATER

		01-40	02-18	38	39?			02	23			40	35	40	32			39	40?			386
A010007521	LARGE CLAI :					06	31	01														38
A010007621	LARGE CLAI :					06	31	01														38
0100312	SNAKE RIVE :																					
A010031221	LARGE CLAI :					06	31	01														38
A010036821	LARGE CLAI :					06	31	01														38
A010036921	LARGE CLAI :					06	31	01														38
A010037021	LARGE CLAI :					06	31	01														38
A250022421	LARGE CLAI :					06	31	01														38
2700004K	BLACKFOOT :																	40	20			60
A2700004T	BLACKFOOT :																	40	08			48
A2700014B	BLACKFOOT :																	40	08			48
A2700014C	BLACKFOOT :																			18		18
2700021	BLACKFOOT :																	40	20			60
A2700021A	BLACKFOOT :																	40	08			48
A2700021B	BLACKFOOT :																			18		18
2707001	GROUNDWATER :	40	20	40	40			25	40?	40	40	40	40?	40	40?							445
A2707001	GROUNDWATER :	01-40	02-20	40	40?			25	40?	40	40	40	40?	40	40?							445
A2710398	BLACKFOOT :																			18		18

L2707001 T02S R37E S 4 GROUNDWATER

						01:								09:	24	15	32	37:				118
A0100038	SNAKE RIVE :			02-38				03-39	04-39													116
A010007521	LARGE CLAI :	39	10	39	20:			40	40	39	40	40	19:	04	20	1						350
A010007621	LARGE CLAI :	39	10	39	20:			40	40	39	40	40	19:	04	20	1						350
A0100171	SNAKE RIVE :			02-38				03-39	04-39													116
0100238	SNAKE RIVE :																					
A0100250	SNAKE RIVE :			02-38				03-39	04-39													116
0100250C	SNAKE RIVE :			I				I	I													
0100312	SNAKE RIVE :																					
A010031221	LARGE CLAI :	39	10	39	20:			40	40	39	40	40	19:	04	20	1						350
A0100328	SNAKE RIVE :			02-38				03-39	04-39													116
0100328C	SNAKE RIVE :																					
A010036821	LARGE CLAI :	39	10	39	20:			40	40	39	40	40	19:	04	20	1						350
A010036921	LARGE CLAI :	39	10	39	20:			40	40	39	40	40	19:	04	20	1						350
A010037021	LARGE CLAI :	39	10	39	20:			40	40	39	40	40	19:	04	20	1						350
A0110247	SNAKE RIVE :			02-38				03-39	04-39													116
A250022421	LARGE CLAI :	39	10	39	20:			40	40	39	40	40	19:	04	20	1						350

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)
(QUARTER-QUARTERS WITH A '?' HAVE DIFFERENT ACREAGE AMOUNTS--CHECK THE DATA BASE RECORDS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				SUM		
		NE		NW		SW		SE		NE		NW		SW		SE				
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac			
2707001	GROUNDWATE :														15	40	25	40	40	160
A2707001	GROUNDWATE :														15	40	25	40	40	160
2707036	GROUNDWATE :								30				30							60
A2707036	GROUNDWATE :								30				30							60
2707142	GROUNDWATE :								10											10
A2707142	GROUNDWATE :								10											10
2707520	GROUNDWATE :												06		40					46
L2707001	T02S R37E S 9 GROUNDWATER																			
	:			38	33			28			32									131
A0100001J	SNAKE RIVE :												18							18
A0100075Z1	LARGE CLAI :							38	39				25							102
A0100076Z1	LARGE CLAI :							38	39				25							102
A0100298	SNAKE RIVE :												18							18
0100312	SNAKE RIVE :																			
A0100312Z1	LARGE CLAI :							38	39				25							102
A0100368Z1	LARGE CLAI :							38	39				25							102
A0100369Z1	LARGE CLAI :							38	39				25							102
A0100370Z1	LARGE CLAI :							38	39				25							102
A2500224Z1	LARGE CLAI :							38	39				25							102
2700004K	BLACKFOOT :	40																		40
A2700004S	BLACKFOOT :												18							18
2700014	BLACKFOOT :										1	1					1	1		
A2700014A	BLACKFOOT :																40	40		80
2700021	BLACKFOOT :	40																		40
A2700021C	BLACKFOOT :	40									12	10	20	20		40	20			162
2700028	BLACKFOOT :										1	1					1	1		
A2700028	BLACKFOOT :	40									12	10	20	20		40	20			162
A2700028A	BLACKFOOT :																40	40		80
A2700029B	BLACKFOOT :																40	40		80
A2700029C	BLACKFOOT :													20						20
2700029F	BLACKFOOT :													20			40	40		100
2707001	GROUNDWATE :			40	40			40			40									160
A2707001	GROUNDWATE :			40	40			40			40									160
2707519	GROUNDWATE :								01											1
2707520	GROUNDWATE :							26												26
A2710657	BLACKFOOT :	40									12	10	20	20		40	20			162

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 29 1999

Department of Water Resources

A. GENERAL INFORMATION

Gerald E. Stolworthy & Sons INC

Permit No. 27-7001

1. Owner: % Brent Stolworthy

Phone No. 529-3891

Current Address: 3669 S Holmes, Idaho Falls Id 83404

8-13-1991
7-7-1999

2. Accompanied by: _____

EXAM. DATE: 8-13-1991

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____

☐ Copies Attached

2. Other water rights with same point of diversion: _____

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached

SEE ATTACHED SHEETS

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

- ☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

- ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED
FEB 02 2000

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

#62 well & pump, Mainline to center pivots & laterals with sprinklers

600 well & pump,

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#62	US MOTORS	150	6502/T025271 R025A-14	Aurora	10" discharge
600	US MOTORS	600	J1410021	Johnston	14" discharge

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
600		NW	SW	NW	3	2S	37E	Bingham	FSA Aerial/USGS Quad/on site
#62		NW	NW	NE	9	2S	37E	Bingham	" " "

6. Place(s) of Use:

Indicate Method of Determination FSA Aerial

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2S	37E	1						4	4			1							9.0
		2	L-1 39.7	L-2 39.9	39	40	L-3 40	L-4 40	39	39	36	39			3				394.6
		3	L-1 40	L-2 18	38	39			2	23	40	35	40	32	39	40			386.0
		4				14								9	24	15	32	37	118.4
		9			38	33		28		32									131.0
																			1039 ac

UNRECORDED

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1. Sonic Polysonics TF-P SN26863 IN#149743

	Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
#62	COX HALL				120386	10"	
	press gage		Ashcraft			0-100psig	
600	COX HALL				120388	13"	
	press gage		Ashcraft			0-160psig	

2. Measurements:

Well #62-Cox HALL

well 600-Cox HALL - >60" h

H₁ low
34.55 12-80
34.50 12-90
34.40 12-95

well #62 operating press - 28psig
well 600 - operating press - 95psig

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: Well #62 $Q = 3.81 \text{ cfs}$ well 600 = $Q = 15.40 \text{ cfs}$
Total $Q = 3.81 \text{ cfs} + 15.40 \text{ cfs} = 19.21 \text{ cfs}$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1039 \text{ ac} (4) = 4156.0$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 19.21 \text{ cfs} (214) 1.9835 = 8154 \text{ of}$

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 4156.0 \text{ of}$

2. Volume Calculations for Other Uses:

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Note: EXAM Fee paid on 16.0cfs and 1000 ac

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	4/1		
Totals:				

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Lee Simons (7-7-1999) KEITH C. WILSON (8-13-1999)
Signature Alan W Paris (8-13-1991)
Signature Keith C Wilson
Certification Date _____
Field Report Preparation Date _____

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

MICROFILMED

FEB 02 2000

MODE SELECT
INPUT

Permit
#

OUTER DIAMETER 27-7001
25.0000 IN

PIPE MATERIAL 7-7-99
? CS.SS

WALL THICKNESS
0.3000 IN

INNER LINING
? NO LING.

KIND OF FLUID
? SEAWATER

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
21.416 IN U

MODE SELECT
TO CHECK

0899.0 MMSEC
100.75 % TO

07-07 10:1100 *R
+002.30 % A12

ZERO MODE
CLEAR

ZERO MODE
AUT ZERO

07-07 10:1200
+583.820E 1GPM

ZERO MODE
ZERO OPR

07-07 10:1300 *R
+612.350E 1GPM

07-07 10:1300 *R
+580.914E 1GPM

07-07 10:1400 *R
+607.595E 1GPM

07-07 10:1400 *R
+560.309E 1GPM

07-07 10:1400 *R
+560.309E 1GPM

07-07 10:1400 *R
+584.084E 1GPM

07-07 10:1400 *R
+600.463E 1GPM

07-07 10:1500 *R
+574.045E 1GPM

07-07 10:1500 *R
+620.011E 1GPM

07-07 10:1500 *R
+598.085E 1GPM

07-07 10:1500 *R
+602.312E 1GPM

07-07 10:1500 *R
+601.255E 1GPM

07-07 10:1500 *R
+601.255E 1GPM

07-07 10:1500 *R
+615.256E 1GPM

07-07 10:1500 *R
+599.406E 1GPM

07-07 10:1500 *R
+586.990E 1GPM

07-07 10:1500 *R
+574.045E 1GPM

07-07 10:1600 *R
+584.084E 1GPM

07-07 10:1600 *R
+616.577E 1GPM

07-07 10:1600 *R
+602.312E 1GPM

07-07 10:1600 *R
+635.862E 1GPM

07-07 10:1600 *R
+583.820E 1GPM

07-07 10:1600 *R
+600.463E 1GPM

07-07 10:1600 *R
+596.236E 1GPM

07-07 10:1600 *R
+583.291E 1GPM

07-07 10:1600 *R
+567.970E 1GPM

07-07 10:1600 *R
+584.084E 1GPM

07-07 10:1600 *R
+627.144E 1GPM

07-07 10:1600 *R
+604.689E 1GPM

07-07 10:1600 *R
+619.483E 1GPM

07-07 10:1700 *R
+605.746E 1GPM

07-07 10:1700 *R
+574.045E 1GPM

07-07 10:1700 *R
+586.197E 1GPM

07-07 10:1700 *R
+604.689E 1GPM

07-07 10:1700 *R
+593.858E 1GPM

07-07 10:1700 *R
+607.595E 1GPM

07-07 10:1700 *R
+603.897E 1GPM

07-07 10:1700 *R
+597.028E 1GPM

07-07 10:1700 *R
+635.862E 1GPM

07-07 10:1700 *R
+586.197E 1GPM

07-07 10:1700 *R
+617.634E 1GPM

07-07 10:1800 *R
+560.309E 1GPM

07-07 10:1800 *R
+572.196E 1GPM

07-07 10:1800 *R
+634.013E 1GPM

07-07 10:1800 *R
+586.990E 1GPM

07-07 10:1800 *R
+586.990E 1GPM

07-07 10:1800 *R
+621.068E 1GPM

07-07 10:1800 *R
+603.369E 1GPM

07-07 10:1900 *R
+600.463E 1GPM

07-07 10:1900 *R
+627.672E 1GPM

07-07 10:1900 *R
+663.600E 1GPM

07-07 10:1900 *R
+629.522E 1GPM

07-07 10:1900 *R
+612.350E 1GPM

07-07 10:1900 *R
+602.940E 1GPM

07-07 10:1900 *R
+639.032E 1GPM

07-07 10:1900 *R
+648.278E 1GPM

07-07 10:1900 *R
+647.221E 1GPM

07-07 10:1900 *R
+637.183E 1GPM

07-07 10:2000 *R
+641.674E 1GPM

07-07 10:2000 *R
+644.844E 1GPM

07-07 10:2000 *R
+617.634E 1GPM

07-07 10:2000 *R
+629.522E 1GPM

07-07 10:2000 *R
+618.691E 1GPM

07-07 10:2000 *R
+648.278E 1GPM

07-07 10:2100 *R
+616.577E 1GPM

07-07 10:2100 *R
+635.333E 1GPM

07-07 10:2100 *R
+651.712E 1GPM

07-07 10:2100 *R
+627.672E 1GPM

07-07 10:2100 *R
+606.539E 1GPM

07-07 10:2100 *R
+644.844E 1GPM

07-07 10:2200 *R
+634.805E 1GPM

07-07 10:2200 *R
+632.505E 1GPM

07-07 10:2200 *R
+649.070E 1GPM

07-07 10:2200 *R
+650.127E 1GPM

07-07 10:2200 *R
+608.916E 1GPM

07-07 10:2200 *R
+608.124E 1GPM

07-07 10:2200 *R
+599.406E 1GPM

07-07 10:2200 *R
+607.067E 1GPM

07-07 10:2300 *R
+622.917E 1GPM

07-07 10:2300 *R
+653.561E 1GPM

07-07 10:2300 *R
+618.691E 1GPM

07-07 10:2300 *R
+624.238E 1GPM

07-07 10:2300 *R
+657.788E 1GPM

07-07 10:2300 *R
+641.674E 1GPM

07-07 10:2300 *R
+630.578E 1GPM

07-07 10:2300 *R
+641.674E 1GPM

07-07 10:2400 *R
+608.916E 1GPM

07-07 10:2400 *R
+618.955E 1GPM

07-07 10:2400 *R
+602.312E 1GPM

07-07 10:2400 *R
+631.107E 1GPM

07-07 10:2400 *R
+594.651E 1GPM

07-07 10:2500 *R
+654.354E 1GPM

07-07 10:2500 *R
+629.522E 1GPM

07-07 10:2500 *R
+618.691E 1GPM

07-07 10:2500 *R
+634.805E 1GPM

07-07 10:2500 *R
+617.634E 1GPM

07-07 10:2500 *R
+649.070E 1GPM

07-07 10:2600 *R
+644.844E 1GPM

07-07 10:2600 *R
+621.068E 1GPM

07-07 10:2600 *R
+655.410E 1GPM

07-07 10:2600 *R
+615.785E 1GPM

07-07 10:2700 *R
+663.600E 1GPM

07-07 10:2700 *R
+616.577E 1GPM

07-07 10:2700 *R
+647.221E 1GPM

07-07 10:2700 *R
+656.731E 1GPM

07-07 10:2700 *R
+667.827E 1GPM

07-07 10:2700 *R
+609.973E 1GPM

07-07 10:2700 *R
+602.312E 1GPM

600hp well

7-7-1999

MICROFILMED
FEB 02 2000

Max Q = 6913.38 gpm


27-07001

MEASUREMENT
TAPE

600 hp

27-07001

MICROFILMED
FEB 02 2000



600 hp POINT OF DIVERSION

MICROFILMED
FEB 0 2 2000

27-07001

State of Idaho
DEPARTMENT OF WATER RESOURCES
Cox/Hall Meter Flow Calculations

DATE: 8-13-1991

PERMIT # 27-7001

MANOMETER READING INCHES OF WATER TO COX/HALLS METER - Vh

	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
53	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
54	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
56	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
57	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
58	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
59	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
60	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
62	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
64	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
66	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
69	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
71	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
72	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
73	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
76	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
78	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
81	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
82	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
83	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

COX/HALL METER # 120386

SYSTEM NAME/NUMBER #62

MEASURED INSIDE PIPE DIAMETER IN INCHES (ID)

Circumference in Inches = 31 7/32" CIR 31.53"

Thickness in Inches = .125 T

ID = (0.3183 X CIR) - (2 T) = 9.79 ID

DIFFERENTIAL PRESSURE READING IN INCHES OF H2O

(34.55) - (12.80) = _____ H

(34.50) - (12.90) = _____ H

(34.40) - (12.95) = _____ H

(34.48) - (12.88) = 21.6 H

High reading - Low Reading

DETERMINE Vh FROM CHART USING (H): 22.7 Vh

(Example H = 12.3, Vh = 16.9)

CALCULATION OF FLOW IN CFS:

Q cfs = [(π /4) X (id)² X Vh] / 448.8

Q cfs = 10.78539 (9.79)² (22.7) / 448.8

Q cfs = 3.807358 cfs

Q cfs = 3.81 cfs


op press 28 p59

MICROFILMED

FEB 02 2000 ALAN W. PARIS

MEASURED BY





POINT OF DIVERSION #62

MICROFILMED
FEB 02 2000

27-07001

27-07001

T
2 R37/E
S

27-07001

R37E

T1S

T2S

WOLVERINE

4596

34 35

35 36

L-4

L-3

L-2

L-1

L-4

L-3

L-2

L-1

L-4

L-3

L-2

L-1

L-4

POINTS OF DIVERSION

4

3

2

4784

4760

9

10

3

2

2

1

11

12

PLACE OF USE

CONSTRUCTION

CANAL

UNDER

10

JUST

BLACKFOOT

11

Coal

Pump

MICROFILMED

FEB 02 2000

27-07001



600 hp Point of
Diversion view
West




600 hp Point of Diversion
Mainline View EAST

MICROFILMED
FEB 02 2000

#600
27-7001



600hp
POINT OF
DIVERSION
VIEW South



600hp Point of
Diversion View EAST

MICROFILMED
FEB 02 2000

#600
27-7001



Point of Diversion #62

MICROFILMED
FEB 02 2000

#62
27-7001

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 27-07001

1. Owner: Gerald E Stolworthy, i Sons inc Phone No. _____

Current Address: 3669 S Holmes Idaho Falls ID 83404

2. Accompanied by: NO ONE EXAM DATE: 8-13-1999

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
#600		NW	SW	NW	3	2 S	37E	Bingham	PSA Aerial/onsite/USGS QUAD
#62		NW	NW	NE	9	2 S	37E	Bingham	" " "


2. Place(s) of Use: SEE ORIGINAL EXAM Indicate Method of Determination _____

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

MICROFILMED
FEB 02 2000

27-07001

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Well #62	GE	250	CMJ331121	Aurora	010116 99-169 (Elect. Equip #)
Booster	US ELECTRIC	150	6502/T02S27 R025R-14	UNKNOWN	10" discharge

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

NONE

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

MICROFILMED

2. Measurements:

FEB 02 2000

27-07001

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

27-7001
Permit No.
ES/ 10/86

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index KW 31 MAR 87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index _____ 31 MAR 87 (Initial and date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☐ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed _____ (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent _____ (Initial and date)
Exam Reviewed by Manager of Regional Office _____ (Initial and date)
Exam Date Entered in Computer _____ (Initial and date)
Exam sent to State Office _____ (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

RECEIVED

SEP 29 1999

Department of Water Resources

Memorandum

TO: Vault
FROM: Keith C. Wilson
RE: Field Exam 27-07001

September 23, 1999

Attached is the field examination for 27-07001.

Time line on completion of licensing exam:

11-XX-1972 Proof of beneficial use received

07-30-1976 Exam - NO MEASURING Device
08-05-1976 Letter to permit holder - system required to have measuring device.
08-16-1976 Phone message - measuring device ordered and should be installed in about a week, will call for an appointment.

07-25-1979 Permit holder will call back when access is installed

XX-XX-XXXX Phone call - bowls worn down 5 lines check back June 1980.

04-17-1986 Letter to permit holder - examination fee notice
05-30-1986 Receipt of examination fee - a pivot & corners in set aside program, measure in 1987.

06-09-1989 Receipt of drilling permit fee.
06-12-1989 Amendment of permit to add a point of diversion received.
06-30-1989 Amendment & drilling permits approved.

08-02-1991 Phone call to permit holder - no answer.
08-07-1991 Phone call to permit holder - busy signal
08-08-1991 Phone call to permit holder - told to call back on Friday 0800 hrs.
08-10-1991 Phone call to permit holder
08-13-1991 Phone call to permit holder - appointment made
- P/D 600 hp - velocity to high - use polysonic for 24"mainline.
- Measured P/D #62
- could not complete exam due to harvesting.

07-07-1999 Measured 600 hp P/D
08-13-1999 Confirm place of use on FSA aerals.
09-23-1999 Prepare file for Boise

MICROFILMED

FEB 02 2000

State of Idaho
DEPARTMENT OF WATER RESOURCES
WATER RIGHT BENEFICIAL USE FIELD REPORT

RECEIVED

SEP 29 1999

Department of Water Resources

27-7001

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:	08/02/91	08100P	see 35-8800 no answer
☐ Telephone call made (List Telephone No. used)	08/07/91	11400P	line busy
☐ Appointment scheduled for: (Date, time, location)	08/08/91	10350P	call back 08/13/91
	08/10/91	07150P	0830 08/13/91

SEE ATTACHED NOTES

357-7239

14-16" mainline

525-3536
Mobil Phone 4/28/1
Ed S. 589-1033

8/13/91

velocity too high at 600HP
pump to get reading
need to use polysonic on 24"
mainline

unable to complete exam due
to harvesting

[Signature]

TELEPHONE CONVERSATION MEMORANDUM

Permit No. _____ Name of Contact Brent Slotworthy
Employee _____

Date set for examination: 08/13/91
Time 0830

Directions Wolverine Rd east to fork upon bend
turn left at potato cellar & log cabin
meet at potato cellar

Are all the uses on the permit developed? yes

Are there existing water rights used for the same purpose? _____

How many points of diversion are used? 2

What is the estimated flow at each point of diversion? _____

Number of Acres irrigated by each P/D _____

Size of Motor used for each P/D 600 / 150

Estimate of depth to water _____

How many laterals are used? see drawing

Length and size of mainline _____

Pressure at well _____

Pressure at sprinkler head _____

Have conditions of approval been complied with? _____

Is land under CRP? yes _____ no _____ (Review Permit Processing Administrative Memorandum #11 for conducting exams for CRP land)

MICROFILMED

FEB 02 2000

ACTION REQUIRED

RECEIVED

FROM: H.W. Jones - IDWR

JUN 15 1989

Department of Water Resources
Eastern District Office

TO: Gerald Stalworth + Son

Attached is an amendment for permit which will be required for advertizing of your proposed well addition to permit 27-07001. You must sign & date the apphc & return it to the Idaho Falls office with the \$20 fee.

[Signature]

Amendment Pending - HWT
6-22-89

MICROFILMED

FEB 02 2000

ACTION REQUIRED

27-7001

FROM: KEITH

TO: FILE 27-7001

System not operating at capacity as one circle is completely
shut down & corners off. due to set aside do in
1987.

MICROFILMED

FEB 02 2000

Note to Gus: Permit # 27-7-11

Gerald E. Stolorow

I spoke to Brent Stolorow, stated that
the pump bowls were worn to a point that 5 lines
were drawn to keep up pressure in the remaining 27 lines.

Will have bowls reworked and access ports installed this
winter, ready ~~for~~ the coming field season.

J.E.

MICROFILMED

FEB 02 2000

ROUTING SLIP

DATE 8-16-76 TIME _____
 TO: Bill Graham REF. No. (if any) _____
 FROM: (show title) Calleen

FOR YOUR: ☒ Information ☐ Approval ☐ Signature
 REVIEW AND: ☐ Call Me ☐ Comment & Return ☐ Take Proper Action ☐ Draft a Reply for Me ☐ See Me
 PER: ☐ Our Conversation ☐ Your Request ☐ Boss's Request

I think you have exam! Any way Mrs. Brent Stelworthy called concerning measuring device. It is out order and should be installed in about a week. System will still be running &

☐ Telephoned ☐ Returned Your Call ☐ Will Call Again ☐ Please Call ☐ Called to See You

AREA CODE _____ NUMBER _____ EXT. _____
 PHONE: _____
 OF _____
 M _____
 DATE _____
 TIME _____
 WHILE YOU WERE OUT _____
 TO _____

will call for an appointment to re-exam. C.W.

MICROFILMED

FEB 02 2000

August 5, 1976

RE: Permit No. 27-7001

Gerald E. Stolworthy & Son, Inc.
2865 Morningside Drive
Idaho Falls, Idaho 83401

Dear Mr. Stolworthy:

On July 30, 1976, personnel from this office visited the well under your Permit No. 27-7001. This examination was to finalize the water permit and collect data required for the licensing of the well.

The examination indicated that the system may possibly not be operated as you stated in your proof of beneficial use. A measuring device approved by this Department has not been installed at the point of diversion. Because of this non-compliance where the measuring device is concerned, the priority date that you have established for this ground-water source may be in jeopardy.

This office will hold the field report until August 20, 1976. At that time we will submit our findings to the State Office in Boise. Hopefully, before that time you will contact this office and indicate that the measuring device has been purchased and/or installed. We will then re-examine the system with you or your representative present. Please contact me to set up an appointment for this re-examination.

Compliance with the conditions on your permit is the only way a license can be issued pursuant to the Idaho Code for your water right development and the land included under the above referenced permit.

If you have any questions concerning this matter, please do not hesitate to contact this office.

Very truly yours,

WILLIAM G. GRAHAM
Senior Water Resource Agent

WGG:CW

MICROFILMED

FEB 02 2000

E. NARRATIVE/REMARKS/COMMENTS

Note: Well #62 has been changed since original exam
this is being included to show change.



Photo Date 8-13-1999 →

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
FEB 02 2000

27-07001

F. FLOW CALCULATIONS

Measured Method:

Additional Computation Sheets Attached

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R} = (\text{Acres Irrigated}) \times (\text{Irrigation Req})$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days In } 1 \text{ yr})$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use

Period of Use
From To

**Rate of Diversion
Q (cfs)**

**Annual Volume
V (afa)**

Totals:

2. Recommended Amendments

Change P.D. as reflected above Add P.D. as reflected above None

~~Change P.U. as reflected above Add P.U. as reflected above Other~~

I. AUTHENTICATION

Field Examiner's Name KEITH C Wilson Date 8-13-1999

Reviewer _____ Date _____

MICROFILMED

SEAL

FEB 02 2000

27-07001

5-22-9585

DEPARTMENT OF WATER ADMINISTRATION 675
FIELD REPORT

No measuring
device- 7/20/76

1. Name of permit holder Gerald E. Stolworthy & Son, Inc.
Post office address Route 1 - Box 178, Firth, Idaho Phone 523-1932
Person to contact Joe Rosencrans on place Phone 346-6883

2. Source of water supply:- Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc.)

3. Water will be used for the following purposes:

Amount 24.40 c.f.s. for Irrigation
 AF/Annum (nature of use)

Period of Use: from March 15 to Nov. 15
(mo.-day) inclusive (mo.-day)

Amount c.f.s. for
 AF/Annum (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum _____ (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

4. Total amount to be appropriated:

Max Rate of Diversion 24.40 cubic feet per second and annual volume _____ AF/Annum.

5. Location of Point(s) of Diversion:

Township 37 E N/S, Range 2 S E/W, B.M., Section 4, Subdivision SW $\frac{1}{4}$ SE $\frac{1}{4}$, Bingham

Township N/S, Range E/W, B.M., Section 3, Subdivision SW $\frac{1}{4}$ NW $\frac{1}{4}$, _____

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4, _____

Other Points of Diversions: _____

Description of diverting works: wells, pumps, 600-hp motor

Measuring device required: yes ☒ no ☐

6. Lands to be irrigated or place of use.

[illegible]

MICROFILMED
FEB 02 2000


TOTAL ACREAGE

1220

NAME OF APPLICANT.....GERALD E. STOLWORTHY & SON, INC.....

Form No. 0

T.
2
S



DATE OF EXAM _____

ACREAGE

Found _____

Recommended _____

Irrigation Requirement _____ Ac Ft/Ac

USE

Irrigation Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Domestic Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no _____

Name source: _____

twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____

County _____

Exchange? yes _____ no _____

Name source exchanged with: _____

twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____

County _____

Point of injection:

twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____

County _____

Point of exchange:

twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____

County _____

Total Q measured _____ Method of measurement _____

Total Q recommended _____ Meter No. _____ Type _____ Condition _____

Total V recommended _____

Recommended Amendments:

P.D. _____

Place of Use _____

Other _____

None _____

MEASUREMENT CALCULATION:

SYSTEM DESCRIPTION:

REMARKS:

Examiner's Signature _____ Date _____

Checked by _____ Date _____

Approved by _____ Date _____

MICROFILMED

FEB 02 2000



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 - (208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

July 10, 1989

RE: Permit No. 27-7001

Gerald E. Stolworthy & Son
c/o Brent Stolworthy
2669 S. Holmes
Idaho Falls, ID 83404

Dear Permit Holder(s):

Enclosed is a copy of the approved Application for Amendment submitted in connection with the above referenced permit. Also enclosed is a copy of your approved drilling permit.

If you have any questions concerning this matter, please feel free to contact our office.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over a circular stamp.

JIM JOHNSON
Water Rights Supervisor

JJ:hm

Enclosure

RECEIVED
FILMED

JUL 17 1989

Form 235-1
3/89

Drilling Permit No. 27-89-2-004
Water Permit No. 27-07001
Injection Permit No. _____

State of Idaho
Department of Water Resources
DRILLING PERMIT

1. Applicant BRENT STOLWORTHY
2. Address 3669 S. HOLMES, IDAHO FALLS, ID. 83404
Telephone 529-3891

☒ Well Owner ☐ Well Operator ☐ Other, specify _____

3. Proposed well location NW 1/4 NE 1/4, or Gov't lot No. _____,
Sec. 9, Twp. 2S, Rge. 37E, County BINGHAM,
Lot, block and subdivision _____

4. Proposed use of well: (Check all that apply)
☐ Domestic ☐ Stockwater ☐ Monitoring
No. of households _____ No. of livestock _____
☒ Irrigation ☐ Industrial ☐ Municipal
☐ Injection ☐ Other, Specify _____

5. Well construction information: WELL IS NEEDED TO MORE EFFICIENTLY IRR. PORTION OF
FARM NOW IRRIGATED BY EXISTING WELLS NW 1/4 SW 1/4 NW 1/4
SEC 3. T2N R37E
☒ New well ☐ Deepen ☐ Replace
ADDITIONAL UNDER 27-07001
Proposed surface diameter 20" Maximum depth 150'

Anticipated bottom hole temperature:

☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)

6. Anticipated construction start date JULY 1, 1989

7. Well Driller (if known) VERL ANDREWS (ANDREWS WELL DRILLING)

Address IDAHO FALLS

8. Applicant's signature Brent Stoltworthy

Title Owner

Date June 9 1989

MICROFILMED

JUL 17 1989

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is

Approved

If approved, this permit authorizes the construction of a well subject to the following conditions:

GENERAL CONDITIONS

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

SPECIFIC CONDITIONS

Dated this 30th day of June, 1989

Signed

J. Glen Saxton

Title

Chief, Water Alloc. Sec.

Received by EGV

Fee

100⁰⁰

Date

6-9-89

MICROFILMED

Receipt No.

6008995

Construction start extension to

JUL 17 1989

Extension approved by

State of Idaho
Department of Water Resources

AMENDMENT ANALYSIS SHEET

INITIAL REVIEW BY: HWT

Right Number 27-07001 Applicant Stdworthy

Purpose of Amendment: ☐ Change point of diversion. ☒ Add diversion point(s).

☐ Increase amount. ☐ Change place of use. ☐ Other _____

CHECK:

- ☒ Description of amended point(s) of diversion.
- ☒ Amount, nature and period of use. If increased, delay date of priority.
- ☒ Description of amended places of use. If expanded, delay date of priority.
- ☒ Ownership of point of diversion and place of use.
- ☒ Map.
- ☒ Signature (must be permit holder).
- ☒ Fee.
- ☒ Existing water rights from the same source, amended place of use.
- ☒ Right number(s) NA
- ☐ Yes ☒ No Should amendment be advertised?
- ☐ Yes ☒ No Should date of priority be delayed? If yes, to what date? _____

FINAL REGIONAL PROCESSING REVIEW:

- ☐ Affidavit of publication received.
 - ☐ Amendment published correctly.
 - ☐ Protests processed.
 - ☒ Approve.
 - ☐ Deny.
- Conditions ~~STAND~~ OIG

By HWT Date 6-22-89

STATE OFFICE PROCESSING:

- ☒ Amendment correct and complete. By Jm
- ☐ Approved copy sent to applicant and to Region. By _____

Date 6-27-89
RECEIVED
Date
JUN 27 1989

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

TRACT	SEC	TWP	RGE	gov't lot	rediv. (R)	REACH
IDAHO STREAM CODE INDEX						

Part of ground in Set aside for 1986
One post completely shut down &
corners shut down. Cannot measure
until 1987

For Office Use Only
Fee Received 475.00
Date 5-30-86
Receipt # 39657
Receipt by HWS
Sent to S.O. 6-5-86

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

RECEIVED

JUN 6 1986

1. Permit No. 27-7001

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Gerald Stalworthy

3. Post Office Address: 2865 E. Main St. Bldg. 12

Idaho Falls, Ida Telephone No. 523-9622

4. Source of Water: underground

5. Extent of Use:

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation 1000 (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 16.0 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

Apr May 1969

8. Person to contact to accompany the department representative during the field examination:

Brant Stalworthy
(Name)

Rt. 3 Box 294 ID. Falls, ID
(Address)

529-3891
(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 9)

5-30-86
Date

Gerald Stalworthy
Signature of Permit Holder (and title, if appropriate)

copy retained for file



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

27-7001
GERALD E. STOLWORTHY & SON, INC.
2865 E. MORNINGSIDE DR.
IDAHO FALLS, ID 83401

Mailing address:
Statehouse
Boise, Idaho 83720

138133

April 17, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

JUL 17 1986

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Northern Region

Idaho Dept. of Water Resources
4055 Government Way
Coeur d'Alene, ID 83814
Phone: 765-4639

Eastern Region

Idaho Dept. of Water Resources
150 Shoup Ave., Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Southern Region

Idaho Dept. of Water Resources
1041 Blue Lakes Blvd. North
Twin Falls, ID 83301
Phone: 734-3578

Western Region

Idaho Dept. of Water Resources
450 W. State St., (Third Floor)
Boise, ID 83720
Phone: 334-2190

Sincerely,



L. GLEN SAXTON
Chief, Operations Bureau

Enclosures

MICROFILMED

JUL 17 1989

December 18, 1972

Re: Permit No. 27-7001

Gerald E. Stolworthy & Son, Inc.
2865 E. Morningside Dr.
Idaho Falls, Idaho 83401

Gentlemen:

We acknowledge receipt of the affidavit submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department. We cannot tell just when this examination will be made, but our examiner will try to contact you at the time he makes the examination so that you may show him the system.

If you have any questions regarding the field exam, please contact our Eastern District Office at 240 South Holmes, Idaho Falls, Idaho.

Very truly yours,

BOBBY D. FLEENOR
Assistant Director

BDF:DR

bc: Eastern District Office
Enc: Field exam report

cc: Alva A. Harris, Attorney at Law

27 7001

ALVA A. HARRIS

ATTORNEY-AT-LAW

171 SOUTH EMERSON
SHELLEY, IDAHO 83274

TELEPHONE 206-357-3448

November 28, 1972

Department of Water Administration
614 State Street
Statehouse-Annex 2
Boise, Idaho 83707

RECEIVED

NOV 30 1972


Department of Water Administration

Re: Gerald E. Stolworthy & Son, Inc.

Gentlemen:

Enclosed you will find a Proof of application of
Water to Beneficial Use for Gerald E. Stolworthy & Son,
Inc.

Yours truly,



Alva A. Harris

kc
Enclosure

27 7001

SENDER: Be sure to follow instructions on other side

PLEASE FURNISH SERVICE(S) INDICATED BY CHECKED BLOCK(S)
(Additional charges required for these services)

☐ Show to whom, date and address
where delivered

☐ Deliver **ONLY**
to addressee

RECEIPT

Received the numbered article described below

REGISTERED NO.

SIGNATURE OR NAME OF ADDRESSEE (Must always be filled in)

CERTIFIED NO.

24004

1

Debbie S. L. L. L. L. L.

SIGNATURE OF ADDRESSEE'S AGENT, IF ANY

INSURED NO.

2

DATE DELIVERED
OCT 4 - 1972

SHOW WHERE DELIVERED (Only if requested, and include ZIP Code)

3

27 7001

PS Form 3811 Nov. 1970 c55-16-81277-1

U.S. POSTAL SERVICE
OFFICIAL BUSINESS



Postmark of Delivering Office



PENALTY FOR PRIVATE USE TO AVOID
PAYMENT OF POSTAGE, \$300

SENDER INSTRUCTIONS

Print in the space below your name, address, including ZIP Code.

- If special services are desired, check block(s) on other side.
- Moisten gummed ends and attach to back of article.

**RETURN
TO**

DEPARTMENT OF WATER ADMINISTRATION

STATEHOUSE - ANNEX #2

BOISE, IDAHO 83707

27 7001

October 2, 1972

CERTIFIED MAIL

#2 A0004

Re: Permit No. 27-7001

Gerald E. Stolworthy & Son, Inc.
Route 1 - Box 178
Firth, Idaho 83236

Gentlemen:

One of the conditions of approval of your water Permit No. 27-7001 (see last page of your approved permit) was that evidence of the extent of development be submitted as proof of application of water to beneficial use to this office on or before December 1, 1972. Enclosed is an affidavit form which must be used to submit the required proof of beneficial use.

If you have not fully completed your project, and you have not previously received an extension of time, you may request an extension of time provided the delay is for reasonable cause as indicated in Section 42-204, Idaho Code, amended. If you have been prevented from proceeding by a governmental agency or by litigation, more than one extension of time can be granted.

Either the beneficial use affidavit or a request for an extension of time must be received by this Department on or before the above mentioned date, otherwise the permit will lapse and be of no further force or effect.



R. KEITH HIGGINSON
Director

Enc: Proof affidavit
dr

27 7001

January 26, 1968

Re: Application No. 27-7001
Gerald E. Stolworthy & Sons, Inc.

Shelley Pioneer
Shelley,
Idaho 83274

Gentlemen:

We are returning your bill of publication for the above referenced application. Please be advised that the bill may not be accepted until the certification has been signed. We are enclosing a copy of our original transmittal letter to clarify our instructions.

We are also concerned over the discrepancy in the amount of the bill. We are enclosing a copy of the first bill we received. Please adjust the original enclosed bill to the correct amount.

Very truly yours,

Donald W. McElDowney
Water Rights Clerk

by Dean R. Reynolds
Field Examiner

DRR:DMH:ks

Enclosure: Copy of transmittal letter
Copy of first bill
Original bill

27-7001

Legal Notice . . .

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Gerald E. Stolworthy & Son, Inc. has on November 1, 1967, applied for permit to divert 24.40 cubic feet per second of water from a subterranean source under application No. 27-7001. Water will be diverted by two wells, pumps, motors and laterals within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, sec. 4; SW $\frac{1}{4}$ NW $\frac{1}{4}$, sec. 3, T. 2 S, R. 37 E, B.M., Bingham County, and is to be used from March 15 to November 15 for irrigation in N $\frac{1}{2}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, sec. 2; NE $\frac{1}{4}$, S $\frac{1}{2}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$, sec. 3; SE $\frac{1}{4}$ SW $\frac{1}{4}$; SE $\frac{1}{4}$, sec. 4; W $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, sec. 9, T. 2 S, R. 37 E, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R., KEITH HIGGINSON,

State Reclamation Engineer
Published in the Shelley Pioneer,
Shelley, Idaho, on November 16
and 23, 1967.

STATEMENT

Shelley Pioneer

and Newspaper In A Good Community

Phone 337-3435
Shelley, Idaho 83274
Fine Commercial Printing
DEC 12 1967

Department of Registration

Date

11-30-67

Donald W. McClelloney
Water Rights Clerk
187 State House
Boise, Idaho 83701

is a business asset — Don't abuse it.

Legal Notice pub. Nov 16 & 23
30 lines
Paid

\$6.90
7.03

I hereby certify that the foregoing account is
just and correct, that the amount claimed is
legally due, after allowing all just credits,
and that no part of same has been paid,

Miriam E. Metcher
Signature of claimant

co-publisher

This bill was paid by Alice Harris
in office so the above may not
be necessary.

27-7661

January 5, 1968

Re: Application No. 27-7001
Gerald E. Stolworthy & Sons, Inc.

Mr. Alva Harris

Dear Mr. Harris:

Enclosed is a copy of our letter of January 5, 1968 to the Shelley Pioneer. The legal publication for the above referenced application was to be paid by the Department of Reclamation.

As soon as the newspaper has reimbursed your expense, please notify us so that we may proceed with the payment of the bill.

Very truly yours,

Donald W. McEldowney
Water Rights Clerk

DWM:ks

Enclosure: Copy of letter to newspaper

27-7001

January 5, 1968

Re: Application No. 27-7001
Gerald E. Stolworthy & Sons, Inc.

The Shelley Pioneer
Shelley,
Idaho 83271

Gentlemen:

Enclosed is a copy of our transmittal letter of November 8, 1967 on the above referenced application. As you will note, the instructions state that the Department of Reclamation will pay for the advertisement. Inasmuch as you have billed the attorney of the applicant and he has paid the bill, you are requested to reimburse Mr. Alva Harris and bill the Department of Reclamation.

Your prompt attention to this matter is appreciated.

Very truly yours,

Donald W. McEldowney
Water Rights Clerk

DWH:ks

Enclosure: Copy of transmittal letter

cc: Alva Harris

27-7001

December 27, 1967

Re: Permit 27-7001

Gerald E. Stolworthy & Son, Inc.
Route 1, Box 178
Firth, Idaho 83236

Gentlemen:

We enclose a copy of your approved application for permit 27-7001 in which we direct your attention to the limitations and conditions as given on the fourth page under approval of the State Reclamation Engineer.

Very truly yours,

C. Stephen Allred
Assistant State Reclamation Engineer

CSA:kd

Enclosure: Copy of Application
Receipt No. 132 for \$100.00

December 5, 1967

Re: Application No. 27-7001
Gerald E. Stolworthy & Sons, Inc.

Shelley Pioneer
Shelley,
Idaho 83274

Gentlemen:

Please be advised that on December 4, 1967 we received the affidavit of publication on the above referenced application from Alva A. Harris. Mr. Harris is the attorney-in-fact for Stolworthy & Sons, Inc. However, we did not received a bill from you for this publication. If the bill has not been paid, please bill this department as indicated by the enclosed transmittal letter.

Very truly yours,

Donald W. McEldowney
Water Rights Clerk

DWM:KS

Enclosure: transmittal letter

27-7001

LAW OFFICES
HARRIS & COOK
171 SOUTH EMERSON
P. O. BOX 838
SHELLEY, IDAHO 83274

ALVA A. HARRIS
DAVID S. COOK

TELEPHONE 357-3448
AREA CODE 208

November 30, 1967

State of Idaho
Department of Reclamation
107 State House
Boise, Idaho

Re: Gerald E. Stolworthy & Son
Application for Permit


Attention: R. Keith Higginson
State Reclamation Engineer

Gentlemen:

Enclosed is Affidavit of Publication regarding the Notice
of Application for Water for Gerald E. Stolworthy & Son.

Yours truly,

HARRIS & COOK



Alva A. Harris

rn
Encl.

RECEIVED
DEC 4 1967
Department of Reclamation

27-7001

Legal Notice . . .

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Gerald E. Stolworthy & Son, Inc. has on November 1, 1967, applied for permit to divert 2440 cubic feet per second of water from a subterranean source under application No. 27-7001. Water will be diverted by two wells, pumps, motors and laterals within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, sec. 4; SW $\frac{1}{4}$ NW $\frac{1}{4}$, sec. 3, T. 2 S, R. 27 E, B.M., Bingham County, and is to be used from March 15 to November 15 for irrigation in N $\frac{1}{2}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, sec. 2; NE $\frac{1}{4}$, S $\frac{1}{2}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$, sec. 3; SE $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$, sec. 4; W $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, sec. 9, T. 2 S, R. 37 E, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON,

State Reclamation Engineer
Published in the Shelley Pioneer,
Shelley, Idaho, on November 16
and 23, 1967.

November 8, 1967

Re: Application No. 27-7001

Shelley Pioneer
Shelley,
Idaho 83274

Gentlemen:

Enclosed you will find a legal notice which we wish to have published once a week for two consecutive weekly issues of your newspaper. We have inserted the publication dates allowing ample time for you to submit us a galley proof for review before publication.

After sending us a galley proof, proceed with the publication on the dates we have inserted assuming the notice is correct. If we have any corrections, we will notify you before the first publication date. If you can not publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department of Reclamation, along with the publication bill. In order to receive payment, the following certification must appear on the bill:

I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due, after allowing all just credits, and that no part of same has been paid

(Do not sign letter)

Signature of claimant

Very truly yours,

Donald W. McEldowney
Water Rights Clerk

DWM:ks

Enclosure: legal notice

Form 3

27-7001

NOTICE OF APPLICATION FOR WATER

Notice is hereby given that Gerald E. Stolworthy & Sons Inc.
has on November 1, 1967
applied for permit to divert ~~1000~~ 24.40 cubic feet per second ~~1000/foot~~
of water from a subterranean source
under application No. 27-7001. Water will be diverted by two wells,
pumps, motors and laterals within the SW $\frac{1}{4}$ SE $\frac{1}{4}$, sec. 4; SW $\frac{1}{4}$ NW $\frac{1}{4}$, sec.
3, T. 2 S, R. 37 E, B.M., Bingham County
and is to be used from March 15 to November 15 for irrigation
in N $\frac{1}{2}$, N $\frac{1}{2}$ SW $\frac{1}{4}$, sec. 2; NE $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, SW $\frac{1}{4}$, N $\frac{1}{2}$ SE $\frac{1}{4}$, sec. 3; SE $\frac{1}{4}$ SW $\frac{1}{4}$, SE $\frac{1}{4}$, sec. 4;
W $\frac{1}{2}$ NE $\frac{1}{4}$, E $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 9, T. 2 S, R. 37 E, B.M.

Any protest against this application must be filed with the Department of Reclamation within ten days from the last date of publication of this notice.

R. KEITH HIGGINSON
State Reclamation Engineer

Published in the Shelley Pioneer, Shelley, Idaho
on November 16 and November 23.

27-7001 ✓