


PINEWOOD ESTATES




2407	2071	2081	2101	2131	2151	2161	2181	2201	2390
2397	bristlecone lane								2380
2387	2394	2102	2122	2152	2162	2192			2370
2377	2374								2350
2367	2073	2083	2103	2133	2149	2335			2330
2347						2325			2320
2307	pinetree cr.								2300
2277	2264	2106	2119	2129	2275				2270
2257	2254				2255				2250
2247					2235				2230
2237	2169	2079	2099	2119	2129	2205			2210
2217									2200
2197	twin pines								2188
2187	2194	2098	2118	2132	2178	2198			2168
2169	2166				2153				2158
2159	2156				walkway				2148
2149	2144				2143				2140
2139	2134				2133				2130
2127	2124				2125				2120
2117	2114				2115				2110
2107	2094				2105				2100
2087	2074				2085				2080
2067	2064				2075				2070
2057	2044				2055				2050
2037	2034				2045				2040
2027					2035				2030
2017	2024				2015				2010
1997	walkway				2005				2000
1987					1975				1970
19967	1954				1945				1940
1937					walkway				1920
1927	2135	3145	2155	2165	2175	1925			1910
1917						1915			1900
1907	timber lane								1880
1887	1884	2150	2160	2170	2180	2190			1870
1877	1874								1850
1857					1855				1830
1837	2137	2147	2157	2167	2177	1835			1820
1827	pinewood pl								1800
1807	1804	2154	2164	2174	1805				1780
1787	1874				1755				1770
1777	1734	1732	1724	1722	1720	1725	1735		1760
1767									1750
1757	1737	1727	1715	1705	1710	1730			1740
1747	Lincoln Road								

MICROFILMED
JAN 29 2001


well #1



25-7707 POD Summer well - taken during earthquake




POD Winter well.



-  S02n38e.shp
-  T02n38e.shp
-  Posnpnt.shp

25-07707

25-07707



T02N, R38E, sec 9

PINEWOOD ESTATES



2407	2071	2081	2101	2131	2151	2161	2181	2201
2397	Bristlecone Lane							2399
2387	2394		2102	2122	2152	2162	2192	2380
2377	2374							2370
2367	2073	2083	2103	2133	2143	2335		2350
2347						2325		2330
2307	Pinetree Cr.							2320
2277	2264		2106	2119	2156	2275		2300
2257	2254					2255		2270
2247						2235		2250
2237	2069	2079	2099	2119	2129	2205		2230
2217								2210
2197	Twin Pines							2200
2187	2194		2098	2118	2132	2178	2198	2188
	2172							2168
2169	2166					2153		2158
2159	2156					Walkway		2148
2149	2144					2143		2140
2139	2134					2133		2130
2127	2124					2125		2120
2117	2114					2115		2110
2107	2094					2105		2100
2087	2074					2085		2080
2067	2064					2075		2070
2057	2044					2055		2050
2037	2034					2045		2040
2027	2024					2035		2030
2017						2015		2010
1997	walkway					2005		2000
1987						1975		1970
1967	1954					1945		1940
1937						walkway		1920
1927	2135	2145	2155	2165	2175	1925		1910
1917						1915		1900
1907	Timber Lane							1880
1887	884		2150	2160	2170	2180	2190	1870
1877	874							1850
1857	2137	2147	2157	2167	2177	1855		1830
1837						1835		1820
1827	2137	2147	2157	2167	2177	1825		1800
1807	1804	2154	2164	2174		1805		1780
1787	1784					1785		1760
1777	1734	1739	1744	1722	1720	1725	1735	1740
1767								
1757	1737	1727	1715	1705	1710	1720		
1747								
Lincoln Road								

25-7707

2N
38E
sec. 9

PINEWOOD ESTATES



2407	2071	2081	2101	2131	2151	2161	2181	2201
2397	Bristlecone Lane							2397
2387	2394		2102	2122	2152	2162	2192	2380
2377	2374							2370
2367	2073	2083	2103	2133	2143	2335		2350
2347	2073	2083	2103	2133	2143	2325		2330
2307	Pinetree Cr.							2320
2277	2264		2106	2114	2156	2275		2300
2257	2254		2106	2114	2156	2255		2270
2247	2069	2079	2099	2119	2129	2235		2250
2237	2069	2079	2099	2119	2129	2205		2230
2217	Twin Pines							2210
2197	2194		2098	2118	2132	2178	2198	2200
2187	2172		2098	2118	2132	2178	2198	2188
2169	2166					2153		2168
2159	2156					2143		2158
2149	2144					2133		2148
2139	2134					2125		2140
2127	2124					2115		2130
2117	2114					2105		2120
2107	2094					2085		2110
2087	2074					2075		2100
2067	2064					2055		2080
2057	2044					2045		2070
2037	2034					2035		2050
2027	2024					2015		2040
2017						2005		2030
1997						1975		2010
1987						1945		2000
1967	1954					1925		1970
1937						1915		1940
1927	2135	3145	2155	2165	2175			1920
1917	2135	3145	2155	2165	2175			1910
1907	Timber Lane							1900
1887	1884		2150	2160	2170	2180	2190	1880
1877	1874		2150	2160	2170	2180	2190	1870
1857	2137	2147	2157	2167	2177	1855		1850
1837	2137	2147	2157	2167	2177	1835		1830
1827	Pinewood Drive							1820
1807	1804		2154	2164	2174	1805		1820
1787	1784		2154	2164	2174	1785		1800
1777	1734	1732	1724	1722	1720	1725	1735	1780
1767	1734	1732	1724	1722	1720	1725	1735	1770
1757	Pinewood Drive							1760
1747	1737	1727	1715	1705	1710	1720		1750
	1737	1727	1715	1705	1710	1720		1740
	Lincoln Road							

MICROFILMED

MAR 05 2001

RECEIVED

FEB 16 2001

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 7400A-11 25-7707 Telephone No. 201-545-0707
2. Name of Permit Holder(s): David Johnson - The Boston Group
3. Mailing Address: P.O. Box 900818 - Sandy, Ut. 84090
City Sandy State Ut Zip 84090
4. Source of Water: Wells If GROUNDWATER (well), Date Drilled: mo. 7-16 / yr. 86
Well Driller: Andrew Well Drilling Drilling Permit Number: - - -
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): 203 Stockwater (No. and type of stock): 0
Irrigation (No. of acres): Other:
6. Total rate of diversion and/or volume for which proof is submitted: 1.08 cfs OR acre-feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
Measuring Device: Is a measuring device required? Yes or No X
Has the measuring device been installed? Yes or No X
8. Fee Enclosed: \$ 125.00 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Dean Nelson Telephone Number: 208-529-3601
Address: 1954 N Pinewood Ave. Idaho Falls, Id 83401
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

Dean Nelson Manager
(include your title, if on behalf of company or organization)

Date:

2-12-01

MICROFILMED

MAR 05 2001

State of Idaho
Department of Water Resources
Permit to Appropriate Water

NO. 25-07707

Priority: October 23, 2000

Maximum Diversion Rate: 1.08 CFS

This is to certify, that **PINEWOOD ESTATES**
C/O DEAN NELSON
1954 N PINEWOOD DR
IDAHO FALLS ID 83401

has applied for a permit to appropriate water from:

GROUND WATER

and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	1.08 CFS

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER SW $\frac{1}{4}$ SE $\frac{1}{4}$	Sec. 9, Twp 02N, Rge 38E, B.M. BONNEVILLE County
GROUND WATER SW $\frac{1}{4}$ SE $\frac{1}{4}$	Sec. 9, Twp 02N, Rge 38E, B.M. BONNEVILLE County

PLACE OF USE: DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE					
02N	38E	9														X			

CONDITIONS OF APPROVAL

1. Proof of application of water to beneficial use shall be submitted on or before May 01, 2001.
2. Subject to all prior water rights.
3. The right holder shall measure and annually report diversions of water and/or other pertinent hydrologic and system information as required by Section 42-701, Idaho Code.
4. This permit does not authorize the construction of any new well or the deepening or enlargement of any existing well.
5. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. This right does not authorize the irrigation of land not previously irrigated.
7. The domestic use authorized under this right shall not exceed 13,000 gallons per day per home.
8. Domestic use is for 1 conventional home and 202 mobile homes and includes a small area of lawn, garden or landscape irrigation (each lot is approximately 1/10th of an acre including the area upon which each home is located). The entire use is located within a 36 acre parcel developed in 1974.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code. Witness the signature o

the Director, affixed at Boise, this 11th day of January, 2001.

MICROFILMED

JAN 29 2001

for 
KARL J DREHER, Director

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

DEC 1 2000

APPLICATION FOR PERMIT

DEC 1 2000

Department of Water Resources

To appropriate the public waters of the State of Idaho

DEPARTMENT OF WATER RESOURCES

1. Name of Applicant Pinewood Estates c/o Dean Nelson Phone 208-529-3601
Mailing address 1954 N. Pinewood Dr. Idaho Falls, ID 83401
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is Township 2N Range 38E Sec. 9, in the _____ 1/4,
SW 1/4, SE 1/4, Govt. Lot _____, B.M., Bonneville County;
additional points of diversion if any: (2 wells)
4. Water will be used for the following purposes:
- | |
|--|
| Amount <u>1.08 cfs</u> for <u>Domestic</u> purposes from <u>1-1</u> to <u>12-31</u> (both dates inclusive) |
| (cfs or acre-feet per annum) |
| Amount _____ for _____ purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) |
| Amount _____ for _____ purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) |
| Amount _____ for _____ purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) |
| Amount _____ for _____ purposes from _____ to _____ (both dates inclusive) |
| (cfs or acre-feet per annum) |
5. Total quantity to be appropriated is (a) 1.08 cfs and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Describe type and size of devices used to divert water from the source 2 wells + pressure tank
to 202 mobile homes + one house
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet
- c. Proposed well diameter is 8" inches; proposed depth of well is 395' + 395' feet
- d. Is ground water with a temperature of greater than 85°F being sought? NO
- e. If well is already drilled, when? 1974; Drilling firm Andrews
Well was drilled for (well owner) Applicant; Drilling Permit No. _____
7. Time required for completion of works and application of water to proposed beneficial use is 1 years (minimum 1 year)
8. Description of proposed uses (if irrigation only, go to item 9):
- a. Hydropower; show total feet of head and proposed capacity in kW.
- b. Stockwatering; list number and kind of livestock.
- c. Municipal; show name of municipality.
- d. Domestic; show number of households. 203 - (mobile homes + one house)
- e. Other; describe fully. _____

MICROFILMED

JAN 29 2001

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RGE	SEC	NE				NW				SW				SE				TOTALS
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	38E	9															D		

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? n n

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing: _____

12. Remarks: This is Pinewood Estates. The first well was drilled in 1974 & the second well in 1986.

13. MAP OF PROPOSED PROJECT REQUIRED - Attach an 8½"x11" map clearly identifying the proposed point of diversion, place of use, section #, township & range. (A photocopy of a USGS 7.5 minute topographic quadrangle map is preferred.)

BE IT KNOWN that the undersigned hereby makes this application for permit to appropriate the public waters of the State of Idaho as herein set forth.

MICROFILMED

JAN 29 2001

Dean L. H. H. H.
Signature of Applicant (and title, if applicable)

Received by HWT Date 10-23-00 Time _____ Preliminary check by _____

Fee \$ 290.00 Received by HWT # E026269 Date 10-23-00
Publication prepared by SC Date 11/2 & 11/9/00 Published in Post Register
Publication approved SC Date 11/21/00

State law requires that this report be submitted with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

State law requires that this report be submitted with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

Name: Pinewood Estates

Address 1954 Pinewood Drive
Idaho Falls, Idaho 83401
Owner's Permit No.

Static water level: 156 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ of. Quality Good
Describe artesian or temperature zones below.

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

Casing schedule: ☐ Steel ☐ Concrete ☒ Other _____

Thickness		Diameter		From		To
<u>.250</u>	inches	<u>16"</u>	inches	+	<u>1</u>	feet <u>32</u> feet
<u>.250</u>	inches	<u>12"</u>	inches		<u>1</u>	feet <u>179</u> feet
_____	inches	_____	inches		_____	feet _____ feet
_____	inches	_____	inches		_____	feet _____ feet

Was casing drive shoe used? ☐ Yes ☒ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number		From		To
_____	perforations	_____	feet	_____ feet
_____	perforations	_____	feet	_____ feet
_____	perforations	_____	feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 177 Material used in seal: ☒ Cement grout

☒ Bentonite ☐ Puddling clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing

☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld

☐ Cemented between strata


Describe access port _____ Well Cap _____

☐ Pump ☐ Bailer ☐ Air ☐ Other

Discharge G.P.M.	Pumping Level	Hours Pumped
------------------	---------------	--------------

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
16	0	4	Top soil		X
16	4	31	Sand & gravel		X
16	31	48	Hard gray basalt		X
16	48	51	Cinders		X
16	51	88	Firm brown basalt		X
16	88	96	Cinders & clay		X
16	96	106	Firm basalt		X
16	106	115	Broken basalt		X
16	115	123	Firm gray basalt		X
16	123	125	Cinders & clay		X
16	125	149	Firm gray basalt		X
16	149	168	Cinders	X	
16	168	181	Firm basalt		X
16	181	190	Cinders	X	
16	190	205	Hard green basalt		X
16	205	210	Cinders	X	
16	210	216	Broken basalt	X	
16	216	225	Hard basalt		X
16	225	230	Broken basalt		X
16	230	376	Hard green basalt		X
16	376	388	Broken basalt	X	
16	388	393	Hard basalt		X
16	393	395	Gravel	X	

Sketch map location must agree with written location.



Subdivision Name _____

 Lot No. _____ Block No. _____

County Bonneville

SE 1/4 SW 1/4 Sec 9 T 2 N 38 R 38 E/W

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Andrew Well Drilling Firm No.

Address 1268 E. 17th Street Date 7/23/86
Idaho Falls, Idaho 83401

Signed by (Firm Official) Howard F. Lindsey
and
(Operator) Dale W. Hulse

MICROFILMED
JAN 29 2001

State of Idaho
Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. OWNER

Name Dean Nelson Ranch Mobile Home Park

Address Lincoln Road Idaho Falls, Idaho 83401

Owner's Permit No. _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe method of abandoning) _____

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type) _____

☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☐ Cable ☒ Rotary ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Diameter of hole 10 inches Total depth 390 feet

Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>.250</u> inches	<u>8</u> inches	<u>1</u> feet	<u>135</u> feet
<u>.250</u> inches	<u>6</u> inches	<u>118</u> feet	<u>289</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____


Placed from _____ feet to _____ feet

Surface seal depth 20+ Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ Well cuttings

Sealing procedure used: ☐ Sherry pit ☐ Temporary surface casing ☒ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Bonneville

SE & SW 1/4 Sec. 89 T. 2 N7S, R. 38 E49

7. WATER LEVEL

Static water level 140 feet below land surface

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Temperature _____ ° F. Quality good

Artesian closed-in pressure _____ p.s.i.

Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☐ Bailor ☐ Other _____

Discharge G.P.M.	Draw Down	Hours Pumped
_____	_____	_____
_____	_____	_____
_____	_____	_____

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
10	0	5	Topsoil and Gravel		
	5	36	Sand and Gravel		
	36	83	Firm Gray Basalt		
	83	88	Broken and Clay		
	88	108	Hard Gray Basalt		
	108	118	Cinders		
	118	122	Firm Basalt		
	122	131	Cinders		
8	131	143	Firm Basalt		
	143	145	Broken Basalt	x	
	145	150	Hard Greenish Gray Basalt		
	150	153	Hard Green-Gray Basalt Broken		
	153	165	Hard Greenish-Gray Basalt		
	165	171	Broken Green-Gray Basalt	x	
	171	190	Hard Green-Gray Basalt		
	190	193	Broken Green-Gray Basalt	x	
	193	263	Hard Green Basalt		
	263	275	Broken Basalt	x	
	275	282	Broken Basalt	x	
8	282	290	Hard Basalt		
	290	390	Hard Green Basalt		
	390	395	Gravel		

10.

Work started 8-10-74 finished 12-5-74

11. DRILLERS CERTIFICATION

Firm Name Andrew Well Drilling Contr. Firm No. 15

Address 1268 East 17th Street Date 2-18-76

Idaho Falls, Idaho 83401

Signed by (Firm Official) Andrew Well

and Dale Thulene

(Operator)

MICROFILMED
JAN 23 2001

PINEWOOD ESTATES




2407	2071	2081	2101	2131	2151	2161	2181	2201	2390
2397	bristlecone lane							2380	
2387	2394		2102	2122	2152	2162	2192	2370	
2377	2374							2350	
2367	2073	2083	2103	2133	2149	2335		2330	
2347						2325		2320	
2307	pinetree cr.							2300	
2277	2264		2106	2119	2129	2275		2270	
2257	2254					2255		2250	
2247						2235		2230	
2237	2169	2079	2099	2119	2129	2205		2210	
2217	twin pines							2200	
2197	2194		2098	2118	2132	2178	2198	2188	
2187	2172							2168	
2169	2166					2153		2158	
2159	2156					walkway		2148	
2149	2144					2143		2140	
2139	2134					2133		2130	
2127	2124					2125		2120	
2117	2114					2115		2110	
2107	2094					2105		2100	
2087	2074					2085		2080	
2067	2064					2075		2070	
2057	2044					2055		2050	
2037	2034					2045		2040	
2027	2024					2035		2030	
2017						2015		2010	
1997	walkway					2005		2000	
1987						1975		1970	
19967	1954					1945		1940	
1937						walkway		1920	
1927	2135	3145	2155	2165	2175	1925		1910	
1917						1915		1900	
1907	timber lane							1880	
1887	1884		2150	2160	2170	2180	2190	1870	
1877	1874							1850	
1857						1855		1830	
1837	2137	2147	2157	2167	2177	1835		1820	
1827	pinewood p.							1800	
1807	1804		2154	2164	2174	1805		1780	
1787	1874					1755		1770	
1777	1734	1732	1724	1722	1720	1725	1735	1760	
1767								1750	
1757	1737	1727	1715	1705	1710	1730		1740	
1747	Lincoln Road								

MICROFILMED
JAN 29 2001

well #1

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible		75			
Submersible		20			

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Pump sits at 180-190 feet. Wells are 395' deep.
40-60 psi turn on turn off. 6" main from well to pressure system
water depth 190'

$$\text{theoretical} = \frac{75\text{hp}(6.16)}{190' + 2.31(60\text{psi})} \approx 1.40\text{ cfs}$$

E. NARRATIVE/REMARKS/COMMENTS

Subdivision rents lots to trailer homes. Division is usually fully rented. However, there is a turnover with lots sitting vacant on occasion.

Wells aren't readily measurable. Both pumps feed into a 6" mainline to a large pressure tank. I believe he said 1000[?] gallons. From there water flows into an 8" main to street and then to lots.

Large well R072420A is 75hp and is used during the summer. Each lot has a small amount of lawn to irrigate. The small 20hp well R072420B is used during winter months.

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

theoretical shows 1.40 cfs with just the largest well

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

Domestic 20² homes $\times .6 \text{ AF/A} = 121.2 \text{ AF/A}$ Domestic 1 home/lawn $\times 1.2 \text{ AF/A} = \frac{1.2}{122.4}$ **H. RECOMMENDATIONS**

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	01/01	12/31	1.08 cfs	122.4
Totals:			1.08 cfs	122.4

2. Recommended Amendments


☒ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name Steve Mueller Date 7-24-01Reviewer DAVE CARLSON Date 2/28/2002


SEAL



25-7707 POD Summer well - taken during earthquake



POD Winter well.




-  S02n38e.shp
-  T02n38e.shp
-  Posnpnt.shp

25-07707

25-07707



T02N, R38E, sec 9



PINWOOD ESTATES									
2407	2071	2081	2101	2131	2151	2161	2181	2201	2390
2397	Bristlecone Lane								2380
2387	2394		2102	2122	2152	2162	2192		2370
2377	2374								2350
2367	2073	2083	2103	2133	2143	2335			2330
2347	2073	2083	2103	2133	2143	2325			2320
2307	Pinetree Cr.								2300
2277	2264		2105	2114	2146	2275			2270
2257	2254					2255			2250
2247						2235			2230
2237	2069	2079	2099	2119	2129	2205			2210
2217	2069	2079	2099	2119	2129	2205			2200
2197	2194		2098	2118	2132	2178	2198		2188
2187	2172								2168
2169	2166					2153			2158
2159	2156					walkway			2148
2149	2144					2143			2140
2139	2134					2133			2130
2127	2124					2125			2120
2117	2114					2115			2110
2107	2094					2105			2100
2087	2074					2085			2080
2067	2064					2075			2070
2057	2044					2055			2050
2037	2034					2045			2040
2027	2024					2035			2030
2017						2015			2010
1997	walkway					2005			2000
1987						1975			1970
1967	1954					1945			1940
1937						1925			1920
1927	2135	3145	2155	2165	2175	1915			1910
1917									1900
1907	Timber Lane								1880
1887	1884		2150	2160	2170	2180	2190		1870
1877	1874								1850
1857	2137	2147	2157	2167	2177	1855			1830
1837	2137	2147	2157	2167	2177	1835			1820
1827	1804	2154	2164	2174		1825			1800
1807	1804	2154	2164	2174		1805			1780
1787	1784	2154	2164	2174		1785			1770
1777	1734	1732	1724	1722	1720	1725	1735		1760
1767									1750
1757	1737	1727	1715	1705	1710	1730			1740
1747									
Lincoln Road									

25-7707

2N
38E
sec.9

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE REGISTRATION



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Boise, ID 83706 - P.O. Box 83720, Boise, ID 83720-0098

Phone: (208) 327-7900 Fax: (208) 327-7866 Web Site: www.idwr.state.id.us

March 1, 2001

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

PINEWOOD ESTATES
C/O DEAN NELSON
1954 N PINEWOOD DR
IDAHO FALLS ID 83401

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 25-07707

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit.

According to your water right permit, you are required to "...measure and annually report diversions of water and/or other pertinent hydrologic and system information as required by Section 42-701, Idaho Code" as stated in Conditions of Approval no. 3.

The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water. Therefore, you may wish to install the measuring device and controlling works before the department conducts the field examination.

Be advised that Section 42-248, Idaho Code, requires you or the owner of this water right to maintain current ownership and address records on file with the department. Forms to file a change of ownership of a water right and/or a change in the address of the water right owner are available from any department office.

Please review your permit and call me if you have any questions regarding those conditions at (208)327-7953. If you have questions concerning the field examination, please contact the Eastern Regional Office of the department in Idaho Falls at (208) 525-7161.

Sincerely,

Deborah Gibson
Administrative Assistant
Water Allocation Bureau

MICROFILMED
MAR 05 2001

c: IDWR - Regional Office
Dave Johnson, The Boston Group

ANALYSIS SHEET FOR PROOF OF BENEFICIAL USE

Permit No.: 25-7707

Reviewed By: dgibson

Date: March 1, 2001

	<u>Yes</u>	<u>No</u>		<u>Yes</u>	<u>No</u>
Proof received timely?	X		Drilling permit required?	X	
License examination fee required?	X		Drilling permit No.:		
Appropriate fee submitted?	X		Drilling permit upgrade needed?		
Receipt No.:		E026269, E026463	Well driller's report filed?	X	
Additional Amount Due:			Measuring device required?	X	
Name and address same as permit?		X	Measuring device installed?		X
Are the water uses correct?	X		Measure device waiver requested?		X

Priority Calculation

Date proof received	02/12/2001
Date proof due	- 05/01/2001
Lapse notice sent	-
No. of days late	= 0
Holiday allowance	+
Priority date	+ 10/23/2000
New priority date	= 10/23/2000

Deficiencies of Actions Items

Acknowledge proof.

747/ J-1170
Lincoln Road.

MAR 05 2001

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

WELL OWNER

Name Pinewood Estates
Address 1954 Pinewood Drive
Idaho Falls, Idaho 83401
Owner's Permit No. _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as
materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness Diameter From To
250 inches 16" inches + 1 feet 32 feet
250 inches 12" inches 1 feet 179 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number From To
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 177 Material used in seal: ☒ Cement grout
☒ Bentonite ☐ Pudding clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld
☐ Cemented between strata
Describe access port Well Cap

7. WATER LEVEL

Static water level 156 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality Good
Describe artesian or temperature zones below.

8. WELL TEST DATA

☐ Pump ☐ Bailor ☐ Air ☐ Other _____
Discharge G.P.M. Pumping Level Hours Pumped


9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water Yes No
	From	To		
16	0	4	Top soil	X
16	4	31	Sand & gravel	X
16	31	48	Hard gray basalt	X
16	48	51	Cinders	X
16	51	88	Firm brown basalt	X
16	88	96	Cinders & clay	X
16	96	106	Firm basalt	X
16	106	115	Broken basalt	X
16	115	123	Firm gray basalt	X
16	123	125	Cinders & clay	X
16	125	149	Firm gray basalt	X
16	149	168	Cinders	X
16	168	181	Firm basalt	X
16	181	190	Cinders	X
16	190	205	Hard green basalt	X
16	205	210	Cinders	X
16	210	216	Broken basalt	X
16	216	225	Hard basalt	X
16	225	230	Broken basalt	X
16	230	376	Hard green basalt	X
16	376	388	Broken basalt	X
16	388	393	Hard basalt	X
16	393	395	Gravel	X

10. Work started 6/18/86 finished 7/16/86

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name MAR 05 2001

Lot No. _____ Block No. _____

County Honneville

SE 1/4 SW 1/4 Sec 9 T 2 N 38 R 38 E 1/4

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Firm Name Andrew Well Drilling Firm No. 5

Address 1268 E. 17th Street Date 7/23/86
Idaho Falls, Idaho 83401

Signed by (Firm Official) Howard R. Anderson
and Dale Thulso
(Operator)

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Dean Nelson Ranch Mobile Home Park
Address Lincoln Road Idaho Falls, Idaho 83401
Owner's Permit No. _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED

☐ Cable ☒ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION

Diameter of hole 10 inches Total depth 390 feet
Casing schedule: ☒ Steel ☐ Concrete

Thickness	Diameter	From	To
<u>.250</u> inches	<u>8</u> inches	<u>1</u> feet	<u>135</u> feet
<u>.250</u> inches	<u>6</u> inches	<u>118</u> feet	<u>289</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No


Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet

Surface seal depth 20+ Material used in seal ☐ Cement grout
☒ Bentonite ☐ Pudding clay ☐ Well cuttings
Sealing procedure used ☐ Slurry pit ☐ Temporary surface casing
☒ Overbore to seal depth

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Bonneville

SE 1/4 SW 1/4 Sec. 8 T. 2 N7S; R. 38 E/W

7. WATER LEVEL

Static water level 140 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality good
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Other

Discharge G.P.M.	Draw Down	Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
10	0	5	Topsoil and Gravel		
	5	36	Sand and Gravel		
	36	83	Firm Gray Basalt		
	83	88	Broken and Clay		
	88	108	Hard Gray Basalt		
	108	118	Cinders		
	118	122	Firm Basalt		
	122	131	Cinders		
80	131	143	Firm Basalt		
8	143	145	Broken Basalt		X
	145	150	Hard Greenish Gray Basalt		
	150	153	Hard Green-Gray Basalt Broken		
	153	165	Hard Greenish-Gray Basalt		
	165	171	Broken Green-Gray Basalt		X
	171	190	Hard Green-Gray Basalt		
	190	193	Broken Green-Gray Basalt		X
	193	263	Hard Green Basalt		
	263	275	Broken Basalt		X
	275	282	Broken Basalt		X
8	282	290	Hard Basalt		
	290	390	Hard Green Basalt		
	390	395	Gravel		

MICROFILMED

MAR 05 2001

10.

Work started 8-10-74 finished 12-5-74

11. DRILLERS CERTIFICATION

Firm Name Andrew Well Drilling Contr Firm No. 5

Address 1268 East 17th Street Date 2-18-76
Idaho Falls, Idaho 83401

Signed by (Firm Official) Howard R. Anderson
and Dale Threlkeld
(Operator)



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

January 12, 2001

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

PINEWOOD ESTATES
C/O DEAN NELSON
1954 N PINEWOOD DR
IDAHO FALLS ID 83401

RE: Permit No. 25-7707

Permit Approval Notice

Dear Permit Holder:

The Department of Water Resources has issued the enclosed permit authorizing you to establish a new water right. Please be sure to thoroughly review the conditions of approval and remarks listed on your permit.

The permit is a PRELIMINARY ORDER issued by the Department pursuant to Section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Enclosed is a form entitled 'Instructions for Proof of Beneficial Use.' Please read the instructions carefully since you must take further action to develop this permit into a licensed water right. Also enclosed is a form entitled 'Proof of Beneficial Use.' If your project is already completed, you should complete and submit this form immediately.

The right to drill a well is not a part of this permit to appropriate water. Beginning in July of 1987, a statute was enacted which requires a drilling permit for new well construction and deepening of existing wells. If the well(s) proposed for use under this water right permit were drilled or deepened after July 1, 1987, a separate drilling permit must be obtained from this Department. Please contact the Ground Water Protection Section located here at this office or our regional office nearest you.

MICROFILMED


JAN 29 2001

Please note that one of the conditions of approval on your permit requires that you measure your diversion and record other important hydrologic and physical features and report them annually to the Department. The Department will shortly send you further information about measuring devices, flow estimation using power records, and annual reporting forms. If you have questions about the measuring and reporting requirements, please call the Department at (208) 327-7900 and ask for someone in the Water Distribution Section.

Also, please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at 208-327-7946.

Sincerely,

A handwritten signature in black ink, appearing to read "Shelley Keen". The signature is fluid and cursive, with the first name "Shelley" and last name "Keen" clearly distinguishable.

Shelley W. Keen

Water Rights Supervisor

Enclosure(s)

MICROFILMED


JAN 29 2001

CERTIFICATE OF MAILING

I hereby certify that on January 12, 2001 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved Permit) to the person(s) listed below:

RE: WATER RIGHT NO. 25-7707

**PINEWOOD ESTATES
C/O DEAN NELSON
1954 N PINWOOD DR
IDAHO FALLS ID 83401**

A handwritten signature in cursive script, appearing to read "Kari Lynn Townsend", written over a horizontal line.

**Kari Lynn Townsend
Secretary**

**MICROFILMED
JAN 29 2001**

**EXPLANATORY INFORMATION
TO ACCOMPANY A
PRELIMINARY ORDER**

The accompanying order or approved document is a "Preliminary Order" issued by the department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department of Water Resources (department) unless a party petitions for reconsideration, files an exception and brief, or requests a hearing as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the department within fourteen (14) days of the service date of this order. The department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See Section 67-5243(3) Idaho Code.

EXCEPTIONS AND BRIEFS

Within fourteen (14) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding with the Director. Otherwise, this preliminary order will become a final order of the agency.

REQUEST FOR HEARING

Unless a right to a hearing before the department or the Idaho Water Resource Board (Board) is otherwise provided by statute, any person aggrieved by any final decision, determination, order or action of the Director of the department and who has not previously been afforded an opportunity for a hearing on the matter may request a hearing pursuant to section 42-1701A(3), Idaho Code. A written petition contesting the action of the Director and requesting a hearing shall be filed within fifteen (15) days after receipt of the denial or conditional approval.

ORAL ARGUMENT

If the Director grants a petition to review the preliminary order, the Director shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Director will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Director orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Director in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with IDAPA Rules 37.01.01302 and 37.01.01303 (Rules of Procedure 302 and 303).

MICROFILMED

JAN 29 2001

FINAL ORDER

The Director will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Director may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

MEMORANDUM

To: File 25-07707

From: Sharla

Date: December 26, 2000

Re: Telecon

In a telephone conversation with Mr. Nelson, he stated that each of the mobile home lots are approximately 50' x 120' and that each has a small amount of lawn/landscape that will be irrigated from the wells in this filing. Each lot has a large driveway, leaving very little for lawn, garden or landscape. The entire parcel is approximately 36 acres, which gives each home less than 2/10ths of an acre. After removing the home and driveway areas, that figure is probably cut in half for irrigation.

MICROFILMED
JAN 29 2001

No. W 4613	Due no later than Sep 30, 2000	2. Registered Agent and Office NO PO BOX
Return to: SECRETARY OF STATE 700 WEST JEFFERSON PO BOX 63720 BOISE, ID 83720-0020	Annual Report Form	DEAN F. RON
NO FILING FEE IF RECEIVED BY DUE DATE	1. Mailing Address - Correct in this box. (App. case) PINEWOOD ESTATES LLC 1954 N PINWOOD DR IDAHO FALLS, ID 83401	1954 N PINWOOD DR IDAHO FALLS, ID 83401 3. New Registered Agent's signature

4. Limited Liability Companies: Enter Names and Addresses of Managers.

Office held	Name	Street or P.O. Address	City	State	Zip
Manager	Willard Price	6797 E. 1600 N.	Idaho Falls,	ID.	83402
Manager	Dean L. Nelson	1954 N. Pinewood Dr.	Idaho Falls,	ID	83401
Manager	Carma A. Nelson	1954 N. Pinewood Dr.	Idaho Falls,	ID	83401

5. Organized Under the Laws of

IDAHO
W 4613

6. Signature Carma A. Nelson Date 7/21/00
Name Carma A. Nelson Title Manager
X ☒ New

Issued 07/10/2000

Do Not Tape or Staple

11/5

MICROFILMED
JAN 29 2001

**APPLICATION FOR PERMIT
STATE OFFICE ANALYSIS**
Reviewed by Sharla Curtis on 12/19/00

No. 25-07707 Name: Pinewood 4-A Corp. Officers ✓ Ad ok ✓ Govt Lots

AREA OF CONCERN: No/Yes ESPA Moratorium GWMA TRUST/NON-TRUST

GROUNDWATER: (✓Flow Chart)

DRILLING PERMIT

All-wells ✓ - 046(P23)
Basin 34 - 084 (if necessary)
Irr. w/in WD - P05
WMD - North/East/West
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 067
WMD
Supp irr (irr = only use) - 065-104
Supp irr (+ other uses) - 100-105
≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M

LOCATION:

Boise Front Lo Geo - 058 (<85 GW)
Mitigation - 121
42-248 Area - P84
Swan Falls Flag
Trust - 051(P74) (consumptive uses)
Non-Trust - 048-049 (consumptive uses or non-cons. > 1.0 cfs)

USES:

STORAGE - 18A-01H(P01), 01P-18B(P09)-NA
IRR ≤ 5 ac - R66/R67/R68/R69 (0.03 cfs/ac)
> 5 ac - R62/R63/R64/R65 (0.02 cfs/ac)
STOCKWATER - R37 (BLM/USFS)
MINING - 054-106(P10)
FISH PROP - 029(70'S only)-007-042-106 (P10)
HEAT/COOL - R07(injection well)
FIRE PROT. - 077

BENEFICIAL USE DUE: 1/01/2004

MISC CONDITIONS/REMARKS:

Protested - 020-W19
Development Period
≤ 1 yr - P16
> 1 yr - 26A(P17)
Ownership - 004
Non-consumptive - 027
Water Quality - 106-R07

SURFACE WATER: (✓Flow Chart)

F&G contacted - Yes/No Response
In/Above MSF - WB9
PLANNING REVIEW/RESPONSE
In-stream development - P52
WD - R04 (WD#)
≤ 0.20 cfs/others - 01H(P01), 01P or No MD
> 0.20 cfs - 01J(P08)

SPRINGS/SINK, INACTIVE WD & REST OF STATE

≤ 0.24 cfs/5 acres - No MD
> 0.24 cfs/5 acres - 01M or No MD

RIVER BASINS: (SW special considerations)

SNAKE R (01) - W22(P04), N/A
(02,03) - 007 (w/ remark WB9 if above Weiser)
Payette R (65) - 047(P04) (Payette Lake)
Salmon R (70's) - 029 (fish screens)
Weiser R (67) - 086-087

USES:

POWER - 17H-17K (+uses)-08A-025(P18)-01N-106 (P10)
MUNICIPAL
Restricted area - 022,075
Irr., GW supp to SW - 102
DOMESTIC | home 202 mobile homes
Surface water - WB5 (Big Wood or Boise above Star Bridge)
27A (Payette R)
In-restricted area - 070-071-075 (no parks/common areas, etc)
Irr use listed separate - WB5
Moratorium approvable - W03 (2500 gpd - meets domestic definition
i.e. D/convenience store)

Multiple pd's per 1/4 - W32 2
Subd lot desc (pd) - W59
Subd lot desc (pu) - W60
Use definitions - W02 example - S/50 range
Pre-1987 development - 068-074 (allow 120 days for proof due)
Single pd intended - 076

IRRIGATION SEASON - (Per updated map) IRR VOLUME/ACRE

OTHER CONDITIONS/REMARKS if irr. was listed separate, this would
COMMENTS be important, but dom use is approvable
in that area still, so dev. is complete,
these cond will be added

/ Yes No Affidavit of publication received
 / Yes No Application published correctly. If not, record action taken

Date of priority recommend 10-23-00
By: JW Date: 11-22-00
STATE OFFICE REVIEW: _____

ADDITIONAL INFORMATION:

Comments received from:

Project impacts/implications report

COMMENTS

RECEIVED

NOV 21 2000

Department of Water Resources
Eastern Region

Proof of Publication

The Post Register

State of Idaho
County of Bonneville


I, S. Bob Bright or Robert Park, first being duly sworn, depose and say: That I am the Production Supervisor or Asst. Prod. Supervisor of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post Register, a newspaper of general circulation, published daily at Idaho Falls, Idaho; said Post Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the First day of November, 1931, and each of said newspapers have been published continuously and uninterruptedly, prior to consolidation, for more than twelve consecutive months and said Post Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post Register for 2 consecutive (days) weeks, first publication having been made on the 2ND day of NOVEMBER, 2000, last publication having been made on the 9TH day of NOVEMBER 2000 at the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 15TH day of NOVEMBER, 2000

Notary Public

My commission expires January...10....., 2003



MICROFILMED

JAN 29 2001

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s) have
been filed to appropriate the public
waters of the State of Idaho:

25-07707

PINEWOOD ESTATES

C/O DEAN NELSON

1954 N PINWOOD DR

IDAHO FALLS ID 83401

Source: GROUND WATER

Diversion Pt: SWSE Sec: 9 T. 02N R 38E
in BONNEVILLE County

Use: DOMESTIC (1.080 CFS)

Total Diversion: (1.080 CFS)

Date Filed: 10/23/2000

In: BONNEVILLE County

T02N R38E S09 SWSE

This mobile home park has been in
existence since 1974. This application is
to clarify the water right record.

32-07150

WAHOO BHA & INC

3930 E 2000 N

SUGAR CITY ID 83448

Source: INDIAN CREEK

Tributary: MEDICINE LODGE CREEK

Diversion Pt: LOT 3 (SESW) Sec 36

12N R 34E in CLARK County

Use: IRRIGATION (9,900 CFS)

Total Diversion (9,900 CFS)

Date Filed: 6/25/1985

In: CLARK County

T11N R34E S12 NENE NWNE SWNE

SENE NENE SENW NESW SESW

NESE NWSE SWSE SESE

S13 NENE NWNE SWNE SENE (SESW

NESE NWSE SWSE SESE

S24 NENE SENW NESW

R35E S07 NENE NWNE SWNE SENE

NENE Lot 1 (NWNW) Lot 2 (SWNW)

SENE Lot 3 (NWSW) Lot 4

(SWSW) SESE NESE NWSE SWSE

SESE

S18 NENE Lot 1 (NWNW) Lot 2

(SWNW) SENW NESW Lot 3 (NWSW)

Lot 4 (SWSW) SESE NESE NWSE

SWSE SESE

S19 NENE NWNE SWNE SENE

1935.0 ACRES TOTAL

This system was installed and in use

approximately 1977.

Any protests against the proposed

application must be filed with the Dept.

of Water Resources, 900 N. Skyline Dr.

Ste A, Idaho Falls ID 83402, together

with a protest fee of \$25.00 on or before

NOVEMBER 20, 2000, to be considered

by the Department in its decision to

grant or deny any part of the proposed

application. The protestant must also

send a copy of the protest to the

applicant.

KARL J. DREHER, Director

Published: November 2, 9, 2000

MICROFILMED

JAN 29 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, Idaho 83402-1718 - (208) 525-7161- Fax (208) 525-7177

EASTERN REGION

October 25, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

Id Dept of Environmental Quality
900 N Skyline Dr Ste B
Idaho Falls ID 83402

RE: Application for Permit 25-07707

Dear Sir:

We are enclosing a copy of the application (s) that may be of interest to your department. Please review the application (s) and submit any comments you may have to our Department as soon as possible. The last date of protest is November 20, 2000, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Respectfully submitted,


Harold W. Jones
Water Right Supervisor

HWJ: sc

Enc.

MICROFILMED

JAN 29 2001



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, Idaho 83402-1718 - (208) 525-7161- Fax (208) 525-7177

EASTERN REGION

October 25, 2000

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

Pinewood Estates
C/O Dean Nelson
1954 N Pinewood Dr
Idaho Falls ID 83401

RE: Applications for Permit #25-07707

Dear Applicant:

This office is currently in the process of advertising the application in the Post Register on November 2 and 9, 2000. The advertisement will be published once a week for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

Harold W. Jones
Water Right Supervisor

HWJ::sc

MICROFILMED

JAN 29 2001



State of Idaho
DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, Idaho 83402-1718 - (208) 525-7161- Fax (208) 525-7177

EASTERN REGION

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

OCTOBER 24, 2000

Legal Notices Department
THE POST-REGISTER
P.O. BOX 1800
IDAHO FALLS, ID 83403

Dear Legal Dept.:

Enclosed you will find legal notices which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.


An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before NOVEMBER 20, 2000.

Yours truly,

Sharla Cox
Senior Secretary

Encl.



NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

25-07707

PINEWOOD ESTATES
C/O DEAN NELSON
1954 N PINEWOOD DR
IDAHO FALLS, ID 83401

Source: GROUND WATER

Diversion Pt: SWSE Sec 9 T 02N R 38E in BONNEVILLE County.

Use: DOMESTIC (1.080 CFS)
Total Diversion: (1.080 CFS)

Date Filed: 10/23/2000

In: BONNEVILLE County
T02N R38E S09 SWSE

This mobile home park has been in existence since 1974. This application is to clarify the water right record.

Any protests against the proposed application must be filed with the Dept. of Water Resources, 900 N Skyline Dr., Ste A, Idaho Falls ID 83402, together with a protest fee of \$25.00 on or before NOVEMBER 20, 2000. to be considered by the Department in its decision to grant or deny any part of the proposed application. The protestant must also send a copy of the protest to the applicant.

Published: 11/ 2/2000 & 11/ 9/2000

KARL J. DREHER, Director

MICROFILMED

JAN 29 2001