


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Clyde Taylor
(Applicant)

Title - *Chairman*



RIGBY 4.9 MI.
ST. ANTHONY 29 MI.

40'
4835

4834

4833

4832

4831000m

T. 4 N.

T. 3 N.

43°37'


112°00'

IDAHO FALLS 9.1 MI.
POCA TELLO 60 MI.

INTERIOR GEOLOGICAL SURVEY, RESTON, VIRGINIA-1979


418

419000m



at Office of State Geol. Idaho October 1911. 11748

R3PE
T
4
N



Created	By whom Surveyed	Date of Contract	Amount of Survey			When comm.
			Miles	Chains	Links	
Lines	John B. David	November 27th 1877	11	79	61	May 11th

Point of diversion



25-07595

MICROFILMED

MAR 10 1967

25-07595

CENTRAL CEMETERY
13946 N. 5TH W.
IDAHO FALLS, ID 83401

Source: GROUNDWATER

Diversion Pt: SWSWNW Sec 30 T 04N R 38E

Use: IRRIGATION (.150 CFS)
Total Diversion: (.150 CFS)

Date Filed: 5/16/ 1991

In: T04N R38E S30 SWNW

5.0 ACRES TOTAL

25-07595
CENTRAL CEMETERY
13946 N. 5TH W.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: SWSWNW Sec 30 T 04N
R 38E
Use: IRRIGATION (.150 CFS)
Total Diversion: (.150 CFS)
Date Filed: 5/16/ 1991
In: T04N R38E S30 SWNW
5.0 ACRES TOTAL
The permit(s) will be subject to all
prior water rights. Protests may be sub-
mitted based on the criteria of Sec. 42-
203A, Idaho Code and/or the new pub-
lic interest criteria of Sec. 42-203C,
Idaho Code. Protests must be filed with
the Director, Dept. of Water Resources,
150 Shoup Ave., Suite 15, Idaho Falls,
Idaho 83402 on or before JULY 8,
1991.
R. Keith Higginson, Director
Published in the Jefferson Star,
Riadv. Idaho, June 19 and 26, 1991.

RECORDED

AUG 21 1991

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07595

Priority: May 16, 1991

Maximum Diversion Rate:

0.15 CFS

Maximum Diversion Volume:

20.0 AF

This is to certify, that CENTRAL CEMETERY

13946 N 5TH W

IDAHO FALLS ID 83401

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 16, 1991; and has submitted Proof of Beneficial Use on August 21, 1991. An examination indicates that the works have a diversion capacity of 0.350 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.15 CFS	20.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 2(SWNW), Sec. 30, Township 04N, Range 38E
JEFFERSON County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04N	38E	30	Lot 2(SWNW)	5		5

Total number of acres irrigated: 5

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right is for the use of trust water and is subject to review 20 years after the issuance of the permit to determine availability of water and to re-evaluate the public interest.
6. Diversion and use of water under this right is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
7. This right when combined with all other rights shall provide not more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.

RECORDED

10 1997


State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 25-07595

CONDITIONS OF APPROVAL AND REMARKS

This license is issued pursuant to the provisions of Section 42-219, Idaho Code,
Witness the seal and signature of the Director, affixed at Boise, this 24TH
day of FEBRUARY, 1977.


Acting for KARL J. DREHER, Director



MICROFILMED

MAR 10 1987

For Office Use Only
07/91

RECEIVED

AUG 21 1991

Department of Water Resources
Eastern District Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Amt. of Fee \$ 50.00
Date 8-21-91
Receipt No. 5016461
Permit No. 25

RECEIVED

AUG 26 1991

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 25-07595 Telephone No. 523-8184

2. Name(s) of Permit Holder(s): CENTRAL CEMETERY

3. Post Office Address: 13946 N 5th W IDAHO FALLS, IDAHO 83401

4. Source of Water: GROUND WATER

a. If ground water, well driller's name: KENDALL Date drilled: 07/01/1959

b. Pump horsepower: 15 Pressure (psi): 35-40 PSI Dynamic pumping level (ft.): 175 ft.

5. Extent of Use:

Domestic _____ (No. of households) Irrigation 5 (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 0.15 cfs 5 acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

CONLEY STUCKI (208) 523-8184
Name Telephone No.

13946 N 5th W. IDAHO FALLS, IDA. 83401
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED

19 aug 91
Date

Beverly Stucki, secretary NOV 14 1991
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 25-07595

Proposed Priority: May 16, 1991 Maximum Diversion Rate: 0.15 CFS

This is to certify, that **CENTRAL CEMETERY**

13946 N. 5TH W.

IDAHO FALLS, ID 83401

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

04/01 to 11/01

0.15 CFS

LOCATION OF POINT(S) OF DIVERSION:

SWSWNW

Sec. 30, Township 04N, Range 38E
JEFFERSON County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

04N 38E 30

SWNW 5

5

Total number of acres irrigated:

5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **August 3, 1992**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. Any license issued by IDWR pursuant to the permit or portion thereof for the use of trust water is subject to a term review of 20 years after the date of this approval to determine availability of water for the use and to re-evaluate the public interest at the end of the term.
5. Diversion and use of water under this permit is subject to an annual use fee if rules are subsequently promulgated which provide for the submittal of the fee.
6. The Director retains jurisdiction of the permit and/or subsequent license issued to change, add or remove any requirement as determined to be appropriate.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

8th day of AUGUST, 1991.

AUG 21 1991

FOR: Ray Spackman
R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 25-7595

To appropriate the public waters of the State of Idaho

1. Name of applicant Central Cemetery c/o Conley Stucki Phone 523-8184
Post office address 13946 N 5th W Idaho Falls, ID 83401

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 30 Township 4N Range 38E B.M. Jefferson County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.15 ^{cfs} for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.15 and/or (b) /
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well & pump to sprinklers

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

Exists c. Proposed well diameter is 13 inches; proposed depth of well is 185 feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is

1 years (minimum 1 year).

RECORDED
AUG 21 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	38E	30							5										5

Total number of acres to be irrigated 5

10. Describe any other water rights used for the same purposes as described above. A25-12422 on adjacent acreage. The same p.d. is used.


- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

RECEIVED

AUG 21 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Clyde Taylor
(Applicant)

Title - *Chairman*

RECEIVED
AUG 21 1997

Received by LB Date 5-24-91 Time 11:20 Preliminary check by LB
Fee \$ 30.00 Received by LB # E016080 Date 5-16-91
Publication prepared by LB Date 6-20-91 Published in Jefferson Star
Publication approved LB Date 7-15-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED

AUG 21 1991

FROM

DATE

5-13-91

TO

SUBJECT

Central Cemetery Board.

RECEIVED

MAY 24 1991

Department of Water Resources
Eastern District Office

Clyde Taylor - Chairman

George Jacobs - Director

Samuel Buttkofer - Director

Dorothy Stucki - Secretary

Conley Stucki - Sexton

RECORDED

AUG 21 1991

SIGNATURE

The Jefferson Star
Rigby, Idaho

AFFIDAVIT OF PUBLICATION

State of Idaho)
) ss
County of Jefferson)

I, LaReena Lydon

of the Jefferson Star, published weekly at
Rigby, Jefferson County, Idaho, do
solemnly swear that the

Notice of application
a copy of which notice appears attached
hereto, was published in the regular and
entire issue of said newspaper, and not in
any supplement issue thereof for two
consecutive issues, the first publication
having been made on June 19, 1991
and the last publication having been made
on June 26, 1991.

Further, that said newspaper is one of
general circulation in said county; that it is a
legal newspaper, conforming to legal
specifications under the Idaho Statutes; that
it has at least two hundred bona fide
subscribers living within the county of
publication; and that it has been
continuously and uninterruptedly published
in said county during a period of seventy-
eight consecutive weeks prior to the first
publication of the said notice.

On this 28th day of June
in the year of 1991, before me, a Notary
Public, personally appeared

LaReena Lydon
known or identified to me to be the person
whose name subscribed to the within
instrument, and being by me first duly
sworn, declared that the statements therein
are true, and acknowledged to me that he
executed the same.

Merrill C. Trueman
Notary Public of Idaho
Residing at Idaho Falls

My commission expires: 7-10-93

NOTICE OF APPLICATION

25-07570
MATHESON, DORIAN A.
119 N. 4000 E.
RIGBY, ID 83442
Source: GROUNDWATER
Diversion Pt: SESE Sec 30 T 04N R
39E
Use: IRRIGATION (.600 CFS)
Total Diversion: (.600 CFS)
Date Filed: 5/24/1990
In: T04N R39E S30 SESE
30.0 ACRES TOTAL
25-07595
CENTRAL CEMETERY
13946 N. 5TH W.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: SWSWNW Sec 30 T 04N
R 38E
Use: IRRIGATION (.150 CFS)
Total Diversion: (.150 CFS)
Date Filed: 5/16/1991
In: T04N R38E S30 SWNW
5.0 ACRES TOTAL
The permit(s) will be subject to all
prior water rights. Protests may be sub-
mitted based on the criteria of Sec. 42-
203A, Idaho Code and/or the new pub-
lic interest criteria of Sec. 42-203C,
Idaho Code. Protests must be filed with
the Director, Dept. of Water Resources,
150 Shoup Ave., Suite 15, Idaho Falls,
Idaho 83402 on or before JULY 8,
1991.
R. Keith Higginson, Director
Published in the Jefferson Star
Rigby, Idaho June 19 and 26, 1991.

RECEIVED

JUL 1- 1991

Department of Water Resources
Eastern District Office

RECEIVED
AUG 21 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

February 26, 1997

CENTRAL CEMETERY
13946 N 5TH W
IDAHO FALLS ID 83401

RE: WATER RIGHT NO. 25-07595

Dear Water Right Holders:

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration within fourteen (14) days after issuance as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED
MAR 10 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or

MICROFILMED
2007 10 1937

- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

If you have questions, please contact me at (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the printed name and title.

Shelley W. Keen
Water Rights Supervisor

c: Eastern Region

Enclosures

CERTIFICATE OF MAILING

I hereby certify that on the 26th day of February, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 25-07595

**CENTRAL CEMETERY
13946 N 5TH W
IDAHO FALLS ID 83401**



Sharla Curtis
Water Resource Agent

MICROFILMED

4

MAR 10 1997

MEMORANDUM

DATE: February 14, 1997

TO: 25-7595

FROM: Cindy Bird

SUBJECT: Surface Water Shares

I spoke with the permit holder this morning in regards to surface water shares. He stated they have no canal shares for this property.

MICROFILMED
MAR 10 1997

MEMORANDUM

TO: File 25-07595

FROM: Sharla

DATE: January 17, 1997

RE: Recommendation Adjustment(s)

The final license recommendations for Right 25-07595 are based on the following:

H. RECOMMENDATIONS

Irrigation	4/1 - 10/31	0.15 cfs	20.0 afa
------------	-------------	----------	----------

The irrigation season of use for this area is 4/1 - 10/31.

Examiner: Keith Wilson
Exam Date: June 15, 1995

MICROFILMED
MAR 10 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 25-07595

DATE 1/16/97

REVIEWER: SHARLA

NAME	Change <u>OK</u>	Address Change <u>No</u>
SOURCE	<u>✓</u>	Is change clarification of originally intended source? <u>✓</u>
POINT OF DIV	<u>✓</u>	If not, prepare Notice of Intent to Void <u>✓</u>
PLACE OF USE	<u>✓</u>	Amendment required <u>No</u>

Does map agree with written description? ✓ yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate	<u>.15</u> cfs	<u>Lot 2</u>
Fee limit	<u>.20</u> cfs <u>\$50⁰⁰</u>	
Measured	<u>.35</u> cfs	
Theoretical	<u>.32</u> cfs $15 \times 8.8 \times 7 / 175 + (2.31 \times 50) = .32$	
Recommended Total Div Rate		<u>.15</u> cfs

ANNUAL VOLUME/
NATURE OF USES

Use <u>✓</u>	<u>15</u>	Volume Calculation
		<u>5 \times 4.0 = 20.0</u> af
		<u> </u> af
		<u> </u> af
		<u> </u> af
SUBTOTAL	<u>20.0</u>	<u> </u> af

4/1-10/31 season

Flow rate .15 cfs X 214 days X 1.98 ~~1.98~~ = 63.6 af
Total volume recommended 20.0 af
(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

CONDITIONS Watermaster Control WD#

R5 GW Measurement/Measuring Device

R5 Overlap

 Use-specific conditions R55, R56

Advancement of Priority Date Required yes no

SRBA Claim Filed N/A
Adjustment Memo season

1st Amend Letter N/A
2nd Amend Letter

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 02 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 25-7595

1. Owner: CENTRAL CEMETERY

Phone No. 523-8184

Current Address: 13946 N 5th W Idaho Falls Id 83401

2. Accompanied by: CONLEY STUCKI

EXAM DATE: 15 June 95

523-8184 (H)

Address: SAME

Phone No. 529-9983 (W)

Relationship to Permit Holder: CARETAKER

3. Source: GROUNDWATER

tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	2		SW	NW	30	4N	38E	Jefferson	USGS Map, Aerial Photo, On Site

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	38E	30			I				5										5
									L-2										

MICROFILMED
MAR 10 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

SEE ATTACHED PAGE											
-------------------	--	--	--	--	--	--	--	--	--	--	--

Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Jacuzzi	15	UNKNOWN		

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pitot Tube						
Pressure Gauge		Rainbird			0-160	

2. Measurements: Pitot tube of hand lines see attached page for size of nozzles and recorded pressure.

NOT FILLED

MAR 4 1960

E. NARRATIVE/REMARKS/COMMENTS

15 hp Jacuzzi pump & motor to 3" buried mainline to handlines with sprinklers. System operated sectionally (ie not all sprinklers within cemetery are used at the same time) only 24 sprinklers operate at time of exam

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
MAR 10 1997

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

$$Q = 0.35 \text{ cfs}$$

$$Q_{\text{LIMITED by permit}} = 0.15 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 5 \times 4.0 = 20 \text{ afa}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.15 \text{ cfs} (214) 1.9835 = 63.7$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 20 \text{ afa}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
IRRIGATION	4/1	11/1	0.15 cfs	20 afa
Totals:			0.15 cfs	20 afa

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


I. AUTHENTICATIONField Examiner's Name KEITH C. WILSON Date 15 June 95

Reviewer _____ Date _____

SEAL

MICROFILMED

MAR 10 1997



Lewisville Cemetery

Barlow

BM 4802

SELCK AND TAYLOR

CANAL

UNION PACIFIC

WASTE

PLACE OF USE

Central Cem

POINT OF DIVERSION

Grant School

Grant

25-07595

WILKINS

CANAL

MICROFILMED

MAR 10 1967

JEFFERSON CO
BONNEVILLE CO

HARRISON CANAL


R37E R38E

T 4 N

IDAHO FALLS 9.1 MI.
POCA TELLO 60 MI.

INTERIOR-GEOLOGICAL SURVEY, RESTON, VIRGINIA-1979

112°00'



PLACE OF USE

POINT OF DIVERSION

TAN
R38E

30

MICROFILMED
2442
10037

25-7595



Flow Calculation:

$$5/32 @ 48 \text{ psi} = 5.05 \text{ gpm} \times 2 = 10.1 \text{ gpm}$$

$$\frac{5}{32} @ 50 \text{ psi} = 5.15 \text{ gpm} \times 2 = 10.3 \text{ gpm}$$

$$5/32 \times 3/32 @ 48 \text{ psi} = (5.01 \text{ gpm} + 1.81 \text{ gpm}) \times 10 = 68.6 \text{ gpm}$$

$$\frac{5}{32} \times \frac{3}{32} @ 50 \text{ psi} = (5.15 \text{ gpm} + 1.85 \text{ gpm}) \times 10 = 70.0 \text{ gpm}$$


Total Diversion $159 \text{ gpm} = 0.35 \text{ cfs}$

25-07595

100-100000-100000
100-100000-100000


NOZZLE DIAMETER IN INCHES													
PSI	1/16	5/64	3/32	7/64	1/8	9/64	5/32	11/64	3/16	13/64	7/32	1/4	9/32
20	0.52	0.81	1.17	1.59	2.09	2.65	3.26	3.92	4.69	5.51	6.37	8.35	10.50
25	0.58	0.90	1.31	1.78	2.34	2.96	3.64	4.38	5.25	6.16	7.13	9.34	11.80
30	0.64	1.00	1.44	1.96	2.56	3.26	4.01	4.83	5.75	6.80	7.85	10.20	13.00
31	0.65	1.02	1.46	1.99	2.60	3.31	4.07	4.90	5.84	6.90	7.97	10.38	13.18
32	0.66	1.03	1.48	2.02	2.64	3.36	4.13	4.97	5.93	7.00	8.08	10.56	13.36
33	0.67	1.05	1.51	2.05	2.69	3.40	4.19	5.04	6.03	7.10	8.20	10.74	13.54
34	0.68	1.06	1.53	2.08	2.73	3.45	4.25	5.11	6.12	7.20	8.31	10.92	13.72
35	0.69	1.08	1.55	2.11	2.77	3.50	4.31	5.18	6.21	7.30	8.43	11.10	13.90
36	0.70	1.09	1.57	2.14	2.81	3.55	4.37	5.25	6.30	7.40	8.55	11.24	14.10
37	0.71	1.11	1.59	2.17	2.85	3.60	4.43	5.32	6.38	7.50	8.67	11.38	14.30
38	0.72	1.12	1.62	2.19	2.88	3.64	4.49	5.40	6.47	7.60	8.78	11.52	14.50
39	0.73	1.14	1.64	2.22	2.92	3.69	4.55	5.47	6.55	7.70	8.90	11.66	14.70
40	0.74	1.15	1.66	2.25	2.96	3.74	4.61	5.54	6.64	7.80	9.02	11.80	14.90
41	0.75	1.16	1.68	2.28	2.99	3.79	4.67	5.61	6.72	7.90	9.14	11.94	15.10
42	0.76	1.18	1.70	2.31	3.03	3.84	4.73	5.69	6.80	8.00	9.25	12.08	15.30
43	0.76	1.19	1.72	2.34	3.06	3.89	4.79	5.76	6.87	8.10	9.37	12.22	15.50
44	0.77	1.21	1.74	2.37	3.10	3.94	4.85	5.84	6.95	8.20	9.48	12.36	15.70
45	0.78	1.22	1.76	2.40	3.13	3.99	4.91	5.91	7.03	8.30	9.60	12.50	15.90
46	0.79	1.23	1.78	2.42	3.16	4.03	4.96	5.97	7.11	8.38	9.70	12.64	16.04
47	0.80	1.25	1.80	2.45	3.20	4.07	5.01	6.02	7.18	8.46	9.80	12.78	16.18
48	0.81	1.26	1.81	2.47	3.23	4.10	5.05	6.08	7.26	8.55	9.90	12.92	16.32
49	0.82	1.28	1.83	2.50	3.27	4.14	5.10	6.13	7.33	8.63	10.00	13.06	16.46
50	0.83	1.29	1.85	2.52	3.30	4.18	5.15	6.19	7.41	8.71	10.10	13.20	16.60
51	0.84	1.30	1.87	2.54	3.33	4.22	5.20	6.25	7.48	8.79	10.18	13.32	16.76
52	0.85	1.32	1.89	2.56	3.36	4.26	5.25	6.31	7.55	8.87	10.26	13.44	16.92
53	0.85	1.33	1.90	2.59	3.40	4.29	5.29	6.36	7.63	8.96	10.34	13.56	17.08
54	0.86	1.35	1.92	2.61	3.43	4.33	5.34	6.42	7.70	9.04	10.42	13.68	17.24
55	0.87	1.36	1.94	2.63	3.46	4.37	5.39	6.48	7.77	9.12	10.50	13.80	17.40
56	0.88	1.37	1.96	2.66	3.49	4.40	5.44	6.54	7.84	9.21	10.61	13.94	17.58
57	0.88	1.38	1.98	2.68	3.52	4.42	5.49	6.61	7.91	9.30	10.72	14.08	17.76
58	0.89	1.38	1.99	2.71	3.56	4.45	5.55	6.67	7.98	9.38	10.83	14.22	17.94
59	0.89	1.39	2.01	2.73	3.59	4.47	5.60	6.74	8.05	9.47	10.94	14.36	18.12
60	0.90	1.40	2.03	2.76	3.62	4.50	5.65	6.80	8.12	9.56	11.05	14.50	18.30
65	0.94	1.47	2.11	2.86	3.77	4.76	5.87	7.06	8.45	9.92	11.45	15.10	19.00
70	0.98	1.53	2.19	2.98	3.91	4.96	6.10	7.34	8.78	10.32	11.95	15.70	19.80
75	1.01	1.58	2.27	3.08	4.05	5.12	6.30	7.58	9.08	10.66	12.32	16.20	20.40
80	1.05	1.64	2.35	3.18	4.18	5.29	6.52	7.84	9.39	11.02	12.74	16.70	21.10
85	1.08	1.68	2.42	3.28	4.31	5.45	6.71	8.07	9.67	11.35	13.11	17.30	21.70
90	1.11	1.73	2.49	3.38	4.43	5.61	6.91	8.31	9.95	11.69	13.51	17.70	22.30
95	1.14	1.78	2.56	3.46	4.56	5.76	7.09	8.53	10.20	11.99	13.86	18.20	22.90
100	1.17	1.83	2.63	3.56	4.67	5.91	7.29	8.76	10.50	12.32	14.23	18.70	23.50

25-07595
MICROFILMED
MAR 10 1967



Created	By whom Surveyed	Date of Contract	Area of Surveys			When commenced
			Stiles	Chains	Links	
Jones	Jones B. David	November 27 1857	14	49	61	May 11 '76

Point of diversion



25-07595

UNCLASSIFIED

MAR 10 1957

50 SHEETS EYEGLASS SQUARE
100 SHEETS EYEGLASS SQUARE
200 SHEETS EYEGLASS SQUARE
400 SHEETS EYEGLASS SQUARE
800 SHEETS EYEGLASS SQUARE
1600 SHEETS EYEGLASS SQUARE
3200 SHEETS EYEGLASS SQUARE
6400 SHEETS EYEGLASS SQUARE
12800 SHEETS EYEGLASS SQUARE
25600 SHEETS EYEGLASS SQUARE
51200 SHEETS EYEGLASS SQUARE
102400 SHEETS EYEGLASS SQUARE
204800 SHEETS EYEGLASS SQUARE
409600 SHEETS EYEGLASS SQUARE
819200 SHEETS EYEGLASS SQUARE
1638400 SHEETS EYEGLASS SQUARE
3276800 SHEETS EYEGLASS SQUARE
6553600 SHEETS EYEGLASS SQUARE
13107200 SHEETS EYEGLASS SQUARE
26214400 SHEETS EYEGLASS SQUARE
52428800 SHEETS EYEGLASS SQUARE
104857600 SHEETS EYEGLASS SQUARE
209715200 SHEETS EYEGLASS SQUARE
419430400 SHEETS EYEGLASS SQUARE
838860800 SHEETS EYEGLASS SQUARE
1677721600 SHEETS EYEGLASS SQUARE
3355443200 SHEETS EYEGLASS SQUARE
6710886400 SHEETS EYEGLASS SQUARE
13421772800 SHEETS EYEGLASS SQUARE
26843545600 SHEETS EYEGLASS SQUARE
53687091200 SHEETS EYEGLASS SQUARE
107374182400 SHEETS EYEGLASS SQUARE
214748364800 SHEETS EYEGLASS SQUARE
429496729600 SHEETS EYEGLASS SQUARE
858993459200 SHEETS EYEGLASS SQUARE
1717986918400 SHEETS EYEGLASS SQUARE
3435973836800 SHEETS EYEGLASS SQUARE
6871947673600 SHEETS EYEGLASS SQUARE
13743895347200 SHEETS EYEGLASS SQUARE
27487790694400 SHEETS EYEGLASS SQUARE
54975581388800 SHEETS EYEGLASS SQUARE
109951162777600 SHEETS EYEGLASS SQUARE
219902325555200 SHEETS EYEGLASS SQUARE
439804651110400 SHEETS EYEGLASS SQUARE
879609302220800 SHEETS EYEGLASS SQUARE
1759218604441600 SHEETS EYEGLASS SQUARE
3518437208883200 SHEETS EYEGLASS SQUARE
7036874417766400 SHEETS EYEGLASS SQUARE
14073748835532800 SHEETS EYEGLASS SQUARE
28147497671065600 SHEETS EYEGLASS SQUARE
56294995342131200 SHEETS EYEGLASS SQUARE
112589990684262400 SHEETS EYEGLASS SQUARE
225179981368524800 SHEETS EYEGLASS SQUARE
450359962737049600 SHEETS EYEGLASS SQUARE
900719925474099200 SHEETS EYEGLASS SQUARE
1801439850948198400 SHEETS EYEGLASS SQUARE
3602879701896396800 SHEETS EYEGLASS SQUARE
7205759403792793600 SHEETS EYEGLASS SQUARE
14411518807585587200 SHEETS EYEGLASS SQUARE
28823037615171174400 SHEETS EYEGLASS SQUARE
57646075230342348800 SHEETS EYEGLASS SQUARE
115292150460684697600 SHEETS EYEGLASS SQUARE
230584300921369395200 SHEETS EYEGLASS SQUARE
461168601842738790400 SHEETS EYEGLASS SQUARE
922337203685477580800 SHEETS EYEGLASS SQUARE
1844674407370955161600 SHEETS EYEGLASS SQUARE
3689348814741910323200 SHEETS EYEGLASS SQUARE
7378697629483820646400 SHEETS EYEGLASS SQUARE
14757395258967641292800 SHEETS EYEGLASS SQUARE
29514790517935282585600 SHEETS EYEGLASS SQUARE
59029581035870565171200 SHEETS EYEGLASS SQUARE
118059162071741130342400 SHEETS EYEGLASS SQUARE
236118324143482260684800 SHEETS EYEGLASS SQUARE
472236648286964521369600 SHEETS EYEGLASS SQUARE
944473296573929042739200 SHEETS EYEGLASS SQUARE
1888946593147858085478400 SHEETS EYEGLASS SQUARE
3777893186295716170956800 SHEETS EYEGLASS SQUARE
7555786372591432341913600 SHEETS EYEGLASS SQUARE
15111572745182864683827200 SHEETS EYEGLASS SQUARE
30223145490365729367654400 SHEETS EYEGLASS SQUARE
60446290980731458735308800 SHEETS EYEGLASS SQUARE
120892581961462917470617600 SHEETS EYEGLASS SQUARE
241785163922925834941235200 SHEETS EYEGLASS SQUARE
483570327845851669882470400 SHEETS EYEGLASS SQUARE
967140655691703339764940800 SHEETS EYEGLASS SQUARE
1934281311383406679529881600 SHEETS EYEGLASS SQUARE
3868562622766813359059763200 SHEETS EYEGLASS SQUARE
7737125245533626718119526400 SHEETS EYEGLASS SQUARE
15474250491067253436239052800 SHEETS EYEGLASS SQUARE
30948500982134506872478105600 SHEETS EYEGLASS SQUARE
61897001964269013744956211200 SHEETS EYEGLASS SQUARE
123794003928538027489912422400 SHEETS EYEGLASS SQUARE
247588007857076054979824844800 SHEETS EYEGLASS SQUARE
495176015714152109959649689600 SHEETS EYEGLASS SQUARE
990352031428304219919299379200 SHEETS EYEGLASS SQUARE
1980704062856608439838598758400 SHEETS EYEGLASS SQUARE
3961408125713216879677197516800 SHEETS EYEGLASS SQUARE
7922816251426433759354395033600 SHEETS EYEGLASS SQUARE
15845632502852867518708790067200 SHEETS EYEGLASS SQUARE
31691265005705735037417580134400 SHEETS EYEGLASS SQUARE
63382530011411470074835160268800 SHEETS EYEGLASS SQUARE
126765060022822940149670320537600 SHEETS EYEGLASS SQUARE
253530120045645880299340641075200 SHEETS EYEGLASS SQUARE
507060240091291760598681282150400 SHEETS EYEGLASS SQUARE
1014120480182583521197362564300800 SHEETS EYEGLASS SQUARE
2028240960365167042394725128601600 SHEETS EYEGLASS SQUARE
4056481920730334084789450257203200 SHEETS EYEGLASS SQUARE
8112963841460668169578900514406400 SHEETS EYEGLASS SQUARE
16225927682921336339157801028812800 SHEETS EYEGLASS SQUARE
32451855365842672678315602057625600 SHEETS EYEGLASS SQUARE
64903710731685345356631204115251200 SHEETS EYEGLASS SQUARE
129807421463370690713262408230502400 SHEETS EYEGLASS SQUARE
259614842926741381426524816461004800 SHEETS EYEGLASS SQUARE
519229685853482762853049632922009600 SHEETS EYEGLASS SQUARE
1038459371706965525706099265844019200 SHEETS EYEGLASS SQUARE
2076918743413931051412198531688038400 SHEETS EYEGLASS SQUARE
4153837486827862102824397063376076800 SHEETS EYEGLASS SQUARE
8307674973655724205648794126752153600 SHEETS EYEGLASS SQUARE
16615349947311448411297588253504307200 SHEETS EYEGLASS SQUARE
33230699894622896822595176507008614400 SHEETS EYEGLASS SQUARE
66461399789245793645190353014017228800 SHEETS EYEGLASS SQUARE
132922799578491587290380706028034457600 SHEETS EYEGLASS SQUARE
265845599156983174580761412056068915200 SHEETS EYEGLASS SQUARE
531691198313966349161522824112137830400 SHEETS EYEGLASS SQUARE
1063382396627932698323045648224275660800 SHEETS EYEGLASS SQUARE
2126764793255865396646091296448551321600 SHEETS EYEGLASS SQUARE
4253529586511730793292182592897102643200 SHEETS EYEGLASS SQUARE
8507059173023461586584365185794205286400 SHEETS EYEGLASS SQUARE
17014118346046923173168730371588410572800 SHEETS EYEGLASS SQUARE
34028236692093846346337460743176821145600 SHEETS EYEGLASS SQUARE
68056473384187692692674921486353642291200 SHEETS EYEGLASS SQUARE
136112946768375385385349842972707284582400 SHEETS EYEGLASS SQUARE
272225893536750770770699685945414569164800 SHEETS EYEGLASS SQUARE
544451787073501541541399371890829138329600 SHEETS EYEGLASS SQUARE
1088903574147003083082798743781658276659200 SHEETS EYEGLASS SQUARE
2177807148294006166165597487563316553318400 SHEETS EYEGLASS SQUARE
4355614296588012332331194975126633106636800 SHEETS EYEGLASS SQUARE
8711228593176024664662389950253266213273600 SHEETS EYEGLASS SQUARE
17422457186352049329324779900506532426547200 SHEETS EYEGLASS SQUARE
34844914372704098658649559801013064853094400 SHEETS EYEGLASS SQUARE
69689828745408197317299119602026129706188800 SHEETS EYEGLASS SQUARE
139379657490816394634598239204052259412377600 SHEETS EYEGLASS SQUARE
278759314981632789269196478408104518824755200 SHEETS EYEGLASS SQUARE
557518629963265578538392956816209037649510400 SHEETS EYEGLASS SQUARE
1115037259926531157076785913632418075299020800 SHEETS EYEGLASS SQUARE
2230074519853062314153571827264836150598041600 SHEETS EYEGLASS SQUARE
4460149039706124628307143654529672301196083200 SHEETS EYEGLASS SQUARE
8920298079412249256614287309059344602392166400 SHEETS EYEGLASS SQUARE
17840596158824498513228574618118689204784332800 SHEETS EYEGLASS SQUARE
35681192317648997026457149236237378409568665600 SHEETS EYEGLASS SQUARE
71362384635297994052914298472474756819137331200 SHEETS EYEGLASS SQUARE
142724769270595988105828596944949513638274662400 SHEETS EYEGLASS SQUARE
285449538541191976211657193889899027276549324800 SHEETS EYEGLASS SQUARE
570899077082383952423314387779798054553098649600 SHEETS EYEGLASS SQUARE
1141798154164767904846628775559596109106197299200 SHEETS EYEGLASS SQUARE
2283596308329535809693257551119192218212394598400 SHEETS EYEGLASS SQUARE
4567192616659071619386515102238384436424789196800 SHEETS EYEGLASS SQUARE
9134385233318143238773030204476768872849578393600 SHEETS EYEGLASS SQUARE
18268770466636286477546060408953537745699156787200 SHEETS EYEGLASS SQUARE
36537540933272572955092120817907075491398313574400 SHEETS EYEGLASS SQUARE
73075081866545145910184241635814150982796627148800 SHEETS EYEGLASS SQUARE
146150163733090291820368483271628301965593254297600 SHEETS EYEGLASS SQUARE
292300327466180583640736966543256603931186508595200 SHEETS EYEGLASS SQUARE
584600654932361167281473933086513207862373017190400 SHEETS EYEGLASS SQUARE
1169201309864722334562947866173026415724746034380800 SHEETS EYEGLASS SQUARE
2338402619729444669125895732346052831449492068761600 SHEETS EYEGLASS SQUARE
4676805239458889338251791464692105662898984137523200 SHEETS EYEGLASS SQUARE
9353610478917778676503582929384211325797968275046400 SHEETS EYEGLASS SQUARE
18707220957835557353007165858768422651595936550092800 SHEETS EYEGLASS SQUARE
37414441915671114706014331717536845303191873100185600 SHEETS EYEGLASS SQUARE
74828883831342229412028663435073690606383746200371200 SHEETS EYEGLASS SQUARE
149657767662684458824057326870147381212767492400742400 SHEETS EYEGLASS SQUARE
299315535325368917648114653740294762425534984801484800 SHEETS EYEGLASS SQUARE
598631070650737835296229307480589524851069969602969600 SHEETS EYEGLASS SQUARE
1197262141301475670592458614961179049702139939205939200 SHEETS EYEGLASS SQUARE
2394524282602951341184917229922358099404279878411878400 SHEETS EYEGLASS SQUARE
4789048565205902682369834459844716198808559756823756800 SHEETS EYEGLASS SQUARE
9578097130411805364739668919689432397617119513647513600 SHEETS EYEGLASS SQUARE
19156194260823610729479337839378864795234239027295027200 SHEETS EYEGLASS SQUARE
38312388521647221458958675678757729590468478054590054400 SHEETS EYEGLASS SQUARE
76624777043294442917917351357515459180936956109180108800 SHEETS EYEGLASS SQUARE
153249554086588885835834702715030918361873912218360217600 SHEETS EYEGLASS SQUARE
306499108173177771671669405430061836723747824436720435200 SHEETS EYEGLASS SQUARE
612998216346355543343338810860123673447495648873440870400 SHEETS EYEGLASS SQUARE
1225996432692711086686677621720247346894991297746881740800 SHEETS EYEGLASS SQUARE
2451992865385422173373355243440494693789982595493763481600 SHEETS EYEGLASS SQUARE
4903985730770844346746710486880989387579965190987526963200 SHEETS EYEGLASS SQUARE
9807971461541688693493420973761978775159930381975053926400 SHEETS EYEGLASS SQUARE
19615942923083377386986841947523957550319860763950107852800 SHEETS EYEGLASS SQUARE
39231885846166754773973683895047915100639721527900215705600 SHEETS EYEGLASS SQUARE
78463771692333509547947367790095830201279443055800431411200 SHEETS EYEGLASS SQUARE
156927543384667019095894735580191660402558886111600862822400 SHEETS EYEGLASS SQUARE
313855086769334038191789471160383320805117772223201725644800 SHEETS EYEGLASS SQUARE
627710173538668076383578942320766641610235544446403451289600 SHEETS EYEGLASS SQUARE
1255420347077336152767157884641533283220471088892806902579200 SHEETS EYEGLASS SQUARE
2510840694154672305534315769283066566440942177785613805158400 SHEETS EYEGLASS SQUARE
5021681388309344611068631538566133132881884355571227610316800 SHEETS EYEGLASS SQUARE
10043362776618689222137263077132266265763768711142455220633600 SHEETS EYEGLASS SQUARE
20086725553237378444274526154264532531527537422284910412667200 SHEETS EYEGLASS SQUARE
40173451106474756888549052308529065063055074844569820825334400 SHEETS EYEGLASS SQUARE
80346902212949513777098104617058130126110149689139641650668800 SHEETS EYEGLASS SQUARE
160693804425899027554196209234116260252220299378279328311337600 SHEETS EYEGLASS SQUARE
321387608851798055108392418468232520504440598756558656622675200 SHEETS EYEGLASS SQUARE
642775217703596110216784836936465041008881197513117313245350400 SHEETS EYEGLASS SQUARE
1285550435407192220433569673872930082017762395026234626490700800 SHEETS EYEGLASS SQUARE
2571100870814384440867139347745860164035524790052469252981401600 SHEETS EYEGLASS SQUARE
5142201741628768881734278695491720328071049580104938505962803200 SHEETS EYEGLASS SQUARE
10284403483257537763468557390983440656142099160209877011925606400 SHEETS EYEGLASS SQUARE
20568806966515075526937114781966881312284198320419754023851212800 SHEETS EYEGLASS SQUARE
41137613933030151053874229563933762624568396640839508047702425600 SHEETS EYEGLASS SQUARE
82275227866060302107748459127867525249136793281679016095404851200 SHEETS EYEGLASS SQUARE
164550455732120604215496918255735050498273586563358032190809702400 SHEETS EYEGLASS SQUARE
329100911464241208430993836511470100996547173126716064381619404800 SHEETS EYEGLASS SQUARE
658201822928482416861987673022940201993094346253432128763238809600 SHEETS EYEGLASS SQUARE
1316403645856964833723975346045880403986188692506864257526477619200 SHEETS EYEGLASS SQUARE
2632807291713929667447950692091760807972377385013728515052955238400 SHEETS EYEGLASS SQUARE
5265614583427859334895901384183521615944754770027457030105910476800 SHEETS EYEGLASS SQUARE
10531229166855718669791802768367043231889509540054914060211820953600 SHEETS EYEGLASS SQUARE
21062458333711437339583605536734086463779019080109828120423641907200 SHEETS EYEGLASS SQUARE
42124916667422874679167211073468172927558038160219656240847283814400 SHEETS EYEGLASS SQUARE
84249833334845749358334422146936345855116076320439312481694567628800 SHEETS EYEGLASS SQUARE
168499666669691498716668844293872691710232152640878624963389135257600 SHEETS EYEGLASS SQUARE
336999333339382997433337688587745383420464305281757249926778270515200 SHEETS EYEGLASS SQUARE
673998666678765994866675377175490766840928610563514499853556541030400 SHEETS EYEGLASS SQUARE
1347997333357531989733350754350981533681857221127028999707113082060800 SHEETS EYEGLASS SQUARE
2695994666715063979466701508701963067363714442254057999414226164121600 SHEETS EYEGLASS SQUARE
5391989333430127958933403017403926134727428884508115998828452328243200 SHEETS EYEGLASS SQUARE
10783978666860255917866806034807852269454857769016231997656904656486400 SHEETS EYEGLASS SQUARE
21567957333720511835733612069615704538909715538032463995313809112972800 SHEETS EYEGLASS SQUARE
43135914667441023671467224139231409077819431076064927990627618225945600 SHEETS EYEGLASS SQUARE
86271829334882047342934448278462818155638862152129855981255236451891200 SHEETS EYEGLASS SQUARE
172543658669764094685868896556925636311277724304259711962510472903782400 SHEETS EYEGLASS SQUARE
345087317339528189371737793113851272622555448608519423925020945807564800 SHEETS EYEGLASS SQUARE
690174634679056378743475586227702545245110897217038847850041891615129600 SHEETS EYEGLASS SQUARE
1380349269358112757486951172455405090490221794434077695700083783230259200 SHEETS EYEGLASS SQUARE
2760698538716225514973902344910810180980443588868155391400167566460518400 SHEETS EYEGLASS SQUARE
5521397077432451029947804689821620361960887177736310782800335132921036800 SHEETS EYEGLASS SQUARE
11042794154864902059895609379643240723921774355472621565600670265842073600 SHEETS EYEGLASS SQUARE
22085588309729804119791218759286481447843548710945243131201340531684147200 SHEETS EYEGLASS SQUARE
44171176619459608239582437518572962895687097421890486262402681063368294400 SHEETS EYEGLASS SQUARE
88342353238919216479164875037145925791374194843780972524805362126736588800 SHEETS EYEGLASS SQUARE
176684706477838432958329750074291851582748389687561945049610724253473177600 SHEETS EYEGLASS SQUARE
353369412955676865916659500148583703165496779375123890099221448506946355200 SHEETS EYEGLASS SQUARE
706738825911353731833319000297167406330993558750247780198442970013892710400 SHEETS EYEGLASS SQUARE
1413477651822707463666638000594334812661987117500495560396885940027785420800 SHEETS EYEGLASS SQUARE
2826955303645414927333276001188669625323974235000991120793771880055570841600 SHEETS EYEGLASS SQUARE
5653910607290829854666552002377339250647948470001982241587543760111141683200 SHEETS EYEGLASS SQUARE
11307821214581659709333104004754678501295896940003964483175087520222283366400 SHEETS EYEGLASS SQUARE
22615642429163319418666208009509357002591793880007928966350175040444566732800 SHEETS EYEGLASS SQUARE
45231284858326638837332416019018714005183587760015857932700350080889133465600 SHEETS EYEGLASS SQUARE
90462569716653277674664832038037428010367175520031715865400700161778266931200 SHEETS EYEGLASS SQUARE
18092513943330655534932966407607485602073435104006343173

October 2, 1991

CENTRAL CEMETERY
13946 N. 5TH W.
IDAHO FALLS ID 83401

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 25-07595

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Nina Shields
Secretary/Records Manager

c: IDWR - Region

RECEIVED

104 4 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 25-7595

Date 9-25-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
NA Drill permit req'd?
1989 Copy in file? Drill permit no. _____
Amt paid for drilling permit? _____ Correct?
Well log in file?

LICENSE EXAMINATION FEE

- ☒ Required?
50.00 Amount submitted?
☒ Correct amount?

MEASURING DEVICE

- NO Measuring device or access port required?
Installed?
☐ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

Date proof received NA
Date proof due _____
No. of days late _____
Priority date _____
NEW PRIORITY DATE _____



State of Idaho

DEPARTMENT OF WATER RESOURCES.

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 12, 1991

CENTRAL CEMETERY
13946 N. 5TH W.
IDAHO FALLS, ID 83401

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 25-07595

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

This permit authorizes the appropriation of trust water. Trust water is defined as that portion of a particular hydropower water right which exceeds certain minimum stream flows established by state action, and is held in trust by the State of Idaho for the use and benefit of the people within the state. Conditions pertaining to a term review, annual use fee and jurisdiction of the permit are trust water conditions.

Sincerely,

MICROFILMED

AUG 21 1991

PAMELA SKAGGS
Technical Records Specialist

MEMORANDUM

TO: FILE

FROM: TIM LUKE

RE: APP. NO. 25-7595/Trust Water Processing

DATE: 8-2-91

The above application is a new trust water filing which has been advertised by the region and forwarded to the state office for final review.

Statements on the application appear to indicate that the filing represents a proposed development. There appears to have been no prior development nor are there any existing rights and/or claims for the same use by the applicants. The development therefore must be considered a trust water use and appropriation. All acreage under the filing shall be counted as trust acreage.

I recommend continued processing of the application and attaching trust conditions to any approval.

UNRECORDED

AUG 21 1991

APPLICATION FOR PERMIT REVIEW

Application #: 25-7595

Reviewer: Pam Skaggs

Date: 7-26-91

Existing:

No - 26A-P17
Complete in 1 year - P16

Yes

Proof not submitted - P16
Proof submitted - N/A

Groundwater:

GT. 0.2 cfs - 01G-P03, 01C-P03(existing well)
LT. 0.2 cfs - N/A

Drilling Permit:

Approved w/permit - P99
Not included - 046-P23 (All GW, even existing wells)

Location:

Water Districts - WD No. 01
Surface water - 005, 005-01H-P01(LT.2 w/pump)
005-01J-P08(GT.2)

Groundwater *Epists* - P05

Irrigation Districts - 023

Canal Co. Areas - 023

Drainage Districts - 024

Boise Front (63) - 058 (Groundwater)

Swan Falls Flag - 7 (1, Blank or Other)

Trust - 051-052-053-P74 (Consumptive Uses)

Non Trust - 048-049

River Basins:

(Surface Water) Water District Control Condition &....

Boise (63) - 05A & 11E

Payette (65) - 047-P04, 059-P71

Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)

Power - Use Power Review

Mining - 06A or 010, 09E-P10 & 054(req.)

Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)

Rec. & Aesthetic - 027(Non-Consumptive)

Domestic - 021(restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

Beneficial Use Due Date: 08-03-1992
Other Conditions Recommended

AUG 21 1991

Dist. for staffing: 30-May-1991
Submitted for advertising:

Form No. 202a

4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATIONS FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY HWJ DATE 5-30-91
APPLICANT NAME: CENTRAL CEMETERY C/O CONLEY STUCKI

APPLICATION NO. 25-7595

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion
Yes ☐ No ☐ Field check required
Field check by _____
Yes ☐ No ☐ Field report attached
Yes ☐ No ☐ Critical groundwater area
Yes ☐ No ☐ Groundwater management area
Yes ☐ No ☐ Send dam safety information
Yes ☐ No ☐ Send power requirement letter
Yes ☐ No ☐ Send fish farm requirement letter
Yes ☐ No ☐ Power residency affidavit
Yes ☐ No ☐ Power efficiency form
☒ Yes ☐ No ☐ Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
Yes ☒ No ☐ Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)

See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____

RECEIVED
JUL 22 1991

Department of Water Resources

PROCESSING ☒ Yes ☒ No In form for advertising
☒ Yes ☒ No Statewide advertising
☒ Yes ☒ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☒ Adjudication Bureau Unit ☒ Other Rosholt Law Firm

FINAL REGIONAL PROCESSING REVIEW

☐ Yes ☐ No Affidavit of publication received
☐ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 6-8-91 7-8-91
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☐ No Recommendations, attached
☐ Yes ☐ No Measuring device required
☐ Yes ☐ No Access port required
☐ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. _____
☐ Yes ☐ No Special conditions of approval or cover letter below. _____

See below for additional information
Date of priority recommended 5-16-91
By HWT Date 7-17-91

STATE OFFICE REVIEW

See below for additional information
By _____ Date _____

ADDITIONAL INFORMATION

Overlapping P.D. with A25-12422

LOCAL PUBLIC INTEREST

Comments received from

<u> </u> City	<u> </u> Idaho Fish & Game	<u> </u> Irrigation District
<u> </u> County	<u> </u> Idaho Health & Welfare	<u> </u> Canal Company
<u> </u> Reservations	<u> </u> Division of Environment	<u> </u> Other <u> </u>

Project impacts/implications report

COMMENTS



State of Idaho

DEPARTMENT OF WATER RESOURCES

150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 - (208) 525-7161

EASTERN REGION

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

07-Jun-1991

CONLEY STUCKI
CENTRAL CEMETERY
13946 N 5TH W
IDAHO FALLS ID 83401

RE: Application No. 25-7595

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in Jefferson Star on June 20 & 27, 1991. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

Harold Jones RB
HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

RECEIVED

AUG 21 1991

25-07595

CENTRAL CEMETERY
13946 N. 5TH W.
IDAHO FALLS, ID 83401

Source: GROUNDWATER

Diversion Pt: SWSWNW Sec 30 T 04N R 38E

Use: IRRIGATION (.150 CFS)
Total Diversion: (.150 CFS)

Date Filed: 5/16/ 1991

In: T04N R38E S30 SWNW

5.0 ACRES TOTAL

25-07595
CENTRAL CEMETERY
13946 N. 5TH W.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: SWSWNW Sec 30 T 04N
R 38E
Use: IRRIGATION (.150 CFS)
Total Diversion: (.150 CFS)
Date Filed: 5/16/ 1991
In: T04N R38E S30 SWNW
5.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before JULY 8, 1991.

R. Keith Higginson, Director
Published in the Jefferson Star,
Rigby, Idaho, June 19 and 26, 1991.

MICROFILMED

AUG 21 1991

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before JULY 8, 1991.

R. Keith Higginson, Director

Published 6/19/1991 & 6/26/1991

WATER
AUG 21 1991