


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

BONNEVILLE SCHOOL DIST # 93
Robert R. Peterson
 (Applicant)
 TITLE: DIRECTOR OF SUPPORT SERVICES



Well $\frac{1}{2}$ Pump


25-7594

MICROFILM

OCT 09 1996

WELL →

Well House →



← CROW CREEK


MAINLINE to
Athletic field


25-7594

OCT 09 1996

50 SHEETS EYE-EASE® 8 SQUARE
 100 SHEETS EYE-EASE® 8 SQUARE
 200 SHEETS EYE-EASE® 8 SQUARE
 400 SHEETS EYE-EASE® 8 SQUARE
 800 SHEETS EYE-EASE® 8 SQUARE
 1600 SHEETS EYE-EASE® 8 SQUARE
 3200 SHEETS EYE-EASE® 8 SQUARE
 6400 SHEETS EYE-EASE® 8 SQUARE
 12800 SHEETS EYE-EASE® 8 SQUARE
 25600 SHEETS EYE-EASE® 8 SQUARE
 51200 SHEETS EYE-EASE® 8 SQUARE
 102400 SHEETS EYE-EASE® 8 SQUARE
 204800 SHEETS EYE-EASE® 8 SQUARE
 409600 SHEETS EYE-EASE® 8 SQUARE
 819200 SHEETS EYE-EASE® 8 SQUARE
 1638400 SHEETS EYE-EASE® 8 SQUARE
 3276800 SHEETS EYE-EASE® 8 SQUARE
 6553600 SHEETS EYE-EASE® 8 SQUARE
 13107200 SHEETS EYE-EASE® 8 SQUARE
 26214400 SHEETS EYE-EASE® 8 SQUARE
 52428800 SHEETS EYE-EASE® 8 SQUARE
 104857600 SHEETS EYE-EASE® 8 SQUARE
 209715200 SHEETS EYE-EASE® 8 SQUARE
 419430400 SHEETS EYE-EASE® 8 SQUARE
 838860800 SHEETS EYE-EASE® 8 SQUARE
 1677721600 SHEETS EYE-EASE® 8 SQUARE
 3355443200 SHEETS EYE-EASE® 8 SQUARE
 6710886400 SHEETS EYE-EASE® 8 SQUARE
 13421772800 SHEETS EYE-EASE® 8 SQUARE
 26843545600 SHEETS EYE-EASE® 8 SQUARE
 53687091200 SHEETS EYE-EASE® 8 SQUARE
 107374182400 SHEETS EYE-EASE® 8 SQUARE
 214748364800 SHEETS EYE-EASE® 8 SQUARE
 429496729600 SHEETS EYE-EASE® 8 SQUARE
 858993459200 SHEETS EYE-EASE® 8 SQUARE
 1717986918400 SHEETS EYE-EASE® 8 SQUARE
 3435973836800 SHEETS EYE-EASE® 8 SQUARE
 6871947673600 SHEETS EYE-EASE® 8 SQUARE
 13743895347200 SHEETS EYE-EASE® 8 SQUARE
 27487790694400 SHEETS EYE-EASE® 8 SQUARE
 54975581388800 SHEETS EYE-EASE® 8 SQUARE
 109951162777600 SHEETS EYE-EASE® 8 SQUARE
 219902325555200 SHEETS EYE-EASE® 8 SQUARE
 439804651110400 SHEETS EYE-EASE® 8 SQUARE
 879609302220800 SHEETS EYE-EASE® 8 SQUARE
 1759218604441600 SHEETS EYE-EASE® 8 SQUARE
 3518437208883200 SHEETS EYE-EASE® 8 SQUARE
 7036874417766400 SHEETS EYE-EASE® 8 SQUARE
 14073748835532800 SHEETS EYE-EASE® 8 SQUARE
 28147497671065600 SHEETS EYE-EASE® 8 SQUARE
 56294995342131200 SHEETS EYE-EASE® 8 SQUARE
 112589990684262400 SHEETS EYE-EASE® 8 SQUARE
 225179981368524800 SHEETS EYE-EASE® 8 SQUARE
 450359962737049600 SHEETS EYE-EASE® 8 SQUARE
 900719925474099200 SHEETS EYE-EASE® 8 SQUARE
 1801439850948198400 SHEETS EYE-EASE® 8 SQUARE
 3602879701896396800 SHEETS EYE-EASE® 8 SQUARE
 7205759403792793600 SHEETS EYE-EASE® 8 SQUARE
 14411518807585587200 SHEETS EYE-EASE® 8 SQUARE
 28823037615171174400 SHEETS EYE-EASE® 8 SQUARE
 57646075230342348800 SHEETS EYE-EASE® 8 SQUARE
 115292150460684697600 SHEETS EYE-EASE® 8 SQUARE
 230584300921369395200 SHEETS EYE-EASE® 8 SQUARE
 461168601842738790400 SHEETS EYE-EASE® 8 SQUARE
 922337203685477580800 SHEETS EYE-EASE® 8 SQUARE
 1844674407370955161600 SHEETS EYE-EASE® 8 SQUARE
 3689348814741910323200 SHEETS EYE-EASE® 8 SQUARE
 7378697629483820646400 SHEETS EYE-EASE® 8 SQUARE
 14757395258967641292800 SHEETS EYE-EASE® 8 SQUARE
 29514790517935282585600 SHEETS EYE-EASE® 8 SQUARE
 59029581035870565171200 SHEETS EYE-EASE® 8 SQUARE
 118059162071741130342400 SHEETS EYE-EASE® 8 SQUARE
 236118324143482260684800 SHEETS EYE-EASE® 8 SQUARE
 472236648286964521369600 SHEETS EYE-EASE® 8 SQUARE
 944473296573929042739200 SHEETS EYE-EASE® 8 SQUARE
 1888946593147858085478400 SHEETS EYE-EASE® 8 SQUARE
 3777893186295716170956800 SHEETS EYE-EASE® 8 SQUARE
 7555786372591432341913600 SHEETS EYE-EASE® 8 SQUARE
 15111572745182864683827200 SHEETS EYE-EASE® 8 SQUARE
 30223145490365729367654400 SHEETS EYE-EASE® 8 SQUARE
 60446290980731458735308800 SHEETS EYE-EASE® 8 SQUARE
 120892581961462917470617600 SHEETS EYE-EASE® 8 SQUARE
 241785163922925834941235200 SHEETS EYE-EASE® 8 SQUARE
 483570327845851669882470400 SHEETS EYE-EASE® 8 SQUARE
 967140655691703339764940800 SHEETS EYE-EASE® 8 SQUARE
 1934281311383406679529881600 SHEETS EYE-EASE® 8 SQUARE
 3868562622766813359059763200 SHEETS EYE-EASE® 8 SQUARE
 7737125245533626718119526400 SHEETS EYE-EASE® 8 SQUARE
 15474250491067253436239052800 SHEETS EYE-EASE® 8 SQUARE
 30948500982134506872478105600 SHEETS EYE-EASE® 8 SQUARE
 61897001964269013744956211200 SHEETS EYE-EASE® 8 SQUARE
 123794003928538027489912422400 SHEETS EYE-EASE® 8 SQUARE
 247588007857076054979824844800 SHEETS EYE-EASE® 8 SQUARE
 495176015714152109959649689600 SHEETS EYE-EASE® 8 SQUARE
 990352031428304219919299379200 SHEETS EYE-EASE® 8 SQUARE
 1980704062856608439838598758400 SHEETS EYE-EASE® 8 SQUARE
 3961408125713216879677197516800 SHEETS EYE-EASE® 8 SQUARE
 7922816251426433759354395033600 SHEETS EYE-EASE® 8 SQUARE
 15845632502852867518708790067200 SHEETS EYE-EASE® 8 SQUARE
 31691265005705735037417580134400 SHEETS EYE-EASE® 8 SQUARE
 63382530011411470074835160268800 SHEETS EYE-EASE® 8 SQUARE
 126765060022822940149670320537600 SHEETS EYE-EASE® 8 SQUARE
 253530120045645880299340641075200 SHEETS EYE-EASE® 8 SQUARE
 507060240091291760598681282150400 SHEETS EYE-EASE® 8 SQUARE
 1014120480182583521197362564300800 SHEETS EYE-EASE® 8 SQUARE
 2028240960365167042394725128601600 SHEETS EYE-EASE® 8 SQUARE
 4056481920730334084789450257203200 SHEETS EYE-EASE® 8 SQUARE
 8112963841460668169578900514406400 SHEETS EYE-EASE® 8 SQUARE
 16225927682921336339157801028812800 SHEETS EYE-EASE® 8 SQUARE
 32451855365842672678315602057625600 SHEETS EYE-EASE® 8 SQUARE
 64903710731685345356631204115251200 SHEETS EYE-EASE® 8 SQUARE
 129807421463370690713262408230502400 SHEETS EYE-EASE® 8 SQUARE
 259614842926741381426524816461004800 SHEETS EYE-EASE® 8 SQUARE
 519229685853482762853049632922009600 SHEETS EYE-EASE® 8 SQUARE
 1038459371706965525706099265844019200 SHEETS EYE-EASE® 8 SQUARE
 2076918743413931051412198531688038400 SHEETS EYE-EASE® 8 SQUARE
 4153837486827862102824397063376076800 SHEETS EYE-EASE® 8 SQUARE
 8307674973655724205648794126752153600 SHEETS EYE-EASE® 8 SQUARE
 16615349947311448411297588253504307200 SHEETS EYE-EASE® 8 SQUARE
 33230699894622896822595176507008614400 SHEETS EYE-EASE® 8 SQUARE
 66461399789245793645190353014017228800 SHEETS EYE-EASE® 8 SQUARE
 132922799578491587290380706028034457600 SHEETS EYE-EASE® 8 SQUARE
 265845599156983174580761412056068915200 SHEETS EYE-EASE® 8 SQUARE
 531691198313966349161522824112137830400 SHEETS EYE-EASE® 8 SQUARE
 1063382396627932698323045648224275660800 SHEETS EYE-EASE® 8 SQUARE
 2126764793255865396646091296448551321600 SHEETS EYE-EASE® 8 SQUARE
 4253529586511730793292182592897102643200 SHEETS EYE-EASE® 8 SQUARE
 8507059173023461586584365185794205286400 SHEETS EYE-EASE® 8 SQUARE
 17014118346046923173168730371588410572800 SHEETS EYE-EASE® 8 SQUARE
 34028236692093846346337460743176821145600 SHEETS EYE-EASE® 8 SQUARE
 68056473384187692692674921486353642291200 SHEETS EYE-EASE® 8 SQUARE
 136112946768375385385349842972707284582400 SHEETS EYE-EASE® 8 SQUARE
 272225893536750770770699685945414569164800 SHEETS EYE-EASE® 8 SQUARE
 544451787073501541541399371890829138329600 SHEETS EYE-EASE® 8 SQUARE
 1088903574147003083082798743781658276659200 SHEETS EYE-EASE® 8 SQUARE
 2177807148294006166165597487563316553318400 SHEETS EYE-EASE® 8 SQUARE
 4355614296588012332331194975126633106636800 SHEETS EYE-EASE® 8 SQUARE
 8711228593176024664662389950253266213273600 SHEETS EYE-EASE® 8 SQUARE
 17422457186352049329324779900506532426547200 SHEETS EYE-EASE® 8 SQUARE
 34844914372704098658649559801013064853094400 SHEETS EYE-EASE® 8 SQUARE
 69689828745408197317299119602026129706188800 SHEETS EYE-EASE® 8 SQUARE
 139379657490816394634598239204052259412377600 SHEETS EYE-EASE® 8 SQUARE
 278759314981632789269196478408104518824755200 SHEETS EYE-EASE® 8 SQUARE
 557518629963265578538392956816209037649510400 SHEETS EYE-EASE® 8 SQUARE
 1115037259926531157076785913632418075299020800 SHEETS EYE-EASE® 8 SQUARE
 2230074519853062314153571827264836150598041600 SHEETS EYE-EASE® 8 SQUARE
 4460149039706124628307143654529672301196083200 SHEETS EYE-EASE® 8 SQUARE
 8920298079412249256614287309059344602392166400 SHEETS EYE-EASE® 8 SQUARE
 17840596158824498513228574618118689204784332800 SHEETS EYE-EASE® 8 SQUARE
 35681192317648997026457149236237378409568665600 SHEETS EYE-EASE® 8 SQUARE
 71362384635297994052914298472474756819137331200 SHEETS EYE-EASE® 8 SQUARE
 142724769270595988105828596944949513638274662400 SHEETS EYE-EASE® 8 SQUARE
 285449538541191976211657193889899027276549324800 SHEETS EYE-EASE® 8 SQUARE
 570899077082383952423314387779798054553098649600 SHEETS EYE-EASE® 8 SQUARE
 1141798154164767904846628775559596109106197299200 SHEETS EYE-EASE® 8 SQUARE
 2283596308329535809693257551119192218212394598400 SHEETS EYE-EASE® 8 SQUARE
 4567192616659071619386515102238384436424789196800 SHEETS EYE-EASE® 8 SQUARE
 9134385233318143238773030204476768872849578393600 SHEETS EYE-EASE® 8 SQUARE
 18268770466636286477546060408953537745699156787200 SHEETS EYE-EASE® 8 SQUARE
 36537540933272572955092120817907075491398313574400 SHEETS EYE-EASE® 8 SQUARE
 73075081866545145910184241635814150982796627148800 SHEETS EYE-EASE® 8 SQUARE
 146150163733090291820368483271628301965593254297600 SHEETS EYE-EASE® 8 SQUARE
 292300327466180583640736966543256603931186508595200 SHEETS EYE-EASE® 8 SQUARE
 584600654932361167281473933086513207862373017190400 SHEETS EYE-EASE® 8 SQUARE
 1169201309864722334562947866173026415724746034380800 SHEETS EYE-EASE® 8 SQUARE
 2338402619729444669125895732346052831449492068761600 SHEETS EYE-EASE® 8 SQUARE
 4676805239458889338251791464692105662898984137523200 SHEETS EYE-EASE® 8 SQUARE
 9353610478917778676503582929384211325797968275046400 SHEETS EYE-EASE® 8 SQUARE
 18707220957835557353007165858768422651595936550092800 SHEETS EYE-EASE® 8 SQUARE
 37414441915671114706014331717536845303191873100185600 SHEETS EYE-EASE® 8 SQUARE
 74828883831342229412028663435073690606383746200371200 SHEETS EYE-EASE® 8 SQUARE
 149657767662684458824057326870147381212767492400742400 SHEETS EYE-EASE® 8 SQUARE
 299315535325368917648114653740294762425534984801484800 SHEETS EYE-EASE® 8 SQUARE
 598631070650737835296229307480589524851069969602969600 SHEETS EYE-EASE® 8 SQUARE
 1197262141301475670592458614961179049702139939205939200 SHEETS EYE-EASE® 8 SQUARE
 2394524282602951341184917229922358099404279878411878400 SHEETS EYE-EASE® 8 SQUARE
 4789048565205902682369834459844716198808559756823756800 SHEETS EYE-EASE® 8 SQUARE
 9578097130411805364739668919689432397617119513647513600 SHEETS EYE-EASE® 8 SQUARE
 19156194260823610729479337839378864795234239027295027200 SHEETS EYE-EASE® 8 SQUARE
 38312388521647221458958675678757729590468478054590054400 SHEETS EYE-EASE® 8 SQUARE
 76624777043294442917917351357515459180936956109180108800 SHEETS EYE-EASE® 8 SQUARE
 1532495540865888858358347027150309183618739122183600217600 SHEETS EYE-EASE® 8 SQUARE
 306499108173177771671669405430061836723747824436720438400 SHEETS EYE-EASE® 8 SQUARE
 612998216346355543343338810860123673447495648873440876800 SHEETS EYE-EASE® 8 SQUARE
 1225996432692711086686677621720247346894991297746881753600 SHEETS EYE-EASE® 8 SQUARE
 2451992865385422173373355243440494693789982595493763507200 SHEETS EYE-EASE® 8 SQUARE
 4903985730770844346746710486880989387579965190987527014400 SHEETS EYE-EASE® 8 SQUARE
 9807971461541688693493420973761978775159930381975054028800 SHEETS EYE-EASE® 8 SQUARE
 19615942923083377386986841947523957550319860763950108057600 SHEETS EYE-EASE® 8 SQUARE
 39231885846166754773973683895047915100639721527900216115200 SHEETS EYE-EASE® 8 SQUARE
 78463771692333509547947367790095830201279443055800432230400 SHEETS EYE-EASE® 8 SQUARE
 156927543384667019095894735580191660402558886111600864460800 SHEETS EYE-EASE® 8 SQUARE
 313855086769334038191789471160383320805117772223201728921600 SHEETS EYE-EASE® 8 SQUARE
 627710173538668076383578942320766641610235544446403457843200 SHEETS EYE-EASE® 8 SQUARE
 1255420347077336152767157884641533283220471088892806915686400 SHEETS EYE-EASE® 8 SQUARE
 2510840694154672305534315769283066566440942177785613831372800 SHEETS EYE-EASE® 8 SQUARE
 5021681388309344611068631538566133132881884355571227662745600 SHEETS EYE-EASE® 8 SQUARE
 10043362776618689222137263077132262657763768711142455325491200 SHEETS EYE-EASE® 8 SQUARE
 20086725553237378444274526154264525315527537422284910650982400 SHEETS EYE-EASE® 8 SQUARE
 40173451106474756888549052308529050631055074844569821301964800 SHEETS EYE-EASE® 8 SQUARE
 80346902212949513777098104617058101262110149689139642603929600 SHEETS EYE-EASE® 8 SQUARE
 160693804425899027554196209234116202524220299378279285207859200 SHEETS EYE-EASE® 8 SQUARE
 321387608851798055108392418468232405048440598756558570415718400 SHEETS EYE-EASE® 8 SQUARE
 642775217703596110216784836936464810096881197513117140831436800 SHEETS EYE-EASE® 8 SQUARE
 1285550435407192220433569673872929620193762395026234281662873600 SHEETS EYE-EASE® 8 SQUARE
 2571100870814384440867139347745859240387524790052468563325747200 SHEETS EYE-EASE® 8 SQUARE
 5142201741628768881734278695491718480775049580104937126651494400 SHEETS EYE-EASE® 8 SQUARE
 10284403483257537763468557390983436961550099160209874253302988800 SHEETS EYE-EASE® 8 SQUARE
 20568806966515075526937114781966873923100198320419748506605977600 SHEETS EYE-EASE® 8 SQUARE
 41137613933030151053874229563933747846200396640839497013211955200 SHEETS EYE-EASE® 8 SQUARE
 82275227866060302107748459127867495692400793281678994026423910400 SHEETS EYE-EASE® 8 SQUARE
 164550455732120604215496918255734991384801586563357988052847820800 SHEETS EYE-EASE® 8 SQUARE
 329100911464241208430993836511469982769603173126715976105695641600 SHEETS EYE-EASE® 8 SQUARE
 658201822928482416861987673022939965539206346253431952211391283200 SHEETS EYE-EASE® 8 SQUARE
 1316403645856964833723975346045879931078412692506863904422782566400 SHEETS EYE-EASE® 8 SQUARE
 2632807291713929667447950692091759862156825385013727808845565132800 SHEETS EYE-EASE® 8 SQUARE
 5265614583427859334895901384183519724313650770027455617691130265600 SHEETS EYE-EASE® 8 SQUARE
 10531229166855718669791802768367039448627301540054911233822260531200 SHEETS EYE-EASE® 8 SQUARE
 21062458333711437339583605536734078897254603080109822467644521062400 SHEETS EYE-EASE® 8 SQUARE
 42124916667422874679167211073468157794509206160219644935289042124800 SHEETS EYE-EASE® 8 SQUARE
 84249833334845749358334422146936315589018412320439289870578084249600 SHEETS EYE-EASE® 8 SQUARE
 168499666689691498716668844293872631178036824640878579741156168499200 SHEETS EYE-EASE® 8 SQUARE
 336999333379382997433337688587745262356073649281757159482312336998400 SHEETS EYE-EASE® 8 SQUARE
 673998666758765994866675377175490524712147298563514318964624673996800 SHEETS EYE-EASE® 8 SQUARE
 1347997333517531989733350754350981049424294597127028637929249347993600 SHEETS EYE-EASE® 8 SQUARE
 2695994667035063979466701508701962098848589194254057275858498695987200 SHEETS EYE-EASE® 8 SQUARE
 5391989334070127958933403017403924197697178388508114551716997391974400 SHEETS EYE-EASE® 8 SQUARE
 10783978668140257917866806034807848395394356777016229103433994783948800 SHEETS EYE-EASE® 8 SQUARE
 21567957336280515835733612069615696790788713554032458206867989567897600 SHEETS EYE-EASE® 8 SQUARE
 43135914672561031671467224139231393581577427108064916413735979135795200 SHEETS EYE-EASE® 8 SQUARE
 86271829345122063342934448278462787163154854216129832827471958271590400 SHEETS EYE-EASE® 8 SQUARE
 172543658690244126685868896556925574326309708432259665654943916543180800 SHEETS EYE-EASE® 8 SQUARE
 345087317380488253371737793113851148652619416864519331309887833086361600 SHEETS EYE-EASE® 8 SQUARE
 690174634760976506743475586227702297305238833729038662619775666172723200 SHEETS EYE-EASE® 8 SQUARE
 1380349269521953013486951172455404594610477667458077325239551332345446400 SHEETS EYE-EASE® 8 SQUARE
 276069853904390602697390234491080918


map R-3





290

292



3.5 gal per min.

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07594

Priority: May 23, 1991

Maximum Diversion Rate: 0.80 CFS
Maximum Diversion Volume: 32.0 AF

This is to certify, that SCHOOL DISTRICT NO 93
3497 N AMMON RD
IDAHO FALLS ID 83401

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 23, 1991; and has submitted Proof of Beneficial Use on July 12, 1993. An examination indicates that the works have a diversion capacity of 1.600 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.80 CFS	32.0 AF

LOCATION OF POINT(S) OF DIVERSION: SWSE , Sec. 3, Township 02N, Range 38E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	38E	3	NWSE 2	SWSE 6		8

Total number of acres irrigated: 8

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.

MICROFILMED

OCT 09 1996



State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 25-07594

CONDITIONS OF APPROVAL AND REMARKS

7. Diversion and use of water under this right is subject to rules that may subsequently be promulgated for the use of existing rights used for supplemental purposes.
8. This right when combined with all other rights shall provide no more than .10 cfs per acre nor more than 4.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 30TH day of SEPTEMBER, 1996.


Acting for KARL J. DREHER Director

RECEIVED
OCT 09 1996

RECEIVED
JUL 12 1993
Department of Water Resources

OFFICE USE ONLY
Amt. of Fee \$ 100.00
Date 7-12-93
Receipt No. 0028118
Receipt by _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 25-07594 Telephone No. 525-4400
2. Name(s) of Permit Holder(s): Bonneville School Dist. #93
3. Mailing Address: 3497 N. Ammon Rd. Idaho Falls, Idaho 83401
4. Source of Water: Groundwater

If **GROUNDWATER**, Well Driller's Name: Rocky Mt. Well Drilling Date Drilled: Fall 82 Final Spring of 83

OPTIONAL:

Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic _____ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation ☒ (No. of acres) 40 Other _____

6. Total rate and/or volume for which proof is submitted 0.8 cfs OR N/A acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☐ Yes ☒ No Installed? ☐ Yes ☐ No

OR

Flow Measurement Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ 100.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Roger Hill 525-4400
Name Telephone No.

3497 N. Ammon Rd. Idaho Falls, Idaho 83401
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6/22/93 Roger E. Hill Facility Supervisor
Date Signature (and title, if on behalf of a company or organization)

JUL 22 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 25-07594

Proposed Priority: May 23, 1991 Maximum Diversion Rate: 0.80 CFS
This is to certify, that SCHOOL DISTRICT NO. 93
RT. 1 BOX 460
IDAHO FALLS, ID 83401
has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.80 CFS

LOCATION OF POINT(S) OF DIVERSION: SWSE Sec. 3, Township 02N, Range 38E
BONNEVILLE County

<u>PLACE OF USE: IRRIGATION</u>		<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>	
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>				
02N	38E	3	NESE 2	NWSE 30	SWSE 8	40

Total number of acres irrigated: 40

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 2, 1993.
2. Subject to all prior water rights.
3. Project construction shall commence within one year from the date of permit issuance and shall proceed diligently to completion unless it can be shown to the satisfaction of the Director of the Department of Water Resources that delays were due to circumstances over which permit holder had no control.
4. A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
7. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
8. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

MICROFILMED

AUG 21 1991

State of Idaho
Department of Water Resources


Permit To Appropriate Water

NO. 25-07594

CONDITIONS/REMARKS:

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

2nd day of August, 1991.

for 
R. Keith Higginson, Director

REGISTERED

AUG 21 1991

RECEIVED

MAY 23 1991

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 25 7594

Department of Water Resources To appropriate the public waters of the State of Idaho

School District 93

1. Name of applicant % Glenn Peterson Phone 525-4400

Post office address Rt 1 Box 460, Idaho Falls, Id 83401

2. Source of water supply Groundwater which is a tributary of

3. Location of point of diversion is 1/4 of SW 1/4 of SE 1/4, Govt. Lot

Sec. 3 Township 2 N Range 38 E B.M. Bonneville County; additional

points of diversion if any:

4. Water will be used for the following purposes:

Amount 0.8 for Irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) and/or (b)
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well pump mainline to sprinklers
for athletic complex

b. Height of storage dam feet; active reservoir capacity acre-feet; total
reservoir capacity acre-feet; period of year when water will be diverted to storage:
to inclusive.

c. Existing well
Proposed well diameter is 16 inches; proposed depth of well is 410 feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is

2 years (minimum 1 year).

AUG 21 1991

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

⑨ Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2 N	38 E	3													2	30	8		40

Total number of acres to be irrigated 40

10. Describe any other water rights used for the same purposes as described above. NONE


- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? _____
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: P/O same as for 25-7309

RECEIVED

AUG 21 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

BONNEVILLE SCHOOL DIST # 93
R. Peterson
 (Applicant)
 TITLE: DIRECTOR OF SUPPORT SERVICES

Assisted by KCW 30 April 91 5-28-91

Received by RB^{aw} Date 5-6-91 Time 1:25 Preliminary check by HWT

Fee \$ 70 \$46.00 Received by J. J. J. J. # C020582 Date 5/23/91

Publication prepared by RB Date 5-20-91 Published in Last-Register

Publication approved RB Date 7-17-91

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. ~~SUBJECT TO ALL PRIOR WATER RIGHTS.~~

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECORDED

AUG 21 1991

Proof of Publication The Post-Register

RECEIVED

JUL 8 - 1991

Department of Water Resources
Eastern District Office

State of Idaho, }
County of Bonneville } ss

I, S. BOB BRIGHT or TED DELEZENE, first being duly sworn, depose and say: That I am the Production Supervisor or Asst. Prod. Supervisor of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers have been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eight (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for Two consecutive weeks, first publication having been made on the 20th day of June, 1991, last publication having been made on the 27th day of June, 1991, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 3rd day of July, 1991.

Steve Walker
Notary Public

My commission expires Nov. 7, 1996.

B10

25-07594
SCHOOL DISTRICT NO. 93
RT. 1 BOX 460
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: SWSE Sec 3 T 02N R 38E
Use: IRRIGATION (.800 CFS)
Total Diversion: (.800 CFS)
Date Filed: 5/28/ 1991
In: T02N R38E S03 NESE NWSE SWSE
4.0 ACRES TOTAL
The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before JULY 8, 1991.
R. Keith Higginson, Director
Published: June 20, 27, 1991

MICROFILMED
AUG 21 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 30, 1996

SCHOOL DISTRICT NO 93
3497 N AMMON RD
IDAHO FALLS ID 83401

RE: WATER RIGHT NO. 25-07594

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

RECEIVED

OCT 09 1996

MEMORANDUM

TO: File 25-07594

FROM: Sharla

DATE: September 11, 1996

RE: Telecon with Roger Hill

On this date, Roger Hill (facility supervisor) called in response to my letter of 9/4 requesting information concerning overlapping surface water use and frequency of the irrigation under the permit.

Mr. Hill stated that no surface water is used for irrigating the sports complex.

He further stated that the complex is irrigated three times a week for a period of two hours (6 hrs. total each week) usually from May through mid-October. 75 sprinkler heads are used simultaneously. At approximately five ~~gallons~~^{gpm}/head, the diversion rate is about what the permit was issued for, 0.80 cfs.

Application Processing Admin. Memo #60 gives direction for allowing higher diversion rates than the standard 0.02 cfs/acre for irrigation of turf grass in public areas. The formula for determining the higher diversion rate under this permit is .02 divided by $2/24 = 0.24$ cfs/acre). This rate per acre is excessive and based upon the number of sprinkler heads listed above, the permitted total diversion rate of 0.80 cfs is more reasonable. The license will be issued accordingly.

PROCESSED
FILMED

OCT 09 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

September 4, 1996

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

School District #93
3497 N. Ammon Rd.
Idaho Falls, ID 83401

RE: Permit No. 25-07594

Gentlemen:

We are currently reviewing the above referenced permit for licensing. There are a couple of items we need clarification on before a license can be issued.

First, your original application for permit stated that no other water rights were used to irrigate the lands you identified. It appears that all 80 acres within the W $\frac{1}{2}$ SE $\frac{1}{4}$ are served by Progressive Irrigation District and Farmers Friend Irrigation Co. Is the athletic complex also irrigated with surface water from either of these entities?

Second, could you provide an estimate of the frequency of irrigation from the well (i.e., hours per day, days per week) and the number of sprinklers which are run at the same time. This information will help us determine whether a higher rate of diversion can be licensed than the statutory standard of 0.02 cfs per acre.

Please submit this information at your earliest convenience so that we can proceed with issuance of a license. If you have any questions, please give me a call.

Sincerely,

A handwritten signature in cursive script that reads 'Sharla Curtis'.

SHARLA CURTIS
Water Resource Agent

RECEIVED

OCT 09 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 25-07594

DATE 8/19/96

REVIEWER: S H A R L A

NAME Change OK Address Change NO
 SOURCE Change OK Is change/clarification of originally intended source? NO
 If not, prepare Notice of Intent to Void NO
 POINT OF DIV Change OK Amendment required NO
 PLACE OF USE Change OK Amendment required NO

Does map agree with written description? yes no

OVERLAPS

RATE OF DIV

Permitted Rate

Fee limit

Measured

Theoretical

P/D P/U
25-7309 - fire prot.

25-7629 is 8" well for restrooms at stadium
10 hp submersible

.80 cfs

1.0 cfs \$100.00

1.6 cfs

1.6 cfs

from 25-7309

167 X 8.8 X .7 / 125 + (2.31 X 50) = 4.28 cfs
187 X 8.8 X .7 / 125 + (2.31 X 50) = 4.79 cfs

Recommended Total Div Rate .16 cfs

ANNUAL VOLUME/
 NATURE OF USES

Use

Volume Calculation

WB7

4.0 X 8 af

WB7

4.0 X 8 af

WB7

4.0 X 8 af

WB7

4.0 X 8 af

SUBTOTAL 32.0 af

4/1-10/31 season

Flow rate .16 cfs X 213 days X 1.98 = 67.5 af

Total volume recommended 32.0 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

~~25-7309 - fire prot.~~

CONDITIONS Watermaster Control WD# 32.0

R31 Overlap WB7, WB8, 065

Use-specific conditions 048, 049,

Advancement of Priority Date Required yes no

SRBA Claim Filed N/A
 Adjustment Memo N/A

1st Amend Letter N/A
 2nd Amend Letter N/A

WR0749NP
No. L25-07594

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 08/19/96
PAGE: 1

OWNER		PRIORITY	USE PERIOD		DIVERSION	DIVERSION
CODE	NAME & ADDRESS	DATE	WATER USE	FROM TO	RATE	VOLUME
C	SCHOOL DISTRICT NO 93 3497 N AMMON RD IDAHO FALLS ID 83401 (208) 525-4400	05/23/1991	IRRIGATION	04/01 10/31	0.160 CFS	
TOTAL DIVERSION:					0.160 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 1.600 CFS

Point(s) of Diversion: T02N R38E S03 SWSE BONNEVILLE County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE				
NENE	NWNE	SWNE	SENE	NENW	NWNW	SWNW	SENW	NESW	NWSW	SWSW	SESW	NESE	NWSE	SWSE	SESE	
T	R	S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	SUM
02N	38E	3	:					:				:	02	06		8.0
TOTAL ACRES																8.0

Pou County: BONNEVILLE

Other Water Rights with Same Point(s) of Diversion and Source:
25-07309 25-07594 25-07629

Other Water Rights Listing Overlapping Place(s) of use:
01-00241 25-00019 25-00152 25-07594

Conditions of Approval:

- 048 - The use of water under this right shall not give rise to any
 - claim against the holder of a senior water right based upon the
 - theories of forfeiture, abandonment, adverse possession, waiver,
 - equitable estoppel, estoppel by laches or customary preference.
- 049 - The Director retains jurisdiction of the right to incorporate
 - the use into a water district, require streamflow augmentation
 - or other action needed to protect prior surface water and
 - groundwater rights.
- 065 - The right holder shall use the full allotment of appurtenant
 - surface water rights in conjunction with groundwater diverted
 - under this right and shall only divert groundwater under this
 - right when water from the appurtenant surface water rights cannot
 - be delivered to the right holder.

Remarks: This right when combined with all other rights shall provide no more than .02 cfs per acre nor exceed a combined annual diversion volume of 32.0 af for the lands above.
This right shall not be used if the surface water right(s) appurtenant to the place of use is sold, transferred, leased, or used on any other place of use.

WR0749NP
No. L25-07594

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 08/19/96
PAGE: 2

=====
Dates: App. Received: 05/23/1991 Priority Date: 05/23/1991
Proof Due Date: 08/02/1993 Proof Made Date: 07/12/1993
Exam Made Date: 05/20/1994 Exam Sent to S.O.: 07/29/1996
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 08/19/96 SCURTIS

(WATER RIGHT NUMBERS THAT BEGIN WITH AN '*' ARE ADJUDICATION CLAIMS)
(QUARTER-QUARTERS WITH A '?' HAVE DIFFERENT ACREAGE AMOUNTS--CHECK THE DATA BASE RECORDS)

WR-NUMBER	SOURCE	NE				NW				SW				SE				NE				NW				SW				SE				SUM				
		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE						
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac							
L2507594	T02N R38E S 3	GROUNDWATER																																				
	:																																	:	02	06	:	8
A010006420	SNAKE RIVE	30	30	35	40	:	40	40	40	30	:	36	12	I	40	:	40	40	40	40	:	533																
A010006520	SNAKE RIVE	30	30	35	40	:	40	40	40	30	:	36	12	I	40	:	40	40	40	40	:	533																
A010006620	SNAKE RIVE	30	30	35	40	:	40	40	40	30	:	36	12	I	40	:	40	40	40	40	:	533																
0100241	SNAKE RIVE	I	I	I	I	:	I	I	I	I	:	I	I	I	I	:	I	I	I	I	:																	
A010024120	SNAKE RIVE	30	30	35	40	:	40	40	40	30	:	36	12	I	40	:	40	40	40	40	:	533																
0100322	SNAKE RIVE	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:																
A010032220	SNAKE RIVE	30	30	35	40	:	40	40	40	30	:	36	12	I	40	:	40	40	40	40	:	533																
A010400620	SNAKE RIVE	30	30	35	40	:	40	40	40	30	:	36	12	I	40	:	40	40	40	40	:	533																
A010403820	SNAKE RIVE	30	30	35	40	:	40	40	40	30	:	36	12	I	40	:	40	40	40	40	:	533																
A011020920	SNAKE RIVE	30	30	35	40	:	40	40	40	30	:	36	12	I	40	:	40	40	40	40	:	533																
2500019	WILLOW CRE	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	I	I	I	I	:																	
A250011020	WILLOW CRE	30	30	35	40	:	40	40	40	30	:	36	12	I	40	:	40	40	40	40	:	533																
2500152	WILLOW CRE	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	I	I	I	I	:																	
A250408320	WILLOW CRE	30	30	35	40	:	40	40	40	30	:	36	12	I	40	:	40	40	40	40	:	533																
2507401	GROUNDWATE	:	:	:	:	:	:	:	:	03	:	:	:	:	:	:	:	:	:	:	:	:	3															
~~2507594~~	~~GROUNDWATE~~	<del></del>																																~~:~~				
A251338320	WILLOW CRE	30	30	35	40	:	40	40	40	30	:	36	12	I	40	:	40	40	40	40	:	533																
A251338420	WILLOW CRE	30	30	35	40	:	40	40	40	30	:	36	12	I	40	:	40	40	40	40	:	533																
A251338520	WILLOW CRE	30	30	35	40	:	40	40	40	30	:	36	12	I	40	:	40	40	40	40	:	533																
A251338620	WILLOW CRE	30	30	35	40	:	40	40	40	30	:	36	12	I	40	:	40	40	40	40	:	533																
A251338820	WILLOW CRE	30	30	35	40	:	40	40	40	30	:	36	12	I	40	:	40	40	40	40	:	533																
A251338920	WILLOW CRE	30	30	35	40	:	40	40	40	30	:	36	12	I	40	:	40	40	40	40	:	533																
A251339020	WILLOW CRE	30	30	35	40	:	40	40	40	30	:	36	12	I	40	:	40	40	40	40	:	533																
PLSS DATA	LEGAL LOOK	: 01	02					: 03	04					:					:					:														
--86 MAP--	C19Q-X	93	41				43	40				40	:	38	40	39	40	:	39	39	39	38	:	476														
NO QTRS	MAPPING	Lot01-33	Lot02-30	Lot03-31	Lot04-30																																	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 30 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 25-7594

1. Owner: School District No. 93 Phone No. 525-4400

Current Address: 3497 N. Ammon Rd, Idaho Falls Id 83401

2. Accompanied by: Roger Hill EXAM DATE: 5-20-1994

Address: Same Phone No. 525-4400

Relationship to Permit Holder: facility Supervisor

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: 25-7309 (FIRE PROTECTION)

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW NE	SE	3	2N.	38E	Bonneville	On site inspection

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	38E	3														2	6		8

RECEIVED

DEC 9 1996

3. Delivery System Diagram: Indicate all major components and distances between components. Indicate well size/ditch size/pipe l.d. as applicable.



Scale: 1" = _____

Copy of USGS Quadrangle Attached Showing location(s) of _____
 point(s) of diversion and place(s) of use (required).
 Aerial Photo Attached _____
 (required for irrigation of 10+ acres)
 Photo of Diversion and System Attached _____

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Cummins		Q35474	Quincy	9W365825
				Leath-line	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Polysonic Meter						

2. Measurements:

RECEIVED

OCT 09 1993

E. NARRATIVE/REMARKS/COMMENTS

2600rpm 161

2750rpm

2800rpm 167hp

Have conditions of permit approval been met?

yes

no

RECEIVED

OCT 09 1996

Background

Date _____

Reviewer

Field Examiner's Name

KETIA Wilson Date 20 May 1994

— Change P.D. as reflected above

— Change P.U. as reflected above

2. Recommended Amendments

Beneficial Use

1. Recommended Amounts

H. RECOMMENDATIONS

2. Volume Calculations for Other Uses:

$$V_{ir} = (\text{Acres irrigated}) \times (\text{irrigation Requirement}) = \frac{8ac(4.0) = 32.0af}{V_{or} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) = 0.16cfs(2.14) 1.9835 = 62.9}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

Measured Method:

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

SP 91 = 6657 = 0

PRINTER USE
? YES

05-20 10:0900 *R
+700.320E 06PM

MODE SELECT
INPUT

OUTER DIAMETER
0.6736 IN

PIPE MATERIAL
? CS,SS

WALL THICKNESS
0.2941 IN

INNER LINING
? NO LING.

KIND OF FLUID
? ANOTHER

SOUND VELOCITY
1450 M/S-

SENSOR MOUNTING
? U

TYPE OF SENSOR
? SMALL

DATA CHANGE
? NO

SPACING
6.508 IN U

05-20 10:1000 *R
+700.320E 06PM

ZERO MODE
AUT ZERO

ZERO MODE
ZERO OPR

05-20 10:1100 *H
+002.70 % AI2

05-20 10:1200 *R
+664.120E 06PM

05-20 10:1200 *R
+002.70 % AI2

MODE SELECT
TO CHECK

0306.8 MMSEC
099.88 % T0

05-20 10:1300 *R
+002.70 % AI2

05-20 10:1300 *R
+393.616E 26PH

05-20 10:1300 *R
+393.616E 26PH

05-20 10:1400 *R
+438.600E 26PH

05-20 10:1400 *R
+429.543E 26PH

05-20 10:1400 *R
+426.373E 26PH

$656.0 \text{ gpm} = 1.599 \text{ cfs}$
 $717.7 \text{ gpm} = 1.60 \text{ cfs}$
 715.9 gpm
 710.6 gpm


25-7594
OCT 8 1996




well $\frac{1}{2}$ Pump

25-7594
MICROFILM
OCT 09 1996

WELL Z



Well House




CROW CREEK

MAINLINE to
Athletic field


25-7594
OCT 09 1996


42-381 50 SHEETS EYE-EASE® 5 SQUARE
 42-382 100 SHEETS EYE-EASE® 5 SQUARE
 42-383 200 SHEETS EYE-EASE® 5 SQUARE
 42-384 100 SHEETS EYE-EASE® 5 SQUARE
 42-385 100 SHEETS EYE-EASE® 5 SQUARE
 42-386 100 SHEETS EYE-EASE® 5 SQUARE
 42-387 100 SHEETS EYE-EASE® 5 SQUARE
 42-388 100 SHEETS EYE-EASE® 5 SQUARE
 42-389 200 RECYCLED WHITE 5 SQUARE
 Made in U.S.A.



MICROFILMED
 OCT 08 1996


Map R-3





290

282



3.5 gal per min.

July 16, 1993

SCHOOL DISTRICT NO. 93
3497 N AMMON RD
IDAHO FALLS ID 83401

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 25-07594

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

RECEIVED

JUL 22 1993

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 25-07594 Reviewed by Klg Date 7/14/93

GENERAL CONSIDERATIONS

yes Name same as permit?
no Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

irrigate - 40
Correct Uses? yes

SOURCE OF WATER

✓ Surface water source
✓ Ground water source

NA Drilling permit required?
1982-83 Copy in the file? Drilling Permit No. _____
Amount paid for permit _____ Correct?
Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
100 Amount Submitted
yes correct?

MEASURING DEVICE

yes Required?
no Installed?
no Waiver requested?

PRIORITY CALCULATION

Date proof received NA
Date proof due _____ - _____
No. of days late _____ = _____
Priority Date _____ + _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

proof acceptable

DATA ENTRY

New Address 3497 N Ammon Rd 7/14/93
Klg

needs a flow
Proof Made 7/12/93
7/16/93 Klg

May 31, 1993

SCHOOL DISTRICT NO. 93
RT. 1 BOX 460
IDAHO FALLS ID 83401

PROOF DUE NOTICE

RE: PERMIT NO. 25-07594

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before August 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



RECEIVED

JUL 22 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 9, 1991

SCHOOL DISTRICT NO. 93
RT. 1 BOX 460
IDAHO FALLS, ID 83401

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 25-07594

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

As a permit owner you must commence the excavation or construction of the diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The date shown under condition no. 1 is the date when the project must be completed. You will receive a "Proof Due Notice" from this Department approximately 60 days prior to the completion date requiring you to file either a Proof of Beneficial Use form stating that the project has been completed or file a Request for an Extension of Time in which to file the proof statement.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Sincerely,

PAMELA SKAGGS
Technical Records Specialist

NOT REFILED

AUG 21 1991

APPLICATION FOR PERMIT REVIEW

Application #: 25-7594
Date: 7-22-91

Reviewer: Pam Skaggs *CS*

- ✓ Existing:
- ✓ No - 26A-P17
 - Complete in 1 year - P16
 - Yes
 - Proof not submitted - P16
 - Proof submitted - N/A
 - ✓ Groundwater:
 - ✓ GT. 0.2 cfs - 01G-P03, 01C-P03 (existing well)
 - LT. 0.2 cfs - N/A
 - ✓ Drilling Permit:
 - Approved w/permit - P99
 - ✓ Not included - 046-P23 (All GW, even existing wells)
 - ✓ Location:
 - ✓ Water Districts - WD No. 01
 - Surface water - 005, 005-01H-P01 (LT.2 w/pump)
005-01J-P08 (GT.2)
 - ✓ Groundwater *existing* - P05
 - Irrigation Districts - 023
 - Canal Co. Areas - 023
 - Drainage Districts - 024
 - Boise Front (63) - 058 (Groundwater)
 - ✓ Swan Falls Flag - 1 (1, Blank or Other)
 - Trust - 051-052-053-P74 (Consumptive Uses)
 - ✓ Non Trust - 048-049
 - River Basins:
 - (Surface Water) Water District Control Condition &....
 - Boise (63) - 05A & 11E
 - Payette (65) - 047-P04, 059-P71
 - Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)
 - Use:
 - Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)
 - Power - Use Power Review
 - Mining - 06A or 010, 09E-P10 & 054(req.)
 - Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)
 - Rec. & Aesthetic - 027(Non-Consumptive)
 - Domestic - 021(restricted areas)
 - Ownership:
 - Non land owner - 004
 - Protested:
 - Agreement - 020
- ✓ Beneficial Use Due Date: - 08-02-1993
Other Conditions Recommended _____

FILED
AUG 21 1991

Dist. for staffing: 30-May-1991
Submitted for advertising: 5-31-91

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATIONS FOR PERMIT ANALYSIS SHEET

25 7594

INITIAL REVIEW BY HWS DATE 5-30-91 APPLICATION NO. _____
APPLICANT NAME: SCHOOL DIST 93, C/O GLEN PETERSON

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- _____ Overlapping place of use (Describe source & relationship to present application on the back.)
_____ Overlapping point of diversion
_____ Yes ☐ No ☐ Field check required
_____ Field check by _____
_____ Yes ☐ No ☐ Field report attached
_____ Yes ☐ No ☐ Critical groundwater area
_____ Yes ☐ No ☐ Groundwater management area
_____ Yes ☐ No ☐ Send dam safety information
_____ Yes ☐ No ☐ Send power requirement letter
_____ Yes ☐ No ☐ Send fish farm requirement letter
_____ Yes ☐ No ☐ Power residency affidavit
_____ Yes ☐ No ☐ Power efficiency form
_____ Yes ☐ No ☐ Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
_____ Yes ☐ No ☐ Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)

See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

RECEIVED
JUL 22 1991

Department of Water Resources

<u>SEND COPIES TO</u>	_____ Idaho Dept. of Health & Welfare	_____ U.S. BLM
<i>None</i>	_____ Idaho Dept. of Fish & Game	_____ U.S. Forest Service
	_____ Idaho Dept. of Lands	_____ Water District
	_____ Adjudication Bureau Unit	_____ Other

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes	☐ No	Publication dates & paper, recorded on application
☐ Yes	☒ No	Protests received
		Final date for protest <u>7-8-91</u>
☒ Yes	☐ No	Protests, dates, resolution of protest, recorded on application
☐ Yes	☒ No	Recommendations, attached
☐ Yes	☒ No	Measuring device required
☒ Yes	☐ No	Access port required
☐ Yes	☒ No	Will water be delivered by watermaster? If yes, what Dist. <u> </u>
☒ Yes	☐ No	Special conditions of approval or cover letter below.

See below for additional information

Date of priority recommended 5-23-1991
By HWT Date 7-17-91

By _____ See below for additional information
Date _____

Condition: 01G

LOCAL PUBLIC INTEREST

Comments received from

_____ City	_____ Idaho Fish & Game	_____ Irrigation District
_____ County	_____ Idaho Health & Welfare	_____ Canal Company
_____ Reservations	_____ Division of Environment	_____ Other _____

Project impacts/implications report

COMMENTS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

JUNE 11, 1991

THE POST-REGISTER
P.O. BOX 1800
IDAHO FALLS, ID 83403

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 8, 1991.

Yours truly,

Rita Bodell
Secretary

Encl.

RECEIVED
AUG 21 1991

25-07594

SCHOOL DISTRICT NO. 93
RT. 1 BOX 460
IDAHO FALLS, ID 83401

Source: GROUNDWATER

Diversion Pt: SWSE Sec 3 T 02N R 38E

Use: IRRIGATION (.800 CFS)
Total Diversion: (.800 CFS)

Date Filed: 5/28/ 1991

In: T02N R38E S03 NESE NWSE SWSE

40.0 ACRES TOTAL

RECEIVED

AUG 21 1991

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before JULY 8, 1991.

R. Keith Higginson, Director

Published 6/20/1991 & 6/27/1991

RECEIVED

AUG 21 1991



State of Idaho
DEPARTMENT OF WATER RESOURCES

150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 - (208) 525-7161

EASTERN REGION

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

10-Jun-1991

SCHOOL DIST 93
GLEN PETERSON
RT 1 BOX 460
IDAHO FALLS ID 83401

RE: Application No. 25-7594

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in Post-Register on June 20 & 27, 1991. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

Harold Jones
HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

RECEIVED
AUG 21 1991

