



13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Bird W. Gwynne
(Applicant)
Title - President




25-07578

MICROFILMED

JUN 09 1997


25-7161

25-07042



OVERLAP

MICROFILMED
JUN 09 1997



MICROFILMED
25-07578
JUN 09 1997

DIV #1



COMORE LOMA SUBDIVISION

DIVISION NO. 1

BONNEVILLE COUNTY,

IDAHO

Part of NE 1/4, SEC. 1, T.1N., R.38 E.B.M.



While this is a photographic reproduction of the recorded plat, the Company assumes no liability for variations, if any, with a re-survey.
IDAHO TITLE & TRUST CO.
Idaho Falls, Idaho

MICROFILMED

JUN 09 1997

25-07578


DIV #2

COMORE LOMA

DIVISION 2

BONNEVILLE COUNTY, IDAHO
A PORTION OF SEC. 1 T.1N. R.38 E.B.M.

Scale: 1"=200'




25-07578
MICROFILMED
JUN 09 1997

DIVISION #3

COMORE LOMA

DIVISION 8

BONNEVILLE COUNTY, IDAHO
A PORTION OF SEC. 1 T. 1 N. R. 38 E. B.M.




MICROFILMED
JUN 09 1997

25-07578

DIV #4

COMORE LOMA
DIVISION NO. 4
 BONNEVILLE COUNTY, IDAHO
 A PORTION OF SECTIONS 1 & 12 T. 1 N., R. 38 E.B.M.
 ELLEWORTH ENGINEERING, INC.
 IDAHO FALLS, IDAHO



MICROFILMED

JUN 09 1997

25-07578

COMORE LOMA WATER CORP.
IDAHO FALLS, IDAHO

1 of 1

VIEW OF
WELL ABOVE
HOUSING
TRACT



VIEW OF
STORAGE TANK
ON HILL
ABOVE WELL
AND HOUSING
TRACT.



MICROFILMED
JUN 1987

25-07578

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07578

Priority: August 29, 1990

Maximum Diversion Rate:

0.30 CFS

Maximum Diversion Volume:

37.2 AF

This is to certify, that COMORE LOMA WATER CORP
3920 E SUNNYSIDE

IDAHO FALLS ID 83406

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 9, 1990; and has submitted Proof of Beneficial Use on January 21, 1992. An examination indicates that the works have a diversion capacity of 2.660 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.30 CFS	37.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 1, Township 01N, Range 38E
NESE , Sec. 1, Township 01N, Range 38E
NWSE , Sec. 1, Township 01N, Range 38E
BONNEVILLE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

01N 38E 1

NENE

SWNE

SENE

SESW

NESE

NWSE

SWSE

SESE

12

NWNE

NENW

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.

RECORDED
JUL 1 1997

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07578

CONDITIONS OF APPROVAL AND REMARKS

6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. Two points of diversion are located within NESE, S01, T01N, R38E.
8. Rights 25-07040, 25-07042, and 25-07161 are also diverted through the points of diversion described above.
9. Places of use are located within Lots 1, 3, 4, Blk. 1; Lots 1, 2, 7, Blk. 2; Lots 2, 3, 6, Blk. 3; Lots 2, 4, 5, 8, 11, 12, 16, Blk. 4; Lots 1, 3, 6, Blk. 5; Lot 6, Blk. 7; Lots 3-6, 9, 11, 12, Blk. 8; Lot 4, Blk. 9; Lots 1-3, Blk. 10; Comore Loma Subdivision.
10. Domestic use is for 31 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 9TH
day of JUNE, 1997.

Acting for

KARL J. DREHER, Director

MICROFILMED
1997

State of Idaho
Department of Water Resources

RECEIVED

JUN 03 1997

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 25-07578

Department of Water Resources

Date of Priority: August 29, 1990

Maximum Diversion Rate: 0.30 CFS

Maximum Diversion Volume: 37.2 AF

Comes now **COMORE LOMA WATER CORP**

3920 E SUNNYSIDE

IDAHO FALLS ID 83406

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 25-07578, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.30 CFS	37.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 1, Township 01N, Range 38E
NESE , Sec. 1, Township 01N, Range 38E
NWSE , Sec. 1, Township 01N, Range 38E
BONNEVILLE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

01N 38E	1	NENE	SWNE	SENE
		SESW	NESE	NWSE
		SWSE	SESE	
12		NWNE	NENW	

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Idaho Falls, ID, this 16 day of MAY, 1997.

MICROFILMED

JUN 03 1997

(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 25-07578

FOR DEPARTMENT USE ONLY

Preliminary check by SWK Fee = Received by # Date

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 25-07578 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. Two points of diversion are located within NESE, S01, T01N, R38E.
8. Rights 25-07040, 25-07042, and 25-07161 are also diverted through the points of diversion described above.
9. Places of use are located within Lots 1, 3, 4, Blk. 1; Lots 1, 2, 7, Blk. 2; Lots 2, 3, 6, Blk. 3; Lots 2, 4, 5, 8, 11, 12, 16, Blk. 4; Lots 1, 3, 6, Blk. 5; Lot 6, Blk. 7; Lots 3-6, 9, 11, 12, Blk. 8; Lot 4, Blk. 9; Lots 1-3, Blk. 10; Comore Loma Subdivision.
10. Domestic use is for 31 homes.

MICROFILMED
JUN 09 1997

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 25-07578

Witness my hand this 9th day of June, 1997.


KARL J. DREHER, Director

RECORDED
JUN 23 1997

RECEIVED

JAN 21 1992

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only

Amt. of Fee \$ 125.00Date 1-21-92Receipt No. 22005Received by WLB**RECEIVED**

MAR 19 1992

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 25-01578 Telephone No. 208-529-36722. Name(s) of Permit Holder(s): CUMBER LODGE WATER CORPORATION3. Post Office Address: 3920 E Sunnyside
3415 MARBEN DRIVE, IDAHO FALLS, ID 83406

4. Source of Water: _____

a. If ground water, well driller's name: ANDREWS WELL DRILLING Date drilled: 7/31/91b. Pump horsepower: 125 HP Pressure (psi): ~100 Dynamic pumping level (ft.): 450

5. Extent of Use:

Domestic ~36 40 (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other _____

changes to prop made 1/21/92 By Klg6. Total rate and/or volume for which proof is submitted .30 cfs 1.67 acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes XNo Installed? Yes XNo

OR

Flow Measurement Port: Required? Yes YesNo Installed? Yes XNo8. Fee Enclosed: \$ 125.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

DICK SKIDMORE
Name208-529-3672
Telephone No.3920 E SUNNYSIDE ANAHEIM, ID 83406
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date

1/13/92

Signature (and title if on behalf of a company or organization)

President CUMBER LODGE

APR 07 1992

Mail to State of Water Resources

1301 Orchard St

Statehouse, Mont

Bozeman Idaho 23720-7000



Postage and Fees Paid

WILSON
APR 1970

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 25-07578)
IN THE NAME OF COMORA LOMA WATER CORPORATION) ORDER OF
REINSTATEMENT)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before January 1, 1992; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit had lapsed for failure to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on January 21, 1992;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 25-07578 be REINSTATED with an advance in priority to August 29, 1990.

Dated this 20th day of March, 1992.


L. GLEN SAXTON
Chief, Water Allocation Bureau

RECEIVED
APR 07 1992

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 25-07578

Proposed Priority: August 9, 1990 Maximum Diversion Rate: 0.30 CFS

This is to certify, that COMORE LOMA WATER CORP.

5355 NEVESO CIRCLE

IDAHO FALLS, ID 83406

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
DOMESTIC	01/01 to 12/31	0.30 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		NESE Sec. 1, Township 01N, Range 38E BONNEVILLE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

01N 38E	1	NENE	SWNE	SENE
		NESE	NWSE	SWSE
		SESE		
	12	NWNE	NENW	

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1992.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. Domestic use is for 40 lots within locally described Division 1, 2, 3 and 4 of Comore Loma.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

27th day of December, 1990.

RECORDED


JAN 13 1991

R. Keith Higginson
R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Comore Loma Water Corp Phone 523-6484
Post office address 5355 Nexus Circle Idaho Falls, ID 83406
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ $\frac{1}{4}$ of NE $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 1 Township 1N Range 38E B.M. Bonville County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.30 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.30 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
- a. Description of ditches, flumes, pumps, headgates, etc. Well + pump to subdivision
for Domestic use
- b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
- c. Proposed well diameter is 16 inches; proposed depth of well is 300 feet.
- d. Is ground water with a temperature of greater than 90°F being sought? N
7. Time required for the completion of the works and application of the water to beneficial use is
1 years (minimum 1 year).



8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 40 lots, Division 1, 2, 3, 4 of Comer's Corner
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
IN	38E	1	D		D	D									D	D	D	D	
		12		D			D												

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. 25-07040, -07161 and 25-07042


11. a. Who owns the property at the point of diversion? Applicants
- b. Who owns the land to be irrigated or place of use? Applicants
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: President - Brent Grukman
- V.P. - Gary Burgland
- Sec. - Sue Rope

MICROFILMED

JAN 13 1991

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

David W. Gwynne
(Applicant)
Title - President

Received by HWT Date 8-9-90 Time 3:05 pm Preliminary check by _____
Fee \$ 45 Receipted by HWT # EA1543 Date 8-9-90
Publication prepared by RB Date 9-20/27-90 Published in Last-Register
Publication approved QW Date 10/24/90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

JAN 03 1991

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s) have been
filed to appropriate the public waters of the
State of Idaho:

25-07578

COMORE LOMA WATER CORP.
5355 NEVESO CIRCLE
IDAHO FALLS, ID 83406
Source: GROUNDWATER
Diversion Pt: NESE Sec 1 T 01N R 38E
Use: DOMESTIC (.300 CFS)
Total Diversion: (.300 CFS)
Date Filed: 8/ 9/ 1990
In: T01N R38E S01 WENE SWNE SENE
NESE NWSE SWSE SESE
S12 NWNE NENW

25-07579

DENNING, DUANE N.
DENNING, VIOLA M.
P.O. BOX 460
UCON, ID 83454
Source: GROUNDWATER
Diversion Pt: SESE Sec 2 T 03N R 38E
Use: IRRIGATION (.400 CFS)
DOMESTIC (.200 CFS)
Total Diversion: (.600 CFS)
Date Filed: 7/26/ 1990
In: T03N R38E S02 SWSE SESE
S11 NWNE
20.0 ACRES TOTAL

35-08808

GROVER, LARRY G.
GROVER, PENNYE
7405 W. 33RD S.
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: NWNWNW Sec 36 T 02N R
36E
Use: DOMESTIC (.040 CFS)
IRRIGATION (.090 CFS)
Total Diversion: (.130 CFS)
Date Filed: 9/14/ 1989
In: T02N R36E S36 NWNW
3.0 ACRES TOTAL

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A, Idaho
Code and/or the new public interest cri-
teria of Sec. 42-203C, Idaho Code. Protests
must be filed with the Director, Dept. of
Water Resources, 150 Shoup Ave., Suite
15, Idaho Falls, Idaho 83402 on or before
OCTOBER 8, 1990.

R. Keith Higinson, Director

Published: September 20, 27, 1990

RECEIVED

OCT 4 1990

Department of Water Resources
Eastern District Office

RECEIVED

JAN 03 1991

Proof of Publication

The Post-Register

State of Idaho, }
County of Bonneville } ss

I, ... Ted Delezene, first being duly sworn, depose and say: That I am the Foreman of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers have been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eight (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for Two consecutive weeks, first publication having been made on the 20th day of September , 19..90, last publication having been made on the 27th day of September , 19.90., and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this

Ted Delezene
28th day of *September*, 19..90
Cathy von Borstel
Notary Public

My commission expires *March 5*....., 19..96

B10

MICROFILMED

JAN 03 1991

RECEIVED

OCT 4 1990

Department of Water Resources
Eastern District Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

June 9, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

COMORE LOMA WATER CORP
3920 E SUNNYSIDE
IDAHO FALLS ID 83406

RE: WATER RIGHT NO. 25-07578

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

RECEIVED
JUN 11 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be led within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen". The signature is written in dark ink and is positioned above the typed name.

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 9th day of June, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 25-07578

COMORE LOMA WATER CORP
3920 E SUNNYSIDE
IDAHO FALLS ID 83406


Kari Lynn Townsend
Secretary



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

May 21, 1997

**PHILIP E. BATT
GOVERNOR**

**KARL J. DREHER
DIRECTOR**

Dick Skidmore
5490 E. Skidmore Dr.
Idaho Falls, ID 83406

RE: Permit No. 25-07578

Dear Mr. Skidmore:

In response to your telephone request today to Shelley Keen, I have enclosed a copy of the master subdivision plat in my recommendation for licensing of this permit. Fortunately, the field examinations of previously licensed rights serving this subdivision clearly identified the lots developed. I recommended for licensing all lots in division nos. 1, 2, 3, and 4 not already licensed.

If you have any questions regarding the determination of lots I recommended for licensing, you may contact me directly at (208) 327-7944.

Respectfully,

A handwritten signature in cursive script that reads "Cindy Zimmerman".

Cindy Zimmerman
Water Resource Agent

Enclosure

2000-01-01

2000-01-01



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

May 15, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

COMORE LOMA WATER CORP
3920 E SUNNYSIDE
IDAHO FALLS ID 83406

RE: WATER RIGHT NO. 25-07578

Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has actually been developed.

As of this date, I have not received this amendment. If I do not receive the amendment within fourteen (14) days, a Water Right License will be issued for less than could have been allowed. In case the amendment form I sent you has been misplaced, a new one is enclosed. Please note that the filing fee for this amendment is \$50.00.

If you have any questions, please call me at (208) 327-7946.

Sincerely,

A handwritten signature in black ink, appearing to read 'Shelley W. Keen'.

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

April 25, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

COMORE LOMA WATER CORP.
3920 E SUNNYSIDE
IDAHO FALLS ID 83406

RE: WATER RIGHT NO. 25-07578

Dear Permit Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion and the place(s) of use description. Please review carefully and if you concur, sign the amendment and return it with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

B/U FIELD EXAM REVIEW

Cindy Zimmerman

Permit #: 25-7578 Name: Comore Roma W.C. Date: 4/9/97 ✓ Lots ✓

NAME	Chng	Same	Or Address Change?
SOURCE		✓	Clarify source _____ Prelim. Order to Void - Source change. #1-NESE, S1; #2-NESE, S1; #3-NESE, S1; #4-NESE, S1
P/D	✓		Amendment Needed? <u>add 3 other interconnected wells</u> P39 Overlap(s) <u>25-7040, 25-7161, 25-7042</u>
P/U	✓		Amendment Needed? <u>add S1, SESE, S1</u> ^{total lots in Sec. 1-4 minus previously licensed = 31 lots.} P41 Overlap(s) <u>(diff hrs than 25-7040/7042/7161)</u> (Gov't use special #'s) <u>P/D & P/U Amend? P37</u>
RATE			Permit/proof fee limits <u>.30</u> / <u>.50</u> Measured Quantity = _____ cfs Theoretical Quantity = _____ cfs <u>allow permitted 0.30 cfs combined</u> Well #4 (HP) $\frac{8.8 \times 0.70 \times 125}{545 + (2.31 \times 30)} = 1.25$ cfs
VOLUME	✓		Recommended capacity <u>2.66</u> * cfs *see back of this review Recommended rate <u>0.30</u> cfs
	✓		Season: (<u>1</u>) <u>1/1-12/31</u> = <u>365</u> days Calculations: <u>31 x 1.2 = 37.2</u> <u>combined = 79.0 AF (85 hrs)</u>
	✓		Flow limit: <u>2.66</u> cfs x <u>365</u> days/yr. x 1.9835 = <u>1925.8</u> AF Recommended volume <u>37.2</u> AF
USES		✓	Same Nature of Use? _____ P46 Amendment Needed? _____
REMARKS		✓	Multiple p/d's in same 1/4? Use W32 <u>NESE, S1</u> ✓ <u>(1) PD (2) PU (3) W36 (4) W35 (5) W301</u>
CONDITIONS			Measuring Device (R43) or Lockable Controlling Works (R02) _____ Watermaster Control (R04) - WD # _____ Irrigation rate/annual volume overlap _____ GW irrigation replaces surface water (050) _____ GW irrigation supplements surface water (065) _____ Water Quality _____ ✓ Other <u>048, 049</u>
PRIORITY	App Rcd	<u>8/9/90</u>	Due <u>1/1/92</u> Rcd <u>1/21/92</u>
	Receipt#	<u>022045</u>	Fee OK? <u>(Yes) No</u>
	Order to Reinstate Needed?	Yes/No Done?	Advanced to: _____
	Priority	Examined	_____

COMMENTS:

USE	CFS	VOLUME
Dem.	0.30	37.2
<del> </del>	<del> </del>	<del> </del>
<del> </del>	<del> </del>	<del> </del>
TOTAL	0.30	37.2

SRBA Overlap A25-7040/7161/7042
Adjustment Memo ✓
LICENSE LTR: P49
#1 AMEND LTR: P37/P38
#2 AMEND LTR: P42/P47

Capacities:

well # 1 0.10
~~0.08~~

Theo. $\frac{88 \times 7 \times 7.5}{350 \pi (2.31 \times 30)} = \frac{46.2}{449.3} = 0.10$
not measured

well # 2 0.27

measured under 25-7040

well # 3 1.04

measured under 25-7161

~~well # 4~~

well # 4 1.25

Theo. 125 hp, 545' dynamic level, 30 psi

total combined = 2.66 cfs

T1N R38E

T1N
T1N

35

36

2

1

LEGEND

House, existing or under construction

Block number

Lot number

3" Water line

4" Water line

6" Water line

8" Water line

Well

Valve

Pressure Reducing Valve

Fire Hydrant

Water Meters

Unplatted

OVERLAP
REVIEW:

25-07040
(well #2)

~~25-07042~~
(well #1)

25-07161
(wells #1,2,3)

PROPOSED FOR
LICENSING UNDER:
25-01578

Total

TO BE LICENSED UNDER 25-01578:

- BK1: LT 1,3,4
- 2: LT 1,2,7
- 3: LT 2,3,6
- 4: LT 2,4,5,8,11,12,16
- 5: LT 1,3,6
- 6: NONE
- 7: LT 6
- 8: BT 3,4,5,6,9,11,12
- 9: LT 4
- 10: LT 1,2,3

TOTAL OF
31 LOTS

See 1

See 12

SW

SE

NW

NE

NE

Well No. 2



COMORE LOMA

T1N R38E

Well No. 3

Well No. 4

100,000 gal
Reservoir

879-4

1

6

12

7

31

36

6

1

2

3

4

5

MEMORANDUM

DATE: April 14, 1997
TO: File No. 25-07578
FROM: Cindy Zimmerman
SUBJECT: Review of Beneficial Use Field Report

This permit adds a well and 31 homes to the existing interconnected delivery system of three other wells licensed under 25-07040, 25-07042 and 25-07578. Water is delivered to a total of 85 homes within Comore Loma Subdivision under these four rights.

The following adjustments¹ were made on the field report to reflect the interconnected system:

C. Diversion and Delivery System.

1. Points of diversion:

TWP	RGE	SEC	N E				N W				S W				S E				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01N	38E	1	<u>X</u>												X*	<u>X</u>			4 pds

*2 pds in NESE

2. Places of use

TWP	RGE	SEC	N E				N W				S W				S E				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
01N	38E	1	D		D	D								<u>D</u>	D	D	D	D	
01N	38E	12		D			D												

F. Flow Calculations.

Measured: Well #2=0.27 cfs, and well #3=1.04 cfs.

Theoretical: Well #1= $\frac{8.8 \times 0.7 \times 7.5}{380 + (2.31 \times 0)} = \frac{46.2}{449.3} = 0.10$ cfs,

and Well #4= $\frac{8.8 \times 0.7 \times 125}{545 + (2.31 \times 0)} = \frac{770}{545} = 1.25$ cfs.

Capacity = Wells #1+#2+#3+#4= 2.66 cfs.

G. Volume Calculations.

$V_{DOM.R} = \text{homes} \times \text{AF/home} = 31 \times 1.2 = \underline{37.2}$ AF

$V_{DIV.R.} = \text{rate} \times \text{season} \times 1.9835 = 0.30 \times 365 \times 1.9835 = 217.2$ AF

V = Smaller of $V_{DOM.R.}$ and $V_{DIV.R.} = \underline{37.2}$ AF

H. Recommendations.

1. Recommended amounts:

Beneficial Use	Period of Use	Rate of diversion	Annual Volume
Domestic	1/1-12/31	0.30 cfs	<u>37.2</u> AF

2. Recommended Amendments

X Add P.D.s as reflected above X Add P.U. as reflected above

Examiner: Donald M Simpkins
Examined: June 1, 1995

¹Adjustments made are bolded and underlined.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 27 1997

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 25-7578
(208)

1. Owner: COMOKE LOMA WATER CORP. Phone No. 523-6485

Current Address: 5355 NEVISO CIRCLE, IDAHO FALLS, ID. 83406

2. Accompanied by: N/A EXAM DATE: 6/1/95

Address: N/A Phone No. N/A

Relationship to Permit Holder: N/A

3. Source: GROUND WATER tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 25-07040, 25-07161, 25-07042

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	NE	SE	1	1N	38E	BOONEVILLE	U.S. G.S. ~~DATA~~ TOPO MAP

2. Place(s) of Use:


Indicate Method of Determination ON SITE INSP.

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
1N	38E	1	D		D	D									D	D	D		
1N	38E	12		D			D												

RECEIVED

JUN 09 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable. *BURIED RESIDENTIAL SYSTEM*



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
<i>WELL #4</i>		<i>125</i>		<i>FRANKLIN</i>	<i>8"</i>

*Code to correspond with No. on map and aerial photo


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date


2. Measurements: *PUMP IS OPEN DISCHARGE TO STORAGE TANK*

100




25-07578

25-7861



OVERLAP





25-07578

DIV #1

COMORE LOMA SUBDIVISION

DIVISION NO. 1

BONNEVILLE COUNTY, IDAHO
Part of NE 1/4, SEC. 1, T.1N., R 38 E.B.M.



While this is a photographic reproduction of the recorded plat, the Company assumes no liability for variations, if any, with a re-survey.
IDAHO TITLE & TRUST CO.
Idaho Falls, Idaho

25-07578


1950

DIVISION #7

COMORE LOMA

DIVISION 8

BONNEVILLE COUNTY, IDAHO
A PORTION OF SEC. 1 T. 1 N. R. 38 E. B. M.




25-07578

COMORE LOMA

DIVISION NO. 4

A PORTION OF SECTIONS 1 & 12 T. 1 N., R. 38 E.B.M.
 ELLSWORTH ENGINEERING, INC.
 IDAHO FALLS, IDAHO



25-07578

THEORETICAL PUMP FLOW CALCULATIONS

Formula:

$$Q_{cfs} = [(Hp)(8.814)(Eff)] \div [Lift + (psi \times 2.308)]$$

$$Hp = \text{Horsepower} = \underline{125}$$

$$Eff = \text{Efficiency} = \underline{.75} \quad (\text{Usually } 70\%)$$

$$\text{Lift: } (\text{Static Level} + \text{Assumed Drawdown})$$

$$\text{Static Water Level} = \underline{308} \text{ ft.}$$

$$\text{Assumed Drawdown} = + \underline{20} \text{ ft.}$$

$$\text{Lift} = \underline{328} \text{ FROM WELL}$$

OR

$$+ \underline{217} \text{ TO STORAGE TANK}$$

$$\underline{545 \text{ FEET}}$$

$$\text{Measured Dynamic Water Level} = \underline{\hspace{2cm}} \text{ ft.}$$

$$psi = \text{Operating Pressure} = \underline{\hspace{2cm}} \text{ psi}$$

$$Q_{cfs} = \left[\frac{125}{Hp} \times 8.814 \times \frac{.75}{Eff} \right] \div \left[\frac{545}{Lift} + \left(\frac{0}{psi} \times 2.308 \right) \right]$$

$$Q_{cfs} = \left[\underline{826.3125} \right] \div \left[\underline{545} \right]$$

$$Q_{cfs} = \underline{1.516} \text{ cfs}$$

25-07578

COMORE LOMA WATER CORP.
IDAHO FALLS, IDAHO

1 of 1

VIEW OF
WELL ABOVE
HOUSING
TRACT

VIEW OF
STORAGE TANK
ON HILL
ABOVE WELL
AND HOUSING
TRACT.

25-07578

E. NARRATIVE/REMARKS/COMMENTS

ON 6/1/95 A BENEFICIAL USE FIELD EXAM WAS
CONDUCTED FOR COMORE LOMA WATER CORP., PERMIT #
25-07578.

THIS IS A MULTI FAMILY DOMESTIC SYSTEM WHICH USES
A 125 HP PUMP TO MOVE WATER FROM A WELL TO
A SYSTEM STORAGE TANK. THE TANK IS USED TO STORE
WATER AND REDISTRIBUTE IT AS NEEDED.

WELL: 45' 512' DEEP

308' STATIC WATER

12" CASING

TANK EL. 5142'

WELL EL. 4925'

TOTAL LIFT 217 FEET

DRILLING PERMIT # 25-91E-063

PUMP: 125 HP SUBMERSIBLE

217 FT APPROXIMATE LIFT FROM PUMP (SURFACE) ^{TO STORAGE} TANK,
SYSTEM CAPACITY IS BEING DESIGNED FOR 124 HOMES,
4 WELLS ARE CURRENTLY ON THE SYSTEM.

SYSTEM SUPPLIES WATER VIA PIPELINE TO PROPERTY
LINE OF ALL USERS (POTENTIAL) - (40 PER PERMIT).

IN CHARGE OF WATER SYSTEM:

DENNIS BELL - 523-2478

DATA FROM:

DICK SKIDMORE 529-3672

Have conditions of permit approval been met? ☒ yes ☐ no

2000-10-10
2000-10-10

F. FLOW CALCULATIONS☒ Additional Computation Sheets Attached

Measured Method:

$Q = 1.516 \text{ CFS}$ THEORETICAL PUMP CAPACITY
PERMIT 0.30 CFS

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____2. Volume Calculations for Other Uses: *Domestic* $1.2 \times 40 = 48 \text{ AFA}$ **H. RECOMMENDATIONS** *PERMIT LIMITS TO 0.30 CFS*

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>DOMESTIC</u>	<u>1/1</u>	<u>12/31</u>	<u>0.30</u>	<u>48 AFA</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>0.30 CFS</u>	<u>48 AFA</u>

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ☒ None
___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

I. AUTHENTICATIONField Examiner's Name Donald W. Simpson Date 2/24/97

Reviewer _____ Date _____

SEAL

MICROFILMED
JUN 0 1997

March 20, 1992

COMORE LOMA WATER CORP.
3920 E SUNNYSIDE
IDAHO FALLS ID 83406

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 25-07578

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure

RECEIVED
APR 07 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

March 13, 1992

Comore Loma Water Corporation
c/o Vaugh Lotspeich
3920 East Sunnyside
Idaho Falls, ID 83406

Re: Permit No. 25-07578

Dear Mr. Lotspeich:

It seems that the confusion over this proof of beneficial use is never ending. During my final review of the paperwork, I have been unable to locate the original proof of beneficial use that you submitted. However, nothing in the file indicates that I returned it to you. I'm sure that I have misplaced it.

If, by some chance, you do have the original proof of beneficial use, can you please return it to me? If not, I ask only that you complete the highlighted areas on the form that I have enclosed.

I want to apologize for this inconvenience. I realize that this has been terribly confusing and I appreciate your patience. If you will return an original proof of beneficial use as soon as possible, I will continue the licensing process.

Once again, my apologies. If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

Enclosure

RECEIVED

APR 07 1992

RECEIVED
MAR 12 1992

Drilling Permit No. 25-91E-763

Water Right Permit No. 25-07578

Injection Permit No. _____

Department of Water Resources

State of Idaho
Department of Water Resources

APPLICATION FOR DRILLING PERMIT

Applicant (please print) Comore Loma Water Corp

Address 5355 Nevers Circle Idaho Falls Id

Telephone 83406

Well Owner ☒ Well Operator ☐ Other, specify _____

Proposed well location 1/4 SE 1/4, or Gov't Lot No. _____

1 Twp. 11N Rge. 38E County Bonneville

Address of Well Site _____

Block and subdivision _____

Proposed use of well:

Domestic: The use of water for homes, organization camps, public campgrounds, livestock and for any other purpose in connection therewith, including irrigation of up to 1/2 acre of land, if the total use is not in excess of 13,000 gpd; or any other uses, if the total use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Domestic does not include water for multiple ownership subdivisions, mobile home parks, commercial or business establishments, unless the use does not exceed a diversion rate of 0.04 cfs and a diversion volume of 2500 gpd.

Non-Domestic: Any beneficial use not included within the definition of domestic.

Injection

Monitoring - A well bore schematic and map is required for each well.

No. of proposed wells: _____

Well construction information:

☒ New well ☐ Deepen ☐ Replace - See Condition 9

Proposed Surface Diameter 12" Proposed Maximum Depth 200'

Anticipated bottom hole temperature:

- ☐ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212° or more (Geothermal well)

Construction Start Date 26 May 1991

Proposed Well Driller Andrews

Note: The actual well driller must be identified prior to drilling.

Applicant's signature James Bell Date 5-23-91

Accountant

(Owner, Firm Representative, Other)

APPROVED
APR 07 1992

ACTION OF THE DEPARTMENT OF WATER RESOURCES

is Approved

Date 23 May 1991

this permit authorizes the construction or modification of a well subject to the following conditions. READ CAREFULLY!

CONDITIONS:

1. This permit must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water injection, injection wells and well construction standards.

2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) month from the approval date for completion of the well unless an extension has been granted.

3. This permit does not constitute an approval of the District Health Department or the Idaho Department of Health and Welfare and may be required before construction of this well.

4. This well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.

5. This permit does not authorize trespass on the land of another party.

6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

8. If a bottom hole temperature of 85° or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.

9. This permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

CONDITIONS:

Walter M. Dunn
of Authorized Department Representative

Dr. Water Resource Agent
Title

No. E016111 Received by LK Fee 200.00 Date 5/23/91

EXTENSION OF DRILLING PERMIT

Approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.

APR 07 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

WELL OWNER

Name Comora Loma Water Corp
Address 5355 Neveso Circle, Idaho Falls, ID
Drilling Permit No. 25-91-E-063
Water Right Permit No. _____

7. WATER LEVEL

Static water level 308 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 71 °F. Quality Good
Describe artesian or temperature zones below.

NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement
☐ Well diameter increase ☐ Modification
☐ Abandoned (describe abandonment or modification procedures
such as liners, screen, materials, plug depths, etc. in lithologic
log, section 9.)

8. WELL TEST DATA

☒ Pump ☐ Bailor ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
850	320	8

PROPOSED USE

☐ Domestic ☐ Irrigation ☐ Monitor
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☒ Other Municipal (specify type)

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
16	0	38	Brown Soil		X
	38	55	Brown Riolite		X
	55	62	Dark Gray Sandstone		X
	62	118	Brown Sandstone		X
	118	246	White Pumice		X
	246	255	Brown Riolite		X
	255	282	Hard gray chert rock		X
	282	290	Broken brown riolite		X
	290	311	Firm brown riolite		X
12	311	321	Firm gray basalt		X
	321	325	Brown riolite		X
	325	330	Brown riolite		X
	330	335	Firm Riolite		X
	335	340	Broken Riolite	X	
	340	345	Firm riolite		X
	345	351	Hard riolite		X
	351	360	Broken riolite	X	
	360	408	Firm riolite		X
	408	415	Black broken basalt		X
	415	421	Black broken basalt	X	
	421	428	Brown solid sandstone		X
	428	460	Pumice	X	
	460	491	Pumice		X
	491	495	Brown riolite	X	
	495	500	Firm riolite		X
	500	503	Firm riolite		X
10	503	512	Broken riolite	X	

METHOD DRILLED

☒ Rotary ☐ Air ☐ Auger ☐ Reverse rotary
☐ Cable ☐ Mud ☐ Other _____
(backhoe, hydraulic, etc.)

WELL CONSTRUCTION


Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness .250 inches Diameter 12 inches From 1 feet To 311 feet
.250 inches 10 inches 281 feet 503 feet
_____ inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No
How perforated? ☒ Factory ☐ Knife ☐ Torch ☐ Gun
Size of perforation? 1/4 inches by 2 inches
Number 5460 From 412 feet To 503 feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☐ Yes ☒ No
Manufacturer _____ Type _____
Top Packer or Headpipe _____
Bottom of Tailpipe _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 311 Material used in seal: ☒ Cement grout
☐ Bentonite ☐ Pudding clay ☐ _____
Sealing procedure used: ☐ Slurry pit
☐ Temp. surface casing ☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded
☐ Solvent Weld ☐ Cemented between strata
Describe access port Well Cap

10.

Work started 6/5/91 finished 7/12/91

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name Comora Loma

Lot No. _____ Block No. _____

County Bonneville County

SE 1/4 NE 1/4 Sec. 1, T. 1N S ☐ R. 38E W ☐

11. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were
complied with at the time the rig was removed.

Firm Name Andrew Well Drilling Services Firm No. 5
1268 East 17th Street, Id. Falls
Address _____ Date 7/19/91

Signed by Drilling Supervisor [Signature]
and [Signature]
(Operator) Walt Hulse
(If different than the Drilling Supervisor)



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

RECEIVED MAR 2 1992

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 21, 1992

Comore Loma Water Corporation
3920 East Sunnyside
Idaho Falls, ID 83406

RECEIVED
MAR 12 1992

Department of Water Resources

Re: Permit No. 25-07578

Dear Mr. Lotspeich:

Thank you for your correspondence clarifying the proof of beneficial use submitted in connection with the permit referenced above. I have amended the proof so that it directly corresponds with the permit to appropriate water.

However, one problem still remains. I still have not been able to locate a well log which should have been submitted by your well driller 30 days after completion of the construction of your well. I have also been unable to locate a drilling permit which you should have applied for prior to the construction of your well. Please forward a copy of your drilling permit.

If you have a copy of the well log, please provide this office with a copy. If you do not, please contact your driller and ask that he submit a copy. In your return letter, please be sure to show the above referenced permit number on any documents. Also, please address any correspondence directly to me. Your response should be received within 30 days of the date of this mailing.

This information is needed before the department can proceed further with the examination of your system and the eventual issuance of a license of water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

APR 07 1992

*This should be everything
you need.
THANKS*

Rich Stenberg



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 21, 1992

3920 ~~8920~~ Comore Loma Water Corporation
East Sunnyside
Idaho Falls, ID 83406

Re: Permit No. 25-07578

Dear Mr. Lotspeich:

Thank you for your correspondence clarifying the proof of beneficial use submitted in connection with the permit referenced above. I have amended the proof so that it directly corresponds with the permit to appropriate water.

However, one problem still remains. I still have not been able to locate a well log which should have been submitted by your well driller 30 days after completion of the construction of your well. I have also been unable to locate a drilling permit which you should have applied for prior to the construction of your well. Please forward a copy of your drilling permit.

If you have a copy of the well log, please provide this office with a copy. If you do not, please contact your driller and ask that he submit a copy. In your return letter, please be sure to show the above referenced permit number on any documents. Also, please address any correspondence directly to me. Your response should be received within 30 days of the date of this mailing.

This information is needed before the department can proceed further with the examination of your system and the eventual issuance of a license of water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

MICROFILMED

APR 07 1992

Remailed on 2/28/92

WHITE - State Auditor
 YELLOW - Remittance Advice
 PINK - State Auditor then Agency
 GOLDENROD - Agency Copy

EXPENDITURE VOUCHER

AUDITOR USE

STATE OF IDAHO
 Office of State Auditor

AGENCY USE

Date
Code

VENDOR: If you require additional information regarding this payment, please contact the State agency listed below.

AGENCY NAME:

DEPT. OF WATER RESOURCES
 TAX EXEMPT # 94-187000-2-520
 VALID THRU 1/94

PAY
 TO

CONCRETE LOMA WATER CORPORATION
 3920 E. SUNNYSIDE
 IDAHO FALLS, ID 83406

Document No.	
Pre-Audit	Date
Warrant No.	

CHECK ONE:

() MISCELLANEOUS EXPENDITURE

() STATE CONTRACT

() PURCHASE ORDER

() MISCELLANEOUS ENCUMBRANCE REQUISITION

Encumbrance Reference No.

PAYMENT: () PARTIAL () FINAL

LINE No.	PROGRAM	FUND	ACCT.		DESCRIPTION	LINE AMOUNT	AGENCY USE
			Maj	Min			
1	05 30 122	1238	8861		REFUND P/F WAREH. GUSTAFSON WA #27-07578 RECEIPT ADIC1987 1/21/92 25.00	25.00	
TOTAL						25.00	

MICROFILMED

APR 07 1992

NOTE: Final payment must be accompanied by a receiving copy

TO STATE AUDITOR

Request is hereby made that a warrant be authorized and drawn in payment of the item or items described above. I hereby certify that the items described were ordered by proper authority; that they are necessary in the public service; that the items have been received and accounted for, and that the account as stated is correct and just.

AUDITOR'S CERTIFICATE

I hereby certify that the above account is in proper form; that totals carried hereon are correct; that receipts when required by law or regulation of the State Board of Examiners covering items for which reimbursement is asked are submitted herewith; and that there are funds in the state treasury and balances in appropriation accounts out of which the same may be lawfully paid.

Date

Head of Agency or Institution

State Auditor

RECEIVED
FEB 20 1992

Department of Water Resources

February 15, 1992

Ms. Karen L. Gustafson
State of Idaho
Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, ID 83720-9000

Dear Ms. Gustafson:

This letter serves to clarify the subject and resulting action that is the subject of your 1/21/92 letter to Comore Loma Water Corp., permit holder 25-07578.

In a conversation with Keith Wilson of the Eastern Region of the Dept of Water Resources the permits issued to the Comore Loma Water Corp. bring the water system into compliance with the guidelines established by the State regarding capacity to household ratio.

The confusion that exists was brought about by the improper completion of the Proof of Beneficial Use form. The assumption was made that the Proof of Beneficial Use was to be based on the actual capability of the well. While in actuality the PoBU form should only be based on the Permit to Drill and the required minimum capacity to supply a specific number of households.

It is my understanding of the guidance provided by Mr. Keith Wilson of the Water Resources Dept. that we are in compliance with the State's guidelines and no further permitting action is required to be initiated by the Comore Loam water Corporation.

Thank you for your assistance. It should also be noted that Mr. Wilson was extremely helpful and assisted me in a very professional and pleasant manner.

Vaughn L. Lotspeich
President- Comore Loma Water Corporation

RECEIVED

APR 07 1992



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 21, 1992

Comore Loma Water Corporation
3920 East Sunnyside
Idaho Falls, ID 83406

Re: Permit No. 25-07578

Dear Permit Holder:

Enclosed is a copy of the proof of beneficial use you submitted in connection with the above referenced permit. Several discrepancies have been noted that need to be corrected before the proof can be accepted.

Please note that the permit to appropriate water was issued for .30 cfs. A license cannot be issued for the diversion of more water than that for which the permit was issued. Therefore, I have amended the proof from 1.67 cfs to 0.03 cfs. The license exam fee for .03 cfs is \$100. I have begun the process to refund the additional \$25 that you submitted. The refund process usually takes between two and four weeks.

You have also indicated the extent of use to be 86 domestic households. Please note that this permit only cover 40 domestic households. In order for you to supply the amount of water you have indicated (1.67 cfs) to the number of homes you have indicated (86), it will be necessary for you to apply for an additional permit. Please contact our Eastern Regional Office at 525-7161 for assistance in applying for an additional permit.

We have also been unable to locate a well log (drillers report) or a drilling permit in connection with this well. If you have a copy of either of these reports, please forward them directly to me. If you cannot locate a copy of the drillers report, please contact your driller and have him forward a copy.

RECEIVED
JAN 27 1992

APR 17 1992

Since your permit has already lapsed, it is of no further force nor effect. In order to continue with the licensing process, I will need to have the above mentioned information mailed to my attention within 20 days of the date of this mailing.

I realize that this can be confusing, so if you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson

Karen L. Gustafson
Secretary/Records Manager

RECEIVED
MAY 10 1994
MAY 10 1994

January 6, 1992

COMORE LOMA WATER CORP.
5355 NEVESO CIRCLE
IDAHO FALLS ID 83406

LAPSE NOTICE

RE: PERMIT NO. 25-07578

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated October 31, 1991. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf

Enclosures

MICROFILMED

APR 07 1992

CERTIFICATION OF MAILING

I hereby certify that on 1/6/92
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

KLG

138/30

October 31, 1991

COMORE LOMA WATER CORP.
5355 NEVESO CIRCLE
IDAHO FALLS ID 83406

PROOF DUE NOTICE

RE: PERMIT NO. 25-07578

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Nina Shields
Secretary/Records Manager

Enclosures

MICROFILMED

APR 6 1992



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

December 31, 1990

COMORE LOMA WATER CORP.
5355 NEVESO CIRCLE
IDAHO FALLS, ID 83406

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 25-07578

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as far as possible from surface water channels and casing your well

MICROFILMED

JAN 03 1991

so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:blm

Enclosures

MICROFILMED

JAN 03 1951

APPLICATION FOR PERMIT REVIEW

Application #: 25-7578
Date: 12-19-90

Reviewer: Pam Skaggs

Existing:

No - 26A-P17
Complete in 1 year - P16

Yes

Proof not submitted - P16
Proof submitted - N/A

Groundwater:

GT. 0.7 cfs - 01G-P03, 01C-P03(existing well)
LT. 0.7 cfs - N/A

Drilling Permit:

Approved w/permit - P99
Not included - 046-P23(All GW, even existing wells)

Location:

Water Districts - WD No. 01
Surface water - 005, 005-01H-P01(LT.7 w/pump)
005-01J-P08(GT.7)
Groundwater - P05
Irrigation Districts - 023
Canal Co. Areas - 023
Drainage Districts - 024
Boise Front (63) - 058 (Groundwater)
Swan Falls Flag - / (1 or Blank)
Trust - 051-052-053-P74(Cons.), 041(DCMI)
Non Trust - 048-049

River Basins:

(Surface Water) Water District Control Condition &....
Boise (63) - 11D-P72
Payette (65) - 047-P04, 059-P71
Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

Use:

Fish Propagation - 002-P06, 06A, 007, 09E-P10, 010, 042, 044
Power - (less than 25cfs P18), 01F-P19, 08A(Req.),
017K, 017G-017M(Choose One), 025
Mining - 06A, 006, 09E-P10, 010, 54
Storage - 18A-P09(In W.D.), 18B-P09(Size)
Domestic - 021(restricted areas)

Ownership:

Non land owner - 004

Protested:

Agreement - 020

Minimum Stream Flow:

Overlapping uses - 029-P20

Beneficial Use Due Date: - 01-01-1992

Other Conditions Recommended _____

Form No. 202a
4/87STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY HWT DATE 8-17-90 APPLICATION NUMBER 25-7578
Comore Loma Water Co.
REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Yes ☒ No Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

OCT 29 1990

Department of Water Resources

RECEIVED

ADDITIONAL INFORMATION

LOCAL PUBLIC INTEREST

Comments received from:

☐ City	☐ Idaho Fish & Game	☐ Irrigation District
☐ County	☐ Idaho Health & Welfare	☐ Canal Company
☐ Reservations	☐ Division of Environment	☐ Other _____

Project impacts/implications report

COMMENTS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

SEPTEMBER 10, 1990

THE POST-REGISTER
P.O. BOX 1800
IDAHO FALLS, ID 83403

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 8, 1990.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

JAN 13 1991

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED

JAN 6 3 1991

25-07578

COMORE LOMA WATER CORP.
5355 NEVESO CIRCLE
IDAHO FALLS, ID 83406

Source: GROUNDWATER

Diversion Pt: NESE Sec 1 T 01N R 38E

Use: DOMESTIC (.300 CFS)
Total Diversion: (.300 CFS)

Date Filed: 8/ 9/ 1990

In: T01N R38E S01	NENE	SWNE	SENE	NESE
	NWSE	SWSE	SESE	
S12	NWNE	NENW		

MICROFILMED

JAN 13 1991

10-Sep-1990

DEPT. OF HEALTH & WELFARE
DIVISION OF ENVIRONMENTAL QUALITY
224 S. ARTHUR
POCATELLO, ID 83204

RE: Application for PERMIT NO. 25-7579, 25-7578

Dear Sir:

We are enclosing a copy of the applications that may be of interest to your department. Please review the applications and submit any comments you may have to our Department as soon as possible. The last date of protest is OCTOBER 8, 1990, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Respectfully submitted,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb
enc.

MICROFILMED

JAN 03 1991

22-Aug-1990

COMORE LOMA WATER CORP.
5355 NEVESO CIRCLE
IDAHO FALLS, ID 83406

RE: Application for Permit No. 25-7578

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Post-Register on SEPTEMBER 20 & 27, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

MICROFILMED

JAN 03 1991