


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Corporation of the Presiding Bishop of the Church of Jesus Christ of Latter-day Saints, a Utah Corporation sole

AUTHORIZED AGENT (Applicant)

John A. Boh

JHR



POINT OF DIVERSION

25-7571
SEP 11 1996

This topographic map depicts the Henry area, featuring a grid system with section numbers 16, 21, and 28. Key geographical features include the Henry River, a canal, and a golf course. Infrastructure such as roads (e.g., Road 4691, Road 4723), a spillway, and a highway (4700) are shown. Elevation contours are marked at 4680, 4700, and 4800 feet. A handwritten note 'PD = P.U.' is present near section 21. The map also shows a 'COUNTRY CLUB' and a 'LANDING' area.

application
e Presiding Bish
after-day Saints

AUTH-

112

Primary highway,	Light-duty road, hard or
------------------	--------------------------

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07571

Priority: July 10, 1989

Maximum Diversion Rate:

0.20 CFS

Maximum Diversion Volume:

1.1 AF

This is to certify, that CHURCH OF JESUS CHRIST LATTER DAY SAINTS

REAL ESTATE DIVISION

12TH FLOOR

50 E N TEMPLE ST

SALT LAKE CITY UT 84150

has complied with the terms and conditions

of the permit, issued pursuant to Application for Permit dated July 10, 1989; and has submitted Proof of Beneficial Use on November 15, 1990. An examination indicates that the works have a diversion capacity of 0.200 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.20 CFS	1.1 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSE , Sec. 21, Township 01N, Range 38E
BONNEVILLE County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

01N 38E 21

NWSE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.

SEP 11 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07571

CONDITIONS OF APPROVAL AND REMARKS

6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. Commercial use is for a shop, office, packing shed for fresh potatoes, and humidifier for potato cellar.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 22ND
day of AUGUST, 1996.

Acting for


KARL J. DREHER, Director

SEP 1 1996

NOV 15 1990

STATE OF IDAHO

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

510-8977

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 25-07571 Telephone No. 801-240-4074

Name(s) of Permit Holder(s): Church of Jesus Christ of Latter-day Saints

Post Office Address: Real Estate Div., Natural Resource Sec., 12th Fl.E.
50 E. North Temple St., Salt Lake City UT 84150

Source of Water: Groundwater

If ground water, well driller's name: NA Date drilled: Nov 1987

Extent of Use:
Domestic (No. of households) Irrigation (No. of acres)
Stockwater (No. and type of stock) Other Commercial

Total rate and/or volume for which proof is submitted 0.20 cfs acre/feet

Show date water was first diverted and beneficially used under this permit: Nov 1987

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes XNo Installed? Yes XNo

OR

Flow Measurement Port: Required? Yes XNo Installed? Yes XNo

Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Mark Thompson 524-4598
Name Telephone

St. Clair Rd & Canyon Rd., Idaho Falls, Idaho 84304
Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Corporation of the Presiding Bishop of the Church of Jesus Christ of Latter-day Saints

Date 11/12/90 Signature Paul A. Baker (and title if on behalf of a company or organization)

AUTHORIZED AGENT

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 25-07571

Proposed Priority: July 10, 1989 Maximum Diversion Rate: 0.20 CFS
This is to certify, that CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
COMMERCIAL	01/01 to 12/31	0.20 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		NWSE Sec. 21, Township 01N, Range 38E BONNEVILLE County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

01N 38E 21 NWSE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1991.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Commercial use is for a shop.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

27th day of September, 1990.

MICROFILMED

OCT 16 1990

for

R. Keith Higginson
R. Keith Higginson, Director

25-7571

Form 202
6/88

Ident. No. _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

JUN 10 1989

JUN 10 1989

To appropriate the public waters of the State of Idaho

Department of Water Resources

1. Name of applicant Church of Jesus Christ Latter Day Saints Phone (801) 240-2929
Real Estate Division, Twelfth Floor
 Post office address 50 East North Temple Street Salt Lake City, UT 84150

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is _____ 1/4 of NW 1/4 of SE 1/4, Govt. Lot _____
 Sec. 21 Township 1N Range 38E B.M. Bonneville County; additional
 points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.20 for Commercial purposes from 1-1 to 12-31 (both dates inclusive)
 (cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
 (cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.20 and/or (b) _____
 cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well, pump, pipeline.
5 HP submersible pump, well drilled in Nov. 1987

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
 reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
 _____ to _____ inclusive.

c. Proposed well diameter is 8 inches; proposed depth of well is 250 feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

RECEIVED

OCT 16 1990

8. Description of proposed uses (if irrigation only, go to item 9):

a. Hydropower; show total feet of head and proposed capacity in KW. _____

b. Stockwatering; list number and kind of livestock. _____

c. Municipal; show name of municipality. _____

d. Domestic; show number of households. _____

e. Other; describe fully. Commercial use for 1 shop, potato cellar humidifier, packing shed for fresh potatoes, restrooms and office.

9. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1N	38E	21														C			

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Applicant

b. Who owns the land to be irrigated or place of use? Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____


12. Remarks: Idaho Falls Taylor View Farm

Pump rated at 90 gpm

RECEIVED

OCT 18 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Corporation of the Presiding Bishop of the Church of Jesus Christ of Latter-day Saints, a Utah Corporation sole

Judith A. Boh
 AUTHORIZED AGENT (Applicant)

JHR

Received by RB CP Date 7-9-90 7/10/89 Time 2:00 Preliminary check by DMD
Fee \$ 30.00 Receipted by K. Young # C008141 Date 7/11/89
Publication prepared by RB Date 8-16-23-90 Published in Last-Register
Publication approved aw Date 9-11-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:


a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:



**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s) have been
filed to appropriate the public waters of the
State of Idaho:

25-07571

CHURCH OF JESUS CHRIST LATTER
DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 EAST NORTH TEMPLE STREET
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversion Pt: NWSE Sec 21 T 01N R 38E
Use: COMMERCIAL (.200 CFS)
Total Diversion: (.200 CFS)
Date Filed: 7/10/1990
In: T01N R38E S21 NWSE
25-07572

CHURCH OF JESUS CHRIST LATTER
DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 EAST NORTH TEMPLE STREET
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversion Pt: SWSWSW Sec 29 T 02N R
38E
Use: IRRIGATION (.150 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.190 CFS)
Date Filed: 7/11/1990
In: T02N R38E S29 SWSW
5.0 ACRES TOTAL
25-07573

CHURCH OF JESUS CHRIST LATTER
DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 EAST NORTH TEMPLE STREET
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversion Pt: SWSWSE Sec 3 T 02N R
38E
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 7/10/1990
In: T02N R38E S03 SWSE
25-07574

CHURCH OF JESUS CHRIST LATTER
DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 EAST NORTH TEMPLE STREET
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversion Pt: NESE Sec 29 T 03N R 38E
Use: IRRIGATION (.150 CFS)
DOMESTIC (.080 CFS)
Total Diversion: (.200 CFS)
Date Filed: 7/10/1990
In: T03N R38E S29 NESE
7.5 ACRES TOTAL
25-07575

CHURCH OF JESUS CHRIST LATTER
DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 EAST NORTH TEMPLE STREET
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversion Pt: NENENE Sec 10 T 02N R
38E
Use: DOMESTIC (.040 CFS)
Total Diversion: (.040 CFS)
Date Filed: 7/10/1990
In: T02N R38E S10 NENE
25-07576

ARTIN, STEPHEN E.
P.O. BOX 50130
IDAHO FALLS, ID 83405
Source: GROUNDWATER
Diversion Pt: NWNW Sec 15 T 02N R 39E
Use: IRRIGATION (.20,500 CFS)
Total Diversion: (.20,500 CFS)
Date Filed: 4/27/1990
In: T02N R39E S10 NESW NWSW SWSW
SESW NWSE SWSE
S15 NENE NWNE SWNE SENE NENW
NWNW SWNW SENW NESW NWSW
SESW NESE NWSE SWSE SESE
S16 NENE NWNE SWNE SENE NENW
NWNW SENW NESE
1025.0 ACRES TOTAL
35-08902

CHURCH OF JESUS CHRIST LATTER
DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 EAST NORTH TEMPLE STREET
SALT LAKE CITY, UT 84105
Source: GROUNDWATER
Diversion Pt: SWNENE Sec 27 T 02N R
37E
Use: IRRIGATION (.200 CFS)
DOMESTIC (.080 CFS)
Total Diversion: (.200 CFS)
Date Filed: 7/10/1990
In: T02N R37E S27 NENE SENE
10.0 ACRES TOTAL

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A, Idaho
Code and/or the new public interest
criteria of Sec. 42-203C, Idaho Code. Protests
must be filed with the Director, Dept. of
Water Resources, 150 Shoup Ave., Suite
15, Idaho Falls, Idaho 83402 on or before
SEPTEMBER 3, 1990.

R. Keith Higginson, Director
Published: August 16, 23, 1990

RECEIVED

AUG 28 1990

Department of Water Resources
Eastern District Office

OUT 16 1990

Proof of Publication

The Post-Register

State of Idaho, }
County of Bonneville } ss

I, ... Ted Delezene, first being duly sworn, depose and say: That I am the Foreman of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers have been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eight (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.


That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for Two consecutive weeks, first publication having been made on the 16th day of August 1990, last publication having been made on the 23rd day of August 1990, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this

Ted Delezene
24th day of August, 1990
Cathy van Borstel
Notary Public

My commission expires March 5, 1996

B10





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 23, 1996

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E N TEMPLE ST
SALT LAKE CITY UT 84150

RE: WATER RIGHT NO. 25-07571

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

SEP 11 1996

MEMORANDUM

TO: File 25-07571

FROM: Sharla

DATE: August 15, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 25-07571 are based on the following.

H. RECOMMENDATIONS

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Commercial	1/1 - 12/31	0.20 cfs	1.1 afa

A theoretical calculation yields 0.20 cfs and the farm manager states that system produces 90 gpm; the license can be issued for the permitted rate. Volume has been calculated as: volume normally allowed for in-house domestic use to cover the shop, packing shed and office, the potato cellar humidifier volume is based upon 36 gallons/hr X 12 hrs/day - 0.5 af, for a total volume of 1.1 af.

No amendments are required.

Examiner: Keith Wilson
Exam Date: June 2, 1994

SEP 13 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 25-07571

DATE 8/15/96

REVIEWER: S H A R L A

NAME	Change <u>—</u>	OK <u>✓</u>	Address Change <u>No</u>
SOURCE	Change <u>—</u>	OK <u>✓</u>	Is change clarification of originally intended source? <u>—</u> If not, prepare Notice of Intent to Void <u>—</u>
POINT OF DIV	Change <u>—</u>	OK <u>✓</u>	Amendment required <u>No</u>
PLACE OF USE	Change <u>—</u>	OK <u>✓</u>	Amendment required <u>No</u>

Does map agree with written description? — yes — no

OVERLAPS — P/D — P/U

RATE OF DIV

Permitted Rate .20 cfs

Fee limit .20 cfs \$5000

Measured — cfs

Theoretical .20 cfs

$90 \text{ gpm} = .20$
 $5 \times 8.8 \times .785 + (2.31 \times 30) = .2$
 Recommended Total Div Rate .20 cfs

ANNUAL VOLUME/ NATURE OF USES

Use Comm.

Volume Calculation

humidifier:
 $36 \text{ gal/hr} \times 12 \text{ hrs/day} \times 365 \text{ days}$
 $325,800 = .5 \text{ af}$

restrooms/shop in house .6 af

SUBTOTAL 1.1 af

Flow rate .20 cfs $\times 365 \text{ days} \times 1.983 = 144.5 \text{ af}$

Total volume recommended 1.1 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

C/ Shop office
potatoes & humidifier for potato
cellar.

CONDITIONS — Watermaster Control WD# —

— GW Measurement/Measuring Device

— Overlap

— Use-specific conditions 048,049

Advancement of Priority Date Required — yes ✓ no

SRBA Claim Filed N/A

Adjustment Memo # rate/volume

1st Amend Letter N/A

2nd Amend Letter N/A

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 30 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 25-7571

1. Owner: Church of Jesus Christ Latter-day Saints
Real Estate Division, 12th Floor

Phone No. 801-240-4074

Current Address: 50 E. N. Temple St. Salt Lake City UT 84150

2. Accompanied by: Mark Thompson

EXAM DATE: 2 June 1994

Address: 10591 S. 15th East Idaho Falls Id 83404

Phone No. 524-4598

Relationship to Permit Holder: Farm Manager

3. Source: GROUNDWATER

tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SE	21	1N	38E	Bonneville	USGS Map + on site inspection


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
1N	38E	21													C				

SEP 11 1996

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Red Jacket	5	Model 50071		Submersible pump
			Control Box		and Motor

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Theoretical

SEP 11 1986

E. NARRATIVE/REMARKS/COMMENTS

Well, pump mainline to Shop, fresh packing shed, and bathroom
and humidifiers for potato cells.

According to Mark Thompson: 90 gpm and can fill a 2000 gal
tank in about 20 min

No Measurement possible

Have conditions of permit approval been met? ☒ yes ☐ no

SEP 11 1996

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Commercial</u>	<u>1/1</u>	<u>12/31</u>	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			_____	_____

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ☒ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name KEITH C. WILSON Date 2 June 1994

Reviewer _____ Date _____

SEAL

SEP 1 1996




POINT OF DIVERSION

25-7574

1996

d project: show clearly the proposed p
ange number.



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>L.D.S. South Stake Farm</u> <u>P.O. Box 138j</u> Address <u>Idaho Falls, Idaho 83401</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>65</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>OF.</u> Quality <u>Good</u> Describe artesian or temperature zones below																																																																																								
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailer ☐ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																					
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																							
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr><td>8</td><td>0</td><td>15</td><td>Soil</td><td></td><td>X</td></tr> <tr><td>8</td><td>15</td><td>110</td><td>Gravel & sand</td><td></td><td>X</td></tr> <tr><td>8</td><td>110</td><td>125</td><td>Gravel & sand</td><td>X</td><td></td></tr> <tr><td>8</td><td>125</td><td>150</td><td>Clay, some gravel</td><td></td><td>X</td></tr> <tr><td>8</td><td>150</td><td>165</td><td>Gravel & some sand</td><td>X</td><td></td></tr> <tr><td>8</td><td>165</td><td>167</td><td>Sandstone</td><td></td><td>X</td></tr> <tr><td>8</td><td>167</td><td>170</td><td>Sand red</td><td></td><td>X</td></tr> <tr><td>8</td><td>170</td><td>180</td><td>Sand & clay</td><td></td><td>X</td></tr> <tr><td>8</td><td>180</td><td>185</td><td>Sandstone</td><td></td><td>X</td></tr> <tr><td>8</td><td>185</td><td>225</td><td>Clay & shale</td><td></td><td>X</td></tr> <tr><td>8</td><td>225</td><td>245</td><td>Clay & shale</td><td></td><td>X</td></tr> <tr><td>8</td><td>245</td><td>250</td><td>Loose shale</td><td>X</td><td></td></tr> <tr><td>8</td><td>250</td><td>255</td><td>Gravel, some clay</td><td>X</td><td></td></tr> </tbody> </table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	8	0	15	Soil		X	8	15	110	Gravel & sand		X	8	110	125	Gravel & sand	X		8	125	150	Clay, some gravel		X	8	150	165	Gravel & some sand	X		8	165	167	Sandstone		X	8	167	170	Sand red		X	8	170	180	Sand & clay		X	8	180	185	Sandstone		X	8	185	225	Clay & shale		X	8	225	245	Clay & shale		X	8	245	250	Loose shale	X		8	250	255	Gravel, some clay	X	
Bore Diam.	Depth		Material	Water																																																																																					
	From	To		Yes	No																																																																																				
8	0	15	Soil		X																																																																																				
8	15	110	Gravel & sand		X																																																																																				
8	110	125	Gravel & sand	X																																																																																					
8	125	150	Clay, some gravel		X																																																																																				
8	150	165	Gravel & some sand	X																																																																																					
8	165	167	Sandstone		X																																																																																				
8	167	170	Sand red		X																																																																																				
8	170	180	Sand & clay		X																																																																																				
8	180	185	Sandstone		X																																																																																				
8	185	225	Clay & shale		X																																																																																				
8	225	245	Clay & shale		X																																																																																				
8	245	250	Loose shale	X																																																																																					
8	250	255	Gravel, some clay	X																																																																																					
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>11/26/86</u> finished <u>12/4/86</u>																																																																																								
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>250</u> inches</td> <td><u>8</u> inches</td> <td><u>1</u> feet</td> <td><u>256</u> feet</td> </tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth 20+ Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port _____ Well Cap _____	Thickness	Diameter	From	To	<u>250</u> inches	<u>8</u> inches	<u>1</u> feet	<u>256</u> feet													Number	From	To										11. DRILLERS CERTIFICATION I/We certify that _____ well construction standards were complied with at the time the rig was removed. Firm Name <u>Andrew Well Drilling</u> Firm No. <u>5</u> Address <u>1268 E. 17th Street</u> Date <u>12/8/86</u> <u>Idaho Falls, Idaho 83401</u> Signed by (Firm Official) <u>Paul J. Andrew</u> and <u>Dorrel Ashbocker</u> (Operator)																																																								
Thickness	Diameter	From	To																																																																																						
<u>250</u> inches	<u>8</u> inches	<u>1</u> feet	<u>256</u> feet																																																																																						
Number	From	To																																																																																							
6. LOCATION OF WELL Sketch map location must agree with written location. Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Bonneville</u> NE 1/4 SW 1/4 Sec. 21 T. 1 N. R. 38 E. W.	12. RECEIVED MAY 5 1987 Department of Water Resources Eastern District Office RECEIVED MAY 07 1987 Department of Water Resources RECEIVED MAR 04 1987																																																																																								

November 30, 1990

Ronald C. Johnson
Church of Jesus Christ of
Latter-Day Saints
Twelfth Floor, RM-1241
50 East North Temple St.
Salt Lake City, UT 84150

RE: RETURNED PROOF OF BENEFICIAL USE FORM AND LICENSE EXAMINATION FEE
- 65-12826

Dear Mr. Johnson:

On November 15, 1990 you submitted completed proof of beneficial use forms and license examination fees in connection with the water right permits listed below:

<u>Water Right No.</u>	<u>License Exam. Fee</u>
25-07571	\$ 50
25-07572	50
25-07573	0
25-07574	50
25-07575	0
65-12826	50
65-13248	100
	<u>\$300</u>

The department issued Receipt No. C018879 in connection with the fee submittal. Enclosed is a copy of the receipt.

Returned is the proof of beneficial use form submitted in connection with permit 65-12826. The proof is not appropriate since proof of beneficial has previously been submitted on March 17, 1989. The permit is being reviewed for the issuance of a license. The license examination fee submitted in connection with this permit in the amount of \$50 will be returned to you under separate cover.

RECEIVED

MAR 04 1991

Ronald C. Johnson

-2-

November 30, 1990

Please feel free to contact the department if you have questions.

Sincerely,

RITA I. FLECK
Secretary/Records Manger

Encl: 2

c: Fiscal Sec.

RECEIVED

MAR 04 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 25-7571

Date: 11-29-90

General Considerations:

5 Name same as permit
4 Signature the same as permit holder
1 Address change _____ If yes, prepare a data entry
4 Proof received timely
_____ Reinstated

Source of Water:

_____ Surface water
4 Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

4 Rate of diversion appropriate for uses
4 Is rate or volume and fee appropriate?
4 Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

1/1 Is a measuring device or access port required?
1/1 Has one been installed?
1/1 Waiver or modification of measuring device requested

Remarks:

Proof acceptable

1/1 Priority Calculation:
Date proof received _____

Date proof due _____ - _____

No. of days late _____ = _____

Priority date _____ + _____

NEW PRIORITY DATE _____ = _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

THE CHURCH OF
JESUS CHRIST
OF LATTER-DAY
SAINTS

REAL ESTATE DIVISION
Twelfth Floor, RM-1241
50 East North Temple Street
Salt Lake City, Utah 84150
Phone (801) 240-4074

Reference reply to:

November 12, 1990

RECEIVED
NOV 15 1990

Ms. Rita I. Fleck
Secretary/Records Manager
State of Idaho Dept. of Water Resources
1301 North Orchard St.
Statehouse Mail
Boise ID 83720

Department of Water Resources

Dear Ms. Fleck,

Attached are the signed documents with the required checks for the license examination for the water permits listed below. Please note that each water permit shows the property name, our property number and the fee according to your published schedule.

<u>Permit #</u>	<u>Property #</u>	<u>Property Name</u>	<u>Fee</u>
36-04209	504-2178	Emerson 1,2	100.00
36-04210	504-2240	Heyburn 1,2	50.00
36-10484	503-8677	Wendall 1,2&	0
36-11255	504-2011	Acequia 1,2,3	50.00
36-11256	501-9982	Rupert ID & W. Stakes Rec Prop	100.00
<u>Total</u>			<u>\$300.00</u>
25-07571✓	510-8977	Wel ID Idaho Falls Taylor View Fm	50.00
25-70572✓	515-3727	Idaho Falls 35,45, Home Ranch	50.00
25-07573✓	516-4362	Idaho Falls Sem. (Bonneville High)	0
25-70574✓	527-8333	Coltman 3, Idaho Falls 41	50.00
25-07575✓	527-7434	Idaho Falls Sem (Bonneville Jr.High)	0
65-12826	531-1896	ID Cascade	50.00
65-13248✓	531-1896	ID Cascade	100.00
<u>Total</u>			<u>\$300.00</u>

We thank you for your assistance.

Sincerely,

Ronald C. Johnson
Ronald C. Johnson
Water Analyst

RCJ:ja
enc.

RECEIVED

MAR 04 1991

S T A T E O F I D A H O
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
September 28, 1990

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 25-07571

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

OCT 16 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ: SC
Enclosures

MICROFILMED

OCT 16 1990

Form No. 202a
4/87STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY Dennis Dunn DATE 24 July 90 APPLICATION NUMBER 25 7571
LDS ChurchREQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trustwater supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acres (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

RECEIVED
SEP 11 1990
Department of Water Resources

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT _____

Date Requested _____

PROCESSING ☒ Yes ☒ No in form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 9-3-90
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. 01-705
☐ Yes ☐ No Special conditions of approval or cover letter below.

See below for additional information
Date of priority recommended 7-11-89 7-10-89
By HGJ Date 9-12-90

STATE OFFICE REVIEW P05, P23 P16 48 49 46
By KW See below for additional information
Date 9-21-90

ADDITIONAL INFORMATION

App. in NON-TRUST area-

09-Aug-1990

CHURCH OF JESUS CHRIST OF
LATTER DAY SAINTS
REAL ESTATE DIVISION, TWELFTH FLOOR
50 EAST NORTH TEMPLE STREET
SALT LAKE CITY, UT 84150

RE: Application for Permit No. 25-7571,-7572,-7573,-7574,-7575,
& 35-8902

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Post-Register on AUGUST 16 & 23, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES

MICROFILMED

OCT 16 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

AUGUST 6, 1990

THE POST-REGISTER
P.O. BOX 1800
IDAHO FALLS, ID 83403

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 3, 1990.

Yours truly,

Rita Bodell
Secretary

Encl.

RECEIVED

OCT 16 1990

25-07571

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 EAST NORTH TEMPLE STREET
SALT LAKE CITY, UT 84150

Source: GROUNDWATER

Diversion Pt: NWSE Sec 21 T 01N R 38E

Use: COMMERCIAL (.200 CFS)
Total Diversion: (.200 CFS)

Date Filed: 7/10/ 1990

In: T01N R38E S21 NWSE

RECORDED

JUL 11 1990

ADJUDICATION FILING FEES FOR IDAHO

JUN 10 1989

Department of Water Resources

PROPERTY IDENTIFICATION

Idaho State Water Right Permit # _____ *New Application*
LDS Church Property # 5108977

FEE CALCULATIONS

Domestic, stockwatering, fire protection, etc. \$ _____
Flat fee for irrigation. \$ _____

RECEIVED
JUL 10 1989

VARIABLE FEE SCHEDULE

Irrigation (\$1.00 per acre). \$ _____
Power Generation (\$3.00 per kilowatt) \$ _____
Aquaculture (\$10.00 per cfs) \$ _____
All other uses (\$100.00 per cfs) \$ _____

Department of Water Resources

Other charges. \$ 30.00 *new app.*

TOTAL \$ 30.00

DATE 6-12-89

Carter Fritschle

Carter Fritschle
Idaho Dept. of Water Resources

Glen Nielson

Glen Nielson
Field Representative
Church of Jesus Christ
of Latter-day Saints

MICROFILMED

OCT 16 1990