

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Garry Foster
(Applicant)
Title STAKE PRESIDENT: RIRIE IDAHO STAKE

Proof of Publication
The Post-Register

RECEIVED

JUL - 2 1990

Department of Water Resources
Eastern District Office

State of Idaho, }
County of Bonneville } ss

I, Ted Delezene, first being duly sworn, depose and say: That I am the
Foreman of The Post Company, a corporation of Idaho Falls, Bonneville
County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except
Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in
the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903,
such consolidation being made on the 1st day of November, 1931, and each of said newspapers have been
published continuously and uninterruptedly, prior to consolidation, for more than seventy-eight (78) weeks and
said Post-Register having been published continuously and uninterruptedly from the date of such consolidation,
up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in
said Post-Register for 2 consecutive weeks, first publication having been made
on the 21st day of June, 1990, last publication
having been made on the 28th day of June, 1990, and that the
said notice was published in the regular and entire issue of said paper on the respective dates of publication, and
that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 29th day of

Ted Delezene
Cathy von Borstel
Notary Public

My commission expires March 5, 1996

B10

**NOTICE OF APPLICATION
FOR WATER RIGHT**
The Following application(s) have been
filed to appropriate the public waters of the
State of Idaho:
25-07568
**CHURCH OF JESUS CHRIST LATTER
DAY SAINTS, RIRIE IDAHO STAKE**

3295 ELDER ST., SUITE 350
BOISE, ID 83720
Source: GROUNDWATER
Diversion Pt: SENW Sec 5 T 03N R 40E
Use: IRRIGATION (.090 CFS)
DOMESTIC (.060 CFS)
Total Diversion: (.090 CFS)
Date Filed: 4/10/ 1990
In: T03N R40E S05 SENW
3.0 ACRES TOTAL


The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A, Idaho
Code and/or the new public interest cri-
teria of Sec. 42-203C, Idaho Code. Protests
must be filed with the Director, Dept. of
Water Resources, 150 Shoup Ave., Suite
15, Idaho Falls, Idaho 83402 on or before
JULY 9, 1990.

R. Keith Higginson, Director
Published: June 21, 28, 1990

MICROFILMED

SEP 04 1990

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

 = IRRIGATED LAND ~ 1 AC. TOTAL

Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and placement of use required.

Aerial Photo Attached Required for irrigation of 10+ acres

Plan of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Unknown	5*			

*Code to correspond with No. on map and aerial photo

* From Proof of BENEFICIAL USE

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

From well log, static water level 90'

MICROFILMED

JUN 26 1995




Fig. 1 - Point of diversion west of church.



Fig. 2 - Church building and lawn area at place of use.

25-07568

MISSOURI MED
JUN 26 1995



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07568

Priority: April 10, 1990

Maximum Diversion Rate:

0.09 CFS

Maximum Diversion Volume:

8.1 AF

This is to certify, that CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS
50 E N TEMPLE ST

SALT LAKE CITY UT 84150

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 10, 1990; and has submitted Proof of Beneficial Use on August 23, 1993. An examination indicates that the works have a diversion capacity of 0.170 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.03 CFS	4.0 AF
DOMESTIC	01/01 to 12/31	0.06 CFS	4.1 AF
	Totals	0.09 CFS	8.1 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 5, Township 03N, Range 40E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	40E	5	SENE	1		1

Total number of acres irrigated: 1

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.

JUN 26 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07568

CONDITIONS/REMARKS:

6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.
7. Domestic use is for a church building.
8. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 15TH day of JUNE, 1995.

Acting for

KARL J. DREHER, Director

RECEIVED
JUN 26 1995

RECEIVED

AUG 23 1993

Department of Water Resources

OFFICE USE ONLY
Amt. of Fee \$ 50.00
Date 8-23-93
Receipt No. CO 28412
Receipt by [Signature]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 25-07568 Telephone No. 208 538 7372
2. Name(s) of Permit Holder(s): The CHURCH of JESUS CHRIST of LATTER DAY SAINTS
3. Mailing Address: 50 East North Temple Street Salt Lake City, Utah 84150
4. Source of Water: Ground Water

If **GROUNDWATER**, Well Driller's Name: Denning Well Drilling Inc. Date Drilled: 3-26-90

OPTIONAL:

Pump horsepower: 5 hp Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use (as authorized by the permit):

Domestic x (No. of households) Stockwater _____ (No. and type of stock)
Irrigation 3 (No. of acres) Other Church Meeting House

6. Total rate and/or volume for which proof is submitted 0.09 cfs OR _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? _____ Yes 1 No Installed? _____ Yes _____ No

OR
Flow Measurement Port: Required? _____ Yes 1 No Installed? _____ Yes _____ No

8/23/93
per tele con
K Gustafson

8. Fee Enclosed: \$ 50.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

L. Kay Luthy

208-538-7372

Name

Telephone No.

16726 East Ririe HWY

Ririe Idaho 83443

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED

19 Aug 93 Date Kay Luthy Signature (and title, if on behalf of a company or organization) State P.F.R.

DEC 01 1993

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 25-07568

Proposed Priority: April 10, 1990 Maximum Diversion Rate: 0.09 CFS

This is to certify, that **CHURCH OF JESUS CHRIST LATTER DAY SAINTS**
RIRIE IDAHO STAKE
3295 ELDER ST. #350
BOISE, ID 83720

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.09 CFS
DOMESTIC	01/01 to 12/31	0.06 CFS
	Totals	0.09 CFS

LOCATION OF POINT(S) OF DIVERSION: SENW Sec. 5, Township 03N, Range 40E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	40E	5	SENW	3		3

Total number of acres irrigated: 3

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **September 1, 1993**.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.
7. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.

MICROFILMED

SEP 04 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 25-07568

CONDITIONS/REMARKS:

8. Domestic use is for a church.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

16th day of August, 1990

R. Keith Higginson
for R. Keith Higginson, Director

MICROFILMED

SEP 04 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant The Church of Jesus Christ of latter Day Saints Phone 208-342-2735
Ririe Idaho State
Post office address 3295 ELDER ST. STE 350 BOISE, IDAHO 83705*
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of SE 1/4 of NW 1/4, Govt. Lot _____
Sec. 5 Township 3N Range 40E B.M. Bonaville County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .06 for Domestic purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .09 for Irrigation purposes from 1 April to 1 Nov (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .09 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. well and pump to the church and
a sprinkler system
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 10" inches; proposed depth of well is 300' feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
3 years (minimum 1 year).

MICROFILMED

SEP 04 1990

*kw 8/9/90

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. Industrial: for use within the church during construction:
Domestic after that.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	40E	5								D/3									3

Total number of acres to be irrigated 3

10. Describe any other water rights used for the same purposes as described above. none


11. a. Who owns the property at the point of diversion? applicant
- b. Who owns the land to be irrigated or place of use? applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

NOT FILMED

SEP 04 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

SEP 14 1990

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Shirley Foster
(Applicant)
Title STATE PRESIDENT: RIVER INLAND STATE

Received by LB Date 4-10-90 Time 11:05 Preliminary check by _____
Fee \$ 30 Receipted by HLS # E013029 Date 4-10-90
Publication prepared by LB Date 6-21-28-90 Published in Last-Register
Publication approved LB Date 7-16-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

SEP 04 1990

Proof of Publication

The Post-Register

RECEIVED

JUL - 2 1990

Department of Water Resources
Eastern District Office

State of Idaho, }
County of Bonneville } ss

I, Ted Delezene, first being duly sworn, depose and say: That I am the Foreman of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers have been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eight (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for 2 consecutive weeks, first publication having been made on the 21st day of June, 1990, last publication having been made on the 28th day of June, 1990, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 29th day of June, 1990

Ted Delezene
Cathy van Bortel
Notary Public

My commission expires March 5, 1996

B10

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

25-07368

CHURCH OF JESUS CHRIST LATTER
DAY SAINTS, Ririe Idaho Stake

3295 ELDER ST., SUITE 350
BOISE, ID 83720

Source: GROUNDWATER

Diversion Pt: SENW Sec 5 T 03N R 40E

Use: IRRIGATION (.090 CFS)

DOMESTIC (.060 CFS)

Total Diversion: (.090 CFS)

Date Filed: 4/10/1990

In: T03N R40E S05 SENW

3.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 130 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before JULY 9, 1990.

R. Keith Higinson, Director

Published: June 21, 22, 1990

RECEIVED

SEP 04 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 15, 1995

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E NORTH TEMPLE ST
SALT LAKE CITY UT 84150

RE: WATER RIGHT NOS. 25-07568/25-07575/36-08428/36-08430

Dear Water Right Holders(s):

Enclosed are copies of the Water Right Licenses issued on the above referenced permits. If you have any questions, please contact me within 10 days of receipt of these licenses.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosures

RECEIVED

JUN 26 1995

LICENSE REVIEW
Cindy Zimmerman

Permit #: 25-7868 Name: Norman Church Date: 6/7/95
App Rcd 4/10/90 Priority 4/10/90 Examined 7/25/94 ✓ Lots ✓

NAME Chng OK Or Address Change? NO

SOURCE — ✓ Clarify source —
— Prelim. Order to Void - Source change.

P/D — ✓ Amendment Needed? clarify NE SENW -P39, P38
Overlap(s) NONE

P/U — ✓ Amendment Needed? reduce to 1A -P41, P38
Overlap(s) NONE
*P/D & P/U Amend? P37, P38
(See paragraph list for governmental agencies)

RATE — ✓ Permit/fee limits: 0.09 / 0.09
— ✓ Measured Q= — cfs Theoretical Q= 0.17 cfs
(dom) $0.06 \times (irr/1A) 0.03 = 0.09$ cfs
(HP) $8.8 \times 0.70 \times 5 = 30.8$
 $70 + (2.31 \times 40) = 182.4 = 0.17$ cfs
Recommended rate 0.09 cfs

VOLUME — ✓ Season of Use: (Dem) (4/1 - 12/31) = 365 days
Calculations: (irr 1A) 24.0 AF + (dom) 4.1 AF = 8.1 AF
Flow limit: 0.03 x 214 x 1.9835 = 12.7 AF
Recommended volume 8.1 AF

USES — ✓ Same Nature of Use? — -P46
— Amendment Needed? —

REMARKS — Multiple p/d's in 1/4?
— Irrigation water overlap (WB3) (If gw use sw)
✓ DWB3 / church bldg

CONDITIONS — Measuring (R01)/Locking (R02) Devices
— Watermaster Control (R04) - WD # —
R51 Irrigation rate/volume overlap
— Water Quality/Other

PRIORITY 4/10/90 Correct fee? Yes/No Receipt # 6028412
Order to Reinstate Needed? Yes/NO Done? —
Advance(d)? Yes/NO Advance(d) to: —

COMMENTS: reduce to 1A

RECOMMENDED	CFS	DIV VOL	Adjustment Memo
<u>irr / 1A</u>	<u>0.03</u>	<u>4.0</u>	
<u>Dom / church</u>	<u>0.06</u>	<u>4.1</u>	
<u>TOTAL</u>	<u>0.09</u>	<u>8.1</u>	

LICENSE: P49
#1 AMEND LTR: P46 or
P39/P41/P37 & P38
#2 AMEND LTR: P42/P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 29 1994

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 25-07568

1. Church of Jesus Christ Latter Day Saints Phone: (801) 240-2929
Real Estate Division, Twelfth Floor
50 East North Temple Street, Salt Lake City UT 84150

2. Accompanied by: Ron Johnson - Ron con EXAM DATE: 7-25-94

Address: Sumit

Phone No.

Relationship to Permit Holder: Natural Resource Mgmt.

3. Source: GROUNDWATER tributary to

B. OVERLAP REVIEW

1. Other water rights with the same place of use: — None

2. Other water rights with the same point of diversion: None

C. DIVERSION AND DELIVERY SYSTEM


1. Point(s) of Diversion:

[illegible]

2. Place(s) of Use:

Indicate Method of Determination Same[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Unknown	5"			

*Code to correspond with No. on map and aerial photo

* From ADULT or BENEFICIAL USE

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: From well log, static water level 90'

RECEIVED

JUN 26 1995




Fig. 1 - Point of diversion west of church.



Fig. 2 - Church building and lawn area at place of use.

25-07568

INDEXED

JUN 26 1995

8881 FILE COMP

RIGBY SE QUADRANGLE

IDAHO - BONNEVILLE CO.

7.5 MIN 32 33 ERIES (TOPOGRAPHIC)

4 JBY 15' QUADRANGLE

3671 11' (MEI)

R. 39 E. R. 40 E.

47'30"

31 32


6 5

5

610 000 FEET

111°45'

43°37'30"



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER C/O H.E. Construction Brian Egall Name <u>Russell & 2. Wheel Strike Co. Inc.</u> Address <u>344 E. 4300 E. Highway 71 83140</u> Owner's Permit No. <u>43-135-E-CC-2</u> <u>WR# 25-176-E-CC-2</u>		7. WATER LEVEL Static water level <u>90'</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ Describe artesian or temperature zones below _____																																											
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailer ☐ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped																																							
Discharge G.P.M.	Pumping Level	Hours Pumped																																											
3. PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yes No</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td>8"</td><td>0</td><td>5'</td><td>Clay</td><td> </td></tr><tr><td> </td><td>5'</td><td>6'</td><td>Sand & Gravel</td><td> </td></tr><tr><td> </td><td>6'</td><td>9'</td><td>Shale</td><td> </td></tr><tr><td> </td><td>9'</td><td>11'</td><td>Shale</td><td> </td></tr><tr><td> </td><td>11'</td><td>12'</td><td>Shale</td><td> </td></tr><tr><td> </td><td>12'</td><td>13'</td><td>Fractured Sand</td><td> </td></tr><tr><td> </td><td>13'</td><td>15'</td><td>Under Fractured Basalt</td><td> </td></tr></tbody></table>		Bore Diam.	Depth		Material	Water Yes No	From	To	8"	0	5'	Clay			5'	6'	Sand & Gravel			6'	9'	Shale			9'	11'	Shale			11'	12'	Shale			12'	13'	Fractured Sand			13'	15'	Under Fractured Basalt	
Bore Diam.	Depth		Material		Water Yes No																																								
	From	To																																											
8"	0	5'	Clay																																										
	5'	6'	Sand & Gravel																																										
	6'	9'	Shale																																										
	9'	11'	Shale																																										
	11'	12'	Shale																																										
	12'	13'	Fractured Sand																																										
	13'	15'	Under Fractured Basalt																																										
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____																																													
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>8" inches</td><td>20" inches</td><td>1" feet</td><td>69' feet</td></tr><tr><td>6" inches</td><td>16" inches</td><td>115' feet</td><td>135' feet</td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>15'</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port _____		Thickness	Diameter	From	To	8" inches	20" inches	1" feet	69' feet	6" inches	16" inches	115' feet	135' feet									Number	From	To																					
Thickness	Diameter	From	To																																										
8" inches	20" inches	1" feet	69' feet																																										
6" inches	16" inches	115' feet	135' feet																																										
Number	From	To																																											
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1"><tr><td>N</td><td> </td><td> </td></tr><tr><td>W</td><td> </td><td>E</td></tr><tr><td>S</td><td> </td><td> </td></tr></table> Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Bennett</u> NW 1/4 NE 1/4 Sec. <u>6</u> T. <u>3</u> N. R. <u>40</u> E.		N			W		E	S			11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Winnipeg Drilling Inc.</u> Firm No. <u>10</u> Address <u>Box 460, 1100 E. 3400</u> Date <u>4-12-90</u> Signed by (Firm Official) <u>Michael Winnipeg</u> and (Operator) <u>David Winnipeg</u> <u>1100 E. 3400</u>																																		
N																																													
W		E																																											
S																																													

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

1995

25-07568

E. NARRATIVE/REMARKS/COMMENTS

WELL WITH SUBMERSIBLE PUMP TO PIPELINES TO DOMESTIC USE IN
CHURCH HOUSE AND IRRIGATION OF SURROUNDING LAWN AREA. ~ 1 AC.

Point of Diversion & Place of Use LOCATED AT 14061 N 130 S

Have conditions of permit approval been met? ☐ yes ☐ no

RECEIVED
JUN 26 1995

Additional Computation Sheets Attached

$$Q_{\text{THRO}} = \frac{5 \text{ MPa}(8.814) \cdot 7 \text{ EFF}}{90 \text{ LIT} + (2.308 + 40 \text{ PSI})} = \underline{\underline{0.17 \text{ cfs}}}$$

Limited by 0.03 cfs/acre to:
 $0.03 \text{ cfs/acre} \times 1.0 \text{ acre} = \underline{\underline{0.03 \text{ cfs}}}$

Domestic: From IDWP Exam Handbook, Exhibit 14 GAM = 20 to 50 (0.04 cfs - 0.11 cfs)
Recommend 0.06 cfs as permitted

RECOMMEND OFFERS AS PERMITTED

$$V = \text{Smaller of } V_{IB} \text{ and } V_{DB} = 4.0 \text{ V}$$

Dearest

$$1620 \text{ GPH} \times 16 \text{ hr/wk} = 25920 \text{ GPW}$$

$$1,347,840 \text{ GDP} / 325,982 \text{ GDP AFA} = 4.13_{\text{AFA}}$$

Recommended 4.1 star

1. Recommended Amounts

2. Recommended Amendments

___ Change P.D. as reflected above ___ Add P.D. as reflected above ☒ None
 ___ Change P.U. as reflected above ___ Add P.U. as reflected above ___ Other

Field Examiner's Name DEM Date 12-23-94

Reviewer KEITH C. Wilson Date 12/23/94

RECORDED
JUN 26 1995
SEAL

RECEIPT
For Monies Paid
to the
Idaho Department of Water Resource

25 7568

Receipt No: 0028958

Date: 11/ 9/1995
Time: 09:30:00

Received
From: RIRIE IDAHO STATE

Type of Payment	Program A cct	Amount
DRILLING PERMIT 25-90-E-0004-000 (additional fees requested by Karcus 54104	229 21 1205	90.00
Total		
CHECK 275		\$90.00

Region: STATE

Signature: J. Mansant

RECEIVED

JUN 26 1995



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

December 3, 1993

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

Church of Jesus Christ of Latter-Day Saints
Rigby ID PM Group
10663 North 34 East
P.O. Box 26
Ucon, ID 83454

RE: WATER RIGHT PERMIT NO. 25-07568

Gentlemen:

Returned is a check in the amount of ninety dollars (\$90) made payable to "IDWH/DEQ Drinking Water" since neither the department of Health and Welfare nor the Department of Water Resources now require the fee for any pending permit or authorization. The remainder of this letter will further describe this matter.


On October 26, 1993, the Department of Water Resources wrote to the Church of Jesus Christ of Latter Day Saints (church) in Boise and advised that an additional well drilling permit fee in the amount of ninety dollars (\$90) was needed before the proof of beneficial use for the above referenced water right permit could be accepted. On November 1, 1993, the department returned a check in the amount of \$90 to the church in Boise, since the check was made out to IDHW/DEQ rather than to IDWR.

On November 9, 1993, the department issued receipt no. C028958 to the permit holder for the \$90. This payment allowed the department to accept the proof of beneficial use for the above referenced permit which is now in good standing.

On December 2, 1993, a representative from IDHW/DEQ hand carried the enclosed check to this office and said it was not required by them. The check was mailed from Ucon, Idaho.

In summary, it appears that the Boise office of the church and a Ucon office of the church both paid the \$90 fee. I have provided this explanation to avoid future similar double fee submittals.

Sincerely


L. GLEN SAXTON, Chief
Water Allocation Bureau

Encl: 1

JUN 26 1995

November 22, 1993

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
50 E NORTH TEMPLE ST
SALT LAKE CITY UT 84150

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 25-07568

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

c: IDWR - Region

MICROFILMED
DEC 01 1993

RECEIPT IS FROM THE STATE FILE
Idaho Department of Water Resources
Receipt Entry

Date: 11/16/93
Time: 08:55:36

Receipt No: C028958 AR No: _____ Date: 11/09/1993 Payoff Part of Acct? N
From: RIRIE IDAHO STAKE _____ Payment Type: CK CHECK Doc No: 278 _____
Remarks: LATER DAY SAINTS CHURCH _____

Description	Fund	FD	PCA	Obj	Subsid	
DRILLING PERMIT 25-90-E-0064-000	229	21	54104	1205		90.00
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____
Total Amount:						90.00

(Enter=Inq) (GOLD1=Add/Print) (GOLD2=Change) (GOLD3=Void) (GOLD5=Laser Print)
(GOLD6=Print 2nd Copy) (GOLD7=Enter WR Nos) (GOLD8=Cancel) (Menu _____)



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 1, 1993

Church of Jesus Christ of Latter Day Saints
Ririe Idaho Stake
3295 Elder St #350
Boise, ID 83702

Re: Permit No. 25-07568

Dear Permit Holder:

Returned is the \$90 check submitted in connection with the above referenced water right permit. Unfortunately, as you can see, the check has been issued to IDHW/DEQ. Our agency is the Department of Water Resources (IDWR), and therefore, we cannot accept this check. The two agencies are completely separate and are not associated in any way.

Please reissue the check payable to the Idaho Department of Water Resources and resubmit it within 15 days of the date of this mailing.

If you have any questions, or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Senior Secretary

MICROFILMED

DEC 01 1993

RIGBY ID PM GROUP
UNIT NO. 8004021
10663 NORTH 34 EAST
P.O. BOX 26
UCON, ID 83454
PHONE NO. (208) 523-6554
9/92
Pay to the order of

NOV 01 1993

152

31-5 Not valid for more
1240 than \$20,000

October 22, 1993

Date

IDHW/DEQ DRINKING WATER***** 90.00
\$

Ninety Dollars and 00 Cents*****
Dollars

P	4
CATEGORY	CODE

Corporation of the Presiding Bishop
Finance and Records Department, Floor 17
50 East North Temple Street
Salt Lake City, Utah 84150-1750
Phone (801) 240-3496

Zions First National Bank
Salt Lake City, Utah 84133

Purpose UTIL (WATER, SEWER, GARBAG) 

Ray L Clark

⑈001527⑈ ⑆124000054⑆ 931 8004021 1⑈

BENEFICIAL USE PERMIT ON UPGRADE
DRILLING PERMIT-REST OF FEE

RIGBY ID PM GROUP - Unit No. 8004021 - Ucon, ID 8345

Check# 01527
Date 10/22/93

To Date	Account#/Ref#	Amount
10/22/93	Permit 25-07568	90.00

Account#

Vendor ID 1209

IDHW/DEQ DRINKING WATER
1301 North Orchard St, Statehouse Mail
BOISE ID 83720-7866

RECEIVED

NOV 01 1993

Department of Water Resources

Check Total \$ 90.00

Copy

MICROFILMED

DEC 01 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 26, 1993

Church of Jesus Christ of Later Day Saints
Ririe Idaho Stake
3295 Elder St. #350
Boise, ID 83720

Re: Permit No. 25-07568
Drilling Permit No. 25-90-E-0064-000

Dear Permit Holder:

On September 23, 1993, the Department corresponded with you and explained the need to submit an additional \$90 drilling permit fee. The Department asked that the fee be submitted within 30 days of the date of mailing.

As of this date, the Department has not received the requested fee. The Department will allow an additional 15 days to submit the fee. If the fee is not received at the end of that time, the proof of beneficial use will be considered unacceptable. The permit will lapse and be of no further force nor effect.

If you have any questions, or if I can be of any further assistance, please feel free to contact me.

Sincerely,


Karen L. Gustafson
Senior Secretary

RECEIVED
DEC 01 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 23, 1993

Church of Jesus Christ of Later Day Saints
Ririe Idaho Stake
3295 Elder St. #350
Boise, ID 83720

Re: Permit No. 25-07568
Drilling Permit No. 25-90-E-0064-000

Dear Permit Holder:

Enclosed is a copy of the Proof of Beneficial Use submitted in connection with the above referenced water right. It, and your permit to appropriate water (copy enclosed), both indicate that the water is diverted for domestic use for one home and irrigation of 3 acres. Also enclosed is a copy of the drilling permit applied for prior to your purchase of the property. It indicates the extent of use to be domestic only. Domestic use constitutes the diversion of 0.04 cfs or less and/or the irrigation of 1/2 acre or less.

You were properly charged \$10 for the domestic well drilling permit. However, because of the use you have indicated (domestic and irrigation of 3 acres), the drilling permit is no longer considered strictly domestic. The charge for a non-domestic drilling permit at that time was \$100.

Before the Department can accept the proof of beneficial use as filed, you will need to pay the additional \$90 fee to upgrade the drilling permit to a non-domestic. The Department will hold your file for 30 days to allow you time in which to submit the additional fee. Please submit the additional \$90 drilling permit fee directly to me.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

C: IDWR Regional Office

Enclosures

RECORDED
DEC 01 1993

RECEIVED

SEP 23 1993

COPY

Form 235-1
4/88

Department of Water Resources

Drilling Permit No. 25-90-F-064
Water Permit No. _____
Injection Permit No. _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

1. Applicant Church of Jesus Christ of Latter Day Saints Ririe 1st & 2nd Wards
2. Address Real Estate Division Twelfth Floor 50 E Temple Street
Salt Lake City, Utah 84150 Telephone 801-240-2929
☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Proposed well location NW 1/4 NE 1/4, or Gov't lot No. _____,
Sec. 6, Twp. 3N, Rge. 40E, County Bonneville,
Lot, block and subdivision _____
4. Proposed use of well: (Check all that apply)
☒ Domestic ☐ Stockwater ☐ Monitoring
☐ Irrigation ☐ Industrial ☐ Municipal
☐ Injection ☐ Other, Specify _____
5. Well construction information:
☒ New well ☐ Deepen ☐ Replace
Proposed surface diameter 8" Maximum depth 300'
Anticipated bottom hole temperature: _____
☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)
6. Anticipated construction start date March 1, 1990
7. Well Driller (if known) Denning Well Drilling, Inc.
Address Box 460 Ucon, Idaho 83454
8. Applicant's signature [Signature]
Title Driller
Date 2-22-90

MICROFILMED

DEC 01 1993

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

☒ Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

Dated this 22 day of Feb

Signed Ronald J. Carson

Title _____

Received by FOI2/31 Fee 10 Date 2-22-90

Receipt No. _____ Construction start extension to _____

Extension approved by _____

RECEIVED
DEC 01 1993

WELL DRILLER'S REPORT

COPY

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER L/O H E Construction Brian Egan

7. WATER LEVEL

Name Road + 2 wood Stake Center

Static water level 6' feet below land surface.

Address 348 N 4300 E Rigby ID 83442

Flowing? ☐ Yes ☒ No

G.P.M. flow _____

Owner's Permit No. 45-470-E-064

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ OF. Quality _____

Describe artesian or temperature zones below.

2. NATURE OF WORK

- ☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

- ☐ Pump ☐ Bailer ☐ Air ☐ Other _____

3. PROPOSED USE

- ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
9"	0	5'	Clay		
	5'	67'	Sand + Gravel		
	67'	90'	Shale		
	90'	95'	Broken Shale		
	95'	118'	Shale		
	118'	124'	Bedrock Clay		
	124'	130'	Fractured Basalt		
	130'	138'	Cracked Fractured Basalt		

METHOD DRILLED

- ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
2.50" inches	8" inches	1' feet	69' feet
2.0" inches	6" inches	118' feet	138' feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☐ Yes ☒ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 19' Material used in seal: ☐ Cement grout

☒ Bentonite ☐ Puddling clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing

☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld _____

☐ Cemented between strata


Describe access port _____

10.

Work started 9-26-90 finished 9-29-90

LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Hanning Well Drilling Firm No. 10

Address Box 460 Ucon ID 83454 Date 4-18-90

Signed by (Firm Official) Hanning

and

(Operator) Hanning

DEC 01 1993
U & NE & Sec. 8 T. 3 N. R. 40 E. W.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

August 34, 1993

The Church of Jesus Christ of Latter Day Saints
Ririe Idaho Stake
50 E North Temple
Salt Lake City, UT 84150

Re: Permit No. 25-07568

Dear Permit Holder:

In the department's review of the proof of beneficial use submitted in connection with the above referenced permit, the department was not able to locate a drilling permit which should have been applied for before the opening of your well began. We have also been unable to locate a well log which should have been submitted by your well driller 30 days after completion of the construction of your wells. You have indicated on the proof of beneficial use that the well was drilled March 26, 1990.

If you have a drilling permit or a copy of the well log, please provide this office with a copy of each. If you do not have a copy of the well log, please contact your driller and ask that he submit a copy. In your return letter, please be sure to show the above referenced permit number on any documents. Also, please address any correspondence directly to me. Your response, with both forms attached, should be received within 30 days of the date of this mailing.

This information is needed before the department can proceed further with the examination of your system and the eventual issuance of a license of water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in cursive script that reads "Karen L. Gustafson".

Karen L. Gustafson
Secretary/Records Manager

MICROFILMED

DEC 01 1993

June 30, 1993

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
RIRIE IDAHO STAKE
3295 ELDER ST. #350
BOISE ID 83720

PROOF DUE NOTICE

RE: PERMIT NO. 25-07568

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECORDED

DEC 01 1993



S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
August 16, 1990

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
RIRIE IDAHO STAKE
3295 ELDER ST. #350
BOISE, ID 83720

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P25-07568

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you

MICROFILMED

SEP 12 1990

commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED
SEP 19 1990

SEP 19 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

JUNE 13, 1990

THE POST-REGISTER
P.O. BOX 1800
IDAHO FALLS, ID 83403

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 9, 1990.

Yours truly,

Rita Bodell
Secretary

Encl.

MicroFILMED

SEP 04 1990

25-07568

CHURCH OF JESUS CHRIST LATTER DAY SAINTS, RIRIE IDAHO STAKE
3295 ELDER ST., SUITE 350
BOISE, ID 83720

Source: GROUNDWATER

Diversion Pt: SENW Sec 5 T 03N R 40E

Use: IRRIGATION (.090 CFS)
 DOMESTIC (.060 CFS)
 Total Diversion: (.090 CFS)

Date Filed: 4/10/ 1990

In: T03N R40E S05 SENW

3.0 ACRES TOTAL

MICROFILMED

SEP 04 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 4 3A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before JULY 9, 1990.

R. Keith Higginson, Director

Published 6/21/1990 & 6/28/1990

MICROFILMED

SEP 04 1990

12-Jun-1990

CHURCH OF JESUS CHRIST
OF LATTER DAY SAINTS

BOISE, ID 83720

RE: Application for Permit No. 25-07568

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the POST-REGISTER on June 21 & 28, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

RECEIVED
JUN 14 1990

JUN 14 1990



CALL, NIELSON, BODILY
& ASSOCIATES, P.A.
ARCHITECTS

April 4, 1990

Kay Luthy
16726 E. Ririe Hwy.
Ririe, ID 83443

Re: Ririe 1 & 3 Wards

Dear Kay:

Enclosed please find an application for a drilling permit for the well for your stake center.

Please have President Foster sign and return it with a \$30.00 check to:

Idaho Department of Water Resources
150 Shoup Avenue Suite 15
Idaho Falls, Idaho 83401

Attn: Dennis Dunn

At that point they will advertise in the paper 2 weeks and then there will be a 2 week protest period. After the protest period then you can request an expedited drilling permit. If that can take place before the 1st of July the permit fee is \$100.00. After July 1st the fee escalates to \$385.00. You will want to watch the paper for the advertisement.

We appreciate your attention to this matter. If you have any questions please call.

Sincerely,

CALL, NIELSON, BODILY & ASSOC.

Scott L. Nielson, A.I.A.

SLN/as

Enclosure

cc: Alan Palmer
Engineered Systems
Garth Jensen

