


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.





Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William F. [Signature]
(Applicant)
Managing Partner - per #12

NE 1/4, SECTION 9





T
2 N
R 38 E

St Leon
Grange

4756

4757

BM 4754

26
191

Trailer
Park

POINT OF DIVERSION
AND
PLACE OF USE

PAYNE

Creek


Trailer
Park

Lincoln
Cem

25-07554

CCT 0 9 1996

Crow



FIELD EXAM
- MEASURED DISTANCE

25-07554

UNRECORDED

SEP 9 1996



PLACE OF USE

POINT OF DIVERSION

25-07554
MICROFILMED
OCT 09 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07554

Priority: September 8, 1989

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that CRM CO
3004 WESTMORELAND CIRCLE
IDAHO FALLS ID 83402

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 8, 1989; and has submitted Proof of Beneficial Use on January 7, 1991. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION:

SWNE , Sec. 9, Township 02N, Range 38E
BONNEVILLE County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

02N 38E 9

SWNE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. Commercial use is for an office building.

MICROFILMED

OCT 09 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07554

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 30TH
day of SEPTEMBER, 1996.


Acting for KARL J. DREHER, Director



RECEIVED
OCT 9 1996

RECEIVED

SEP 17 1996

State of Idaho
Department of Water Resources

Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 25-07554

Date of Priority: September 8, 1989 Maximum Diversion Rate: 0.04 CFS
Maximum Diversion Volume: 0.6 AF

Comes now CRM CO
3004 WESTMORELAND CIRCLE
IDAHO FALLS ID 83402

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 25-07554, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: SWNE , Sec. 9, Township 02N, Range 38E
BONNEVILLE County

PLACE OF USE: COMMERCIAL
TWN RGE SEC
02N 38E 9 SWNE

MICROFILMED

OCT 09 1996

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Idaho Falls, this 11th day of Sept., 19 96.

[Signature]
(Signature)
Ming. Park & Co.

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 25-07554

FOR DEPARTMENT USE ONLY

Preliminary check by SWK Fee = 50⁰⁰ Receipted by KLT # C036566 Date 9/17/96

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 25-07554 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. Commercial use is for an office building.

Witness my hand this 30TH day of SEPTEMBER, 1996.

Karl J. Dreher
Acting for KARL J. DREHER, Director

RECEIVED

SEP 19 1996



STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 25-07554 Telephone No. 524-5500
2. Name(s) of Permit Holder(s): CRM, % William F. Rigby
3. Post Office Address: 3004 Westmoreland Circle, Idaho Falls, Idaho - 83402
4. Source of Water: Well

a. If ground water, well driller's name: Andrew Well Drilling, Date drilled: Early 1970's
Peerless 400 Series Dynamatic Pump, Model 282-100-1100, 1 1/2 HP, 230 Volt, 60 Cycle, Single
phase, 3450 RPM, 8.4 Amps.

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

XX Domestic 1 Comm'l building (No. of households) Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted minimum _____ cfs 0.04 acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes X No Installed? Yes X No

OR

Flow Measurement Port: Required? Yes X No Installed? Yes X No

8. Fee Enclosed: \$ -0- (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

WILLIAM F. RIGBY524-5500

Name

Telephone No.


3004 Westmoreland Circle, Idaho Falls, Idaho - 83402

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

01-02-91

Date


Signature (and title if on behalf of a company or organization)

MICROFILMED

FEB 15 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 25-07554

Proposed Priority: September 8, 1989 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **CRM CO.**
3004 WESTMORELAND CIRCLE
IDAHO FALLS, ID 83401
has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: SWNWNE Sec. 9, Township 02N, Range 38E
BONNEVILLE County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

02N 38E 9 NWNE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **February 1, 1991**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. Commercial use is for an office building.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

17th day of January, 19 90

for 
R. Keith Higginson, Director

RECORDED

FEB 13 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant CRM Co. Phone 522-0053
Post office address 3004 Westmoreland Circle Idaho Falls, ID. 83401
2. Source of water supply groundwater which is a tributary of _____
3. Location of point of diversion is SW 1/4 of NW 1/4 of NE 1/4, Govt. Lot _____
Sec. 9 Township 2N Range 3PE B.M. Bonn. County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for Commercial purposes from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well, pump & distribution
system.
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Existing well diameter is 6 inches; Existing depth of well is 150. feet.
d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

RECORDED

FEB 13 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. Cf culinary water for offices in an office building at 2090 Industrial Blvd.

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	38E	9		C	~~II~~														

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. None.


- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant.
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Harry Messenger - Limited Partner.
Grant Caldwell - Limited Partner.
Clarence Reinhart - Limited Partner.
William F. Rigby - Managing Partner.

RECORDED

FEB 13 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

William F. [Signature]
(Applicant)
Managing Partner - per #12

Received by EMC Date 8 Sept. 89 Time _____ Preliminary check by KW
Fee \$ 30⁰⁰ Received by EMC # EΦ1Φ2Φ2 Date 8 Sept. 89.
Publication prepared by RB Date 12-7-89 Published in Post-Register
Publication approved RB Date 12-26-89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

_____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

RECEIVED
FEB 13 1990

25-07526

SKAAR, KEITH
SKAAR, CHERIE
1826 E. 49TH N.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NENW Sec 4 T 02N R 38E
Use: STOCKWATER (.900 CFS)
Date Filed: 9/27/1989
In: T02N R38E S04 NENW

25-07549

LATTA, FRANCIS A.
177 E. 49 S. TOWNSHIP RD.
IDAHO FALLS, ID 83404
Source: GROUNDWATER
Diversion Pt: SESWSE Sec 31 T 02N R 38E
Use: IRRIGATION (.040 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)
Date Filed: 9/27/1989
In: T02N R38E S31 SWSE
2.0 ACRES TOTAL

25-07552

ARNOLD FEED LOT, INC.
3488 LINCOLN RD.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NWNE Sec 15 T 02N R 38E
Use: STOCKWATER (.150 CFS)
COMMERCIAL (.020 CFS)
DOMESTIC (.080 CFS)
Date Filed: 8/15/1989
In: T02N R38E S15 NWNE

25-07553

SUNNYSIDE ESTATES WATER USERS
C/O MARGARET CONANT
1882 E. SUNNYSIDE
IDAHO FALLS, ID 83404
Source: GROUNDWATER
Diversion Pt: NENENW Sec 33 T 02N R 38E
Use: DOMESTIC (.110 CFS)
Date Filed: 9/27/1989
In: T02N R38E S33 NENW

25-07554

CRM CO.
3004 WESTMORELAND CIRCLE
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: SWNWNE Sec 9 T 02N R 38E
Use: COMMERCIAL (.040 CFS)
Date Filed: 9/08/1989
In: T02N R38E S09 NWNE

25-07555

B & F DISTRIBUTING CO.
1095 IONA RD.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: SWSWSE Sec 5 T 02N R 38E
Use: COMMERCIAL (.080 CFS)
Date Filed: 9/28/1989
In: T02N R38E S05 SWSE

25-07556

DUFFEY, ROMNEY B.
DUFFEY, VICTORIA G.
6990 RIMROCK DR.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NENW Sec 29 T 02N R 39E
Use: IRRIGATION (.060 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)
Date Filed: 9/18/1989
In: T02N R39E S29 NENW
3.0 ACRES TOTAL

35-08831

JOHNSON, J. WARD
JOHNSON, MARY V.
246 HARTERT DR.
IDAHO FALLS, ID 83404
Source: GROUNDWATER
Diversion Pt: NENENW Sec 26 T 02N R 36E
Use: STOCKWATER (.220 CFS)
DOMESTIC (.040 CFS)
Date Filed: 8/15/1989
In: T02N R36E S26 NENW

35-08849

STEEL, J. C.

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been
filed to appropriate the public waters of the
State of Idaho:

23-07134

DEMITROPOULOS, ALEX
DEMITROPOULOS, ILA
431 3 RD ST.
IDAHO FALLS, ID 83401
Source: PALISADES CREEK; Tributary:
SNAKE RIVER
Diversion Pt: SWSE Sec 26 T 01N R 44E
Use: IRRIGATION (.030 CFS)
Date Filed: 11/08/1989
In: T01N R44E S26 SWSE
1.0 ACRES TOTAL

23-07141

RUUD, DOUG
P.O. BOX 564
PALISADES, ID 83437
Source: GROUNDWATER
Diversion Pt: SENW Sec 25 T 01S R 45E
Use: DOMESTIC (.200 CFS)
Date Filed: 9/29/1989
In: T01S R45E S23 NESE
S24 NESW NWSW SWSW SESW
S25 NENW NWNW SENW NESW

23-07142

QUAKER HAVEN WELL ASSOCIA-
TION
1285 CORINNE
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: SENW Sec 25 T 01S R 45E
Use: DOMESTIC (.180 CFS)
Date Filed: 9/07/1989
In: T01S R45E S25 SENW

24-07173

BUDGE, JR., THOMAS A.
P.O. BOX 488
NEW CANAAN, CT 06840
Source: UNNAMED SPRINGS; Tributary:
NEWSWANDER CREEK
Diversion Pt: NWNWNW Sec 16 T 04S R 46E
SESENE Sec 17 T 04S R 46E
Use: DOMESTIC (.040 CFS)
Date Filed: 9/28/1989
In: T04S R46E S16 NWNW

1615 W. 49TH N.
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: SWSWSE Sec 4 T 03N R 36E
Use: IRRIGATION (.300 CFS)
Date Filed: 8/25/1989
In: T03N R36E S03 NWNE SWNE NENW
NWNW SWNW SENW NESW NWSW
SWSW SESW NWSE SWSE
S04 NENE NWNE SWNE SENE NESE
NWSE SWSE SESE
780.0 ACRES TOTAL
This is a supplemental water right applica-
tion. Lands under this application are irriga-
ted with existing rights from groundwa-
ter.

35-08853

CUTLER, BEVERLY
CUTLER, MARION L.
1723 S. GRIZZLY AVE.
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: NWNWNE Sec 26 T 02N R 37E
Use: IRRIGATION (.030 CFS)
DOMESTIC (.140 CFS)
Date Filed: 8/28/1989
In: T02N R37E S26 NWNE
1.0 ACRES TOTAL

35-08854

AHLSTROM, FARRELL
ANDRUS, JR., DOUG
CHUMLEY, ORVILLE
HARRIELL, LADON
MATHERN, GRETCHEN
MATHERN, RUTH
2361 N. 35TH W.
IDAHO FALLS, ID 83401
Source: GROUNDWATER

24-07174

CLAUSEN, CHARLES P.
9814 S. CHYLENE DR.
SANDY, UT 84092
Source: UNNAMED SPRING; Tributary:
NEWSWANDER CREEK
Diversion Pt: SESENE Sec 17 T 04S R 46E
Use: DOMESTIC (.040 CFS)
Date Filed: 10/27/1989
In: T04S R46E S16 NWNW

24-07175

SINARSKI, JAMES J.
BOX 183
ALPINE, WY 83128
Source: SPRING; Tributary: NEWS-
WANDER CREEK
Diversion Pt: NWNWNE Sec 16 T 04S R 46E
Use: STOCKWATER (.020 CFS)
DOMESTIC (.060 CFS)
Date Filed: 8/04/1989
In: T04S R46E S16 NWSE

25-07509

GRAYSON SUBDIVISION WATER CO.
C/O ED GRAYSON
P.O. BOX 2511
IDAHO FALLS, ID 83403
Source: GROUNDWATER
Diversion Pt: NENWNE Sec 10 T 03N R 38E
Use: DOMESTIC (.170 CFS)
IRRIGATION (.060 CFS)
Date Filed: 8/10/1989
In: T03N R38E S10 NENE NWNE
2.0 ACRES TOTAL

25-07513

VERN CLARK & SONS CONSTRUC-
TION CO.
P.O. BOX 1529
IDAHO FALLS, ID 83403
Source: GROUNDWATER
Diversion Pt: NWNW Sec 8 T 02N R 38E
Use: COMMERCIAL (.040 CFS)
Date Filed: 8/21/1989
In: T02N R38E S08 NWNW

Diversion Pt: NESE Sec 9 T 02N R 37E
Use: IRRIGATION (.080 CFS)
DOMESTIC (.080 CFS)
Date Filed: 8/14/1989
In: T02N R37E S09 NESE
4.0 ACRES TOTAL

35-08855

SHURTLIFF, MERLENE
SHURTLIFF, RODNEY
3425 W. APRIL DR.
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: NWNW Sec 34 T 02N R 37E
Use: STOCKWATER (.020 CFS)
DOMESTIC (.060 CFS)
Date Filed: 9/07/1989
In: T02N R37E S34 NWNW

35-08856

WAGNER, JR., KRISTIE L.
WAGNER, JR., EDWARD P.
331 N. 55TH W.
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: SESE Sec 18 T 02N R 37E
Use: STOCKWATER (.020 CFS)
DOMESTIC (.110 CFS)
Date Filed: 8/08/1989
In: T02N R37E S18 SESE

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A, Idaho
Code and/or the new public interest cri-
teria of Sec. 42-203C, Idaho Code. Protests
must be filed with the Director, Dept. of
Water Resources, 150 Shoup Ave., Suite
15, Idaho Falls, Idaho 83402 on or before
DECEMBER 26, 1989.

R. Keith Higginson, Director

Published: December 7, 14, 1989

FILED

FEB 13 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

September 30, 1996

CRM CO
3004 WESTMORELAND CIRCLE
IDAHO FALLS ID 83402

RE: WATER RIGHT NO. 25-07554

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved Application for Amendment. Should you have any questions regarding these documents, please contact me.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

RECEIVED

OCT 09 1996



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 16, 1996

CRM CO
3004 WESTMORELAND CIRCLE
IDAHO FALLS ID 83402

RE: WATER RIGHT NO. 25-07554

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to depict your water right as it has actually been developed.

The enclosed Application for Amendment contains information that will be included on the license when it is issued. The amendment reflects a change in the location of the point(s) of diversion and the place(s) of use description. Please review carefully and if you concur, sign the amendment and return with the \$50.00 filing fee within 14 days.

The last page of the Application for Amendment form contains a list of Conditions of Approval and Remarks proposed for the license when it is issued. These conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208) 327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

RECEIVED

OCT 09 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 25-07554

DATE 8/15/96

REVIEWER: S H A R L A

NAME Change OK Address Change
 SOURCE Is change clarification of originally intended source?
 If not, prepare Notice of Intent to Void
 POINT OF DIV ✓ Amendment required yes
 PLACE OF USE ✓ Amendment required yes
 Does map agree with written description? ✓ yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate .04 cfs
 Fee limit .04 cfs
 Measured cfs
 Theoretical .04 cfs

NO FEE PD OR REQ'D
 NO MEAS. TAKEN

Recommended Total Div Rate .04 cfs

ANNUAL VOLUME/ NATURE OF USES

Use Comm. Volume Calculation .6 like af
in house af
 af
 af
 SUBTOTAL .6 af

Flow rate .04 cfs X 365 days X 1.98 ~~af~~ = 29.0 af
 Total volume recommended .6 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

Office Bldg.

CONDITIONS

 Watermaster Control WD#
 GW Measurement/Measuring Device
 Overlap
 Use-specific conditions 048, 049

Advancement of Priority Date Required yes no

SRBA Claim Filed NA
 Adjustment Memo NA

1st Amend Letter P37, P38
 2nd Amend Letter P42

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUN 30 1996

Department of Water Resources
Permit No. 25-1554

A. GENERAL INFORMATION

1. Owner: CRM Co. Phone No. 524-5500
Current Address: 3004 Westmoreland Circle Idaho Falls Id 83401
2. Accompanied by: Wayne Calico EXAM DATE: 28 May 93
Address: 2090 Industrial Blvd. Idaho Falls Id Phone No. 524-7340
Relationship to Permit Holder: Rentor
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

- Other water rights with the same place of use: _____
- Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	NE	9	2N	38E	Bonneville	On site inspection / County Plat


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	38E	9			C														

JUN 9 1996

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin Electric	1 1/2	282-100-1100	—	—

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: theoretical

RECORDED

OCT 09 1996

E. NARRATIVE/REMARKS/COMMENTS

Well pump installed to Commercial Bldg for bathroom use
Place of use Located at 2090 Industrial Blvd.

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED

OCT 09 1996

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$Q = \frac{hp(8.814)(2ff)}{Lift + (PSI \times 2.308)} = \frac{1.5(8.814)(0.7)}{160 + (30 \times 2.308)} = 0.04 cfs$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

$$V_{con} = 0.6 afa$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Commercial	1/1	12/31	0.04 cfs	0.6
Totals:			0.04 cfs	0.6

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other


I. AUTHENTICATIONField Examiner's Name Kath C. Miller Date 28 May 93


Reviewer _____ Date _____

SEAL

RECORDED

OCT 8 1993





T
2 R38E
N

St Leon
Grange

BM 4754

POINT OF DIVERSION
AND
PLACE OF USE

Trailer
Park

Trailer
Park


Lincoln
Cem

25-07554

OCT 09 1996

Crow

IDAHO



PLACE OF USE
← S

POINT OF DIVERSION

25-07554
OCT 09 1996

January 22, 1991

CRM CO.
3004 WESTMORELAND CIRCLE
IDAHO FALLS, ID 83401

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 25-07554

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

FILED
FEB 06 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 25-7554

Date: 1-17-91

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NO If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

- ☐ Surface water
☒ Groundwater
1. well log in file early 1970's
NA 2. drilling permit
NA A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable
LB

Priority Calculation:

Date proof received	<u>NA</u>	
Date proof due		
No. of days late		
Priority date		
NEW PRIORITY DATE		

2/8

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

138779

November 30, 1990

CRM CO.
3004 WESTMORELAND CIRCLE
IDAHO FALLS, ID 83401

PROOF DUE NOTICE

RE: PERMIT NO. 25-07554

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

11/11

.....

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P25-07554

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

REFILMED

FEB 13 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

Miller

FEB 13 1990

Form No. 202a
4/87STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY K. Wilson DATE 17 Oct 89 APPLICATION NUMBER 25 7554
CRM CO.REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☒ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____

Department of Water Resources

PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 12-26-87
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. 01-P05
☐ Yes ☐ No Special conditions of approval or cover letter below. _____

See below for additional information
Date of priority recommended 9-08-87
By HWS Date 12-27-87

STATE OFFICE REVIEW P05, P23 P/KO 46 48 49

See below for additional information
By KW Date 1-4-90

ADDITIONAL INFORMATION

App. in NON-TRUST area-
allow 1 yr. for development-

29-Nov-1989

CRM Co.
3004 Westmoreland Circle
Idaho Falls, ID 83401

RE: Application for Permit No. 25-7554

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right Permit. This office is currently in the process of advertising the application in the Post-Register. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MULTIPLIED

FEB 13 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

NOVEMBER 28, 1989

THE POST-REGISTER
P.O. BOX 1800
IDAHO FALLS, ID 83403

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before DECEMBER 26, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

FEB 13 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following appl ion(s) have been filed appropriate the public waters of the State of Idaho:

RECORDED

FEB 13 1890

25-07554

CRM CO.
3004 WESTMORELAND CIRCLE
IDAHO FALLS, ID 83401

Source: GROUNDWATER

Diversion Pt: SWNWNE Sec 9 T 02N R 38E

Use: COMMERCIAL (.040 CFS)

Date Filed: 9/08/1989

In: T02N R38E S09 NWNE

MICROFILMED

FEB 13 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based the criteria of Sec. 42- , Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before DECEMBER 26, 1989.

R. Keith Higginson, Director

Published 12/07/1989 & 12/14/1989

MicroFILMED

FEB 13 1990