


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


Corporation of the Presiding Bishop of the Church of Jesus Christ of Latter-day Saints, a Utah Corporation sole

Israel A. Bahr

AUTHORIZED AGENT (Applicant)

JHR

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Unknown		1*			

*Code to correspond with No. on map and aerial photo

* ESTIMATE


D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: ESTIMATE STATIC WATER LEVEL AT 10' - SEE REMARKS -
ESTIMATE 40 PSI

JUN 26 1995



Point of Diversion
and Place of Use

27 26
34 35

34 35 NNE T4S R43E
3 2 ARI T5S

35 36
2 1

JUN 26 1995

25-07543

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07543

Priority: August 17, 1989

Maximum Diversion Rate:

0.06 CFS

Maximum Diversion Volume:

5.2 AF

This is to certify, that CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS

REAL ESTATE DIVISION

12TH FLOOR

50 E N TEMPLE ST

SALT LAKE CITY UT 84150

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 17, 1989; and has submitted Proof of Beneficial Use on May 25, 1990. An examination indicates that the works have a diversion capacity of 0.060 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/15 to 10/15	0.03 CFS	3.5 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.7 AF
Totals		0.06 CFS	5.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NENE , Sec. 35, Township 04S, Range 43E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04S	43E	35	NENE	1		1

Total number of acres irrigated: 1

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.

JUN 26 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07543

CONDITIONS/REMARKS:

6. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.5 afa per acre for the lands above.
7. Domestic use is for a church building.
8. Domestic use does not include lawn, garden, landscape, or other types of irrigation.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 14TH day of JUNE, 1995.

Acting for


KARL J. DREHER, Director

JUN 26 1995

501-3667

Form 217
03199
RECEIVED
MAY 25 1990

For Office Use Only
Fee Received 50.00
Date 5-25-90
Receipt # 0016999
Receipt by [signature]
Reviewed by _____
Sent to region _____

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. p25-07543

Name(s) of Permit Holder: Church of Jesus Christ of Latter-day Saints

Post Office Address: Real Estate Div., 12th Floor E., 50 E. North Temple St., Salt Lake City UT
84150 Telephone No. 801-240-4074

Source of Water: _____

Extent of Use:
Domestic _____ (number of households) Stockwater _____ (number and type of stock)
Irrigation 2 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.10 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: ~ 1981 per app

Measuring Device: Required? ☐ Yes ☐ No Fee enclosed \$ 50.00
Installed? ☐ Yes ☒ No (See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Steve Tingey 208-574-2575
(Name) (Telephone Number)
Gray Lake, Idaho 83285
(Address)

MICROFILMED

AUG 14 1990

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.
Corporation of the Presiding Bishop of the Church of Jesus Christ of Latter-day Saints, a Utah Corporation sole

5-3-90 [Signature]
Date Signature of Permit Holder (and title, if appropriate)

AUTHORIZED AGENT

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 25-07543

Proposed Priority: August 17, 1989 Maximum Diversion Rate: 0.10 CFS

This is to certify, that **CHURCH OF JESUS CHRIST LATTER DAY SAINTS**
REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.06 CFS
DOMESTIC	01/01 to 12/31	0.04 CFS
	Totals	0.10 CFS

LOCATION OF POINT(S) OF DIVERSION: NENE Sec. 35, Township 04S, Range 43E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
04S 43E 35	NENE 2			2

Total number of acres irrigated: 2

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
7. Domestic use is for a church building.

MICROFILMED

FEB 13 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 25-07543

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this


28th day of December, 1989.

J. Allen Saxton
for R. Keith Higginson, Director

[Faint signature]

FEB 13 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT



AUG 17 1989
257543

Department of Water Resources

To appropriate the public waters of the State of Idaho

1. Name of applicant Church of Jesus Christ Latter Day Saints Phone (801) 240-2929
Real Estate Division, Twelfth Floor,
Post office address 50 East North Temple Street, Salt Lake City, UT 84150
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of NE 1/4 of NE 1/4, Govt. Lot _____
Sec. 35 Township 4S Range 43E B.M. Bonneville County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .06 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.10 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Existing well, submersible pump, sprinkler system for lawn. Well drilled in July of 1981
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
 - c. Proposed well diameter is 8 inches; proposed depth of well is 120 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year).

RECEIVED
FEB 13 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. Domestic use in 1 Church building

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
49	43E	35	2																2
		35	D																

Total number of acres to be irrigated 2

10. Describe any other water rights used for the same purposes as described above. None


- Who owns the property at the point of diversion? Applicant
- Who owns the land to be irrigated or place of use? Applicant
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Gray's Lake Ward

RECEIVED

FEB 13 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Corporation of the Presiding Bishop of the Church of Jesus Christ of Latter-day Saints, a Utah Corporation sole

Juel A. Bahr
AUTHORIZED AGENT (Applicant)

JFK

Received by CP Date 8-21-89 Time 12:45P Preliminary check by DMS
Fee \$ 30.00 Received by CP # C009746 Date 8/17/89
Publication prepared by RB Date 11-29-89 Published in Last Register
Publication approved AB Date 11-20-89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

FEB 13 1990

NOV 1 1989

Department of Water Resources
Eastern District Office

n, depose and say: That I am the
ration of Idaho Falls, Bonneville
ulation, published daily, except
Idaho Falls Times, established in
Falls Post, established in 1903,
1 of said newspapers have been
han seventy-eight (78) weeks and
m the date of such consolidation,

f this affidavit, was published in
rst publication having been made
....., 19⁸⁹....., last publication
....., 19⁸⁹....., and that the
spective dates of publication, and

....., 19⁸⁹.....
Notary Public
September 30,....., 19⁹⁴..

8E S09 SWSW
25-07533
BURTON
H E
LS, ID 83401
UNDWATER
t: NESESE Sec 24 T 03N R
WATER (.260 CFS)
(.080 CFS)
7/05/1989
8E S24 SESE
25-07536
RAY E.
BERNADENE L.
H E.
LLS, ID 83401
UNDWATER
t: SENENE Sec 28 T 03N R
MERICIAL (.040 CFS)
9/15/1989
38E S28 NENE
25-07537
WILLIAM J.
LAVAR
ILLIAM F.
STRIAL BLVD
LLS, ID 83401
UNDWATER
t: SWNE Sec 9 T 02N R 38E
MERICIAL (.080 CFS)
9/13/1989
38E S09 SWNE
25-07538
MELVIN R.

P.O. BOX 2473
IDAHO FALLS, ID 83403
Source: GROUNDWATER
Diversion Pt: NENE Sec 7 T 02N R 38E
Use: COMMERCIAL (.200 CFS)
Date Filed: 9/19/1989
In: T02N R38E S07 NENE
25-07539
QUALITY INSULATION & CON-
STRUCTION INC.
P.O. BOX 3806
IDAHO FALLS, ID 83403
Source: GROUNDWATER
Diversion Pt: NWNW Sec 8 T 02N R 38E
Use: COMMERCIAL (.040 CFS)
Date Filed: 8/18/1989
In: T02N R38E S08 NWNW
25-07540
HOBBS, LAURA LEE
611 AMY LANE
IDAHO FALLS, ID 83406
Source: GROUNDWATER
Diversion Pt: SENE Sec 22 T 02N R 38E
Use: DOMESTIC (.100 CFS)
Date Filed: 8/18/1989
In: T02N R38E S22 SENE
25-07541
STANGER, MARILYN
2927 E. IONA RD.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NWNESW Sec 3 T 02N R
38E
Use: COMMERCIAL (.040 CFS)
Date Filed: 7/12/1989
In: T02N R38E S03 NESW

25-07542
TYLER, ALDON
2933 E. 113 N.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: SESW Sec 10 T 03N R 38E
Use: DOMESTIC (.060 CFS)
Date Filed: 7/14/1989
In: T03N R38E S10 SESW
25-07543
CHURCH OF JESUS CHRIST LATTER
DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 EAST NORTH TEMPLE STREET
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversion Pt: NENE Sec 35 T 04S R 43E
Use: IRRIGATION (.060 CFS)
DOMESTIC (.040 CFS)
Date Filed: 8/17/1989
In: T04S R43E S35 NENE
2.0 ACRES TOTAL
25-07544
MCCOWIN, BRENDA
4912 E. 113TH N.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NENENW Sec 13 T 03N R
38E
Use: DOMESTIC (.110 CFS)
Date Filed: 7/20/1989
In: T03N R38E S13 NENW
35-08825
IDAHO GEM POTATO CO.
P.O. BOX 77

MENAN, ID 83434
Source: GROUNDWATER
Diversion Pt: SENE Sec 1 T 03N R 35E
Use: STOCKWATER (.050 CFS)
COMMERCIAL (.060 CFS)
DOMESTIC (.060 CFS)
Date Filed: 8/31/1989
In: T03N R35E S01 SENE
S06 NWSW

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A, Idaho
Code and/or the new public interest cri-
teria of Sec. 42-203C, Idaho Code. Protests
must be filed with the Director, Dept. of
Water Resources, 150 Shoup Ave., Suite
15, Idaho Falls, Idaho 83402 on or before
NOVEMBER 20, 1989.

R. Keith Higginson, Director
Published: November 2, 9, 1989

NOV 13 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 15, 1995

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E N TEMPLE ST
SALT LAKE CITY UT 84150

RE: WATER RIGHT NO. 25-07543

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

JUN 26 1995

LICENSE REVIEW
Cindy Zimmerman

Permit #: 25-7543 Name: Mormon Church Date: 6/7/95
App Rcd 3/17/89 Priority 8/17/89 Examined 7-24-92 ✓ Lots ✓

	Chng	OK	
NAME	___	___	Or Address Change?
SOURCE	___	___	Clarify source Prelim. Order to Void - Source change.
P/D	___	___	Amendment Needed? _____ -P39,P38 Overlap(s) _____
P/U	___	___	Amendment Needed? <u>reduce to 1A</u> -P41,P38 Overlap(s) _____ *P/D & P/U Amend? P37,P38 (See paragraph list for governmental agencies)
RATE	___	___	Permit/fee limits: <u>0.10 / 0.10</u> Measured Q= _____ cfs Theoretical Q= <u>0.06</u> cfs (dom) <u>0.04</u> + (irr of 1A) <u>0.03</u> = <u>0.07</u> cfs (HP) $\frac{8.8 \times 0.70 \times 1}{10 + (2.31 \times \frac{40}{100})} = \frac{6.16}{12.4} = 0.06$ cfs Recommended rate <u>0.06</u> cfs
VOLUME	___	___	Season of Use: (<u>B</u>) <u>4/15-10/15</u> = <u>184</u> days Calculations: (dom) <u>1.7</u> + (irr of 1A) <u>3.5</u> = <u>5.2</u> AF Flow limit: <u>0.06</u> x <u>184</u> x <u>1.9835</u> = <u>21.9</u> AF Recommended volume <u>5.2</u> AF
USES	___	___	Same Nature of Use? _____ -P46 Amendment Needed? _____
REMARKS	___	___	Multiple p/d's in $\frac{1}{4}$? _____ Irrigation water overlap (WB3) (If gw use sw) _____ <u>WB5/Church Bldg</u>
CONDITIONS	___	___	Measuring (R01)/Locking (R02) Devices _____ Watermaster Control (R04) - WD # _____ <u>R30</u> Irrigation rate/volume overlap _____ Water Quality/Other _____
PRIORITY	<u>8/17/39</u> Correct fee? Yes/No Receipt # <u>0046999</u> Order to Reinstate Needed? Yes/ <u>No</u> Done? _____ Advance(d)? Yes/ <u>No</u> Advance(d) to: _____		

COMMENTS: Reduce navigation to one way; Combined rates limited by capacity

RECOMMENDED	CFS	DIV VOL	Adjustment Memo
1cc / 1A	0.02	3.5	LICENSE: P49 #1 AMEND LTR: P46 or P39/P41/P37 & P38 #2 AMEND LTR: P42/P47
Dam / Church	0.04	1.7	
TOTAL	0.06	5.2	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 05 1995
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 25-07543

1. Church of Jesus Christ Latter Day Saints Phone: (801) 240-2929
Real Estate Division, Twelfth Floor
50 East North Temple Street, Salt Lake City UT 84150

2. Accompanied by: _____ EXAM DATE: 7-24-92

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____
2. Other water rights with the same point of diversion: _____

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NE	35	4S	43E	Bonneville	USGS, ONSITE


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4S	43E	35	9/1															1	
																		1	

JUN 26 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Unknown		1*			

*Code to correspond with No. on map and aerial photo

* Estimate

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: Estimate static water level at 10' - See Remarks -

Estimate 40 PSI

JUN 26 1995

E. NARRATIVE/REMARKS/COMMENTS

WELL, PUMP AT PIPELINES TO CHURCH HOUSE AND IRRIGATED LAWN
AREA. IN USE ALL YEAR. ESTIMATE 10 MG/WK USE

* NO WELL LOG ON FILE AS WELL DRILLED 1981. SURROUNDING LOGS SHOW
WATER AT FROM 9' TO 29'. AS WELL IS IN "BOTTOM" AREA AND IS
CLOSE TO BRIDGE CREEK, ESTIMATE H₂O AT 10'.

Have conditions of permit approval been met? ☐ yes ☐ no

JUN 26 1995

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

SEE ATTACHMENT

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.0 \times 3.5 = 3.5 \text{ afa}$$
$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.03 (183) 1.9835 = 10.9 \text{ afa}$$
$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 3.5 \text{ afa}$$

2. Volume Calculations for Other Uses:

SEE ATTACHMENT

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
DOMESTIC	1-1	12-31	0.04	1.7
IRRIGATION	4-15	10-15	0.03	3.5
Totals:			0.06	5.2

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name DM Date 12-29-94

Reviewer KEITH C. Wilson Date 12/30/94

SEAL

Jl 26 1995

TOTAL AREA IRRIGATED:

$$\text{TOTAL AREA} = 180' \times 150' + (250' - 180') \times (150' - 95') \approx 31,000 \text{ sq ft}$$

$$\text{CHURCH BLDG} \approx 7500 \text{ sq ft AREA}$$

$$\text{IRRIGATION} \approx 31000 - 7500 \text{ sq ft} \approx 23500$$

$$\text{ACRES} \approx 23500 / 43560 = 0.54 \text{ AC IN}$$

ADD ANCILLARY IRRIGATION OF SHRUBS, ETC - 0.2 AC

RECOMMENDS ROUNDING AC. TO 1.0

$$Q_{\text{THEOR}} = \frac{1.49(8.814)0.7 \text{ EFF}}{10' + (2.308 \times 40 \text{ PSI})} = 0.06 \text{ CFS}$$

$$Q_{\text{DOM}} \Rightarrow \text{FROM EXHIBIT 14, EXAMINER'S HANDBOOK. } Q = 20 \text{ GPM MINIMUM}$$

$$20 \text{ GPM} / 448.8 \text{ GPM/CFS} = \underline{0.04 \text{ CFS}}$$

$$Q_{\text{TREE}} \Rightarrow \text{DWR STD } < 3 \text{ AC} = 0.03 \text{ CFS/AC}$$

$$= 1.0 \text{ AC} \times 0.03 = \underline{0.03 \text{ CFS}}$$

$$Q_{\text{TOTAL}} \Rightarrow \text{LIMITED BY } Q_{\text{THEOR}} \text{ TO } \underline{0.06 \text{ CFS}}$$

$$\Delta \text{FA}_{\text{DOM}} \Rightarrow \text{ESTIMATE 10 HOURS/WK USE}$$


$$20 \text{ GPM} \times 60 \text{ MIN/HR} \times 10 \text{ HOURS/WK} = 12,000 \text{ GPM}$$

$$12,000 \text{ GPM} \times 52 \text{ WKS} = 624,000 \text{ GPM}$$

$$624,000 / 374,400 \text{ G/AC} = 1.67 \text{ AFA} = \underline{1.7 \text{ AFA}}$$

JUN 26 1996

25-07543



August 1, 1990

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 25-07543

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

AUG 14 1990

THE CHURCH OF
JESUS CHRIST
OF LATTER-DAY
SAINTS

REAL ESTATE DIVISION

Twelfth Floor
50 East North Temple Street
Salt Lake City, Utah 84150
Phone (801) 240-2929

Reference reply to:

State of Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720

Attention: Gary Spackman

Dear Mr. Spackman:

Attached is a check for \$250 and the signed documents requesting field examination for four water permits in Idaho. The list below shows the permit number, our property number and name, the amount of water requested in the permit and the fee. The document indicates a person to call to assist the state with the examination.

If you have any questions or comments, please let me know.

<u>Permit #</u>	<u>Property #</u>	<u>Property Name</u>	<u>Quantity Requested</u>	<u>Fee</u>
P74-7273	504-7218	Leadore	0.18 C.F.S.	\$ 50
22-07436	516-8317	Rexburg 13, 19 wards and stake Rec Property, Hwy 91	0.18 C.F.S.	\$ 50
✓P25-07543	501-3607	Grays Lake	0.10 C.F.S.	\$ 50
71-07121	535-8914	Cabin Creek Rec Property	0.36 C.F.S.	<u>\$100</u>
Total				\$250

Thanks for your help.

Sincerely,



Ronald C. Johnson

cc: Terry F. Roylance
M. Glade Pincock

MICROFILMED

AUG 14 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
December 29, 1989

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
12TH FLOOR
50 E. N. TEMPLE ST.
SALT LAKE CITY, UT 84150

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P25-07543

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

FEB 13 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures



FEB 13 1990

25-Oct-1989

Church of Jesus Christ of
Latter Day Saints
Real Estate Division
Twelfth Floor
50 East North Temple Street
Salt Lake City, UT 84150

RE: Application for Permit No. 25-7543

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Post-Register. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

RECORDED

FEB 13 1990

25-07543

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 EAST NORTH TEMPLE STREET
SALT LAKE CITY, UT 84150

Source: GROUNDWATER

Diversion Pt: NENE Sec 35 T 04S R 43E

Use: IRRIGATION (.060 CFS)
 DOMESTIC (.040 CFS)

Date Filed: 8/17/1989

In: T04S R43E S35 NENE

2.0 ACRES TOTAL

MICROFILMED

FEB 13 1990

RECEIVED

AUG 21 1989

Department of Water Resources
Eastern District Office

ADJUDICATION FILING FEES FOR IDAHO

RECEIVED

AUG 17 1989

Department of Water Resources

PROPERTY IDENTIFICATION

Idaho State Water Right Permit # _____
LDS Church Property # 5013607

New Application

FEE CALCULATIONS

Domestic, stockwatering, fire protection, etc. \$ _____
Flat fee for irrigation. \$ _____

VARIABLE FEE SCHEDULE

Irrigation (\$1.00 per acre). \$ _____
Power Generation (\$3.00 per kilowatt) \$ _____
Aquaculture (\$10.00 per cfs) \$ _____
All other uses (\$100.00 per cfs) \$ _____

Other charges. \$ 30.00

TOTAL

\$ 30.00

*New application
for Gray's La
Wand.*

DATE 7-24-89

Carter Fritschle
Carter Fritschle
Idaho Dept. of Water Resources

Glen Nielson
Glen Nielson
Field Representative
Church of Jesus Christ
of Latter-day Saints

RECORDED

FEB 13 1990

RECEIVED
WATER RIGHTS SECTION