


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Larry R. Gardner
Pres. (Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

Permit No. 25-07539

1. Owner: QUALITY INSULATION Phone No. (208) 529-2336

Current Address: PO Box 3806

2. Accompanied by: TERRY GARDNER EXAM. DATE: 11/19/92

Address: 3205 Wright Rd Idaho Falls Phone No. SAME

Relationship to Permit Holder: OWNER

3. Source: GROUNDWATER tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached

2. Other water rights with same point of diversion: _____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached (required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

Microfilm
JUN 29 1993



T3N
T2N

POINT OF DIVERSION
AND
PLACE OF USE

R38E
T2N

8

25-7539

JUN 29 1993

IDAHO FALLS

MUNICIPAL
GOLF COURSE

MEPPEN CANAL

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07539

Priority: August 18, 1989

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that QUALITY INSULATION & CONSTRUCTION INC
PO BOX 3806

IDAHO FALLS ID 83403

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated August 18, 1989; and
has submitted Proof of Beneficial Use on January 29, 1990. An examination indicates
that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 8, Township 02N, Range 38E
BONNEVILLE County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

02N 38E 8

NWNW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. Commercial use is for shop facilities.

JUN 29 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07539

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 10th
day of JUNE, 1993.

Acting for *R. Keith Higginson*
R. Keith Higginson, Director

JUN 29 1993

RECEIVED
JAN 29 1990

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

For Office Use Only
Amt. of Fee \$ _____
Date _____
Receipt No. _____
Received by _____

J.D.
4-30-90

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 25-07539

Telephone No. 208-529-2336

Name(s) of Permit Holder(s): Terry D. Gardner

Quality Insulation Construction Inc.

Post Office Address: P.O. Box 3806

Source of Water: Ground

If ground water, well driller's name: Denny Well Drilling

Date drilled: June 20, 85

Extent of Use:

Domestic _____ (No. of households)

Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock)

Other Business

Total rate and/or volume for which proof is submitted 0.04 CFS cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: June 20, 85 - Business

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes XNo Installed? Yes No

OR

Flow Measurement Port: Required? Yes XNo Installed? Yes No

Fee Enclosed: \$ 6 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Terry D. Gardner
Name

208-529-2336
Telephone No.

3205 Wright Rd Idaho Falls, Id 83403

Address

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAY 16 1990

Jan 15, 90
Date

Julie Martin - Bookkeeper
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 25-07539

Proposed Priority: August 18, 1989 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **QUALITY INSULATION & CONSTRUCTION INC.**
P.O. BOX 3806
IDAHO FALLS, ID 83403

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS

LOCATION OF POINT(S) OF DIVERSION: NWNW Sec. 8, Township 02N, Range 38E
BONNEVILLE County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

02N 38E 8 NWNW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **January 1, 1991**.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. Commercial use is for shop facilities.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

28th day of December, 1989.

MICROFILMED

MAY 16 1990

for

R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant QUALITY INSULATION & CONSTRUCTION INC. Phone 208/529-2336
Post office address P.O. Box 3806, IDAHO FALLS, ID 83403
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ 1/4 of DW 1/4 of DW 1/4, Govt. Lot _____
Sec. 8 Township 2N Range 38E B.M. BONNIVILLE County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for Commercial purposes from 01/01 to 12/31 (both dates inclusive)
(cfs) 6.02
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. WELL & PUMP WITH PIPELINES
TO ONE BUILDING W/ SHOP FACILITIES
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 8 inches; proposed depth of well is 250 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? N/A
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

MAY 16 1980

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. COMMERCIAL; ONE SHOP WITH TOILETS, OFFICES AND
EXTERNAL HYDRANTS.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
02N	38E	8					C												

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____


11. a. Who owns the property at the point of diversion? APPLICANTS
- b. Who owns the land to be irrigated or place of use? APPLICANTS
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: OFFICERS OF CORP. ARE:
TERRY D. GARDNER, PRES., 1390 RIVIERA DR., IDAHO FALLS
JACK A. LARSE, SEC. 6767 N. 15 E., IDAHO FALLS

MICROFILMED

MAY 14 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Larry R. Gardner
Pres. (Applicant)

Received by RB Date 8-18-89 Time 11:20 Preliminary check by DMD
Fee \$ 30⁰⁰ Receipted by HLJ # E009900 Date 8-18-89
Publication prepared by RB Date 11-21-89 Published in Last-Register
Publication approved RB Date 11-20-89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

MAY 16 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 11, 1993

QUALITY INSULATION & CONSTRUCTION INC
PO BOX 3806
IDAHO FALLS ID 83403

RE: WATER RIGHT NO. 25-07539

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on
the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the typed name.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECORDED

JUN 29 1993

WR0749NP
No. L25-07539

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 06/04/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	QUALITY INSULATION & CONSTRUCTION INC PO BOX 3806 IDAHO FALLS ID 83403 (208) 529-2336	08/18/1989	COMMERCIAL	01-01 12-31	0.04 CFS	1.2 AFA
TOTAL DIVERSION:					0.04 CFS	1.2 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T02N R38E S08 NW NW

Place of use Legal Description for: COMMERCIAL

				NE				NW				SW				SE							
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:
				Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac	
02N	38E	8	:					:			C		:					:					:

Pou County: BONNEVILLE

Conditions of Approval:

- 048 - The use of water under this right shall not give rise to any
- claim against the holder of a senior water right based upon the
- theories of forfeiture, abandonment, adverse possession, waiver,
- equitable estoppel, estoppel by laches or customary preference.
- 049 - The Director retains jurisdiction of the right to incorporate
- the use into a water district, require streamflow augmentation
- or other action needed to protect prior surface water and
- groundwater rights.

Remarks: Commercial use is for shop facilities.

Dates:	App. Received:	08/18/1989	Priority Date:	08/18/1989
	Proof Due Date:	01/01/1991	Proof Made Date:	01/29/1990
	Exam Made Date:	11/19/1992	Exam Sent to S.O.:	05/25/1993
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 06/04/93 CHAPMAN

LICENSE REVIEW CHECKLIST

Permit # 25-7539

Date 6-4-93

Brenda Chapman

NAME	<u>Yes</u>	<u>No</u>	Address Change?
PRIORITY DATE	<u>Yes</u>	<u>No</u>	Advance?
	<u>Yes</u>	<u>No</u>	Memo to Advance
	<u>Yes</u>	<u>No</u>	Order to Reinstate Needed?
TOTAL CFS	<u>NA</u>	<u>Yes</u>	Incorrect Fee for rate recommended?
	<u>Yes</u>	<u>No</u>	Measurement Done <u>NONE DONE</u>
	<u>Yes</u>	<u>No</u>	Pumping Theoretical $(8.8) \times (1.5) \times (.7) = .04$ $(170 + [2.31 \times 40])$
	<u>Yes</u>	<u>No</u>	System Capacity <u>.04</u>
	<u>Yes</u>	<u>No</u>	Allowable Amount: <u>.04</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u> Standard Irr. Season <u> </u> Season Recommended <u> </u>
	<u>Yes</u>	<u>No</u>	Disagree with Examiner's Calculations?
	<u>Yes</u>	<u>No</u>	<u>Commercial = 1.2 AF</u>
	<u>Yes</u>	<u>No</u>	Flow limit: <u>.04</u> x 365 x 1.9835 = 29 > <u>1.2 AF</u>
SOURCE	<u>Yes</u>	<u>No</u>	Changes? Clarification of <u>Originally</u> <u>Intended</u> source
	<u>Yes</u>	<u>No</u>	Notice of Intent to Void.
P/D	<u>Yes</u>	<u>No</u>	Amendment Needed?
	<u>Yes</u>	<u>No</u>	Overlap Analysis a Consideration?
P/U	<u>Yes</u>	<u>No</u>	Amendment Needed?
	<u>Yes</u>	<u>No</u>	Overlap Analysis for 5+ Acres Needed?
USES	<u>Yes</u>	<u>No</u>	Change(s) in Nature of Use?
	<u>Yes</u>	<u>No</u>	Amendment Needed?
REMARKS	<u>Yes</u>	<u>No</u>	Multiple P/Ds in 1/4 1/4?
	<u>Yes</u>	<u>No</u>	Non-Irr. Uses <u>Commercial</u>
	<u>Yes</u>	<u>No</u>	Special Overlap Condition
	<u>Yes</u>	<u>No</u>	Other <u>NON TRUST CONDITIONS CARRY OVER</u>
CONDITIONS	<u>Yes</u>	<u>No</u>	Measuring Devices
	<u>Yes</u>	<u>No</u>	W/Master Control
	<u>Yes</u>	<u>No</u>	Standard/Irr/Overlap
	<u>Yes</u>	<u>No</u>	Water Quality
			Dates/Misc
			Water Dist
			App Rec'd
			Exam Made

COMMENTS: _____

LICENSE ✓ AMEND SPECIAL PARAGRAPH

(L)

FROM: KEITH C. WILSON - EASTERN

TO: JIM JOHNSON - WATER ALLOCATIONS - BOISE

RE: FIELD EXAMS TO BE REVIEWED AND WRITTEN UP

Department of Water Resources
24 May 93
DATE

EXAM DATE: 11/19/92 PERMIT NO. 25-7539

ACCOMPANIED/ASSISTED BY: Terry Gardner

RECOMMENDED AMENDMENTS:

- ☒ NONE
- ☐ CANCELLATION/RELINQUISHMENT
- ☐ Change P.D. as reflected ☐ Add P.D. as reflected
- ☐ Change P.U. as reflected ☐ Add P.U. as reflected
- ☐ OTHER _____

COMMENTS/REMARKS:

☐ SEE ATTACHMENTS/MAPS


KEITH C. WILSON
SENIOR RESOURCE AGENT

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

1. Owner: DANIEL H. GARNER Permit No. 25-07539
Current Address: PO Box 3806 Phone No. (208) 529-2336
2. Accompanied by: TERRY GARNER EXAM. DATE: 11/19/92
Address: 3205 Wright Rd Idaho Falls Phone No. SAME
Relationship to Permit Holder: OWNER
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW


1. Other water rights with same place of use: _____
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

6 IN P.P.F

INSTALLED in 1985



Well: 7500 DEPTH 201 FT
8" 1-21 FT
6" 1-201 FT

SHOULD HAVE BEEN
1985 160 FT

Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECEIVED

JUN 29 1993

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

1 1/2 Hp Submersible pump to 10 pressure foot's
supplying water to sprinkler system in
cabinets and restrooms in office

Water level about 60'

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Berkley	1.5	5-32950	Berkley	1 1/2"

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					8	2N	38E	Porter Co.	USGS Quad map

6. **Place(s) of Use:**

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	38E	8					C												

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure Gage	Fluidd	aspc			10	

2. Measurements:

2.0 x 10⁻³ ft³/sec

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

JUN 29 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Totals:				

2. Recommended Amendments

- | | | |
|---|--|--------------------------------|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☐ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |

J. AUTHENTICATION


Field Examiner's Name DAVE WALRATH
Signature [Signature]
Certification Date _____
Field Report Preparation Date _____

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

JUN 29 1993



May 2, 1990

QUALITY INSULATION & CONSTRUCTION INC.
P.O. BOX 3806
IDAHO FALLS, ID 83403

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 25-07539

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED

MAY 16 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 25-7539

Date: 4-30-90

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change If yes, prepare a data entry
☒ Proof received timely
Reinstated

Source of Water:

- ☒ Surface water
☒ Groundwater
☒ 1. well log in file *June 1985*
☒ 2. drilling permit
☒ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof acceptable

Priority Calculation:

Date proof received

NA

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
December 29, 1989

QUALITY INSULATION & CONSTRUCTION INC.
P.O. BOX 3806
IDAHO FALLS, ID 83403

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P25-07539

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use".

MICROFILMED

MAY 16 1990

[]

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED

MAY 16 1990

Form No. 202a
4/87STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

25-7539

INITIAL REVIEW BY James J. J. J.DATE 10/18/89

APPLICATION NUMBER

Quality Insulation & Construction, IncREQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Yes ☒ No Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT _____

Date Requested _____

Department of Water Resources

PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 11-20-89
☒ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. 01
☐ Yes ☐ No Special conditions of approval or cover letter below. _____

See below for additional information
Date of priority recommended 8-18-89
By HLJ Date 11-21-89

STATE OFFICE REVIEW P05, P23 P16 46 48 49
By EW See below for additional information
Date 12-19-89

ADDITIONAL INFORMATION

App. in NON-TRUST area-

NOV 11 1989

Department of Water Resources
Eastern District Office

n, depose and say: That I am the
ration of Idaho Falls, Bonneville
ulation, published daily, except
Idaho Falls Times, established in
Falls Post, established in 1903,
1 of said newspapers have been
an seventy-eight (78) weeks and
n the date of such consolidation,

f this affidavit, was published in
st publication having been made
....., 19⁸⁹....., last publication
....., 19⁸⁹....., and that the
pective dates of publication, and

....., 19⁸⁹.....
Notary Public
September 30, ..., 19⁹⁴..



3E S09 SWSW
25-07533
BURTON
H.E.
LS, ID 83401
GROUNDWATER
NESESE Sec 24 T 03N R

WATER (.260 CFS)
(.080 CFS)
/05/1989
8E S24 SESE
25-07536
RAY E.
BERNADENE L.
H.E.
LS, ID 83401
GROUNDWATER
t: SENENE Sec 28 T 03N R

ERIAL (.040 CFS)
9/15/1989
8E S28 NENE
25-07537
WILLIAM J.
AVAR
LLIAM F.
STRIAL BLVD
LS, ID 83401
OUNDWATER
t: SWNE Sec 9 T 02N R 38E
ERIAL (.080 CFS)
9/13/1989
38E S09 SWNE
25-07538
ELVIN R.

P.O. BOX 2473
IDAHO FALLS, ID 83403
Source: GROUNDWATER
Diversion Pt: NENE Sec 7 T 02N R 38E
Use: COMMERCIAL (.200 CFS)
Date Filed: 9/19/1989
In: T02N R38E S07 NENE
25-07539

QUALITY INSULATION & CON-
STRUCTION INC.
P.O. BOX 3806
IDAHO FALLS, ID 83403
Source: GROUNDWATER
Diversion Pt: NWNW Sec 8 T 02N R 38E
Use: COMMERCIAL (.040 CFS)
Date Filed: 8/18/1989
In: T02N R38E S08 NWNW
25-07540

HOBBS, LAURA LEE
611 AMY LANE
IDAHO FALLS, ID 83406
Source: GROUNDWATER
Diversion Pt: SENE Sec 22 T 02N R 38E
Use: DOMESTIC (.100 CFS)
Date Filed: 8/18/1989
In: T02N R38E S22 SENE
25-07541
STANGER, MARILYN
2927 E. IONA RD.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NWNESW Sec 3 T 02N R
38E
Use: COMMERCIAL (.040 CFS)
Date Filed: 7/12/1989
In: T02N R38E S03 NESW

25-07542
TYLER, ALDON
2933 E. 113 N.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: SESW Sec 10 T 03N R 38E
Use: DOMESTIC (.060 CFS)
Date Filed: 7/14/1989
In: T03N R38E S10 SESW
25-07543
CHURCH OF JESUS CHRIST LATTER
DAY SAINTS
REAL ESTATE DIVISION
TWELFTH FLOOR
50 EAST NORTH TEMPLE STREET
SALT LAKE CITY, UT 84150
Source: GROUNDWATER
Diversion Pt: NENE Sec 35 T 04S R 43E
Use: IRRIGATION (.060 CFS)
DOMESTIC (.040 CFS)
Date Filed: 8/17/1989
In: T04S R43E S35 NENE
2.0 ACRES TOTAL

25-07544
MCCOWIN, BRENDA
4912 E. 113TH N.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NENENW Sec 13 T 03N R
38E
Use: DOMESTIC (.110 CFS)
Date Filed: 7/20/1989
In: T03N R38E S13 NENW
35-08825
IDAHO GEM POTATO CO.
P.O. BOX 77

MENAN, ID 83434
Source: GROUNDWATER
Diversion Pt: SENE Sec 1 T 03N R 35E
Use: STOCKWATER (.050 CFS)
COMMERCIAL (.060 CFS)
DOMESTIC (.060 CFS)
Date Filed: 8/31/1989
In: T03N R35E S01 SENE
S06 NWSW

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A, Idaho
Code and/or the new public interest cri-
teria of Sec. 42-203C, Idaho Code. Protests
must be filed with the Director, Dept. of
Water Resources, 150 Shoup Ave., Suite
15, Idaho Falls, Idaho 83402 on or before
NOVEMBER 20, 1989.
R. Keith Higginson, Director
Published: November 2, 9, 1989

MICROFILMED

MAY 16 1990

25-Oct-1989

Quality Insulation &
Construction, Inc.
P.O. Box 3806
Idaho Falls1, ID 83403

RE: Application for Permit No. 25-7539

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Post-Register. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

MAY 15 1990

25-07539

QUALITY INSULATION & CONSTRUCTION INC.
P.O. BOX 3806
IDAHO FALLS, ID 83403

Source: GROUNDWATER

Diversion Pt: NWNW Sec 8 T 02N R 38E

Use: COMMERCIAL (.040 CFS)

Date Filed: 8/18/1989

In: T02N R38E S08 NWNW

RECORDED

MAY 1 1990