




PLACE OF USE

POINT OF DIVERSION

SEP 11 1996

25-07536



35'

SAGE CANAL

SAGE

CANAL

LATERAL

KOSTER

COOK

Gravel Pit

22

23

POINT OF DIVERSION

PLACE OF USE

T 3 N

R 38 E

Creek

28

Gravel Pit

27

WILLow

ANDERSON

BM 4773

3571 II SE
(IDAHO FALLS NORTH)

4.1 MI. TO INTERSTATE 15
IDAHO FALLS EXIT 3.5 MI.

BM 4761

North

33

LATERAL

FAYNE

34

35

32'30"

T. 3 N.

T. 2 N.

St Leon
School

Beachs
Corner

Trailer
Park

25-07536

SEP 11 1996

Sand

Creek

Crow

4770

4770

4757

4769

ERAL

UN

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07536

Priority: September 18, 1989 Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 0.6 AF

This is to certify, that BERNADENE L QUINTON
RAY E QUINTON

7953 N 25TH E

IDAHO FALLS ID 83401

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 15, 1989; and has submitted Proof of Beneficial Use on January 4, 1991. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.02 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION: NENE , Sec. 28, Township 03N, Range 38E
BONNEVILLE County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

03N 38E 28

NENE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.

SEP 11 1996

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE


WATER RIGHT NO. 25-07536

CONDITIONS OF APPROVAL AND REMARKS

6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. Commercial use is for a convenience store.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 17TH day of AUGUST, 1996.


Acting for KARL J. DREHER, Director



SEP 1 1996

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 25-7536 IN THE)
NAME OF RAY E. & BERNADENE L. QUINTON) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before January 1, 1991; and,

WHEREAS, the Department has notified the permit holders by certified mail that proof was due and instructed the permit holders as to the steps to be taken to make said proof; and,


WHEREAS, on January 1, 1991 the permit lapsed for failure of the permit holders to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of lapsing; and,

WHEREAS, the permit holders have provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on January 4, 1991;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 25-7536 be REINSTATED and the priority advanced to September 18, 1989.

Dated this 18th day of January, 1991.


L. GLEN SAXTON, Chief
Water Allocation Bureau

RECEIVED

FEB 06 1991

RECEIVED

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

JAN 04 1991
No \$ received
Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 25-075 36 Telephone No. 523-8322

2. Name(s) of Permit Holder(s): Ray E. Quinton

3. Post Office Address: 7953 No. 25 E. Idaho Falls, Id 83401

4. Source of Water: Ground

a. If ground water, well driller's name: Denning Date drilled: 4-14-88

b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households) Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock) Other Small Business

6. Total rate and/or volume for which proof is submitted .04 ^{as per permit} cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

OR
Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No

8. Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Ray E Quinton
Name

523-8322 / 522-8214
Telephone No.

10822 No. 5 E. Idaho Falls, Id 83401
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed, and I relinquish any undeveloped portion of the permit to the state of Idaho.

MICROFILMED

12-29-90 Bernadene L Quinton - Book Keeper FEB 06 1991
Date Signature (and title if on behalf of a company or organization)

P.S. I cannot Finish # 4 #6 #7 #8 because
I do not understand what I am doing. Somedays
we do not use 5 gallons of water.

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 25-07536

Proposed Priority: September 15, 1989 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **RAY E. QUINTON**
BERNADENE L. QUINTON
10822 N. 5TH E.
IDAHO FALLS, ID 83401

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
-----------------------	----------------------	--------------------------

COMMERCIAL	01/01 to 12/31	0.04 CFS
------------	----------------	----------

LOCATION OF POINT(S) OF DIVERSION: SENENE Sec. 28, Township 03N, Range 38E
BONNEVILLE County

PLACE OF USE: COMMERCIAL

TWN RGE SEC


03N 38E 28 NENE

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. Commercial use is for a convenience store.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

28th day of December, 1989

for 
R. Keith Higginson, Director

RECORDED

FEB 13 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant QUINTON, RAY E. OR BERNADENE L. Phone 522-8214
Post office address 10822 N. 5TH E. IDAHO FALLS, ID 83401
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot _____
Sec. 28 Township 3N Range 38E B.M. BUNNEVILLE County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for COMMERCIAL purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. WELL/PUMP
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 200' 6" inches; proposed depth of well is 200' feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

RECORDED

FEB 13 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. CONVENIENCE STORE, RESTROOMS, COFFEE POT.

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3N	38E	28	C																

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? APPLICANT


b. Who owns the land to be irrigated or place of use? APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: WELL FIRST USED JULY 1988.

FEB 10 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

FEB 13 1990

Bernadene L. Quinton
(Applicant)

Received by TO Date 9/15/89 Time 3:00 PM Preliminary check by TO ^{KW}
Fee \$ 30.00 Received by TO # E010582 Date 9/15/89
Publication prepared by RB Date 11-29-89 Published in Last Register
Publication approved RB Date 11-20-89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

RECEIVED

FEB 13 1990

Proof of Publication
The Post-Register

RECEIVED

NOV 10 1989

Department of Water Resources
Eastern District Office

State of Idaho, }
County of Bonneville } ss

I, Ted Delezene, first being duly sworn, depose and say: That I am the Foreman of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers have been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eight (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 2nd day of November, 1989, last publication having been made on the 9th day of November, 1989, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 13th day of November, 1989

Deon R. Napier
Notary Public

My commission expires September 30, 1994

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

23-07129
O'MALEY, CHARLES
O'MALEY, DONNA
P.O. BOX 644
PALISADES, ID 83437
Source: GROUNDWATER
Diversion Pt: SWNE Sec 35 T 01N R 44E
Use: IRRIGATION (.040 CFS)
COMMERCIAL (.120 CFS)
DOMESTIC (.040 CFS)
Date Filed: 10/04/1989
In: T01N R44E S35 SWNE
1.5 ACRES TOTAL
23-07131
SANDERSON, DENNIS L.
SANDERSON, KORAL S.
P.O. BOX 159
AFTON, WY 83110
Source: SPRING; TRIBUTARY: SINKS
Diversion Pt: LOT 5 (SWNWSE) Sec 22 T 03S R 46E
Use: STOCKWATER (.020 CFS)
DOMESTIC (.020 CFS)
Date Filed: 9/15/1989
In: T03S R46E S22 Lot 5 (NWSE)
23-07132
JEM-K, INC.
P.O. BOX 585
PALISADES, ID 83437
Source: GROUNDWATER
Diversion Pt: SWSENE Sec 35 T 01N R

44E
NWNESE Sec 35 T 01N R 44E
Use: COMMERCIAL (.220 CFS)
Date Filed: 8/31/1989
In: T01N R44E S35 SENE NESE
23-07133
VAN WINKLE, JOHN DEAN
VAN WINKLE, JOLANE P.
2057 W. 4250 S.
ROY, UT 84067
Source: GROUNDWATER
Diversion Pt: SWSE Sec 6 T 01N R 44E
Use: IRRIGATION (.030 CFS)
DOMESTIC (.040 CFS)
Date Filed: 7/24/1989
In: T01N R44E S06 SWSE
1.0 ACRES TOTAL
25-07531
HOOPER, LLOYD C.
P.O. BOX 434
UCON, ID 83454
Source: GROUNDWATER
Diversion Pt: SWSWSE Sec 10 T 03N R 38E
Use: COMMERCIAL (.040 CFS)
Date Filed: 9/29/1989
In: T03N R38E S10 SWSE
25-07532
C/O RON MITCHELL
BURDETTE, INC.
1735 ROSS AVE.
IDAHO FALLS, ID 83406
Source: GROUNDWATER
Diversion Pt: SWSW Sec 9 T 02N R 38E
Use: COMMERCIAL (.040 CFS)
Date Filed: 9/20/1989

In: T02N R38E S09 SWSW
25-07533
JOHNSON, BURTON
8461 N. 55TH E.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NESESE Sec 24 T 03N R 38E
Use: STOCKWATER (.260 CFS)
DOMESTIC (.080 CFS)
Date Filed: 7/05/1989
In: T03N R38E S24 SESE
25-07536
QUINTON, RAY E.
QUINTON, BERNADENE L.
10822 N. 5TH E.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: SENENE Sec 28 T 03N R 38E
Use: COMMERCIAL (.040 CFS)
Date Filed: 9/15/1989
In: T03N R38E S28 NENE
25-07537
DEMOTT, WILLIAM J.
GROVER, LAVAR
RIGBY, WILLIAM F.
2105 INDUSTRIAL BLVD
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: SWNE Sec 9 T 02N R 38E
Use: COMMERCIAL (.080 CFS)
Date Filed: 9/13/1989
In: T02N R38E S09 SWNE
25-07538
DANIEL, MELVIN R.

P.O. BOX 2473
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NENE SE
Use: COMMERCIAL (.040 CFS)
Date Filed: 9/19/1989
In: T02N R38E S07 NESE
25-07539
QUALITY INSULATION INC.
P.O. BOX 3806
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NWNW
Use: COMMERCIAL (.040 CFS)
Date Filed: 8/18/1989
In: T02N R38E S08 NWSE
25-07540
HOBBS, LAURA LEE
611 AMY LANE
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: SENE SE
Use: DOMESTIC (.10 CFS)
Date Filed: 8/18/1989
In: T02N R38E S22 SESE
25-07541
STANGER, MARILYN
2927 E. IONA RD.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NWNESE
38E
Use: COMMERCIAL (.040 CFS)
Date Filed: 7/12/1989
In: T02N R38E S03 NWSE



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

August 19, 1996

BERNADENE L. QUINTON
RAY E. QUINTON
7953 N 25TH E
IDAHO FALLS ID 83401

RE: WATER RIGHT NO. 25-07536

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

SEP 11 1996

MEMORANDUM

TO: File 25-07536

FROM: Sharla

DATE: August 13, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 25-07536 are based on the following.

H. RECOMMENDATIONS

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Commercial	1/1 - 12/31	0.02 cfs	0.6 afa

A theoretical calculation yields 0.02 cfs; this is in line with the rate normally allowed for in-house domestic use, and the right holder indicated on the proof of beneficial use form that some days they may not even use 5 gallons. The volume to be licensed is also in line with what would normally be allowed for in-house domestic use.

No amendments are required.

Examiner: Keith Wilson
Exam Date: July 8, 1993

SEP 11 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 25-07536

DATE 8/13/96

REVIEWER: SHARLA

NAME Change OK ✓ Address Change NO
 SOURCE Change OK ✓ Is change clarification of originally intended source? NO
 If not, prepare Notice of Intent to Void NO
 POINT OF DIV Change OK ✓ Amendment required NO
 PLACE OF USE Change OK ✓ Amendment required NO

Does map agree with written description? ✓ yes NO no

OVERLAPS NO P/D NO P/U

RATE OF DIV
 Permitted Rate .04 cfs
 Fee limit .04 cfs NO FEE REQD OR PD.
 Measured NO cfs
 Theoretical .02 cfs $.75 \times 88 \times .7 / 170 + (2.31 \times 25) = .02$
 Recommended Total Div Rate .02 cfs

ANNUAL VOLUME/
 NATURE OF USES ✓ Use Comm. Volume Calculation
NO .6 af
NO NO af
NO NO af
NO NO af
 SUBTOTAL NO af

Flow rate .02 cfs X 365 days X 1.98 af = 14.5 af
 Total volume recommended .6 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS C/ convenience store.

CONDITIONS NO Watermaster Control WD# NO
NO GW Measurement/Measuring Device
NO Overlap
NO Use-specific conditions 048, 049
 Advancement of Priority Date Required NO yes NO no

SRBA Claim Filed NA 1st Amend Letter NA
 Adjustment Memo Rate/volume 2nd Amend Letter NA

RECEIVED

JUL 30 1996

Form 219
6/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Ray E. Bernadene L. Quinton Permit No. 25-7536
Current Address: 7953 N. 25 E. Idaho Falls Id 83401 Phone No. 523-8322
2. Accompanied by: Ray Quinton EXAM. DATE: 8 July 93
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more)
place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

SEP 11 1996

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

well pump manhole to convenience store @ ~~795~~^{on} Hitt Road
(7953 N 25 E)

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Jacuzzi	3/4	Model # 2801074910	-	

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	NE	NE	28	3N	38E	Bonneville	on site / USGS QUAD

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	38E	28	C																

Do not use this space

SEP 11 1998

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Theoretical
De minimus

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$V_{com} = 0.6 \text{ afa}$

RECEIVED
SEP 11 1996

H. REMARKS AND OVERLAP REVIEW ANALYSIS

NO IRRIGATION IN-STORE USE ONLY

De minimus allow 0.04cfs and 0.6afa

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Commercial	1/1	12/31	0.04cfs	0.6afa
Totals:				

2. Recommended Amendments

- | | | |
|---|--|--|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☒ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |

J. AUTHENTICATION

Field Examiner's Name KEITH C. WILSON
Signature Keith C. Wilson
Certification Date _____
Field Report Preparation Date _____

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

SEP 11 1996




PLACE OF USE

POINT OF DIVERSION

SECRET
NO FORN DISSEM

25-07536





State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

copy

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

April 15, 1991

RAY AND BERNADENE L. QUINTON
7953 N 25 E
IDAHO FALLS ID 83401

Dear Mr. and Mrs. Quinton:

Re: Permit No. 25-7536

Returned is the proof of beneficial use form received in this office on February 25, 1991. Note that the department previously received a proof form and reinstated the permit in January. A second form is not necessary.

If you have any questions, please contact me.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

[Handwritten initials]

SEP 11 1996

RAY E QUINTON
7953 N 25 E
IDAHO FALLS ID 83401

January 22, 1991

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 25-07536

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

MICROFILMED

FEB 06 1991

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 25-7536

Date: 1-17-91

General Considerations:

☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change If yes, prepare a data entry
☒ Proof received timely
 Reinstated

Source of Water:

☒ Surface water
☒ Groundwater
 1. well log in file
 2. drilling permit
 A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:


Proof acceptable
Reinstated

app Priority Calculation: *LB*
Date proof received Jan 4, 1991 4
Date proof due Jan 1, 1991 - 1
No. of days late = 3
Priority date Sept 15, 1989 + 258
NEW PRIORITY DATE Sept 18, 1989 = 261

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

address change !!

Quinton Country Store
10822 No. 5th E.
McCall Falls, ID 53401



Idaho Department of Water Resources
1301 No. Orchard St.
Boise, Idaho 83706-2237

RECEIVED

FEB 06 1991

138566
October 31, 1990

RAY E. QUINTON
BERNADENE L. QUINTON
10822 N. 5TH E.
IDAHO FALLS, ID 83401

PROOF DUE NOTICE

RE: PERMIT NO. 25-07536

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

FEB 06 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
December 29, 1989

RAY E. QUINTON
BERNADENE L. QUINTON
10822 N. 5TH E.
IDAHO FALLS, ID 83401

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P25-07536

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

FEB 13 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

FEB 13 1990

Dist. for staffing 9-14-89 ^{RB}

Submitted for advertising 10-18-89 ^{HOT}

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY K.C. Wilson DATE 11/04/89 APPLICATION NUMBER 25-7536
Ray E. or Bernadene L. Quinton

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☒ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested 11/04/89

RECEIVED

DEPARTMENT OF WATER RESOURCES

PROCESSING ☒ Yes ☒ No In form for advertising
☒ Yes ☒ No Statewide advertising
☒ Yes ☒ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☒ Yes ☐ No Protests received
Final date for protest 11-20-89
☒ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☒ Yes ☐ No Recommendations attached
☒ Yes ☐ No Measuring device required
☒ Yes ☐ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. 01-P05
☒ Yes ☐ No Special conditions of approval or cover letter below.

Date of priority recommended 9-15-89 See below for additional information
By HWS Date 11-21-89

STATE OFFICE REVIEW P05, P23 P16 46 48 49
By KW See below for additional information
Date 12-19-89

ADDITIONAL INFORMATION

Need evidence of #10 Drilling Permit

✓ see drilling permit below KW


App. in NON-TRUST area-

2487

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Ray Quinter</u> Address <u>10322 N. 4th E. Idaho Falls Id 83401</u> Owner's Permit No. <u>88-2-117</u>	7. WATER LEVEL Static water level <u>179</u> feet below land surface Flowing? ☒ Yes ☐ No G.P.M. flow _____ Artesian closed in pressure _____ p.s.i. Controlled by ☐ Valve ☐ Cap ☐ Plug Temperature _____ OF Quality _____ Describe artesian or temperature curves below																																																				
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement Abandoned (describe abandonment procedure such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailor ☐ Air ☐ Other <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped																																																	
Discharge G.P.M.	Pumping Level	Hours Pumped																																																			
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yes No</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr><td>8</td><td>0</td><td>3</td><td>Overburden</td><td> </td></tr> <tr><td> </td><td>3</td><td>43</td><td>Gravel</td><td> </td></tr> <tr><td> </td><td>43</td><td>65</td><td>Basalt</td><td> </td></tr> <tr><td> </td><td>65</td><td>70</td><td>Gravel & Rubble</td><td> </td></tr> <tr><td> </td><td>70</td><td>140</td><td>Basalt</td><td> </td></tr> <tr><td> </td><td>140</td><td>152</td><td>Clay</td><td> </td></tr> <tr><td> </td><td>152</td><td>172</td><td>Basalt</td><td> </td></tr> <tr><td> </td><td>172</td><td>187</td><td>Dirt</td><td> </td></tr> <tr><td> </td><td>187</td><td>22</td><td>Basalt</td><td> </td></tr> </tbody> </table>	Bore Diam.	Depth		Material	Water Yes No	From	To	8	0	3	Overburden			3	43	Gravel			43	65	Basalt			65	70	Gravel & Rubble			70	140	Basalt			140	152	Clay			152	172	Basalt			172	187	Dirt			187	22	Basalt	
Bore Diam.	Depth		Material	Water Yes No																																																	
	From	To																																																			
8	0	3	Overburden																																																		
	3	43	Gravel																																																		
	43	65	Basalt																																																		
	65	70	Gravel & Rubble																																																		
	70	140	Basalt																																																		
	140	152	Clay																																																		
	152	172	Basalt																																																		
	172	187	Dirt																																																		
	187	22	Basalt																																																		
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____																																																					
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>250 inches</td> <td>8 inches</td> <td>1 feet</td> <td>44 feet</td> </tr> <tr> <td>250 inches</td> <td>6 inches</td> <td>38 feet</td> <td>188 feet</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Model No. _____ Type _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used: ☐ Shurry pit ☐ Temp. surface casing ☒ _____ ☐ _____ ☐ _____ Method of joining casing: ☐ Threaded ☒ Weld ☐ Submerse ☐ _____ ☐ _____ Describe casing part _____	Thickness	Diameter	From	To	250 inches	8 inches	1 feet	44 feet	250 inches	6 inches	38 feet	188 feet									Number	From	To																														
Thickness	Diameter	From	To																																																		
250 inches	8 inches	1 feet	44 feet																																																		
250 inches	6 inches	38 feet	188 feet																																																		
Number	From	To																																																			
6. LOCATION OF WELL Sketch map location and agree with written location.  Substation Name _____ Lot No. <u>3</u> Section No. _____ County <u>Bonneville</u> <u>NE 1/4 Sec. 28, T. 3, R. 38W.</u>	10. WELL REGISTRATION This entity has all evidence and information submitted and completed with the State of Idaho Department of Water Resources. Firm Name <u>Quinter</u> License No. <u>02</u> Address <u>Idaho Falls</u> Date <u>June 9 88</u> Signed by (Firm Official) <u>Ray Quinter</u> and (Operator) <u>John Quinter</u>																																																				

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

State of Idaho
Department of Water Resources
150 Shoup Ave. Idaho Falls, Idaho 83402
D R I L L I N G P E R M I T

RECEIVED
APR 15 1988

(Authorizing Construction of a Well)*

Department of Water Resources

1. Applicant Ray Quinton
2. Address 10822 N. 5th E. Idaho Falls, Idaho 83401

☒ Well Owner ☐ Well Operator ☐ Other, specify _____

3. Water right permit no. _____; Injection well permit no. _____

4. Proposed well location SE 1/4 SW 1/4 NE 1/4, or Gov't lot No. _____,
Sec. 28, Twp. 3N, Rge. 39E, County BONAVILLE,
Lot, block and subdivision _____

5. Proposed use of well: (Check all that apply)

☒ Domestic ☐ Stockwater ☐ Monitoring
☐ Irrigation ☐ Industrial ☐ Municipal
☐ Injection ☐ Other, Specify _____

6. Well construction information:

☒ New well ☐ Deepen ☐ Replace
Proposed surface diameter 8" Proposed depth 200'

Anticipated bottom hole temperature:

☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)

7. Anticipated construction start date A.S.A.P.

8. Well Driller (if known) Denning Well Drilling, Inc. #10

Address Box 460 Ucon, Idaho 83454

Date 4-14-88 Applicant's signature Ray E. Quinton

Title owner

MICROFILMED

ACTION OF IDWR

XX) Approved () Denied


The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

Dated this 14th day of April, 1988.

Signed 

Title Eastern Regional Manager

Received by dg Fee \$10⁰⁰ Date 4-14-88

Receipt No. E000107 Construction start date ~~RECEIVED~~

Construction start extension to FEB 1, 1990

Extension approved by _____

27-Sep-1989

Ray E. Quinton
10822 N. 5th E.
Idaho Falls, ID 83401

RE: Application for Permit No. 25-7536

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Post-Register. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

FEB 13 1990

25-07536

QUINTON, RAY E.
QUINTON, BERNADENE L.
10822 N. 5TH E.
IDAHO FALLS, ID 83401

Source: GROUNDWATER

Diversion Pt: SENENE Sec 28 T 03N R 38E

Use: COMMERCIAL (.040 CFS)

Date Filed: 9/15/1989

In: T03N R38E S28 NENE

UNRECORDED

FEB 13 1990