


23456789101112131415161718192021222324252627282930313233343536373839404142434445464748495051525354555657585960616263646566676869707172737475767778798081828384858687888990919293949596979899100

T2N RBE SEC 4

St. Leon School

Lena



ANDERSON

Fork

BM 4762

North

R38E

St Leon School

T3N

T2N

4758

4771

Lot 4

Lot 3

Lot 2

Lot 1

POINT OF DIVERSION AND PLACE OF USE

4

Orvin

St Leon Grange

4750

BM 4738

4756

4757

LATERAL

25-7526

4754

MIDCOTLAND

MAR 24 1995

26

26

191

9

PAYNE

Drive-in Theatre



well

25-7526

MAR 27 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07526

Priority: September 27, 1989

Maximum Diversion Rate:

0.10 CFS

Maximum Diversion Volume:

53.6 AF

This is to certify, that KEITH SKAAR
CHERIE SKAAR

1826 E 49TH N

IDAHO FALLS ID 83401

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 27, 1989; and has submitted Proof of Beneficial Use on December 6, 1990. An examination indicates that the works have a diversion capacity of 0.100 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.10 CFS	53.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NENW), Sec. 4, Township 02N, Range 38E
BONNEVILLE County

PLACE OF USE: STOCKWATER

TWN RGE SEC

02N 38E 4 Lot 3(NENW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. Stockwater use is for 4000 range cattle.

RECORDED

MAR 27 1990


State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 25-07526

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 23RD
day of MARCH, 1995.

Acting for


R. Keith Higginson, Director



EXPIRATION
1995

07-90

RECEIVED

DEC 06 1990

STATE OF IDAHO

For Office Use Only

Amt. of Fee \$ 100.00Date 12-5-90Receipt No. 5015506Received by RWJ

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 25-07526 Telephone No. 523-57132. Name(s) of Permit Holder(s): Keith Skar3. Post Office Address: 363 Laviet Idaho Falls, ID 834044. Source of Water: Groundwatera. If ground water, well driller's name: Dunkings Date drilled: 1988b. Pump horsepower: 3-7/8 Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic _____ (No. of households) Irrigation _____ (No. of acres)

Stockwater 4500 (No. and type of stock) Other _____6. Total rate and/or volume for which proof is submitted 0.90 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? X Yes X No Installed? Yes No 2" line from well to troughs.8. Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Name

See above

Telephone No. _____

Address _____

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Date 12-5-90Signature Keith Skar

(and title if on behalf of a company or organization)

RECEIVED

JAN 28 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 25-07526

Proposed Priority: September 27, 1989 Maximum Diversion Rate: 0.90 CFS

This is to certify, that **KEITH SKAAR**
CHERIE SKAAR
1826 E. 49TH N.
IDAHO FALLS, ID 83401

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.90 CFS
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		NENW Sec. 4, Township 02N, Range 38E BONNEVILLE County

PLACE OF USE: STOCKWATER

TWN RGE SEC

02N 38E 4 NENW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

MICROFILMED

FEB 13 1990

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 25-07526

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

17th day of January, 1990.

R. Keith Higginson
for R. Keith Higginson, Director

Michael J. [illegible]

FEB 13 1990

Ident. No. 25-07526

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: KEITH SKAAR 208-523-5713
Address: 1826 E. 49TH N.
IADHO FALLS, ID 83401
OR
Name: CHERIE SKAAR 208-523-5713
Address: 1826 E. 49TH N.
IADHO FALLS, ID 83401
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: NENW Sec. 4, Township 02N, Range 38E
BONNEVILLE County
4. Water will be used for the following purposes:

Purpose	From	To	CFS	(or)	AF
STOCKWATER	01/01	12/31	0.900		
5. Total quantity to be appropriated is:
0.900 CFS (and/or) AF
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc.
WELL, PUMP AND PIPELINES FOR FEED LOT
 - b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - c. Proposed well diameter is 8 inches; proposed depth of well is 200
feet.
 - d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.
8. Description of proposed uses:
FEED LOT FOR 4000 RANGE CATTLE.
9. Place of Use: STOCKWATER

TWN RGE SEC
02N 38E 4

NENW

MICROFILMED

FEB 13 1990

10. Describe any other water rights used for the same purposes.
25-04304

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

APPLICANT

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.
N/A

12. Remarks:

DRILLED 11 JULY 1988.

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Leith Skoan

Applicant

Received by DM Date 9-27-89 Time 11:35 Preliminary check by KW

Fee \$ 45⁰⁰ Receipted by DM # 6010828 Date 9-27-89

Publication prepared by RB Date 12-2-89 Published in Post-Register

Publication approved RB Date 12-26-89

MICROFILMED

FEB 13 1990

T22 238E SEC 4

3242



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

March 24, 1995

KEITH SKAAR
CHERIE SKAAR
1826 E 49TH N
IDAHO FALLS ID 83401

RE: WATER RIGHT NO. 25-07526

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECEIVED

MAR 27 1995

LICENSE REVIEW CHECKLIST



PERMIT NO. 25-07526 DATE 3-15-95

NAME	<u> </u>	Change ☒ OK	☒ Or Address Change?	
PRIORITY DATE	<u> </u>	☒	Advance? <u> </u> Advanced to: <u> </u>	
			Order to reinstate needed? <u> </u>	
			Incorrect fee for rate recommended? <u>NO</u>	
SOURCE	<u> </u>	☒	Changes or just clarification of originally intended source? <u> </u>	
			Notice of Intent to Void necessary? <u> </u>	
POINT OF DIV	<u> </u>	☒	Amendment needed? <u>Add Gov Lot 3</u>	
	<u> </u>	☒	Overlaps? <u> </u>	
PLACE OF USE	<u> </u>	☒	Amendment needed? <u>Add Gov Lot 3</u>	
	<u> </u>	☒	Overlaps? <u> </u>	
DIV RATE	☒	<u> </u>	Permit/fee limits: <u>.90CFS</u>	
			Meas Q = <u> </u> Theo Q = <u>.10CFS</u> Recommend: <u>.10CFS</u>	
			<u>3HP X 8.8 X .7</u>	
			<u>150 + (2.31 X 18) = .10CFS</u>	
			Combined rates exceed capacity <u> </u>	
ANNUAL VOLUME	<u> </u>	☒	Volume Limit: <u> </u> Season: <u> </u>	
			Calculations: <u>4000 X .0134 = 53.6</u>	
			<u>(Pressurized System)</u>	
			Flow limit: <u>.10</u> cfs x <u>365</u> x <u>1.9835</u> = <u>72.3</u>	
			Combined volumes exceed capacity/allowable <u> </u>	
USES	<u> </u>	☒	Change in Nature of Use or additional uses? <u> </u>	
			Amendment necessary? <u> </u>	
REMARKS	☒	☒	Multiple p/d(s) in $\frac{1}{4}$ $\frac{1}{4}$? <u> </u>	
	<u> </u>	<u> </u>	Other <u>W02 (4000 cattle)</u>	
CONDITIONS	<u> </u>	☒	Watermaster control - District <u> </u>	
	<u> </u>	☒	Measuring/Locking Devices <u> </u>	
	<u> </u>	☒	Irrigation Overlap <u> </u>	
	<u> </u>	☒	Other <u>NON-TRUST 048 + 049</u>	
	<u> </u>	☒	Water Quality <u> </u> Heat/Cool/Fish verified <u> </u>	
COMMENTS:	<u>Reduce rate to capacity.</u>			

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>NO</u>
<u>Stockwater</u>	<u>.10</u>	<u>53.6</u>	Adjustment Memo Needed	<u>YES</u>
<u> </u>	<u> </u>	<u> </u>	LICENSE	☒
<u> </u>	<u> </u>	<u> </u>	AMENDMENT LETTER	<u> </u>
<u> </u>	<u> </u>	<u> </u>	SECOND AMENDMENT LETTER	<u> </u>



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

FEB 22 1995

Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Keith or Cherie Skar Permit No. 25-7526
Current Address: ~~1826 E~~ 1826 E 49 N Idaho Falls, Idaho 83401 Phone No. 523-5713
2. Accompanied by: N/A EXAM. DATE: 6 Aug 1992
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE

☐ Copies Attached
2. Other water rights with same point of diversion: NONE

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

RECEIVED
MAR 27 1995

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well submersable pump mainline to two pressure tanks mainline to stock tanks up to 4000 range cattle

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Model Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Sta-Rite	3	HP4H02-02		

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	3		NE	NW	4	2N	38E	Bonneville	on site inspection

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	38E	4					S												
							L3												

Do not use this space

MAR 27 1995

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

140' static H₂O Level
~~20 psi~~ 18 psi - 52 psi

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = \frac{3(8.814) \cdot 0.8}{140 + (18 \times 2.31)} = 0.12 \text{ cfs}$$

$$Q = \frac{(2)(8.814)(.7)}{140 + (18 \times 2.31)} = .103 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$$V_{\text{stock}} = 4000 \text{ range cattle} \times 0.0134 = 53.6 \text{ ac-ft}$$

$$(1.10 \text{ cfs}) (1.9835) (365) = 78.4 \text{ Acre feet/year}$$

* See attached adjustment explanation. DC

MAR 27 1995

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
* Stockwater (4000 head range cattle)	1/1	12/31	0.12 cfs	53.6 afa
Totals:			0.12 cfs	53.6 afa

2. Recommended Amendments

- | | | |
|---|--|--|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☒ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |

J. AUTHENTICATION

Field Examiner's Name: KERRY C. WILSON
Signature: Kerry C. Wilson
Certification Date: _____
Field Report Preparation Date: _____

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

* See attached adjustment explanation. BC

RECEIVED
MAR 27 1995

MAR 27 1995

MEMORANDUM

TO: File 25-07526 / Keith Skaar
FROM: Brenda Chapman
DATE: March 16, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for the above referenced water right are based on the information below:

D. FLOW CALCULATIONS

The recommended rate has been reduced based on an adjustment to the theoretical calculation. The efficiency rating has been changed to the standard .7 and the pumping level increased to 150' (rather than the static water level of 140' listed on the well log).

$$\frac{8.8 \times .7 \times 3.0 \text{ hp}}{150' + (2.31 \times 18 \text{ psi})} = .10 \text{ cfs}$$

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Stockwater	1-01 to 12-31	.10	53.6

See item D.

APR 17 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

25-7526

Permit No.

Measurement Calculations

$$Q = \frac{hp (8.814) (eff)}{Lift + (PSI \times 2.308)}$$

$$hp = 3$$

$$Lift = 140' \text{ (static H}_2\text{O level)}$$

$$Pressure = 18 - 52 \text{ psi}$$

$$eff = 80\% = 0.8$$


$$= \frac{3 (8.814) (0.8)}{140 + (18 \times 2.308)} = 0.116 \text{ cfs} = 0.12 \text{ cfs}$$


$$\text{Volume} = (N)(0.0134) = 53.60 \text{ AF/year}$$

$$0.116 \text{ cfs} \quad (0.12)(1.4835)(365) = 84.877 \text{ ac-in.} = 10\%$$

$$10\% \text{ cfs} = 77.348 \text{ AFA}$$

RECEIVED
MAR 27 1995





well

25-7526

1971 27 1305

December 28, 1990

KEITH SKAAR
CHERIE SKAAR
1826 E. 49TH N.
IDAHO FALLS, ID 83401

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 25-07526

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JAN 26 1991

130778

November 30, 1990

KEITH SKAAR
CHERIE SKAAR
1826 E. 49TH N.
IDAHO FALLS, ID 83401

PROOF DUE NOTICE

RE: PERMIT NO. 25-07526

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECORDED
FILMED

JAN 2 8 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
January 18, 1990

KEITH SKAAR
CHERIE SKAAR
1826 E. 49TH N.
IDAHO FALLS, ID 83401

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P25-07526

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

MICROFILMED

FEB 13 1990



We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED

FEB 15 1990

Form 238-7
9-87 OCT 18 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

Department of Water Resources requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Keith Sklar</u> Address <u>1826 E 49th N Idaho Falls 83401</u> Owner's Permit No. <u>25-88-E-033</u>		7. WATER LEVEL Static water level <u>140</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ Describe artesian or temperature zones below																																									
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailer ☐ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped																																					
Discharge G.P.M.	Pumping Level	Hours Pumped																																									
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☒ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>8</td><td>0</td><td>2</td><td>Overburden</td><td> </td><td> </td></tr><tr><td> </td><td>2</td><td>18</td><td>Gravel</td><td> </td><td> </td></tr><tr><td> </td><td>18</td><td>110</td><td>Basalt</td><td> </td><td> </td></tr><tr><td> </td><td>110</td><td>125</td><td>Sediment</td><td> </td><td> </td></tr><tr><td> </td><td>125</td><td>190</td><td>Basalt</td><td> </td><td> </td></tr></tbody></table>		Bore Diam.	Depth		Material	Water		From	To	Yes	No	8	0	2	Overburden				2	18	Gravel				18	110	Basalt				110	125	Sediment				125	190	Basalt		
Bore Diam.	Depth		Material		Water																																						
	From	To		Yes	No																																						
8	0	2	Overburden																																								
	2	18	Gravel																																								
	18	110	Basalt																																								
	110	125	Sediment																																								
	125	190	Basalt																																								
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		RECEIVED AUG 24 1988 Department of Water Resources Eastern District Office																																									
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>250 inches</td><td>8 inches</td><td>1 foot</td><td>18 feet</td></tr><tr><td>250 inches</td><td>6 inches</td><td>15 feet</td><td>136 feet</td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td><td> </td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></tbody></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port _____				Thickness	Diameter	From	To	250 inches	8 inches	1 foot	18 feet	250 inches	6 inches	15 feet	136 feet									Number	From	To																	
Thickness	Diameter			From	To																																						
250 inches	8 inches			1 foot	18 feet																																						
250 inches	6 inches	15 feet	136 feet																																								
Number	From	To																																									
6. LOCATION OF WELL Sketch map location must agree with written location. <table border="1"><tr><td>N</td><td> </td><td> </td></tr><tr><td>W</td><td> </td><td>E</td></tr><tr><td>S</td><td> </td><td> </td></tr></table> Subdivision Name <u>FEB 13 1990</u> Log No. _____ Block No. _____ County <u>Bonneville</u> <u>NE 1/4 NW 1/4 Sec. 4 T. 2 N. R. 38 E. W.</u>		N			W		E	S			10. DRILLERS CERTIFICATION We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Dennis Drilling</u> Firm No. <u>10</u> Address <u>Box 460 Ucon</u> Date <u>July 13 88</u> Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>[Signature]</u>																																
N																																											
W		E																																									
S																																											

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

29-Nov-1989

Keith Skarr
1826 E. 49th N.
Idaho Falls, ID 83401

RE: Application for Permit No. 25-7526

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Post-Register. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MAILED

FEB 13 1990

25-07526

SKAAR, KEITH
SKAAR, CHERIE
1826 E. 49TH N.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NENW Sec 4 T 02N R 38E
Use: STOCKWATER (.900 CFS)
Date Filed: 9/27/1989
In: T02N R38E S04 NENW
25-07549

LATTA, FRANCIS A.
177 E. 49 S. TOWNSHIP RD.
IDAHO FALLS, ID 83404
Source: GROUNDWATER
Diversion Pt: SESWSE Sec 31 T 02N R 38E
Use: IRRIGATION (.040 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)
Date Filed: 9/27/1989
In: T02N R38E S31 SWSE
2.0 ACRES TOTAL

25-07552
ARNOLD FEED LOT, INC.
3488 LINCOLN RD.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NWNE Sec 15 T 02N R 38E
Use: STOCKWATER (.150 CFS)
COMMERCIAL (.020 CFS)
DOMESTIC (.080 CFS)
Date Filed: 8/15/1989
In: T02N R38E S15 NWNE

25-07553
SUNNYSIDE ESTATES WATER USERS
C/O MARGARET CONANT
1882 E. SUNNYSIDE
IDAHO FALLS, ID 83404
Source: GROUNDWATER
Diversion Pt: NENENW Sec 33 T 02N R 38E
Use: DOMESTIC (.110 CFS)
Date Filed: 9/27/1989
In: T02N R38E S33 NENW
25-07554

CRM CO.
3004 WESTMORELAND CIRCLE
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: SWNWNE Sec 9 T 02N R 38E
Use: COMMERCIAL (.040 CFS)
Date Filed: 9/08/1989
In: T02N R38E S09 NWNE

25-07555
B & F DISTRIBUTING CO.
1095 IONA RD.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: SWSWSE Sec 5 T 02N R 38E
Use: COMMERCIAL (.080 CFS)
Date Filed: 9/28/1989
In: T02N R38E S05 SWSE

25-07556
DUFFEY, ROMNEY B.
DUFFEY, VICTORIA G.
6990 RIMROCK DR.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NENW Sec 29 T 02N R 39E
Use: IRRIGATION (.060 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)
Date Filed: 9/18/1989
In: T02N R39E S29 NENW
3.0 ACRES TOTAL

35-08831
JOHNSON, J. WARD
JOHNSON, MARY V.
246 HARTERT DR.
IDAHO FALLS, ID 83404
Source: GROUNDWATER
Diversion Pt: NENENW Sec 26 T 02N R 36E
Use: STOCKWATER (.220 CFS)
DOMESTIC (.040 CFS)
Date Filed: 8/15/1989
In: T02N R36E S26 NENW

35-08849
STEEL, J. C.

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been
filed to appropriate the public waters of the
State of Idaho:

23-07134
DEMITROPOULOS, ALEX
DEMITROPOULOS, ILA
431 3 RD ST.
IDAHO FALLS, ID 83401
Source: PALISADES CREEK; Tributary:
SNAKE RIVER
Diversion Pt: SWSE Sec 26 T 01N R 44E
Use: IRRIGATION (.030 CFS)
Date Filed: 11/08/1989
In: T01N R44E S26 SWSE
1.0 ACRES TOTAL

23-07141
RUUD, DOUG
P.O. BOX 564
PALISADES, ID 83437
Source: GROUNDWATER
Diversion Pt: SENW Sec 25 T 01S R 45E
Use: DOMESTIC (.200 CFS)
Date Filed: 9/29/1989
In: T01S R45E S23 NESE
S24 NESW NWSW SWSW SESW
S25 NENW NWNW SENW NESW

23-07142
QUAKER HAVEN WELL ASSOCIA-
TION
1285 CORINNE
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: SENW Sec 25 T 01S R 45E
Use: DOMESTIC (.180 CFS)
Date Filed: 9/07/1989
In: T01S R45E S25 SENW

24-07173
BUDGE, JR., THOMAS A.
P.O. BOX 488
NEW CANAAN, CT 06840
Source: UNNAMED SPRINGS; Tributary:
NEWSWANDER CREEK
Diversion Pt: NWNWNW Sec 16 T 04S R 46E
SESENE Sec 17 T 04S R 46E
Use: DOMESTIC (.040 CFS)
Date Filed: 9/28/1989
In: T04S R46E S16 NWNW

1615 W. 49TH N.
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: SWSENE Sec 4 T 03N R 36E
Use: IRRIGATION (3.900 CFS)
Date Filed: 8/25/1989
In: T03N R36E S03 NWNE SWNE NENW
NWNW SWNW SENW NESW NWSW
SWSW SESW NWSE SWSE
S04 NENE NWNE SWNE SENE NESE
NWSE SWSE SESE
780.0 ACRES TOTAL
This is a supplemental water right applica-
tion. Lands under this application are irri-
gated with existing rights from groundwa-
ter.

35-08853
CUTLER, BEVERLY
CUTLER, MARION L.
1723 S. GRIZZLY AVE.
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: NWNWNE Sec 26 T 02N R 37E
Use: IRRIGATION (.030 CFS)
DOMESTIC (.140 CFS)
Date Filed: 8/28/1989
In: T02N R37E S26 NWNE
1.0 ACRES TOTAL

35-08854
AHLSTROM, FARRELL
ANDRUS, JR., DOUG
CHUMLEY, ORVILLE
HARRIELL, LADON
MATHERN, GRETCHEN
MATHERN, RUTH
2361 N. 35TH W.
IDAHO FALLS, ID 83401
Source: GROUNDWATER

Diversion Pt: NESE Sec 9 T 02N R 37E
Use: IRRIGATION (.080 CFS)
DOMESTIC (.080 CFS)
Date Filed: 8/14/1989
In: T02N R37E S09 NESE
4.0 ACRES TOTAL

35-08855
SHURTLIFF, MERLENE
SHURTLIFF, RODNEY
3425 W. APRIL DR.
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: NWNW Sec 34 T 02N R 37E
Use: STOCKWATER (.020 CFS)
DOMESTIC (.060 CFS)
Date Filed: 9/07/1989
In: T02N R37E S34 NWNW

35-08856
WAGNER, JR., KRISTIE L.
WAGNER, JR., EDWARD P.
331 N. 55TH W.
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: SESE Sec 18 T 02N R 37E
Use: STOCKWATER (.020 CFS)
DOMESTIC (.110 CFS)
Date Filed: 8/08/1989
In: T02N R37E S18 SESE

The permit(s) will be subject to
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A, Idaho
Code and/or the new public interest
criteria of Sec. 42-203C, Idaho Code. Protests
must be filed with the Director, Dept. of
Water Resources, 150 Shoup Ave., Suite
15, Idaho Falls, Idaho 83402 on or before
DECEMBER 26, 1989.

R. Keith Higginson, Director
Published: December 7, 1989

24-07174

CLAUSEN, CHARLES P.
9814 S. CHYLENE DR.
SANDY, UT 84092
Source: UNNAMED SPRING; Tributary:
NEWSWANDER CREEK
Diversion Pt: SESENE Sec 17 T 04S R 46E
Use: DOMESTIC (.040 CFS)
Date Filed: 10/27/1989
In: T04S R46E S16 NWNW

24-07175
SINARSKI, JAMES J.
BOX 183
ALPINE, WY 83128
Source: SPRING; Tributary: NEWS-
WANDER CREEK
Diversion Pt: NWNWSE Sec 16 T 04S R 46E
Use: STOCKWATER (.020 CFS)
DOMESTIC (.060 CFS)
Date Filed: 8/04/1989
In: T04S R46E S16 NWSE

25-07509
GRAYSON SUBDIVISION WATER CO.
C/O ED GRAYSON
P.O. BOX 2511
IDAHO FALLS, ID 83403
Source: GROUNDWATER
Diversion Pt: NENWNE Sec 10 T 03N R 38E
Use: DOMESTIC (.170 CFS)
IRRIGATION (.060 CFS)
Date Filed: 8/10/1989
In: T03N R38E S10 NENE NWNE
2.0 ACRES TOTAL

25-07513
VERN CLARK & SONS CONSTRUC-
TION CO.
P.O. BOX 1529
IDAHO FALLS, ID 83403
Source: GROUNDWATER
Diversion Pt: NWNW Sec 8 T 02N R 38E
Use: COMMERCIAL (.040 CFS)
Date Filed: 8/21/1989
In: T02N R38E S08 NWNW

FILED

FEB 13 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

NOVEMBER 28, 1989

THE POST-REGISTER
P.O. BOX 1800
IDAHO FALLS, ID 83403

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before DECEMBER 26, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

FEB 13 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following appl ion(s) have been filed t ppropriate the public waters of the State of Idaho:

INDEXED

FEB 13 1990

25-07526

SKAAR, KEITH
SKAAR, CHERIE
1826 E. 49TH N.
IADHO FALLS, ID 83401

Source: GROUNDWATER

Diversion Pt: NENW Sec 4 T 02N R 38E

Use: STOCKWATER (.900 CFS)

Date Filed: 9/27/1989

In: T02N R38E S04 NENW

RECORDED

FEB 13 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-1, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before DECEMBER 26, 1989.

R. Keith Higginson, Director

Published 12/07/1989 & 12/14/1989

RECEIVED

FEB 13 1990