

Produced by the Geological Survey
in cooperation with the Soil Conservation Service

Orthophotograph prepared from 1:78 000-scale
aerial photographs taken August 5, 1976

Projection and 10,000-foot grid ticks
Idaho coordinate system, east zone

(Transverse Mercator)
1000-meter Universal Transverse Mercator grid ticks,
zone 12. 1927 North American datum

Photomage transformed by scanning techniques
which may produce double or mismatched images;
use the mean of image positions for map point.

MAY 29 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT Department of Water Resources

RECEIVED
DEC 02 1992

A. GENERAL INFORMATION


1. Owner: Lincoln Cemetery District Permit No. 25-7525
Current Address: 50 Cecil Scott 3242 Lincoln Rd Idaho Falls, Id 83401 Phone No. _____
2. Accompanied by: Noris Burgener EXAM. DATE: 7-28-1992
Address: 2758 Lincoln Rd Idaho Falls Phone No. 522-9099
Relationship to Permit Holder: operator
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached




Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MINUTEMED
JAN 22 1993


R38E — POINT OF DIVERSION; PLACE OF USE

R38E — POINT OF DIVERSION; PLACE OF USE



UNRECORDED

JAN 22 1993




and published by the Geological Survey
NOS/NOAA

compiled by multiplex methods,
photos taken 1946
table methods 1948

1927 North American datum
based on Idaho coordinate system,

Universal Transverse Mercator grid ticks,
true

adjusted North American Datum 1983,
lines 12 meters north and
shown by dashed corner ticks



UTM GRID AND 1979 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET

25-7525

JAN 22 1993

NATIONAL

THIS MAP COMPILED
FOR SALE BY U.S. GEOLOGICAL SURVEY

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE
WATER RIGHT NO. 25-07525

Priority: August 15, 1989

Maximum Diversion Rate:
Maximum Diversion Volume:

0.05 CFS
6.4 AF

This is to certify, that LINCOLN CEMETARY DISTRICT
C/O CECIL SCOTT
3242 LINCOLN RD
IDAHO FALLS ID 83401

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated August 15, 1989; and
has submitted Proof of Beneficial Use on May 9, 1991. An examination indicates
that the works have a diversion capacity of .150 cfs of water from a **GROUNDWATER**
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.05 CFS	6.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 15, Township 02N, Range 38E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	38E	15	NWNW	1.6		1.6

Total number of acres irrigated: 1.6

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.

RECORDED

JAN 22 1993

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 25-07525

CONDITIONS/REMARKS:

6. The Director retains jurisdiction of the right and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 11th
day of JANUARY, 1993.

Acting for R. Keith Higginson, Director

JAN 22 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 25-07525

Proposed Priority: August 15, 1989 Maximum Diversion Rate: 0.09 CFS

This is to certify, that LINCOLN CEMETARY DISTRICT

C/O CECIL SCOTT
3242 LINCOLN RD.
IDAHO FALLS, ID 83401

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

IRRIGATION

04/01 to 11/01

0.09 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWNWNW

Sec. 15, Township 02N, Range 38E
BONNEVILLE County

PLACE OF USE: IRRIGATION

TWN RGE SEC

ACRES

ACRES

ACRES

TOTAL

02N 38E 15

NWNW 4.5

4.5

Total number of acres irrigated:

4.5

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 1991.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.02 cubic feet per second for each acre of land.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

24th day of

19

90

MICROFILMED

MAY 29 1990

for *[Signature]*
R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Lincoln Cemetery Dist. ^{4/0 Cecil Scott} Phone 529-0572
Post office address 3242 LINCOLN Rd IDAHO FALLS 83401
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NW 1/4 of NW 1/4 of NW 1/4, Govt. Lot _____
Sec. 15 Township 2N Range 38E B.M. born County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.09 for IRRIGATION purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.09 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Buried sprinkler system
5 Lines each with 4 sprinklers

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
c. Proposed well diameter is 6" inches; proposed depth of well is unknown feet.
d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

MAY 29 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. _____

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	38E	15					4.5												4.5

Total number of acres to be irrigated 4.5

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? APPLICANT

b. Who owns the land to be irrigated or place of use? APPLICANT

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: THIS WELL was first used in Aug 16th 1966.
and replaced canal water (Progressive) as
the source. system is complete at this time.

MAY 28 1990

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

see Attached
map.

MICROFILMED

MAY 29 1990

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

David B. Smith
(Applicant) *clerk*

Received by AB Date 8/15/89 Time 9:11:59 AM Preliminary check by _____
Fee \$ 30.00 Receipted by AB # M003895 Date 8/19/89
Publication prepared by RB Date 4-5-90 Published in Post-Register
Publication approved aw Date 4-25-90

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other:

MICROFILMED

MAY 29 1990

OFFICERS - LINCOLN CEMETERY DISTRICT

1. JACK SCOTT, PRESIDENT
2. TIM BLAKE, DIRECTOR
3. CECIL SCOTT, CLERK

AS PER SHOW/CON WITH MR. SCOTT 8/28/89 PM

MICROFILMED

MAY 29 1990

FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

23-07126
BAKER, RUTH F.
3911 LEGEND CIR.
HUNTINGTON BEACH, CA 92649
Source: SNAKE RIVER, SOUTH FORK;
Tributary: SNAKE RIVER
Diversion Pt: SESWSW Sec 5 T 03N R 41E
Use: IRRIGATION (.100 CFS)
Total Diversion: (.100 CFS)
Date Filed: 6/30/1989
In: T03N R41E S05 SWSW.
5.0 ACRES TOTAL

23-07135
VAN WINKLE, JOHN DEAN
VAN WINKLE, JOLANE P.
2057 W. 4250 S.
ROY, UT 84067
Source: RAINEY CREEK; Tributary: SNAKE RIVER
Diversion Pt: SWSE Sec 6 T 01N R 44E
Use: IRRIGATION (.030 CFS)
Total Diversion: (.030 CFS)
Date Filed: 7/24/1989
In: T01N R44E S06 SWSE
1.0 ACRES TOTAL

23-07136
ALEXANDER, LOREN C.
HC 34 BOX 10
SWAN VALLEY, ID 83449
Source: GROUNDWATER
Diversion Pt: SWNWSE Sec 17 T 01N R 44E
Use: IRRIGATION (.140 CFS)
COMMERCIAL (.060 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.240 CFS)
Date Filed: 8/22/1989
In: T01N R44E S17 NWSE
7.0 ACRES TOTAL

23-07137
LOVELL, GEORGE L.
P.O. BOX 398
RIRIE, ID 83443
Source: GROUNDWATER
Diversion Pt: SWSWNW Sec 14 T 02N R 42E
Use: IRRIGATION (.220 CFS)
STOCKWATER (.040 CFS)
DOMESTIC (.040 CFS)
Total Diversion: (.300 CFS)
Date Filed: 8/29/1989
In: T02N R42E S14 SWNW
11.0 ACRES TOTAL

23-07138
FULLMER, ELAINE BUCKLAND
6281 E. HEISE RD.
RIRIE, ID 83443
Source: SPRINGS; Tributary: SINKS
Diversion Pt: SWSWSE Sec 11 T 03N R 42E
Use: IRRIGATION (.160 CFS)
Total Diversion: (.160 CFS)
Date Filed: 8/31/1989
In: T03N R42E S11 NESW
8.0 ACRES TOTAL

23-07139
HENKEN, RAYMOND N.
HENKEN, ELAINE L.
1307 E. 25TH ST.
IDAHO FALLS, ID 83404
Source: PALISADES CREEK; Tributary: SNAKE RIVER, SOUTH FORK
Diversion Pt: SWSWSE Sec 26 T 01N R 44E
Use: IRRIGATION (.030 CFS)
Total Diversion: (.030 CFS)
Date Filed: 10/04/1989
In: T01N R44E S35 NWNE
1.0 ACRES TOTAL

23-07140
TAYLOR, HARRY JOSEPH
TAYLOR, BEVERLY JOAN
870 E. 1400 N.
SHELLEY, ID 83274
Source: PALISADES CREEK; Tributary: SNAKE RIVER, SOUTH FORK
Diversion Pt: SWSWSE Sec 26 T 01N R 44E
Use: IRRIGATION (.030 CFS)
Total Diversion: (.030 CFS)
Date Filed: 9/27/1989
In: T01N R44E S35 NWNE
1.0 ACRES TOTAL

P.O. BOX 2077
IDAHO FALLS, ID 83403
Source: GROUNDWATER
Diversion Pt: SESE Sec 28 T 02N R 38E
Use: IRRIGATION (.380 CFS)
Total Diversion: (.380 CFS)
Date Filed: 4/10/1989
In: T02N R38E S28 SESE
19.0 ACRES TOTAL

25-07511
KELSEY, DANNY
KELSEY, SHERRY
648 E. 97 S.
IDAHO FALLS, ID 83404
Source: SAND CREEK; Tributary: WILLOW CREEK
Diversion Pt: NENWNW Sec 20 T 01N R 38E
Use: IRRIGATION (.060 CFS)
Total Diversion: (.060 CFS)
Date Filed: 6/26/1989
In: T01N R38E S20 NWNW
2.0 ACRES TOTAL

25-07512
RHOADES, ARVIN
P.O. BOX 1422
IDAHO FALLS, ID 83403
Source: TWIN CREEK; Tributary: WILLOW CREEK
Diversion Pt: NESWSW Sec 28 T 01S R 40E
SWSWSW Sec 28 T 01S R 40E
Use: IRRIGATION (.400 CFS)
Total Diversion: (.400 CFS)
Date Filed: 6/15/1989
In: T01S R40E S28 SWSW
20.0 ACRES TOTAL

25-07525
LINCOLN CEMETERY DISTRICT
C/O CECIL SCOTT
3242 LINCOLN RD.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NWNWNW Sec 15 T 02N R 38E
Use: IRRIGATION (.090 CFS)
Total Diversion: (.090 CFS)
Date Filed: 8/15/1989
In: T02N R38E S15 NWNW
4.5 ACRES TOTAL

25-07545
PARKER, JERRY L.
P.O. BOX 358
RIRIE, ID 83443
Source: GROUNDWATER
Diversion Pt: SESW Sec 22 T 03N R 39E
Use: IRRIGATION (7.540 CFS)
Total Diversion: (7.540 CFS)
Date Filed: 11/02/1989
In: T03N R39E S22 SWSW SESW SWSE SESE
S27 NENE NWNE SWNE SENE NENW NWNW SWNW SENW NESW NWSW
377.0 ACRES TOTAL

25-07547
SCHEUERMANN, KEITH W.
756 S. FOOTHILL RD.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: SENE Sec 19 T 02N R 39E
Use: IRRIGATION (.300 CFS)
Total Diversion: (.300 CFS)
Date Filed: 8/25/1989
In: T02N R39E S19 SENE
15.0 ACRES TOTAL

25-07561
NEIBAUR, RYAN
2320 ROSS
IDAHO FALLS, ID 83406
Source: GROUNDWATER
Diversion Pt: SENW Sec 17 T 01N R 38E
Use: IRRIGATION (4.000 CFS)
Total Diversion: (4.000 CFS)
Date Filed: 3/02/1990
In: T01N R38E S17 NENW NWNW SWNW SENW NWSW SWSW
S18 NESE NWSE SWSE SESE
S19 NENE NWNE SWNE
383.0 ACRES TOTAL

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before APRIL 23, 1990.

R. Keith Higginson, Director
Published: April 5, 12, 1990

RECORDED

MAY 10 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

January 12, 1993

LINCOLN CEMETARY DISTRICT
C/O CECIL SCOTT
3242 LINCOLN RD
IDAHO FALLS ID 83401

RE: WATER RIGHT NO. 25-07525

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in cursive script that reads 'Pamela Skaggs'.

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

[Handwritten signature]
JAN 22 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 18, 1992

LINCOLN CEMETARY DISTRICT
C/O CECIL SCOTT
3242 LINCOLN RD
IDAHO FALLS ID 83401

RE: WATER RIGHT NO. 25-07525

Dear Water Right Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

RECEIVED

DEC 2 1993

LICENSE REVIEW CHECKLIST

Permit # 25-07525

Date 12-14-92 28

	Yes	No	
NAME	_____	_____	Address Change?
PRIORITY DATE	_____	_____	Advance? _____
	_____	_____	Memo to Advance _____
	_____	_____	Order to Reinstate Needed? _____
TOTAL CFS	_____	_____	Incorrect Fee for rate recommended? _____
	_____	_____	Disagree with Actual Measurement? _____
			<u>1.6 x .03 = .048 ≈ .05 cfs (IRR)</u>
	_____	_____	Disagree with Theoretical? <u>No well info</u>
	_____	_____	Limited by Capacity? <u>.15 cfs</u>
TOTAL VOLUME			Rate/ac <u>4.0</u> AFA Irr. Season <u>C</u>
			<u>4-1 to 10-31</u> Standard Irr. Season
			<u>Same/Reduced 1 Day</u> Season Recommended
	_____	_____	Disagree with Examiner's Calculations? _____
			<u>1.6 x 4.0 = 6.4 cfs (IRR)</u>
	_____	_____	Limited by Flow? _____
SOURCE	_____	_____	Changes? Clarification of <u>Originally</u>
	_____	_____	<u>Intended</u> source _____
	_____	_____	Notice of Intent to Void. _____
P/D			Verify with Map _____
	_____	_____	Amendment Needed? _____
	_____	_____	Is Overlap Analysis a Consideration? _____
P/U			Verify with Map _____
	_____	_____	Amendment Needed? _____
	_____	_____	Is Overlap Analysis a Consideration? _____
USES	_____	_____	Change(s) in Nature of Use? _____
	_____	_____	Amendment Needed? _____
REMARKS	_____	_____	Multiple P/Ds in 1/4 1/4? _____
	_____	_____	Non-Irr. Uses _____
	_____	_____	Special Overlap Condition _____
	_____	_____	Other _____
CONDITIONS	_____	_____	Measuring Device _____
	_____	_____	W/Master Control _____
	<u>R51</u>	_____	Overlap _____
	_____	_____	Water Quality _____
			DATES/MISC
		_____	Water Dist. _____
		_____	App Rec'd _____
		_____	Exam Made _____
COMMENTS/MEMOS NEEDED:	<u>Reduced Acre, rate</u>		
License _____ 10-Day _____ 15-Day _____ Special Correspondence _____			

WR0749NP
No. L25-07525

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 12/14/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	LINCOLN CEMETARY DISTRICT C/O CECIL SCOTT 3242 LINCOLN RD IDAHO FALLS ID 83401 (208) 529-9099	08/15/1989	IRRIGATION	04-01 10-31	0.05 CFS	6.4 AFA
TOTAL DIVERSION:					0.05 CFS	6.4 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.15 CFS

Point(s) of Diversion: T02N R38E S15 NW NW

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE				
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM	
02N	38E	15	:							01								:	1.6	
TOTAL ACRES																			1.6	

Pou County: BONNEVILLE

Other Water Rights Listing Overlapping Place(s) of use:

01-00241 25-00021 25-00153 25-07525

Conditions of Approval:

- 048 - The use of water under this right shall not give rise to any
- claim against the holder of a senior water right based upon the
- theories of forfeiture, abandonment, adverse possession, waiver,
- equitable estoppel, estoppel by laches or customary preference.
- 049 - The Director retains jurisdiction of the right and any license
- subsequently issued to incorporate the use into a water district,
- require streamflow augmentation or other action needed to protect
- prior surface water and groundwater rights.
- R51 - This right when combined with all other rights shall provide no
- more than .03 cfs per acre nor more than 4.0 afa per acre for the
- lands above.

Dates: App. Received: 08/15/1989 Priority Date: 08/15/1989
Proof Due Date: 06/01/1991 Proof Made Date: 05/09/1991
Exam Made Date: 07/28/1992 Exam Sent to S.O.: 11/27/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

Audit: 12/14/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 02 1992

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 25-7525
1. Owner: Lincoln Cemetery District Phone No. _____
Current Address: % Cecil Scott 3242 Lincoln Rd Idaho Falls, ID 83401
2. Accompanied by: Noris Burgener EXAM. DATE: 7-28-1992
Address: 2758 Lincoln Rd Idaho Falls Phone No. 522-9099
Relationship to Permit Holder: operator
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

JAN 22 1993

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well pump Mainline to 8 ~~sprinklers~~ sprinklers

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	7 1/2	241C5303C	GE	3"

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NW	15	2N	38E	Bonneville	On site inspection

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	38E	15						1.6											1.6

Do not use this space

RECORDED

JAN 22 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

70 psi	1st	sprinkler	50 psi	end sprinkler (7 th)	13/64	70 psi
13/64	13/64	13/64	11/64	11/64	11/64	13/64
50 psi						

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

$$Q = 0.15 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1.6 \text{ ac} (4) = 6.4$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.05 (214) (1.9835) = 21.2$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 6.4 \text{ ac}$$

2. Volume Calculations for Other Uses:

JAN 22 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4/1	11/1	0.05cfs	6.4af
Totals:			0.05cfs	6.4

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name KEITH C. Wilson

Signature Keith C. Wilson

Certification Date _____

Field Report Preparation Date _____

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



JAN 22 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

25-7525
Permit No.

Measurement Calculations

Nozzle 1/64
PSI GPM
60 ——— 6.80
64 ——— $x + 6.80$
65 ——— 7.06 gpm

$$\frac{(7.06 - 6.80)}{5} = \frac{x}{4}$$

$$x = 0.208$$

$$x + 6.80 = 7.008 \text{ gpm}$$

$$4(7.008) = 28.032 \text{ gpm}$$

Nozzle 13/64
PSI GPM
60 ——— 9.56
64 ——— $x + 9.56$
65 ——— 9.92

$$\frac{(9.92 - 9.56)}{5} = \frac{x}{4}$$

$$x = 0.288$$

$$x + 9.56 = 9.848 \text{ gpm}$$

$$4(9.848) = 39.392$$

$$Q_{\text{Total}} = 28.032 \text{ gpm} + 39.392 \text{ gpm} = 67.424 \text{ gpm}$$

$$= \frac{67.424 \text{ gpm}}{448.8 \text{ gpm/cfs}} = 0.15 \text{ cfs}$$

$$Q_{\text{LIMITED TO } 0.03 \text{ cfs/ac}} = 1.6 \text{ ac} \times 0.03 \text{ cfs} = 0.048 \text{ cfs}$$


$$= 0.05 \text{ cfs}$$

JAN 22 1993

R38E


POINT OF DIVERSION ¹ PLACE OF USE

T
2
N



EX-100-100-100

JAN 22 1993




and published by the Geological Survey
NOS/NOAA

compiled by multiplex methods,
photos taken 1946
table methods 1948


1927 North American datum
based on Idaho coordinate system,

al Transverse Mercator grid ticks,
due

cted North American Datum 1983,
lines 12 meters north and
own by dashed corner ticks



UTM GRID AND 1979 MAGNETIC NORTH
DECLINATION AT CENTER OF SHEET



25-7525
JAN 22 1993

NATIONAL

THIS MAP COMPILED
FOR SALE BY U. S. GEOLOGICAL SURVEY

May 17, 1991

LINCOLN CEMETARY DISTRICT
C/O CECIL SCOTT
3242 LINCOLN RD.
IDAHO FALLS, ID 83401

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 25-07525

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED

MAY 30 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 25-7525

Date 5-14-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
NA Drill permit req'd?
1966 ☒ Copy in file? Drill permit no. _____
☒ Amt paid for drilling permit? _____ Correct?
☒ Well log in file?

LICENSE EXAMINATION FEE

- yes Required?
50.00 Amount submitted?
yes Correct amount?

MEASURING DEVICE

- NO Measuring device or access port required?
☒ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

PRIORITY CALCULATION

LB

Date proof received	<u>NA</u>	_____
Date proof due	<u> </u>	- _____
No. of days late	<u> </u>	= _____
Priority date	<u> </u>	+ _____
NEW PRIORITY DATE	<u> </u>	= _____

RECEIVED
MAY 9 1991

For Office Use Only
Amt. of Fee \$ 50.00
Date 5/9/91
Receipt No. 0020427
Received by J. J. J. J.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 25-07525 Telephone No. 208-529-0572

Name(s) of Permit Holder(s): Lincoln Cemetery District & Cecil C. Scott

Post Office Address: 3242 Lincoln Road, Idaho Falls, Idaho 83401

Source of Water: Groundwater

If ground water, well driller's name: _____ Date drilled: August 1966

Extent of Use:
Domestic _____ (No. of households) Irrigation 4 1/2 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

Total rate and/or volume for which proof is submitted 0-09 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: August 1966

One of the following may be a condition of approval of your permit:

Measuring device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☒ No

OR

Flow Measurement Port: Required? ☐ Yes ☐ No Installed? ☐ Yes ☒ No

Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Name see above Telephone No. _____

Address _____

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAY 30 1991

5-6-91 Date Cecil C. Scott Signature (and title if on behalf of a company or organization)

March 31, 1991

LINCOLN CEMETARY DISTRICT
C/O CECIL SCOTT
3242 LINCOLN RD.
IDAHO FALLS, ID 83401

PROOF DUE NOTICE

RE: PERMIT NO. 25-07525

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before June 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MAY 30 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
May 24, 1990

LINCOLN CEMETARY DISTRICT
C/O CECIL SCOTT
3242 LINCOLN RD.
IDAHO FALLS, ID 83401

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P25-07525

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

MAY 29 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

MAY 29 1990

Form No. 202a
1/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Non-Trust
Had

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY DN DATE 8-28-89 APPLICATION NUMBER 25-7525
Lincoln Cemetery

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Yes ☒ No Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____

RECEIVED
MAY 04 1990

Department of Water Resources

PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 4-23-90
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. 01-P05
☐ Yes ☐ No Special conditions of approval or cover letter below. _____

See below for additional information
Date of priority recommended 8-15-89
By HWS Date 5-02-90

STATE OFFICE REVIEW P05, P23 PK6 48 49 46

See below for additional information
By KW Date 5-17-90

ADDITIONAL INFORMATION

App. in NON-TRUST area-

13-Mar-1990

3242 Lincoln Rd. Lincoln Cemetary Dist.
648 E. 97 S.
Idaho Falls, ID 83401

RE: Application for Permit No. 25-7525

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Post-Register on April 5 & 12, 1990. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

RECEIVED

MAY 29 1990

25-07525

LINCOLN CEMETARY DISTRICT
C/O CECIL SCOTT
3242 LINCOLN RD.
IDAHO FALLS, ID 83401

Source: GROUNDWATER

Diversion Pt: NWNWNW Sec 15 T 02N R 38E

Use: IRRIGATION (.090 CFS)
Total Diversion: (.090 CFS)

Date Filed: 8/15/1989

In: T02N R38E S15 NWNW

4.5 ACRES TOTAL

RECORDED

MAY 29 1990