




State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07520

Priority: October 16, 1989

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

0.6 AF

This is to certify, that HAMPTON ROOFING INC
C/O DOUGLAS R HAMPTON
3905 N YELLOWSTONE
IDAHO FALLS ID 83401

has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated September 5, 1989; and
has submitted Proof of Beneficial Use on February 11, 1991. An examination indicates
that the works have a diversion capacity of 0.130 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS	0.6 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSW , Sec. 3, Township 02N, Range 38E
BONNEVILLE County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

02N 38E 3

NWSW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. Commercial use is for an office and truck washing equipment.

RECORDED

JUN 29 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07520

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 26th
day of JUNE, 1995.


Acting for KARL J. DREHER, Director



MICROFILMED
JUN 29 1995

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 25-7520 IN THE)
NAME OF HAMPTON ROOFING INC) ORDER OF REINSTATEMENT
_____)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before January 1, 1991; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on February 11, 1991;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 25-7520 be REINSTATED and the priority advanced to October 16, 1989.

Dated this 10th day of April, 1991.


L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED

JUL 15 1991

RECEIVED
FEB 11 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 25-07520 Telephone No. 523-7663
2. Name(s) of Permit Holder(s): Hampton Boofing, Inc.
3. Post Office Address: 3905 N. YELLOWSTONE, Idaho Falls, Id 83401
4. Source of Water: Groundwater.
- a. If ground water, well driller's name: ? Date drilled: Approximate 1975 **X**
- b. Pump horsepower: _____ Pressure (psi): _____ Dynamic pumping level (ft.): _____

5. Extent of Use:

Domestic/commercial (No. of households) Irrigation _____ (No. of acres)

Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

X Measuring device: N/A Required? Yes No Installed? N/A Yes No

Flow Measurement Port: N/A ^{OR} Required? Yes No Installed? N/A Yes No

8. Fee Enclosed: \$ 0 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Douglas Hampton 523-7663
Name Telephone No.

3905 N. YELLOWSTONE, Idaho Falls, Id 83401
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

1/16/91
Date

Neena J. Dooley - Secretary
Signature (and title if on behalf of a company or organization)

RECEIVED
JUL 15 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 25-07520

Proposed Priority: September 5, 1989 Maximum Diversion Rate: 0.04 CFS

This is to certify, that **HAMPTON ROOFING INC.**
C/O DOUGLAS R. HAMPTON
3905 N. YELLOWSTONE
IDAHO FALLS, ID 83401

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

COMMERCIAL

01/01 to 12/31

0.04 CFS

LOCATION OF POINT(S) OF DIVERSION:

NENWSW

Sec. 3, Township 02N, Range 38E
BONNEVILLE County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

02N 38E 3

NWSW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **January 1, 1991**.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
6. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
7. Commercial use is for an office and washing trucks.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

8th day of December, 1989.

RECORDED

DEC 14 1989

R. Keith Higginson
for R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Hampton Roofing Inc/Douglas R Hampton Phone 208-523 7663
Post office address 3905 N Yellowstone Idaho Falls 83401
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 3 Township 2N Range 38E B.M. Bonerville County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 0.04 for Commercial/Don purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 0.04 cubic feet per second and/or (b) De Minimis acre feet per annum
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well Pump & Pipeline to 2 offices and Wash Bay in Shop.
b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet; period of year when water will be diverted to storage: _____ to _____ inclusive.
c. Proposed well diameter is X 8" inches; proposed depth of well is X 150' feet.
d. Is ground water with a temperature of greater than 90°F being sought? NO
7. Time required for the completion of the works and application of the water to the proposed beneficial use is () years (minimum 1 year).

RECEIVED

DEC 14 1985

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. Commercial / Domestic Office Facilities
- e. Other; describe fully. Wash Bay to Clean Trucks

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	38E	3									<u>CD</u>								

Total number of acres to be irrigated 0

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant & Clients
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Water Delivery Agreement for Fees to neighboring businesses

12. Remarks: _____

FROM

DATE

Officers in Hampton Roofing Inc.

TO

SUBJECT

Doug Hampton - Pres
Gary Thompson - VP
Audra Bodily - Sec
Doug Hampton - Treas

RECORDED


DEC 14 1939

SIGNATURE

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.


(Applicant)
President

Received by RB Date 9-5-89 Time 2:08 Preliminary check by _____
Fee \$ 32 Received by HWJ # E010127 Date 9-5-89
Publication prepared by RB Date 10-5-12-89 Published in Post-Register
Publication approved RB Date 10-23-89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

DEC 14 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 27, 1995

HAMPTON ROOFING INC
C/O DOUGLAS R HAMPTON
3905 N YELLOWSTONE
IDAHO FALLS ID 83401

RE: WATER RIGHT NO. 25-07520

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

RECORDED

JUN 29 1995

LICENSE REVIEW CHECKLIST



PERMIT NO. 05-07520 DATE 6-22-95

NAME	<u>Change</u>	<u>OK</u>	☒	Or Address Change?
PRIORITY DATE	☒			Advance? <u>YES</u> Advanced to: <u>OCT 16, 1989</u> Order to reinstate needed? <u>DONE</u> Incorrect fee for rate recommended? <u>N/A</u>
SOURCE			☒	Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV			☒	Amendment needed? _____
			☒	Overlaps? _____
PLACE OF USE			☒	Amendment needed? _____
			☒	Overlaps? _____
DIV RATE			☒	Permit/fee limits: <u>.04 CFS</u> Meas Q = <u> </u> Theo Q = <u>.13</u> Recommend: <u>.04</u>
Combined rates exceed capacity _____				
ANNUAL VOLUME			☒	Volume Limit: _____ Season: <u>1-1 to 12-31</u> Calculations: <u>Equal to internal domestic use @ .16</u> Flow limit: _____ cfs x _____ x 1.9835 = _____ Combined volumes exceed capacity/allowable _____
USES			☒	Change in Nature of Use or additional uses? _____ Amendment necessary? _____
ADDITIONAL INFO	Supplemental Groundwater _____ PPU Scenario _____ Irr/Dom Combination _____ Shared G/W System _____			
NEW REMARKS	<u> </u>	Multiple p/d(s) in ¼ ¼? _____		
	<u> </u>	Other _____		
NEW CONDITIONS	<u> </u>	Watermaster control - District _____		
	<u> </u>	Measuring/Locking Devices _____		
	<u> </u>	Irrigation Overlap _____		
	<u> </u>	Other <u>keep NON-TRUST 048 & 049</u>		
	<u> </u>	Water Quality _____ Heat/Cool/Fish verified _____		

COMMENTS: _____

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	<u>NO</u>
<u>Commercial</u>	<u>.04</u>	<u>.16</u>	Adjustment Memo Needed	<u>NO</u>
_____	_____	_____	LICENSE	☒
_____	_____	_____	1ST AMEND LETTER	_____
_____	_____	_____	2ND AMEND LETTER	_____

**Staff Analysis Sheet
for
Beneficial Use Field Report**

RECEIVED
FEB 21 1995

Department of Water Resources

Blank Field Report Form

Copy of Permit

Copies of any Amendments/Orders with Conditions of Approval

Well Inspection Form (If Needed)

Aerial Photo Required? ☐ yes ☐ no If yes: ☐ copy attached

SRBA Attachment A Submitted to Adjudication Section

SRBA Claim Check Received _____ (initial & date)

☐ N/A ☐ Applicable, See Attachment A _____

Copy of U.S.G.S. Quad

Check for Government Lots. If so, make a copy of government plat

Check of P/D index HWT 2-15-95 (initial & date)

Overlap ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index HWT 2-15-95 (initial & date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts


☐ Other: _____

Scheduling Letter Sent? _____ (initial & date)

Appointment Made and Telephone Conversation Memo Attached

_____ Fully Completed and Signed Field Report Form
 _____ Photographs of Point of Diversion and Place of Use
 _____ Copy of SRBA Claim Verification Sheet / _____ Original Returned to
 Adjudication Section

Exam Completed 5-28-93 KCW (signature of examiner & date)
Exam Reviewed by Senior Water Resource Agent Stacy 2-15-95 (initial & date)
Exam Reviewed by Manager of Regional Office _____ (initial & date)
Exam Sent to State Office LA 2/17/95 (initial & date)



**POINT OF DIVERSION
PLACE OF USE**

**T2N
R38E**

25-7520

JUN 29 1995

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
FEB 21 1995
Department of Water Resources

A. GENERAL INFORMATION

1. Owner: Hampton Roofing, Inc. & Douglas Hampton Permit No. 25-7520
Current Address: 3905 N. Yellowstone Idaho Falls ID 83401 Phone No. 523-7663
2. Accompanied by: Kent Nadauld EXAM. DATE: 28 May 93
Address: 3905 N Yellowstone, Idaho Falls Phone No. 523-7663
Relationship to Permit Holder: Sales Manager
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: N.A.

☐ Copies Attached
2. Other water rights with same point of diversion: N.A.

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

MICROFILMED

Scale: 1" = _____

JUN 29 1995

2. ☐ Copy of U.S.G.S. Quadrangle Attached ☐ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

well pump mainline to Commercial Building for bathroom facilities

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin Electric	5	282-1139-203	—	—
			Model #		

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NW	SW	3	2N	38E	Bonnevill	

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
2N	38E	3										C							

Do not use this space

MICROFILMED

JUN 29 1995

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

State H₂O m Area ~ 150'

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = \frac{h_p (8.814) (eff)}{Lift + (PSI \times 2.308)} = \frac{5 (8.814) (0.7)}{150 + (40 \times 2.308)} = 0.127 cfs$$

@ Shp, 150' lift, 70% eff, 40 PSI

Permit limits to Q=0.04 cfs

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

V_{I.R.} = (Acres Irrigated) x (Irrigation Requirement) = _____

V_{D.R.} = [Diversion Rate (cfs)] x (Days in Irrigation Season) x 1.9835 = _____

V = Smaller of V_{I.R.} and V_{D.R.} = _____

2. Volume Calculations for Other Uses:

V_{Commercial} ~ 0.6 cfs

RECORDED
JUN 29 1995

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Commercial	1/1	12/1	0.04 cfs	0.6
Totals:			0.04 cfs	0.6 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name KATHA C. WILSON

Signature KATHA C. WILSON

Certification Date _____

Field Report Preparation Date _____

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED
JUN 29 1995

April 16, 1991

HAMPTON ROOFING INC.
C/O DOUGLAS R. HAMPTON
3905 N. YELLOWSTONE
IDAHO FALLS, ID 83401

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 25-07520

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

Enclosure

RECEIVED
JUL 15 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 25-7520

Date 3-29-91

GENERAL CONSIDERATIONS

☒ Name same as permit?
☒ Address same as permit? If no, prepare data entry form.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

☒ Surface water source
☒ Ground water source
☒ NA Drill permit req'd?
☒ Copy in file? Drill permit no. _____
☒ Well log in file?
☒ Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

☒ Required?
☒ Amount submitted?
☒ Correct amount?

MEASURING DEVICE

☒ Measuring device or access port required?
☒ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

Proof acceptable when reinstated

PRIORITY CALCULATION

Date proof received	<u>Feb 11, 1991</u>	<u>42</u>
Date proof due	<u>Jan 1, 1991</u>	<u>1</u>
No. of days late	=	<u>41</u>
Priority date	<u>Sept 5, 1989</u>	<u>+ 248</u>
NEW PRIORITY DATE	<u>Oct 16, 1989</u>	<u>= 289</u>

January 7, 1991

HAMPTON ROOFING INC.
C/O DOUGLAS R. HAMPTON
3905 N. YELLOWSTONE
IDAHO FALLS, ID 83401

LAPSE NOTICE

RE: PERMIT NO. 25-07520

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated October 31, 1990. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf

Enclosures

MICROFILMED

JUL 15 1991

CERTIFICATION OF MAILING

I hereby certify that on 1-10-91
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.

138562

October 31, 1990

HAMPTON ROOFING INC.
C/O DOUGLAS R. HAMPTON
3905 N. YELLOWSTONE
IDAHO FALLS, ID 83401

PROOF DUE NOTICE

RE: PERMIT NO. 25-07520

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

JUL 15 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
December 11, 1989

HAMPTON ROOFING INC.
C/O DOUGLAS R. HAMPTON
3905 N. YELLOWSTONE
IDAHO FALLS, ID 83401

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P25-07520

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

RECORDED

DEC 14 1989

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED

DEC 14 1972

27-Sep-1989

Douglas R. Hampton
3905 N. Yellowstone
Idaho Falls, ID 83401

RE: Application for Permit No. 25-7520

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Post-Register. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

RECEIVED

DEC 14 1989

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s) have been
filed to appropriate the public waters of the
State of Idaho:

23-07128

JOHNSON, KEITH

18167 E. 143 N.

RIRIE, ID 83443

Source: GROUNDWATER

Diversion Pt: NWN Sec 6 T 03N R 41E

Use: STOCKWATER (.020 CFS)

DOMESTIC (.060 CFS)

Dated Filed: 9/01/1989

In: T03N R41E S06 NWN

25-07516

BRAINERD, WILLIAM

KILLIAN, BRET

KILLIAN, VELVET

VARELMANN, THOMAS A.

VARELMANN, KATHLEEN

5351 E. 129 N.

IDAHO FALLS, ID 83401

Source: GROUNDWATER

Diversion Pt: SESE Sec 1 T 03N R 38E

Use: DOMESTIC (.060 CFS)

STOCKWATER (.020 CFS)

Date Filed: 8/29/1989

In: T03N R38E S01 SESE

25-07520

HAMPTON ROOFING INC.

C/O DOUGLAS R. HAMPTON

3905 N. YELLOWSTONE

IDAHO FALLS, ID 83401

Source: GROUNDWATER

Diversion Pt: NENWSW Sec 3 T 02N R

38E

Use: COMMERCIAL (.040 CFS)

Date Filed: 9/05/1989

In: T02N R38E S03 NWSW

25-07521

CROW, LEVON J.

6220 E. SIDEHILL LANE

IDAHO FALLS, ID 83401

Source: LAVA CREEK; Tributary: GRAYS

LAKE OUTLET

Diversion Pt: SWSWNE Sec 4 T 02S R 42E

SESW Sec 4 T 02S R 42E

Use: MINING (.300 CFS)

Date Filed: 9/05/1989

In: T02S R42E S04 SWNE SWSW SESW

25-07522

KOPP, GWENDOLYN

572 MORELAND AVE.

POCATELLO, ID 83201

Source: GROUNDWATER

Diversion Pt: SESESE Sec 13 T 03N R 37E

Use: DOMESTIC (.040 CFS)

Date Filed: 9/01/1989

In: T03N R37E S13 SESE

35-08628

MC CULLOUGH, WILLIAM JAMES

RT. 4 BOX 425

IDAHO FALLS, ID 834020000

Source: GROUNDWATER

Diversion Pt: NESW Sec 9 T 01N R 37E

SESW Sec 9 T 01N R 37E

Use: IRRIGATION (1.910 CFS)

Date Filed: 2/10/1983

In: T01N R37E S09 SWNW SENW NESW

NWSW

SWSW SESW

207.0 ACRES TOTAL

35-08814

DAVIS, ERNIE

DAVIS, RHONDA

1378 S. GRIZZLY AVE.

IDAHO FALLS, ID 83402

Source: GROUNDWATER

Diversion Pt: SWNWSE Sec 23 T 02N R

37E

Use: COMMERCIAL (.040 CFS)

Date Filed: 9/05/1989

In: T02N R37E S23 NWSE

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A, Idaho
Code and/or the new public interest criteria
of Sec. 42-203C, Idaho Code. Protests must
be filed with the Director, Dept. of Water
Resources, 150 Shoup Ave., Suite 15, Idaho
Falls, Idaho 83402 on or before OCTOBER
23, 1989.

R. Keith Higginson, Director

Published: October 5, 12, 1989

RECORDED

DEC 14 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

SEPTEMBER 22, 1989

THE POST-REGISTER
P.O. BOX 1800
IDAHO FALLS, ID 83403

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 23, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

RECEIVED

DEC 14 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following appli ion(s) have been filed t ppropriate the public
waters of the State of Idaho:

MICROFILMED

DEC 14 1989

25-07520

HAMPTON ROOFING INC.
C/O DOUGLAS R. HAMPTON
3905 N. YELLOWSTONE
IDAHO FALLS, ID 83401

Source: GROUNDWATER

Diversion Pt: NENWSW Sec 3 T 02N R 38E

Use: COMMERCIAL (.040 CFS)

Date Filed: 9/05/1989

In: T02N R38E S03 NWSW

RECORDED

DEC 14 1989

The permit(s) will be subject to all prior water rights. Protests may be submitted based the criteria of Sec. 42- A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before OCTOBER 23, 1989.

R. Keith Higginson, Director

Published 10/05/1989 & 10/12/1989

INDEXED FILMED

DEC 14 1989

