


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

R James Meikle
(Applicant)
President and
Chief Executive Officer




Well



25-7517

MICROFILMED
DEC 18 1996


POINT OF DIVERSION
PLACE OF USE.




25-07517

MICROFILMED
DEC 18 1996

ENEY






SUMP PUMP DETAIL

SCALE: NONE

Capacity - ?

1/2" RUP IN SECOND FLOOR CEILING SPACE.



Need the size of pump
Depth of pump
and gal. per min.

Call Andrew
wells drilling

GRAM

WELL PUMP DETAIL

NO SCALE

#P

EPH 12 1970
RECEIVED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07517

Priority: August 24, 1989

Maximum Diversion Rate:

0.50 CFS

Maximum Diversion Volume:

12.4 AF

This is to certify, that VALLEY BANK INC
501 BROADWAY

IDAHO FALLS ID 83402

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 24, 1989; and has submitted Proof of Beneficial Use on February 7, 1990. An examination indicates that the works have a diversion capacity of 0.550 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.50 CFS	12.4 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 7(SENE), Sec. 24, Township 02N, Range 37E
BONNEVILLE County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

02N 37E 24	Lot 7(SENE)
38E 19	Lot 2(SWNW)

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.

MICROFILMED

100 17 1988

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 25-07517

CONDITIONS OF APPROVAL AND REMARKS

7. Commercial use is for restrooms, breakroom, air conditioning system and irrigation of lawn.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 6th day of December, 1996


Acting for KARL J. DREHER, Director

MICROFILMED

DEC 18 1996

RECEIVED
FEB 07 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

REC
FEB 12 1990

Department of Water Resources
Eastern District Office

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. P25-07517 Telephone No. 208-525-6243

Name(s) of Permit Holder(s): Valley Bank, Inc. ✓

Post Office Address: 501 Broadway, Idaho Falls, ID 83405 ✓

Source of Water: Ground Water ✓

If ground water, well driller's name: Andrew Well Drilling ✓ Date drilled: March 23, 1979 ✓

Extent of Use:
Domestic _____ (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other Commercial ✓

Total rate and/or volume for which proof is submitted 0.50 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: March 23, 1979 ✓

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes XNo Installed? Yes No

OR

Flow Measurement Port: Required? Yes XNo Installed? Yes No

Fee Enclosed: \$ 100.00 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Richard C. Swager, Jr.
Name

208-525-6243
Telephone No.

501 Broadway, Idaho Falls, ID 83405
Address

RECORDED

The above information is my true statement of the extent to which the above number permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

APR 17 1990

1-30-90
Date

By: [Signature] Richard C. Swager, Jr. Collection
Signature (and title if on behalf of a company or organization) Officer

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 25-07517

Proposed Priority: August 24, 1989

Maximum Diversion Rate:

0.50 CFS

This is to certify, that VALLEY BANK INC.

501 BROADWAY

IDAHO FALLS, ID 83402

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

COMMERCIAL

01/01 to 12/31

0.50 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 7(NESENE), Sec. 24, Township 02N, Range 37E
BONNEVILLE County

PLACE OF USE: COMMERCIAL

TWN RGE SEC

02N 37E 24 LOT 7(SENE)

38E 19 LOT 2(SWNW)

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. Commercial use is for restrooms, breakroom, & irrigation of lawn.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

17th day of January, 1990.

for 
R. Keith Higginson, Director

RECEIVED

FEB 13 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant VALLEY BANK CORPORATION,
VALLEY BANK, INC. Phone 525-6300
Post office address 501 BROADWAY, IDAHO FALLS, ID. 83402
2. Source of water supply GROUND WATER which is a tributary of _____
3. Location of point of diversion is NE $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$, Govt. Lot 7
Sec. 24 Township 2N Range 37E B.M. BOONEVILLE County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.50 for COMMERCIAL purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.50 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. WELL WITH SUBMERSIBLE PUMP (20 HP)
PIPELINE TO OFFICE BUILDING - RESTROOMS, BREAK ROOM, JANITORIAL
CLOSET. WATERS LAWN AROUND BLDG. $\frac{1}{3}$ USED FOR BLDG. AIR COND. SYSTEM

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 8" 10" inches; proposed depth of well is 200' feet.

d. Is ground water with a temperature of greater than 90°F being sought? No

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

RECORDED

FEB 13 1990

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. _____
- e. Other; describe fully. COMMERCIAL - WATER USED FOR CULINARY, CLEANING & LAWN WATERING IN VALLEY BANK OFFICE BUILDING/BANK. 3 PAIRS RESTROOMS, BREAK ROOM FOR 75 EMPLOYEES.

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	38E	19							C										
									.5 L2										.5
2N	37E	24				C			R										
						.5 L7													.5

Total number of acres to be irrigated 1.0


10. Describe any other water rights used for the same purposes as described above. NONE

11. a. Who owns the property at the point of diversion? APPLICANT
- b. Who owns the land to be irrigated or place of use? APPLICANT
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: WELL HAS BEEN IN-PLACE AND IN USE FOR PAST 10 YEARS. THIS APPLICATION IS FILED TO RECORD USE OF WATER. PLACE OF USE KNOWN AS VALLEY BANK - MAIN BRANCH. PROPERTY DESCRIBED AS BLOCKS 1-3, ANDERSON ADDITION BOONVILLE

STATE OF MISSOURI
DEPARTMENT OF REVENUE
DIVISION OF WATER RESOURCES

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

James Meikle
 (Applicant)
 President and
 Chief Executive Officer

CSV

Received by ESV Date 8-24-89 Time 1614 Preliminary check by _____
Fee \$ 45⁰⁰ Receipted by ESV # EC009970 Date 8-24-89
Publication prepared by RB Date 9-21-89 Published in Last-Register
Publication approved RB Date 10-18-89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

FEB 13 1990

Valley Bank Officers/Contacts

R. James Meikle
President and Chief Executive Officer
501 Broadway
P.O. Box 51270
Idaho Falls, ID 83405-1270
208-525-6300

Jack K. Meikle
Executive Vice President
Same

Doyle A. McKenna
Senior Vice President
Same

Claye C. Dance
Second Vice President
Same

Richard C. Swager
Collection Officer
Same

Ed Woolstenhulme
Field Representative
Same

RECEIVED
FEB 13 1980

FEB 13 1980

Proof of Publication
The Post-Register

RECEIVED
OCT 5 1989
Department of Water Resources
Eastern District Office

State of Idaho, }
County of Bonneville } ss

I, ... Ted Delezene ..., first being duly sworn, depose and say: That I am the
... Foreman ... of The Post Company, a corporation of Idaho Falls, Bonneville
County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except
Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in
the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903,
such consolidation being made on the 1st day of November, 1931, and each of said newspapers have been
published continuously and uninterruptedly, prior to consolidation, for more than seventy-eight (78) weeks and
said Post-Register having been published continuously and uninterruptedly from the date of such consolidation,
up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in
said Post-Register for ... two ... consecutive weeks, first publication having been made
on the ... 21st ... day of ... September ..., 19. 89., last publication
having been made on the ... 28th ... day of ... September ..., 19. 89., and that the
said notice was published in the regular and entire issue of said paper on the respective dates of publication, and
that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this ... 3rd ... day of ... October ..., 19. 89..

Ted Delezene
.....
Don R. [Signature]
.....
Notary Public

My commission expires September 30, ..., 19. 94. .

B10

RECEIVED
FEB 17 1990

OF APPLICATION
ON WATER RIGHT

The Following application(s) have been
filed to appropriate the public waters of the
State of Idaho:

23-07127
U.S.A. FOREST SERVICE
P.O. BOX 208
ST. ANTHONY, ID 83445
Source: SNAKE RIVER; Tributary:
COLUMBIA RIVER
Diversion Pt: SWSNW Sec 32 T 03N R
43E
Use: STOCKWATER (.040 CFS)
Date Filed: 7/13/1989
In: T03N R43E S32 NWNE

24-07165
KIBBIE, WILLIAM H.
P.O. BOX 22081
SALT LAKE CITY, UT 84122
Source: KING CREEK; Tributary: SALT
RIVER
Diversion Pt: SWNE Sec 3 T 04S R 46E
SWNW Sec 3 T 04S R 46E
SENE Sec 3 T 04S R 46E
Use: IRRIGATION (1.800 CFS)
Date Filed: 7/16/1984
In: T04S R46E S03 NWNE SWNE SWNW
SENE
125.0 ACRES TOTAL

25-07399
EASTERN IDAHO
TECHNICAL COLLEGE
1600 HITT ROAD
IDAHO FALLS, ID 83404
Source: GROUNDWATER
Diversion Pt: SESE Sec 21 T 02N R 38E
Use: IRRIGATION (.270 CFS)
HEATING (.270 CFS)
COOLING (.270 CFS)
Date Filed: 1/02/1985
In: T02N R38E S21 SESE
14.0 ACRES TOTAL

25-07515
GAS HOUSE INC.
LEAVITT, GERALD
4473 S. 15 W.
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: NWSW Sec 36 T 02N R 37E
Use: INDUSTRIAL (.200 CFS)
Date Filed: 8/24/1989
In: T02N R37E S36 NWSW

25-07517
VALLEY BANK INC.
501 BROADWAY
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: LOT 7 (NESENE) Sec 24 T
02N R 37E
Use: COMMERCIAL (.500 CFS)
Date Filed: 8/24/1989
In: T02N R37E S24 Lot 7 (SENE)
R38E S19 Lot 2 (SWNW)
1.0 ACRES TOTAL

25-07518
SUMMERS, RICHARD K.
SUMMERS, STELLA F.
4475 N. AMMON RD.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NESENE Sec 3 T 02N R 38E
Use: COMMERCIAL (.040 CFS)
DOMESTIC (.040 CFS)
Date Filed: 8/24/1989
In: T02N R38E S03 SESE

31-07530
LARSEN, BLAINE
P.O. BOX 188
HAMER, ID 83425
Source: GROUNDWATER
Diversion Pt: NWNWSW Sec 35 T 09N R
36E
Use: STOCKWATER (.176 CFS)
Date Filed: 6/14/1989
In: T09N R36E S02 NENW
S35 SWNW

35-08358
GRIMES, GEORGE B.
RT. 9 BOX 282
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: NENE Sec 19 T 02N R 37E
Use: IRRIGATION (.120 CFS)
DOMESTIC (.040 CFS)
Date Filed: 10/01/1984
In: T02N R37E S19 NENE
4.0 ACRES TOTAL

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A, Idaho
Code and/or the new public interest criteria
of Sec. 42-203C, Idaho Code. Protests must
be filed with the Director, Dept. of Water
Resources, 150 Shoup Ave., Suite 15, Idaho
Falls, Idaho 83402 on or before OCTOBER
9, 1989.

R. Keith Higginson, Director
Published: September 21, 28, 1989

RECORDED

FEB 13 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

December 9, 1996

VALLEY BANK INC
501 BROADWAY
IDAHO FALLS ID 83402

RE: WATER RIGHT NO. 25-07517

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Also, please note that as of July 1, 1996, water right owners are required to report any change of water right ownership and any change of mailing address to the department. If you have acquired a water right or have changed your mailing address PRIOR TO July 1, 1996, you have until July 30, 1998, to notify the department. If you acquire a water right or change your mailing address AFTER July 1, 1996, you must notify the department within 120 days of the change.

Failure to report these changes could result in a \$100 late filing fee. Contact any office of the department to obtain the proper reporting form.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:ph

Enclosure

MICROFILMED
DEC 16 1996

MEMORANDUM

TO: File 25-07517

FROM: Sharla

DATE: December 2, 1996

RE: Recommendation Adjustment(s)

The final license recommendations for Right 25-07517 are based on the following:

H. RECOMMENDATIONS

1. Recommended Amounts

Commercial	1/1 - 12/31	0.50 cfs	12.4 afa
------------	-------------	----------	----------

COOLING:

Source Temperature	=	60 degrees
Area/3 story bank w/basement (per telecon w/ H. Jones)	=	10000 sq. ft.
Temperature Outside	=	90 degrees
Temperature Inside	=	70 degrees
Building Efficiency	=	0.44
Temperature Required	=	72 degrees
Days temperature above 70	=	90 days
Hours per day temp above 70	=	12 hours

Two+ Floor Cooling Load	=	(70,400) btu/hr
Temp. Drop Across System	=	-3.6 degrees

Two+ Floor Annual Volume	=	7.8 af
--------------------------	---	--------

IRRIGATION:

1 acre	=	4.0 af
--------	---	--------

RESTROOMS/BREAKROOM:

Treat as in-house domestic	=	0.6 af
----------------------------	---	--------

TOTAL	=	12.4 af
--------------	----------	----------------

MICROFILMED
DEC 12 1996

LICENSE REVIEW CHECKLIST

PERMIT NO. 25-07517

DATE 12/12/96

REVIEWER: S H A R L A

NAME Change OK Address Change NO
 SOURCE Change OK Is change/clarification of originally intended source? NO
 If not, prepare Notice of Intent to Void NO
 POINT OF DIV Change OK Amendment required NO
 PLACE OF USE Change OK Amendment required NO
 Does map agree with written description? yes no

OVERLAPS P/D P/U

RATE OF DIV

Permitted Rate .50 cfs
 Fee limit 1.0 cfs \$10000
 Measured NO cfs
 Theoretical .55 cfs

.51 well drilling info

Recommended Total Div Rate .50 cfs

ANNUAL VOLUME/ NATURE OF USES

cooling 7.8
irrig 4.0 af
restrooms, etc 1.6 like in house dom.

Use Comm. Volume Calculation
12.4 af
12.4 af
12.4 af
12.4 af
 SUBTOTAL 12.4 af

Flow rate .50 cfs X 365 days X 1.98 = 361.4 af
 Total volume recommended 12.4 af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

restrooms, irrig. of lawn
& air cond. system

bank = basement &
3 above ground stories

CONDITIONS Watermaster Control WD#
GW Measurement/Measuring Device
Overlap
Use-specific conditions

Advancement of Priority Date Required yes no

SRBA Claim Filed N/A
 Adjustment Memo +

1st Amend Letter N/A
 2nd Amend Letter N/A

telecom w/ S. Jones
9/20

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JUL 30 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 25-7517

1. Owner: Valley Bank Inc. Phone No. 525-6243

Current Address: 501 Broadway, Idaho Falls 83405

2. Accompanied by: Richard Swayer Jr. EXAM. DATE: 6-3-91

Address: Same Phone No. _____

Relationship to Permit Holder: Collection officer

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____

☐ Copies Attached

2. Other water rights with same point of diversion: _____

☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

MICROFILMED
DEC 18 1996

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Totalizing Meter		Neptune		26040858	1 1/2"	

2. Measurements: 7-22-92

Information from Andrew Well Drilling: 230 gpm @ 124' pumping depth (dynamic)
@ 123' static water level

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

MICROFILMED
DEC 18 1996



Well




25-7517

MICROFILMED

DEC 13 1986

25-07517



; equal 1 mile.

From information supplied by Andrew Well Drilling 7-22-1992
20hp pumping 230gal/min at 124' dynamic pump
Total head 225'

$$Q = \frac{hp (8.814) (1.7)}{\text{Lift} + (PSI \times 2.308)} = \frac{20 (8.814) (1.7)}{225} = 0.548 \text{ cfs}$$

Lift = 124'
Assume operating pressure = 44psi

$$\begin{aligned} \text{Total head} &= \text{Lift} + (PSI \times 2.308) = 124' + (44 \times 2.308) \\ &= 225.5' \end{aligned}$$

∴ Recommend 0.50 cfs.

KCW

7-22-92


MIDROCK

7-22-92

1001 = 11!



HENRY



April 13, 1990

VALLEY BANK INC.
501 BROADWAY
IDAHO FALLS, ID 83402

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 25-07517

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

APR 17 1990

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 25-7517

Date: 4-11-1990

General Considerations:

y Name same as permit
y Signature the same as permit holder
x Address change _____ If yes, prepare a data entry
y Proof received timely _____
_____ Reinstated

Source of Water:

_____ Surface water
y _____ Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y _____ Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

N/A Is a measuring device or access port required?
N/A Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks: Proof acceptable

Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	-
No. of days late	_____	=
Priority date	_____	+
NEW PRIORITY DATE	_____	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
January 18, 1990

VALLEY BANK INC.
501 BROADWAY
IDAHO FALLS, ID 83402

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P25-07517

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of



FEB 13 1990

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECEIVED

FEB 13 1980

MEMORANDUM

TO: Glen Saxton
FROM: Gary Spackman *Gary*
DATE: December 5, 1989

RE: Application to Appropriate Water No. 25-7517 in the Name of Valley Bank, Inc.

Application for permit no. 25-7517 proposes diversion of .50 cfs for commercial purposes. The commercial use includes use of water for restrooms, breakroom, and irrigation of one acre of ground surrounding the commercial building.

Normally, I would have suggested that the irrigation component be identified separately. In light of the recent decision to allow Anheiser Busch to include an irrigation component in an industrial filing, I am forwarding this commercial application to you prior to preparing it for signature. Do we want to continue to allow irrigation under a right that does not specifically define the irrigation component?

RECEIVED

FEB 13 1990

Dist. for staffing 8-25-89 RB

Submitted for advertising 8-31-89 AWT

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY DM DATE 8-28-89 APPLICATION NUMBER 257517

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ___ No* In form to receipt

ADDITIONAL INFORMATION

- ___ Overlapping place of use (Describe source & relationship to present application on the back.)
___ Overlapping point of diversion
___ Yes ___ No Field check required
___ Yes ___ No Field check by _____
___ Yes ___ No Field report attached
___ Yes ___ No Critical groundwater area
___ Yes ___ No Groundwater management area
___ Yes ___ No Send dam safety information
___ Yes ___ No Send power requirement letter
___ Yes ___ No Send fish farm requirement letter
___ Yes ___ No Power residency affidavit
___ Yes ___ No Power efficiency form
___ Yes ___ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
___ Yes ___ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
___ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

RECEIVED

00125 1210

Department of Water Resources

PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 10-9-89
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. 01-POS
☐ Yes ☐ No Special conditions of approval or cover letter below. _____

Date of priority recommended 8-24-89 See below ☒ for additional information
By HWS Date 10-19-89

STATE OFFICE REVIEW

P05, P23 P16 46 48 49

By kw See below for additional information
kw Date 11/27/89
1-2-1990

ADDITIONAL INFORMATION

App. in NON-TRUST area-

13-Sep-1989

Valley Bank, Inc.
501 Broadway
Idaho Falls, ID 83402

RE: Application for Permit No. 25-7517

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Post-Register. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

FEB 13 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

SEPTEMBER 13, 1989

THE POST-REGISTER
P.O. BOX 1800
IDAHO FALLS, ID 83403

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 9, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

RECEIVED

FEB 13 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following app. tion(s) have been filed appropriate the public
waters of the State of Idaho:

RECORDED

FEB 13 1890

25-07517

VALLEY BANK INC.
501 BROADWAY
IDAHO FALLS, ID 83402

Source: GROUNDWATER

Diversion Pt: LOT 7 (NESENE) Sec 24 T 02N R 37E

Use: COMMERCIAL (.500 CFS)

Date Filed: 8/24/1989

In: T02N R37E S24 Lot 7 (SENE)
R38E S19 Lot 2 (SWNW)

1.0 ACRES TOTAL

Michael J. [illegible]

FEB 13 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted base. the criteria of Sec. 42 A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before OCTOBER 9, 1989.

R. Keith Higginson, Director

Published 9/21/1989 & 9/28/1989

INDEXED

FEB 13 1990

Valley Bank well

Depth 188'

Diam 10"

20 horse MTR

MICROFILMED

1971-1972

GARY PAXMAN
Bonneville County Assessor
605 N. Capital Ave.
Idaho Falls, ID 83402

THIS IS NOT A BILL

PRESORTED
FIRST CLASS MAIL
U.S. POSTAGE PAID
PERMIT NO. 286
IDAHO FALLS, ID 83402

CATEGORY DESCRIPTION	LOTS/ACRES	MARKET VALUE
21 COMM LOTS		186,911
42 COMM BLDG		1,743,918

**TAXPAYERS 1989
VALUATION ASSESSMENT NOTICE**

Taxes are based on the valuation
listed on this statement

IF THERE ARE ANY QUESTIONS
REGARDING THIS STATEMENT
NOTIFY THE ASSESSOR'S OFFICE BEFORE

JUNE 26, 1989

See the reverse side for further references

KEEP THIS COPY FOR YOUR RECORDS

TOTALS

Mail To:
VALLEY BANK
501 BROADWAY
1,930,829 IDAHO FALLS ID 83402

S 52,654 SQ FT TR B,
BLOCKS 1-3, ANDERSON

SEC 24, T 2N, R 37


PROPERTY ADDRESS 501 W BROADWAY
PARCEL NO. RF A0040001000B A TAX CODE

83402
1-00 PREVIOUS #

0

FEB 13 1990

MICROFILMED



4" CONC. FLOOR

SUMP PUMP DETAIL

SCALE: NONE


Capacity: ?

1/2" RUN IN SECOND FLOOR
CEILING SPACE.

1/2"

Need the size of pump
Depth of pump
and gal. per min.

Call plumber
will drill



GRAM

WELL PUMP DETAIL #2

NO SCALE

