

25-07509

R38E

T
3
N

UNRECORDED

FEB 13 1990

Lincoln

Creek

Creek

Creek

Sand

Little

PACIFIC

LATERAL

Trailer Park

Stack

Lincoln Cem

Trailer Park

St Leon School

Beachs Corner

LATERAL

27

26

28 Gravel Pit

ANDERSON

Willow

Fork North

PAYNE

4.1 MI TO INTERSTATE 15
IDAHO FALLS EXIT 3.5 MI

32'30"

3571 N 1/2 SE
(IDAHO FALLS NORTH)

COOK

CANAL

4801

BM 4773

BM 4761

4720

4783

4809

4793

4784

4757

4768

BM 4754

10

4764

BM 4756

4818

4757

BM 4756

Crow

MMON

4750

UNION

WEST

CENTER

CANAL

100
100

PAYNE

Beachs
Corner

4783

Trailer
Park

Creek

Creek

R38E

T2N

PLACE OF USE

POINT OF DIVERSION

BM 4754

UNION

10

PACIFIC

Creek

Little

11

RECORDED

JAN 22 1993

25-7509

Trailer
Park

Lincoln

Stack

Lincoln
Cem


Trailer
Park

UNION

4750

T
2
N R 38E

NE 1/4, SECTION 10



☒ homes on
System

NW¹/₄ NE¹/₄ NE¹/₄ NE¹/₄


X homes with
Individual well
or
unoccupied Lot

JAN 22 1993

25-7509

SECTION

2N 38E



PARCELS HAVE BEEN
TO FIT SECTION LINE
SHOWN ARE AS DE

T
Z
N

R38E

☐ homes on System

X homes/lots - homes with individual well or an occupied lot.

pwnE

NENE

SEC 10

State of Idaho
Department of Water Resources

RECEIVED
AUG 13 1990

ASSIGNMENT OF PERMIT

Department of Water Resources

I, Edwin Seayson, hereby assign to Lynn W. & John Sargent
of 3154 Lana Rd. Idaho Falls ID 83401
Address

CHECK ONE

☒ All my right, title, and interest in and to Permit No. 25-07509
to appropriate the public waters of the State of Idaho.

☐ The following described portion of my right, title, and interest in and to Permit
No. _____ to appropriate the public waters of the State of Idaho.

(Describe that portion of the permit being assigned by listing the acreage within
each 40 acre subdivision, the point of diversion and the amount of water in cubic
feet per second for direct diversion, or acre feet for storage)

Made this _____ day of _____, 19____.

X Edwin Seayson
Permit Holder

Spouse of Permit Holder


State of Idaho)
County of Bonneville) ss.

On this 9th day of July, 19 90, personally
appeared before me the signer(s) of the above instrument, who duly acknowledged to me
that he (she) (they) executed the same.

seal

Britene M. Strain
Notary Public residing at
Idaho Falls, Idaho

My commission expires:
9-2-92



State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 25-07509

Proposed Priority: August 10, 1989

Maximum Diversion Rate:

0.17 CFS

This is to certify, that **GRAYSON SUBDIVISION WATER CO.**
C/O ED GRAYSON
P.O. BOX 2511
IDAHO FALLS, ID 83403

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
IRRIGATION	04/01 to 11/01	0.06 CFS
DOMESTIC	01/01 to 12/31	0.17 CFS
Totals		0.17 CFS

LOCATION OF POINT(S) OF DIVERSION:

NENWNE

Sec. 10, Township 03N, Range 38E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	38E	10	NENE 1	NWNE 1		2
Total number of acres irrigated:						2

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The rate of diversion of water for irrigation under this permit and all other water rights on the same land shall not exceed 0.03 cubic feet per second for each acre of land.
5. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
6. Domestic use is for 13 homes.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

17th day of January, 1990.

RECORDED

FEB 13 1990

for

R. Keith Higginson
R. Keith Higginson, Director

Ident. No. 25-07509

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: GRAYSON SUBDIVISION WATER CO. 208-522-4584
Address: C/O ED GRAYSON
P.O. BOX 2511
IDAHO FALLS, ID 83403
2. Source: GROUNDWATER Trib. to:
3. Location of Point of Diversion: NENE Sec. 10, Township 03N, Range 38E
BONNEVILLE County
4. Water will be used for the following purposes:
- | Purpose | From | To | CFS | (or) DMD AF |
|------------|-------|-------|-------|-------------|
| DOMESTIC | 01/01 | 12/31 | 0.170 | 0.170 |
| IRRIGATION | 04/01 | 11/01 | 0.060 | |
5. Total quantity appropriated is:
0.170 CFS (and/or) AF
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc.
173'X8" WELL W/ 10HP SUBMERSIBLE PUMP. 2000 GAL. STORAGE TANK
b. Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
c. Proposed well diameter is 8 inches; proposed depth of well is 170
feet.
d. Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.
8. Description of proposed uses:
DOMESTIC USES FOR 13 HOMES W/I SUBDIVISION. IRRIGATION OF LAWNS
9. Place of Use: IRRIGATION

TWN RGE SEC	ACRES	ACRES	ACRES	TOTAL
03N 38E 10	NENE 1	NWNE 1		2

RECEIVED

FEB 13 1990

Ident. No. 25-07509
Page 2

Place of Use: DOMESTIC

TWN RGE SEC
03N 38E 10

NENE

NWNE

Total number of acres irrigated: 2

10. Describe any other water rights used for the same purposes.

NOTICE OF CLAIM WILL BE FILED FOR A 1972 PRIORITY DATE

11. a. Who owns the property at the point of diversion?

APPLICANT

b. Who owns the land to be irrigated or place of use?

HOME OWNERS W/I SUBDIVISION

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.
WATER COMPANY IS RESPONSIBLE FOR DELIVERY OF WATER TO HOME OWNERS

12. Remarks:

THIS WELL HAS BEEN IN PLACE SINCE 1972.

13. Map of proposed point of diversion and place of use attached? ☒

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

Edwin M. Grayson
Applicant
Cooperation President

Received by EB Date 8-10-89 Time 1600 Preliminary check by DMD

Fee \$ 30.00 Received by EB # E009815 Date 8-10-89

Publication prepared by RB Date 12-7-89 Published in Post-Register

Publication approved RB Date 12-26-89

RECORDED

FEB 13 1990

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	AMOUNT CFS
Original Permit	25-7509	Grayson Subd. Water Co.	.17 total
Full Assignment	25-7509	Sargent, Lynn W. Jo Ann	.17 total

MICROFILMED

SEP 04 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07509

Priority: August 10, 1989

Maximum Diversion Rate:

0.17 CFS

Maximum Diversion Volume:

15.2 AF

This is to certify, that LYNN W SARGENT
JO ANN SARGENT

3154 IONA RD

IDAHO FALLS ID 83401

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 10, 1989; and has submitted Proof of Beneficial Use on December 6, 1990. An examination indicates that the works have a diversion capacity of .250 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.06 CFS	8.0 AF
DOMESTIC	01/01 to 12/31	0.17 CFS	7.2 AF
	Totals	0.17 CFS	15.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 10, Township 02N, Range 38E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	38E	10	NENE 0.5	NWNE 1.5		2
Total number of acres irrigated:						2

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.

JAN 22 1993

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07509

CONDITIONS/REMARKS:

6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.
7. Domestic use is for 12 homes.
8. Place of use is located within Lots 1-7, Block 1 and Lots 1-3, 5 and 6, Block 2, Grayson Addition Subdivision.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 15TH day of DECEMBER, 1992.

Acting for  Director


JAN 22 1993

RECEIVED

NOV 23 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 25-07509

APPROVED

Date of Priority: August 10, 1989

Maximum Diversion Rate: 0.17 CFS
Maximum Diversion Volume: 15.2 AF

Comes now

LYNN W SARGENT
JO ANN SARGENT

3154 IONA RD
IDAHO FALLS ID 83401

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 25-07509, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.06 CFS	8.0 AF
DOMESTIC	01/01 to 12/31	0.17 CFS	7.2 AF
	Totals	0.17 CFS	15.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNE , Sec. 10, Township 02N, Range 38E
BONNEVILLE County

PLACE OF USE: IRRIGATION
TWN RGE SEC

	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N 38E 10	NENE 0.5	NWNE 1.5		2

Total number of acres irrigated: 2

PLACE OF USE: DOMESTIC, same as IRRIGATION use

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Bonneville County, this 18 day of November, 19 92

Lynn W. Sargent
(Signature)
RECORDED

JAN 22 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 25-07509

FOR DEPARTMENT USE ONLY

Preliminary check by Fee = \$20.00 Received by # 0026105 Date 11-24-92

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 25-07509 with the following;

CONDITIONS/REMARKS:


1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The issuance of this right in no way grants any right-of-way or easement across the land of another.
6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.
7. Domestic use is for 12 homes.
8. Place of use is located within Lots 1-7, Block 1 and Lots 1-3, 5 and 6, Block 2, Grayson Addition Subdivision.

Witness my hand this 15TH day of DECEMBER, 1992.

R. Keith Higginson
Acting for R. Keith Higginson, Director

RECEIVED

JAN 22 1993



INTER-DEPARTMENT MEMO — 1

FROM

HWT

DATE

TO

25-07509

SUBJECT

Comp officers are;

Pris. - Edwin Grayson S22-4584
P.O. Box 2511, Idaho Falls, ID 83403

Sec - Winston Beard 683 N. Capitol, I.F., ID
S23-5171

MICROFILMED

FEB 19 1961

SIGNATURE

25-07526

SKAAR, KEITH
SKAAR, CHERIE
1826 E. 49TH N.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NENW Sec 4 T 02N R 38E
Use: STOCKWATER (.900 CFS)
Date Filed: 9/27/1989
In: T02N R38E S04 NENW

25-07549

LATTA, FRANCIS A.
177 E. 49 S., TOWNSHIP RD.
IDAHO FALLS, ID 83404
Source: GROUNDWATER
Diversion Pt: SESWSE Sec 31 T 02N R 38E
Use: IRRIGATION (.040 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)
Date Filed: 9/27/1989
In: T02N R38E S31 SWSE
2.0 ACRES TOTAL

25-07552

ARNOLD FEED LOT, INC.
3488 LINCOLN RD.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NWN Sec 15 T 02N R 38E
Use: STOCKWATER (.150 CFS)
COMMERCIAL (.020 CFS)
DOMESTIC (.080 CFS)
Date Filed: 8/15/1989
In: T02N R38E S15 NWN

25-07553

SUNNYSIDE ESTATES WATER USERS
C/O MARGARET CONANT
1882 E. SUNNYSIDE
IDAHO FALLS, ID 83404
Source: GROUNDWATER
Diversion Pt: NENENW Sec 33 T 02N R 38E
Use: DOMESTIC (.110 CFS)
Date Filed: 9/27/1989
In: T02N R38E S33 NENW

25-07554

CRM CO.
3004 WESTMORELAND CIRCLE
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: SWNWN Sec 9 T 02N R 38E
Use: COMMERCIAL (.040 CFS)
Date Filed: 9/08/1989
In: T02N R38E S09 NWN

25-07555

B & F DISTRIBUTING CO.
1095 IONA RD.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: SWSWSE Sec 5 T 02N R 38E
Use: COMMERCIAL (.080 CFS)
Date Filed: 9/28/1989
In: T02N R38E S05 SWSE

25-07556

DUFFEY, ROMNEY B.
DUFFEY, VICTORIA G.
6990 RIMROCK DR.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NENW Sec 29 T 02N R 39E
Use: IRRIGATION (.060 CFS)
STOCKWATER (.020 CFS)
DOMESTIC (.040 CFS)
Date Filed: 9/18/1989
In: T02N R39E S29 NENW
3.0 ACRES TOTAL

35-08831

JOHNSON, J. WARD
JOHNSON, MARY V.
246 HARTERT DR.
IDAHO FALLS, ID 83404
Source: GROUNDWATER
Diversion Pt: NENENW Sec 26 T 02N R 36E
Use: STOCKWATER (.220 CFS)
DOMESTIC (.040 CFS)
Date Filed: 8/15/1989
In: T02N R36E S26 NENW

35-08849

STEEL, J. C.

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been
filed to appropriate the public waters of the
State of Idaho:

23-07134

DEMITROPOULOS, ALEX
DEMITROPOULOS, ILA
431 3 RD ST.
IDAHO FALLS, ID 83401
Source: PALISADES CREEK; Tributary:
SNAKE RIVER
Diversion Pt: SWSE Sec 26 T 01N R 44E
Use: IRRIGATION (.030 CFS)
Date Filed: 11/08/1989
In: T01N R44E S26 SWSE
1.0 ACRES TOTAL

23-07141

RUUD, DOUG
P.O. BOX 564
PALISADES, ID 83437
Source: GROUNDWATER
Diversion Pt: SENW Sec 25 T 01S R 45E
Use: DOMESTIC (.200 CFS)
Date Filed: 9/29/1989
In: T01S R45E S23 NESE
S24 NESW NWSW SWSW SESW
S25 NENW NWNW SENW NESW

23-07142

QUAKER HAVEN WELL ASSOCIA-
TION
1285 CORINNE
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: SENW Sec 25 T 01S R 45E
Use: DOMESTIC (.180 CFS)
Date Filed: 9/07/1989
In: T01S R45E S25 SENW

24-07173

BUDGE, JR., THOMAS A.
P.O. BOX 488
NEW CANAAN, CT 06840
Source: UNNAMED SPRINGS; Tributary:
NEWSWANDER CREEK
Diversion Pt: NWNWNW Sec 16 T 04S R 46E
SESENE Sec 17 T 04S R 46E
Use: DOMESTIC (.040 CFS)
Date Filed: 9/28/1989
In: T04S R46E S16 NWNW

1615 W. 49TH N.
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: SWSENE Sec 4 T 03N R 36E
Use: IRRIGATION (3.900 CFS)
Date Filed: 8/25/1989
In: T03N R36E S03 NWN SWNE NENW
NWNW SWNW SENW NESW NWSW
SWSW SESW NWSE SWSE
S04 NENE NWNW SWNE SENE NESE
NWSE SWSE SESE
780.0 ACRES TOTAL
This is a supplemental water right applica-
tion. Lands under this application are irri-
gated with existing rights from groundwa-
ter.

35-08853

CUTLER, BEVERLY
CUTLER, MARION L.
1723 S. GRIZZLY AVE.
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: NWNWNW Sec 26 T 02N R 37E
Use: IRRIGATION (.030 CFS)
DOMESTIC (.140 CFS)
Date Filed: 8/28/1989
In: T02N R37E S26 NWNW
1.0 ACRES TOTAL

35-08854

AHLSTROM, FARRELL
ANDRUS, JR., DOUG
CHUMLEY, ORVILLE
HARRIELL, LADON
MATHERN, GRETCHEN
MATHERN, RUTH
2361 N. 35TH W.
IDAHO FALLS, ID 83401
Source: GROUNDWATER

FEB 13 1990

24-07174

CLAUSEN, CHARLES P.
9814 S. CHYLENE DR.
SANDY, UT 84092
Source: UNNAMED SPRING; Tributary:
NEWSWANDER CREEK
Diversion Pt: SESENE Sec 17 T 04S R 46E
Use: DOMESTIC (.040 CFS)
Date Filed: 10/27/1989
In: T04S R46E S16 NWNW

24-07175

SINARSKI, JAMES J.
BOX 183
ALPINE, WY 83128
Source: SPRING; Tributary: NEWS-
WANDER CREEK
Diversion Pt: NWNWSE Sec 16 T 04S R 46E
Use: STOCKWATER (.020 CFS)
DOMESTIC (.060 CFS)
Date Filed: 8/04/1989
In: T04S R46E S16 NWNW

25-07509

GRAYSON SUBDIVISION WATER CO.
C/O ED GRAYSON
P.O. BOX 2511
IDAHO FALLS, ID 83403
Source: GROUNDWATER
Diversion Pt: NENWNE Sec 10 T 03N R 38E
Use: DOMESTIC (.170 CFS)
IRRIGATION (.060 CFS)
Date Filed: 8/10/1989
In: T03N R38E S10 NENE NWNW
2.0 ACRES TOTAL

25-07513

VERN CLARK & SONS CONSTRUC-
TION CO.
P.O. BOX 1529
IDAHO FALLS, ID 83403
Source: GROUNDWATER
Diversion Pt: NWNW Sec 8 T 02N R 38E
Use: COMMERCIAL (.040 CFS)
Date Filed: 8/21/1989
In: T02N R38E S08 NWNW

Diversion Pt: NESE Sec 9 T 02N R 37E
Use: IRRIGATION (.080 CFS)
DOMESTIC (.080 CFS)
Date Filed: 8/14/1989
In: T02N R37E S09 NESE
4.0 ACRES TOTAL

35-08855

SHURTLIFF, MERLENE
SHURTLIFF, RODNEY
3425 W. APRIL DR.
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: NWNW Sec 34 T 02N R 37E
Use: STOCKWATER (.020 CFS)
DOMESTIC (.060 CFS)
Date Filed: 9/07/1989
In: T02N R37E S34 NWNW

35-08856

WAGNER, JR., KRISTIE L.
WAGNER, JR., EDWARD P.
331 N. 55TH W.
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: SESE Sec 18 T 02N R 37E
Use: STOCKWATER (.020 CFS)
DOMESTIC (.110 CFS)
Date Filed: 8/08/1989
In: T02N R37E S18 SESE

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A, Idaho
Code and/or the new public interest cri-
teria of Sec. 42-203C, Idaho Code. Protests
must be filed with the Director, Dept. of
Water Resources, 150 Shoup Ave., Suite
15, Idaho Falls, Idaho 83402 on or before
DECEMBER 26, 1989.

R. Keith Higginson, Director
Published: December 7, 14, 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 17, 1992

LYNN W SARGENT
JO ANN SARGENT
3154 IONA RD
IDAHO FALLS ID 83401

RE: WATER RIGHT NO. 25-07509

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

JAN 22 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 15, 1992

LYNN W SARGENT
JO ANN SARGENT
3154 IONA RD
IDAHO FALLS ID 83401

RE: WATER RIGHT NO. 25-07509

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

JAN 22 1993

LICENSE REVIEW CHECKLIST

Permit # 25-07509

Date 11-02-92
CB

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u>
	<u> </u>	<u>✓</u>	Memo to Advance
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u> </u>	<u>✓</u>	Disagree with Actual Measurement?
	<u> </u>	<u> </u>	<u>2x.03 = .06 cfs (IRR) .17 cfs (DOM)</u>
	<u> </u>	<u>✓</u>	Disagree with Theoretical?
	<u> </u>	<u>✓</u>	Limited by Capacity? <u>.25 cfs</u>
TOTAL VOLUME			Rate/ac <u>4.0</u> AFA Irr. Season <u>C</u>
			<u>4-1 to 10-31</u> Standard Irr. Season
	<u>✓</u>	<u> </u>	<u>Same / Reduced</u> Season Recommended
	<u> </u>	<u> </u>	Disagree with Examiner's Calculations?
	<u> </u>	<u>✓</u>	<u>2x4 = 8.0 cfs (IRR) 12x.6 = 7.2 cfs (DOM)</u>
	<u> </u>	<u> </u>	Limited by Flow? <u> </u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
	<u> </u>	<u>✓</u>	<u>Intended</u> source <u> </u>
	<u> </u>	<u> </u>	Notice of Intent to Void.
P/D	<u>✓</u>	<u> </u>	Verify with Map
	<u> </u>	<u> </u>	Amendment Needed? <u>Change T03N to T02N</u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U	<u>✓</u>	<u> </u>	Verify with Map
	<u> </u>	<u> </u>	Amendment Needed? <u>Change T03N to T02N</u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u>✓</u>	<u> </u>	Non-Irr. Uses <u>DOM / 12 Homes</u>
	<u> </u>	<u>✓</u>	Special Overlap Condition <u> </u>
	<u>✓</u>	<u> </u>	Other <u>P/U location</u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u>R51</u>	<u> </u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
			DATES/MISC
		<u>✓</u>	Water Dist.
		<u>✓</u>	App Rec'd
		<u>✓</u>	Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced season / 1 Day</u> <u>Amend P/D + P/U</u>		
	<u>Township verified per USGS</u>		
License	<u> </u>	<u>10-Day</u>	<u>15-Day</u> <u>✓</u> <u>Special Correspondence</u>

DATE: 10/31/92
PAGE: 1

Misc: _____
 Water District Number: _____
 Field Exam Fee: R (Received) _____

FROM: KEITH C. WILSON - EASTERN

26 OCT 1992

TO: PAM SKAGGS - WATER ALLOCATION

SUBJECT: EXPEDITED LICENSING OF 25-07509

LYNN SARGENT WANTS TO DRILL A SECOND WELL AND DIVIDE THE SYSTEM INTO TWO SMALLER UNITS SO THAT HE WILL NOT BE RESPONSIBLE FOR TESTING OF THE WATER FOR CERTAIN CHEMICALS AT AN ANNUAL COST OF \$3000 TO \$5000.

YOUR PROMPT RESPONSE WILL BE APPRECIATED.


KEITH C. WILSON
SENIOR RESOURCE AGENT

RECEIVED

OCT 2 1993

**Staff Analysis Sheet
for
Beneficial Use Field Report**

Blank Field Report Form

Copy of Permit

Copies of any Amendments/Orders with Conditions of Approval

Well Inspection Form (If Needed)

Aerial Photo Required? ☐ yes ☐ no If yes: ☐ copy attached

SRBA Attachment A Submitted to Adjudication Section

SRBA Claim Check Received _____ (initial & date)

☐ N/A ☐ Applicable, See Attachment A _____

Copy of U.S.G.S. Quad

Check for Government Lots. If so, make a copy of government plat

Check of P/D index KCW 26 Aug 92 (initial & date)

Overlap ☐ yes ☐ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system

☐ Increase rate of flow or volume

☐ Other: _____

Check of P/U index KCW 26 Aug 92 (initial & date)

Overlap? ☐ yes ☐ no If yes: ☐ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume

☐ Add P/D's

☐ Increase number of acres within tracts

☐ Other: _____

Scheduling Letter Sent? _____ (initial & date)

Appointment Made and Telephone Conversation Memo Attached

Exam Completed RC Wilson 8/27/92 (signature of examiner & date)
Exam Reviewed by Senior Water Resource Agent DM 10-26-92 (initial & date)
Exam Reviewed by Manager of Regional Office _____ (initial & date)
Exam Sent to State Office _____ (initial & date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
OCT 30 1992

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 25-7509
1. Owner: Sargent Well Company Phone No. 529-3383
Current Address: 3154 Iona Rd. Idaho Falls Id 83401
2. Accompanied by: Lynn W. Sargent EXAM. DATE: 27 Aug 92
Address: Same Phone No. 523-7452 work
Relationship to Permit Holder: _____ 108 Ext.
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: NONE
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached

[Faint grid lines for drawing a diversion system diagram are visible across this section.]

Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)
☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECEIVED

JAN 22 1993

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well pump mainline to 12 homes within Lots 1-7 Block 1, Lots 1-3 & Lots 5+6 Block 2 Grayson Addition Sub.

Approximately $\frac{1}{2}$ - $\frac{1}{2}$ of each lot is irrigated

From Lynn Sargent

Denning Well drilling 176' x 8" 10hp (A 25-12614)

☐ See Remarks on page 4 for continuation

- 4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	UNK	10	TL-6		

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	$\frac{1}{4}$	$\frac{1}{4}$	$\frac{1}{4}$	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	NE		10	2N	38E	Bonneville	On Site / Counter Assessor Plot

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
2N	38E	10	4D	8D															
		10	0.5	1.5															2

RECEIVED

JAN 22 1993

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Theoretical calculation						

2. Measurements:

126 static
30-60 psi

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = \frac{hp(8.814)(.7)}{Lft + (PR \times 2.308)} = \frac{10(8.814)(.7)}{176 + (30 \times 2.308)} = 0.25 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 2.0 \times 4.0 = 8.0 \text{ afa}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 0.06 \times 214 \times 1.9835 = 25.5$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 8.0 \text{ afa}$$

2. Volume Calculations for Other Uses:

$$V_D = 12 (1.2 \text{ afa}) = 14.4 \text{ afa}$$

12 lots

RECEIVED
JUN 22 1993

[illegible]

1. Recommended Amounts

2. Recommended Amendments

- Field Examiner's Name KEITH C. WILSON
Signature Keith C Wilson
Certification Date _____
Field Report Preparation Date _____

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

JAN 22 1983

25-7509

ITEM E.

FLOW CALCULATIONS:

hp = 10 psi = 30-60 psi

static H₂O level = 126

ASSUME: 70% eff

50ft drawdown ∴ Pumping @ 176'

$$Q = \frac{hp (8.814) (eff)}{Lift + (psi \times 2.308)} =$$

$$= \frac{10 (8.814) (0.7)}{176 + (30 \times 2.308)} = \frac{61.698}{245.24} = 0.25 cfs$$

Q_{DOMESTIC} Limited to permit amt = 0.17 cfs

ACRES IRRIGATED:


$$12 \text{ lots @ } 90ft \times 142ft = 12780 ft^2 / \text{lot}$$

$$\text{Total area} = \frac{12 (12780 ft^2)}{43560} = 3.52 \text{ acres}$$

Approximately $\frac{1}{3}$ to $\frac{1}{2}$ of each lot is irrigated


$$\frac{1}{2} (3.52 \text{ ac}) = 1.76 \text{ ac} \approx 2.0 \text{ acres}$$

25-7509



T
2
N R 38 E

NE 1/4, SECTION 10



☒ homes on
System

NW 1/4 NE 1/4

NE 1/4 NE 1/4


X homes with
individual well
or
unoccupied lot

JAN 22 1993

25-7509

NE 1/4, SECTION 10

59



2E2E

Sec 10

25-7509

December 28, 1990

LYNN W. SARGENT
JO ANN SARGENT
3154 IONA RD.
IDAHO FALLS, ID 83401

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 25-07509

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

JAN 28 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 25-7509

Date 12-26-90

GENERAL CONSIDERATIONS

Y Name same as permit?
Y Address same as permit? If no, prepare data entry form.
Y Proof timely received? If no, complete priority
advancement below.

SOURCE OF WATER

 Surface water source
 ☒ Ground water source
 N Drill permit req'd?
 Copy in file? Drill permit no. N/A
 Well log in file?
 Amt paid for drilling permit? Correct?

LICENSE EXAMINATION FEE

 Y Required?
 50 Amount submitted?
 Y Correct amount?

MEASURING DEVICE


 N Measuring device or access port required?
 Installed?
 Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

proof acceptable

PRIORITY CALCULATION

Date proof received
Date proof due -
No. of days late =
Priority date +
NEW PRIORITY DATE =



For Office Use Only
Amt. of Fee \$ 50.00
Date 6 Dec 1990
Receipt No. E015510
Received by OT

DEC 1990

STATE OF IDAHO

Department of Water Resources
Eastern District Office

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 25-7509 Telephone No. 529-3383
523-7452 work
2. Name(s) of Permit Holder(s): Lynn W. or Jo Ann Sargent
3. Post Office Address: 3154 Iona Rd Idaho Falls, Id 83401
4. Source of Water: Groundwater
 - a. If ground water, well driller's name: Andrew Date drilled: 1970
 - b. Pump horsepower: unk. Pressure (psi): unk. Dynamic pumping level (ft.): unk.
5. Extent of Use:

Domestic <u>13</u> (No. of households)	Irrigation <u>2</u> (No. of acres)
Stockwater _____ (No. and type of stock)	Other _____
6. Total rate and/or volume for which proof is submitted 0.17 cfs _____ acre/feet
7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device:	Required? <u>Yes</u> ☒ <u>No</u> ☐	Installed? <u>Yes</u> ☐ <u>No</u> ☒
OR		
Flow Measurement Port:	Required? <u>Yes</u> ☐ <u>No</u> ☒	Installed? <u>Yes</u> ☐ <u>No</u> ☒
8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)
9. Person to contact to accompany the Department representative during the field examination:

Name Same as above Telephone No. _____

Address _____

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

6 Dec 1990
Date

Lynn W. Sargent
Signature (and title if on behalf of a company or organization)

RECEIVED
JAN 28 1991

138775

November 30, 1990

LYNN W. SARGENT
JO ANN SARGENT
3154 IONA RD.
IDAHO FALLS, ID 83401

PROOF DUE NOTICE

RE: PERMIT NO. 25-07509

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED
JAN 28 1991



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

August 17, 1990

Lynn W. and JoAnn Sargent
3154 Iona Rd.
Idaho Falls, ID 83401

RE: Water Right No. 25-7509

Dear Water Right Holder(s):

We acknowledge receipt of the correspondence transferring ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

A handwritten signature in cursive script that reads 'Sharla Curtis'.

SHARLA CURTIS
Technical Records Specialist

SC:js

MICROFILMED

SEP 14 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
January 18, 1990

GRAYSON SUBDIVISION WATER CO.
C/O ED GRAYSON
P.O. BOX 2511
IDAHO FALLS, ID 83403

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P25-07509

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Please be advised that water quality is subject to regulations of the Idaho Department of Health and Welfare. We suggest that you check with them before starting construction.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also

RECEIVED

FEB 13 1990

enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures


FEB 13 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

25-7509

REQUIRED INFORMATION

Grayson Seditionism 9/0
Ed Grayson

- ### ADDITIONAL INFORMATION

- *REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

Date Requested

PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 12-26-89
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. 01
☐ Yes ☐ No Special conditions of approval or cover letter below. _____

See below for additional information
Date of priority recommended 8-10-1989
By HWT Date 12-27-89

STATE OFFICE REVIEW P05, P10, P23 P16 46 57 04

See below for additional information
By kw Date 1-4-90

ADDITIONAL INFORMATION

App. in TRUST area - DCMI

29-Nov-1989

Ed Grayson
P.O. Box 2511
Idaho Falls, ID 83403

RE: Application for Permit No. 25-7509

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Post-Register. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

RECEIVED

FEB 13 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

NOVEMBER 28, 1989

THE POST-REGISTER
P.O. BOX 1800
IDAHO FALLS, ID 83403

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before DECEMBER 26, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

FEB 13 1990

NOTICE OF APPLICATION FOR WATER RIGHT

The Following appl ion(s) have been filed t ppropriate the public waters of the State of Idaho:

RECEIVED

FEB 13 1990

25-07509

GRAYSON SUBDIVISION WATER CO.
C/O ED GRAYSON
P.O. BOX 2511
IDAHO FALLS, ID 83403

Source: GROUNDWATER

Diversion Pt: NENWNE Sec 10 T 03N R 38E

Use: DOMESTIC (.170 CFS)
IRRIGATION (.060 CFS)

Date Filed: 8/10/1989

In: T03N R38E S10 NENE NWNE

2.0 ACRES TOTAL

RECORDED

FEB 13 1990

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-101, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before DECEMBER 26, 1989.

R. Keith Higginson, Director

Published 12/07/1989 & 12/14/1989

RECEIVED

FEB 13 1990