


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



T1N
R38E

MICROFILMED

OCT 26 1989

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Howard M. Thompson
(Applicant)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 03 1993

Department of Water Resources

A. GENERAL INFORMATION


Permit No. 25-7508
Phone No. 522-0329
1. Owner: Howard M. Thompson
Current Address: 6535 S. Holmes Ave Idaho Falls 83402
2. Accompanied by: Mr. Thompson EXAM. DATE: 6-3-1991
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required). ☒ Aerial Photo Attached (required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached (required for all but single household domestic groundwater, and stockwater).

RECEIVED
NOV 22 1993

25-7508

4811

GERMAN

R38E

POINT OF DIVERSION
and
Place of Use

T
N
R 38 E

4788

Racetrack

BM.
4689

(AMMON 1:62500)
3670 IV

4809

4808

25'

4807


Creek

25-7508

MICROFILMED

NOV 22 1993

BM



25-7508

NOV 22 1993

25-07508

THOMPSON, HOWARD M.
6535 S. HOLMES AVE.
IDAHO FALLS, ID 83402

Source: GROUNDWATER

Diversion Pt: NWNW Sec 8 T 01N R 38E

Use: STOCKWATER (.020 CFS)
DOMESTIC (.100 CFS)

Date Filed: 6/19/1989

In: T01N R38E S08 NWNW

25-07508
THOMPSON, HOWARD M.
6535 S. HOLMES AVE.
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: NWNW Sec 8 T 01N R 38E
Use: STOCKWATER (.020 CFS)
DOMESTIC (.100 CFS)
Date Filed: 6/19/1989
In: T01N R38E S08 NWNW

MICROFILMED

OCT 26 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07508

Priority: June 19, 1989

Maximum Diversion Rate:

0.11 CFS

Maximum Diversion Volume:

2.7 AF

This is to certify, that HOWARD M THOMPSON

6535 S HOLMES AVE

IDAHO FALLS ID 83402

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 19, 1989; and has submitted Proof of Beneficial Use on October 27, 1989. An examination indicates that the works have a diversion capacity of .150 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	01/01 to 12/31	0.01 CFS	0.3 AF
DOMESTIC	01/01 to 12/31	0.10 CFS	2.4 AF
	Totals	0.11 CFS	2.7 AF

LOCATION OF POINT(S) OF DIVERSION:

NWNW , Sec. 8, Township 01N, Range 38E
BONNEVILLE County

PLACE OF USE: STOCKWATER

TWN RGE SEC

01N 38E 8 NWNW

PLACE OF USE:

DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, water equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.

NOV 22 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 25-07508

CONDITIONS/REMARKS:

7. The issuance of this right in no way grants any right-of-way or easement across the land of another.
8. Stockwater use is for 25 head of mixed stock.
9. Domestic use is for 4 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 16TH day of NOVEMBER, 1993.

Acting for


R. Keith Higginson, Director

RECORDED

NOV 22 1993

RECEIVED

Form 217
03/86

OCT 27 1989

Department of Water Resources
Eastern District Office

STATE OF IDAHO
Department of Water Resources

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use:
Fee Received 50.00
Date 27 Oct '89
Receipt # E011075
Received by KCW
Reviewed by _____
Sent to _____

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 25-07508

Name(s) of Permit Holder: Howard M. Thompson

Post Office Address: 6535 S. Holmes Ave. Idaho Falls Id 83402

Telephone No. 522-0329

Source of Water: Deep well Groundwater

Extent of Use:

Domestic 4- (number of households) Stockwater 6 horses (number and type of stock)
Irrigation _____ (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 0.12 cfs cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: Dec 11 1963

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Fee enclosed \$ _____
(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Same as above

(Name)

(Telephone Number)

(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

27 Oct 1989

Date

Howard M. Thompson
Signature of Permit holder (and title, if appropriate)

DEC 14 1989

State of Idaho
Department of Water Resources
Permit To Appropriate Water

NO. 25-07508

Proposed Priority: June 19, 1989

Maximum Diversion Rate:

0.12 CFS

This is to certify, that **HOWARD M. THOMPSON**
6535 S. HOLMES AVE.
IDAHO FALLS, ID 83402

has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
STOCKWATER	01/01 to 12/31	0.02 CFS
DOMESTIC	01/01 to 12/31	0.10 CFS
	Totals	0.12 CFS

LOCATION OF POINT(S) OF DIVERSION:

NWNW Sec. 8, Township 01N, Range 38E
BONNEVILLE County

PLACE OF USE: STOCKWATER

TWN RGE SEC

01N 38E 8 NWNW

PLACE OF USE: DOMESTIC, same as STOCKWATER use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 1990.
2. Subject to all prior water rights.
3. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
4. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
5. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
6. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
7. Domestic use is for 4 homes.

MICROFILMED

OCT 26 1989

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 25-07508

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

19th day of October, 1989.

R. Keith Higginson

R. Keith Higginson, Director

for

MICROFILMED

OCT 26 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant Howard M Thompson Phone 522-0329
Post office address 6535 So Holmes Ave I.F. ID 83402
2. Source of water supply GROUNDWATER which is a tributary of _____
3. Location of point of diversion is _____ ¼ of NW ¼ of NW ¼, Govt. Lot _____
Sec. 8 Township 1N Range 38E B.M. BOONEVILLE County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .10 for DOMESTIC purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .02 for STOCK purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .12 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. WELL - 5 HP SUBMERSIBLE
PUMP - 1,000 GAL PRESSURE TANK
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 6" inches; proposed depth of well is 210 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

OCT 26 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 10 CATTLE/HORSES
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 4
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1N	38E	8					D/S												

MICROFILMED

OCT 26 1989


Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

11. a. Who owns the property at the point of diversion? APPLICANT
- b. Who owns the land to be irrigated or place of use? SEE ATTACHED LIST
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. WELL AGREEMENT HELD BY APPLICANT

12. Remarks: HOMES AND WELL REGISTERED IN CLAIM 25-4207, HOWEVER, APPLICANT BELIEVES 4TH HOME WAS ADDED AFTER 3/25/1963.

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Howard M. Thompson
(Applicant)

Received by TO Date 6/19/89 Time 2:00 PM Preliminary check by AMA
Fee \$ 30.00 Receipted by TO # E009141 Date 6/19/89
Publication prepared by RB Date 8-17-89 Published in Past-Register
Publication approved OW Date 9-11-89
OCT 16 1989

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

OCT 26 1989

HOUSE OWNERS

Howard Thompson (91) houses
Orvil Meyer
Don Carmichael

RECEIVED
FBI - NEW YORK

OCT 22 1952



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 17, 1993

HOWARD M THOMPSON
6535 S HOLMES AVE
IDAHO FALLS ID 83402

RE: WATER RIGHT NO. 25-07508

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', written over the printed name.

JIM JOHNSON
Water Rights Supervisor

JJ:dc

Enclosure

RECEIVED
NOV 22 1993

WR0749NP
No. L25-07508

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 11/02/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	HOWARD M THOMPSON 6535 S HOLMES AVE IDAHO FALLS ID 83402 (208) 522-0329	06/19/1989	STOCKWATER DOMESTIC	01-01 12-31 01-01 12-31	0.01 CFS 0.10 CFS	0.3 AFA 2.4 AFA
TOTAL DIVERSION:					0.11 CFS	2.7 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.15 CFS

Point(s) of Diversion: T01N R38E S08 NW NW

Place of use Legal Description for: STOCKWATER

				NE				NW				SW				SE			
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac
01N	38E	8	:							S									

Place of use location for DOMESTIC is the same location as described for: STOCKWATER

Pou County: BONNEVILLE

~~Non-Irrigation Uses: 8 / 10 CATTLE, HORSES~~

Other Rights: NONE

Other Water Rights Listing Overlapping Place(s) of use:
25-07496

Conditions of Approval:

- 048 - The use of water under this right shall not give rise to any
- claim against the holder of a senior water right based upon the
- theories of forfeiture, abandonment, adverse possession, waiver,
- equitable estoppel, estoppel by laches or customary preference.
- 049 - The Director retains jurisdiction of the right to incorporate
- the use into a water district, require streamflow augmentation
- or other action needed to protect prior surface water and
- groundwater rights.
- 004 - The issuance of this right in no way grants any right-of-way
- or easement across the land of another.

Remarks: Stockwater use is for 25 head of mixed stock.
Domestic use is for 4 homes.

Dates: App. Received: 06/19/1989 Priority Date: 06/19/1989
Proof Due Date: 11/01/1990 Proof Made Date: 10/27/1989
Exam Made Date: 06/03/1991 Exam Sent to S.O.: 04/28/1993
Licensed Date:

Misc: Water District Number: Field Exam Fee: R (Received)

LICENSE REVIEW CHECKLIST

Permit # 25-7508 Date 11-2-93 Brenda Chapman

NAME Yes No ✓ Or Address Change?

PRIORITY DATE ✓ Advance? Memo to Advance

 ✓ Order to Reinstate Needed?

 ✓ Incorrect Fee for rate recommended?

SOURCE ✓ Changes? Clarification of **Originally**

 ✓ **Intended** source

 ✓ Notice of Intent to Void - Source change.

P/D ✓ Amendment Needed?

 ✓ Overlap(s)

P/U ✓ Amendment Needed?

 ✓ Overlap(s)

TOTAL CFS -NA- ✓ Disagree/Measurement NONE DONE

 ✓ STOCK = .01

 ✓ DOM = .10

 ✓ Theoretical $(8.8 \times .70 \times 5 \text{ HP}) = .15 \text{ CFS}$

 ✓ $(120 + 2.31 \times 40)$

 ✓ Capacity .15

 ✓ Allowable Amount: .11 CFS

TOTAL VOLUME ✓ Disagree with Examiner's Calculations?

 ✓ INTERVAL DOM (4 x .6) = 2.4 AF

 ✓ 25 head stock = .3 CF

 ✓ Flow limit: .11 x 365 x 1.9835 = 79.6

 ✓ Season

USES ✓ Change(s) in Nature of Use?

 ✓ Amendment Needed?

REMARKS ✓ Multiple P/Ds in 1/4 1/4?

 ✓ Special Overlap

 ✓ Other NON-TRUST CONDITIONS (048+049)

CONDITIONS ✓ Measuring/Locking Devices

 ✓ W/Master Control ✓ Water Dist

 ✓ Irrigation Overlap 6-19-89 App Rec'd

 ✓ Water Quality 6-3-91 Exam Made

COMMENTS: REDUCE RATE (STOCKWATER CHART)

RECOMMENDED	CFS	DIV VOL
<u>STOCKWATER</u>	<u>.01</u>	<u>.3</u>
<u>DOMESTIC</u>	<u>.10</u>	<u>2.4</u>

LICENSE ✓

AMEND

2ND AMEND

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
MAY 03 1993

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 25-7508

1. Owner: Howard M. Thompson Phone No. 522-0329

Current Address: 6535 S. Holmes Ave Idaho Falls 83402

2. Accompanied by: Mr. Thompson EXAM. DATE: 6-3-1991

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: _____

☐ Copies Attached


2. Other water rights with same point of diversion: _____

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached

(required for all but single household domestic groundwater, and stockwater.

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

RECEIVED
NOV 22 1993

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well pump, pressure tank (1000 gal) to four single domestic homes
operating pressure 40-60 psi according to Mr Thompson
irrigation from canal (Idaho)

Stock water less than 25 head

System services the following addresses #6684

#6535

#6575

#6707

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Red Jacket	5	V-1P4-60HZ	Red Jacket	

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NW	8	1N	38E	Bonneville	USGS, on site inspection

6. **Place(s) of Use:**

Indicate Method of Determination

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1N	38E	8						DE	S										

Do not use this space

RECORDED

NOV 22 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
None						

2. Measurements:

Theoretical 30-60 psi
Static H₂O in area 108'

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

$$Q = \frac{hp (8814) \text{ eff}}{LH + (P1 \times 2.308)} = \frac{5 (8814) (.8)}{108 + (45 \times 2.308)} = 0.166 \text{ cfs} = 0.17 \text{ cfs}$$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$$V_{Dom} = 4 (0.6 \text{ cfs}) = 2.4 \text{ cfs}$$

$$V_{Static} = 0.4 \text{ cfs}$$

RECEIVED

NOV 22 1993

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic (4 units)	1/1	12/31	0.10 cfs	2.4 afa
Stockwater	1/1	12/31	0.02 cfs	0.4 afa
Totals:			0.12 cfs	2.8 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name KEITH C. WILSON

Signature Keith C. Wilson

Certification Date _____


Field Report Preparation Date _____


CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED

NOV 22 1993





25-7508

NOV 22 1993

November 30, 1989

HOWARD M. THOMPSON
6535 S. HOLMES AVE.
IDAHO FALLS, ID 83402

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 25-07508

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

DEC 14 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 25-7508

Date: 11-9-1989

General Considerations:

y Name same as permit
y Signature the same as permit holder
y Address change _____ If yes, prepare a data entry
y Proof received timely _____
_____ Reinstated

Source of Water:

_____ Surface water
y Groundwater
_____ 1. well log in file -
_____ 2. drilling permit
W/A A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

W/A Is a measuring device or access port required?
W/A Has one been installed?
W/A Waiver or modification of measuring device requested

Remarks:

Well drilled in 1963
~~Refused no fee required for dom. & stock~~

N/A Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

HOWARD F. ANDREW
Phone JA 2-2794

VERL J. ANDREW
Phone JA 2-2823

ANDREW WELL DRILLING

Contractors

Phone JA 3-2544

Pump and Well Drilling Equipment Installed

¹²⁶⁸
~~1300~~ E. 17th St., Idaho Falls, Idaho

December 11, 1963

Howard Thompson

Legal Description:

198'	Drilling 12" well	\$ 1584.00
58'	12" pipe	319.00
134'	8" pipe	538.00
2	8" shoes @ 28.00	56.00
Materials, cement, trenching, lumber		590.98
Stock waterer		80.04
Tank		150.00
5 HP Pump		993.00
Installation		85.00
Fittings - pipe		908.31
Electrical work		185.93
Carpentry		<u>100.00</u>
		\$ 5590.06

MICROFILMED

DEC 14 1983

PURE DRINKING WATER IS THE ESSENCE OF LIFE, LET US DRILL YOUR WELL, AND YOU WILL BE SATISFIED.

12-11-63

Odgerslow & York road

12" well

FORMATION:

FEET:

0-3	Soil and gravel	
3-10	Gravel and sand	
10-45	Cemented gravel	
45-46	Sandy and cement gravel	
46-54	Cemented gravel	
54-57	Clay and some gravel	
57-59	Lava broken	
59-88	Firm lava rock	
88-91	Broken lava rock	
91-111	Firm lava	Water at 94 to 98 feet
111-113	Loose broken lava	
113-119	Firm lava rock	
119-121	Cinders & broken lava	
121-123	Firm lava rock	
123-124	Cinders & broken lava	
124-134	Hard firm lava rock	
135-139	Firm lava rock	
139-144	Cinders	
144-156	Clay and cinders	
156-162	Clay, cinders & broken lava rock	
162-163	Clay and cinders	
163-183	Clay with cinders	Water at 163 feet
183-191	Broken lava rock	
191-194	Firm lava	
194-195	Sand	
195-198	Firm lava with 2 small openings	Water

12" Casing to 58 feet

8" Casing liner to 134 feet

Water Stands at 110 feet

MICHAEL
DEC 14 1968

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 327-7900
October 20, 1989

HOWARD M. THOMPSON
6535 S. HOLMES AVE.
IDAHO FALLS, ID 83402

PERMIT APPROVAL NOTICE

RE: PERMIT NO. P25-07508

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

OCT 26 1989



Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MILWAUKEE

OCT 26 1989

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s) have been
filed to appropriate the public waters of the
State of Idaho:

23-07124

HALL, SAMUEL J.
HALL, IZOLA G.
1050 BANNOCK AVE.
IDAHO FALLS, ID 83402
Source: SPRING; Tributary: BIG SPRING
CREEK
Diversion Pt: NENWSW Sec 15 T 01S R
45E
Use: DOMESTIC (.040 CFS)
Date Filed: 6/27/1989
In: T01S R45E S15 NWSW
23-07125

VERNON, CAROL L.
VERNON, SR., JACK L.
5593 W. BROADWAY
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: NWNENW Sec 36 T 01N R
44E
Use: DOMESTIC (.040 CFS)
Date Filed: 6/19/1989
In: T01N R44E S36 NENW
25-07507

RHOADES, ARVIN
BOX 1422
IDAHO FALLS, ID 83403
Source: SPRINGS; Tributary: TWIN
CREEK
Diversion Pt: SESWSW Sec 28 T 01S R 40E
Use: DOMESTIC (.060 CFS)
Date Filed: 6/15/1989
In: T01S R40E S28 SWSW
25-07508

THOMPSON, HOWARD M.
6535 S. HOLMES AVE.
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: NWNW Sec 8 T 01N R 38E
Use: STOCKWATER (.020 CFS)
DOMESTIC (.100 CFS)
Date Filed: 6/19/1989
In: T01N R38E S08 NWNW
31-07530

LARSEN, BLAINE
P.O. BOX 188
HAMER, ID 83425
Source: GROUNDWATER
Diversion Pt: NWNWSW Sec 35 T 09N R
36E
Use: STOCKWATER (.176 CFS)
Date Filed: 6/14/1989
In: T09N R36E S02 NENW
S35 SWNW

31-07531

LARSEN, BLAINE
P.O. BOX 188
HAMER, ID 83425
Source: GROUNDWATER
Diversion Pt: SENWSE Sec 31 T 09N R 36E
Use: STOCKWATER (.176 CFS)
Date Filed: 6/14/1989
In: T09N R36E S31 NWSE SWSE
35-08350

GELLINGS, STEVE
GELLINGS, JOHN B.
ROUTE 4, BOX 267
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: SWNE Sec 31 T 02N R 37E
Use: IRRIGATION (3.300 CFS)
Date Filed: 6/07/1984
In: T02N R37E S31 NWNW SWNE NENW
NWNW SWNW SENW
220.0 ACRES TOTAL

35-08356

MC CULLOUGH, WILLIAM JAMES
RT. 4 BOX 425
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: NESW Sec 9 T 01N R 37E
SESW Sec 9 T 01N R 37E
Use: IRRIGATION (1.500 CFS)
Date Filed: 8/01/1984
In: T01N R37E S09 SWNW SENW NESW
NWSW
75.0 ACRES TOTAL

35-08794

MEIKLE, STEVEN E.
MEIKLE, LULA
8152 N. 26 W.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: SWSWSW Sec 23 T 03N R
37E
Use: IRRIGATION (.060 CFS)
DOMESTIC (.040 CFS)
Date Filed: 6/16/1989
In: T03N R37E S23 SWSW
3.0 ACRES TOTAL

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A, Idaho
Code and/or the new public interest criteria
of Sec. 42-203C, Idaho Code. Protests must
be filed with the Director, Dept. of Water
Resources, 150 Shoup Ave., Suite 15, Idaho
Falls, Idaho 83402 on or before SEPTEMBER 4, 1989.

R. Keith Higginson, Director

Published: August 17, 24, 1989

MICROFILMED

OCT 26 1989

Proof of Publication
The Post-Register

RECEIVED

AUG 30 1989

Department of Water Resources
Eastern District Office

State of Idaho, }
County of Bonneville } ss

I, Ted Delezene, first being duly sworn, depose and say: That I am the Foreman of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers have been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eight (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 17th day of August, 1989, last publication having been made on the 24th day of August, 1989, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 25th day of August, 1989.

Ted Delezene
Don K. Napier
Notary Public

My commission expires September 30, 1994.

B10

MICROFILMED

OCT 26 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

AUGUST 8, 1989

THE POST-REGISTER
P.O. BOX 1800
IDAHO FALLS, ID 83403

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before SEPTEMBER 4, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

OCT 26 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following appl ion(s) have been filed t ropriate the public
waters of the State of Idaho:

MICROFILMED

OCT 26 1989

25-07508

THOMPSON, HOWARD M.
6535 S. HOLMES AVE.
IDAHO FALLS, ID 83402

Source: GROUNDWATER

Diversion Pt: NWNW Sec 8 T 01N R 38E

Use: STOCKWATER (.020 CFS)
DOMESTIC (.100 CFS)

Date Filed: 6/19/1989

In: T01N R38E S08 NWNW

25-07508
THOMPSON, HOWARD M.
6535 S. HOLMES AVE.
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: NWNW Sec 8 T 01N R 38E
Use: STOCKWATER (.020 CFS)
DOMESTIC (.100 CFS)
Date Filed: 6/19/1989
In: T01N R38E S08 NWNW

MICROFILMED

OCT 26 1989

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before SEPTEMBER 4, 1989.

R. Keith Higginson, Director

Published 8/17/1989 & 8/24/1989

MICROFILMED

OCT 26 1989