




Sec 15


2000

1000

1000

1000

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
-	Quincy	-	-	-	-


*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: N/A



25-07500

State of Idaho
Department of Water Resources
Permit To Appropriate Water

WATER RIGHT NO. 25-07500

Priority: April 21, 1989

Maximum Diversion Rate:

0.02 CFS

Maximum Diversion Volume:

6.6 AF

This is to certify, that CITY OF IDAHO FALLS

PO BOX 50220

IDAHO FALLS ID 83405

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 21, 1989; and has submitted Proof of Beneficial Use on August 14, 1990. An examination indicates that the works have a diversion capacity of 0.020 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	05/01 to 11/01	0.02 CFS	6.0 AF
DOMESTIC	05/01 to 11/01	0.02 CFS	0.6 AF
	Totals	0.02 CFS	6.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NWNW), Sec. 15, Township 01N, Range 37E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N	37E	15	Lot 3(NWNW)	1.5		1.5

Total number of acres irrigated: 1.5

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.

MICROFILMED

JUL 30 1998

State of Idaho
Department of Water Resources


Permit To Appropriate Water

WATER RIGHT NO. 25-07500

CONDITIONS OF APPROVAL AND REMARKS

6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
8. Domestic use is for a picnic area and shelters at Gem Lake Dam.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 22ND
day of JUNE, 1998.


Acting for KARL J. DREHER, Director

MICROFILMED

JUL 30 1998

State of Idaho
Department of Water Resources

RECEIVED
JUN 15 1998
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 25-07500

Date of Priority: April 21, 1989 Maximum Diversion Rate: 0.02 CFS
Maximum Diversion Volume: 6.6 AF

Comes now CITY OF IDAHO FALLS
PO BOX 50220
IDAHO FALLS ID 83405 and represents to the Director of the
Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the
State of Idaho No. 25-07500, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	05/01 to 11/01	0.02 CFS	6.0 AF
DOMESTIC	05/01 to 11/01	0.02 CFS	0.6 AF
	Totals	0.02 CFS	6.6 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NWNW), Sec. 15, Township 01N, Range 37E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N	37E	15	Lot 3(NWNW)	1.5		1.5

Total number of acres irrigated: 1.5

PLACE OF USE:

DOMESTIC, same as IRRIGATION use

MICROFILMED
JUL 30 1998

Permit holder asserts that no one will be injured by such change and that such change
will be made at permit holder's own risk.

Signed at Idaho Falls, ID, this 3rd day of June, 1998.

(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 25-07500

FOR DEPARTMENT USE ONLY

Preliminary check by SKK Fee = 5000 Received by LS # 042583 Date 6/15/98


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 25-07500 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.
8. Domestic use is for a picnic area and shelters at Gem Lake Dam.

Witness my hand this 22ND day of JUNE, 1998.


KARL J. DREHER, Director
Acting for
JUL 30 1998

RECEIVED
AUG 14 1990

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 25-7500 Telephone No. 529-1430

Name(s) of Permit Holder(s): City of Idaho Falls

Post Office Address: P.O. Box 50220 Idaho Falls, ID 83405-0220

Source of Water: ground

If ground water, well driller's name: Andrew Will Drilling Date drilled: June 1989

Extent of Use:
Domestic * 1 (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

* Water used for irrigation of small public park

Total rate and/or volume for which proof is submitted 0.02 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: July 1989

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

Fee Enclosed: \$ 0 (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Mark Gendron
Name

529-1430
Telephone No.

P.O. Box 50220, Idaho Falls, ID 83405

Address

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

RECEIVED
MAR 04 1991

8/13/90

Date

[Signature] Chief Engineer
Signature (and title if on behalf of a company or organization)

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 25-07500

Proposed Priority: April 21, 1989

Maximum Diversion Rate:

0.02 CFS

This is to certify, that CITY OF IDAHO FALLS
P.O. BOX 50220
IDAHO FALLS, ID 83405

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

BENEFICIAL USE

PERIOD OF USE

RATE OF DIVERSION

DOMESTIC

05/01 to 11/01

0.02 CFS

LOCATION OF POINT(S) OF DIVERSION: LOT 3(NWNWNW), Sec. 15, Township 01N, Range 37E
BONNEVILLE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

01N 37E 15

NWNW

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 1990.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. The issuance of this permit in no way grants any right-of-way or easement across the land of another.
7. Domestic use is for a public recreation area.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

31st day of August, 1989.

NOT RECORDED

SEP 15 1989

for

R. Keith Higginson, Director

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant City of Idaho Falls Phone (208) 529-1430
Post office address Box 50220, Idaho Falls, Idaho 83405
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot 3
Sec. 15 Township 1N. Range 37E. B.M. Bonneville County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount .02 for Domestic purposes from May 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) .02 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. well and pump
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 6 inches; proposed depth of well is 150 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water for beneficial use is
1 years (minimum 1 year).

MICROFILMED

SEP 15 1989

100-37473

100-37473



SEP 15 1989

by:

City Electrical Engineer

RECEIVED

SEP 13 1989

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____, 19____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Received by _____ Date 5-30-89 Time 11:00p Fee \$ 30.00

Received by _____ Date 4-21-89 Time 11:00p Fee \$ 30.00

Received by _____ Date 4-24-89 Fee \$ 30.00

Publication prepared by RB Date _____ Published in Post-Register 7-6-1389

Publication approved _____ Date 7-18-89

Proof of Publication
The Post-Register

RECEIVED

JUL 17 1989

Department of Water Resources
Eastern District Office

State of Idaho, }
County of Bonneville } ss

I, Ted Delezene, first being duly sworn, depose and say: That I am the Foreman of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers have been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eight (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 6th day of July, 1989, last publication having been made on the 13th day of July, 1989, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 13th day of July, 1989.

Ted Delezene
Robert Napier
Notary Public

My commission expires September 30, 1994.

B10

MICROFILMED

SEP 15 1989

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s) have been
filed to appropriate the public waters of the
State of Idaho:

25-07491

YOST BUILDING & DEVELOPMENT
1288 E. 21ST ST.
IDAHO FALLS, IDA 83404
Source: GROUNDWATER
Diversion Pt: SENW Sec 7 T 02N R 38E
Use: COMMERCIAL (.040 CFS)
Date Filed: 3/15/1989
In: T02N R38E S07 SENW

25-07373

EASTERN IDAHO PRODUCTION
CREDIT ASSN.
P.O. BOX 618
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: SWNE Sec 22 T 03N R 39E
SENW Sec 22 T 03N R 39E
Use: IRRIGATION (14.400 CFS)
Date Filed: 6/27/1983
In: T03N R39E S21 SWNE SENE NESE
NWSE SWSE SESE
S22 NENE NWNE SWNE SENE NENW
NWNW SWNW SENW NESW NWSW
SWSW SESW NESE NWSE SWSE SESE
720.0 ACRES TOTAL

25-07500

CITY OF IDAHO FALLS
BOX 50220
IDAHO FALLS, ID 83405
Source: GROUNDWATER
Diversion Pt: LOT 3 (NWNWNW) Sec 15
T 01N R 37E
Use: DOMESTIC (.020 CFS)
Date Filed: 4/21/1989
In: T01N R37E S15 NWNW

25-07501

CITY OF IDAHO FALLS
BOX 50220
IDAHO FALLS, ID 83405
Source: GROUNDWATER
Diversion Pt: LOT 1 (NWNENE) Sec 3 T
01N R 37E
Use: DOMESTIC (.020 CFS)
Date Filed: 4/21/1989
In: T01N R37E S03 NENE

25-07503

ALBISTON, JAMES
PICKETT, HOWARD
PICKETT, MEADE
2761 LINCOLN RD.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: SESW Sec 10 T 02N R 38E
Use: DOMESTIC (.080 CFS)
Date Filed: 5/12/1989
In: T02N R38E S10 SESW

35-08756

STEEL, KEVIN
806 COACHMAN DR.
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: NENW Sec 18 T 03N R 36E
Use: COMMERCIAL (.010 CFS)
DOMESTIC (.040 CFS)
Date Filed: 5/11/1989
In: T03N R36E S18 NENW

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A, Idaho
Code and/or the new public interest criteria
of Sec. 42-203C, Idaho Code. Protests must
be filed with the Director, Dept. of Water
Resources, 150 Shoup Ave., Suite 15, Idaho
Falls, Idaho 83402 on or before JULY 24,
1989.

R. Keith Higginson, Director

Published: July 6, 13, 1989

MICROFILMED

SEP 15 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098-
Phone: (208) 327-7900 FAX: (208) 327-7866

June 23, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CITY OF IDAHO FALLS
PO BOX 50220
IDAHO FALLS ID 83405

RE: WATER RIGHT NO. 25-07500

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

RECORDED

JUL 30 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script, reading "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure


REC-1
JUL 30 1998

CERTIFICATE OF MAILING

I hereby certify that on the 23rd day of June, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing **PRELIMINARY ORDER (Approved License)** to the person(s) listed below:

Water Right No. 25-07500

CITY OF IDAHO FALLS
PO BOX 50220
IDAHO FALLS ID 83405


Kari Lynn Townsend
Secretary

1998 JUN 30



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

May 19, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

CITY OF IDAHO FALLS
PO BOX 50220
IDAHO FALLS ID 83405

RE: WATER RIGHT NO. 25-07500

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms that a water right has been established in compliance with the terms of the permit. The examiner who verified your water use reported that the nature of water use developed differs from what was described on your permit. Therefore, before a license can be issued, your permit must be amended to depict your water right as it was actually developed.

The enclosed Application for Amendment form depicts the water use and other information as it will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

Also, please note that some of the proposed conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208)327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

JUL 30 1998

WR0749NP
No. L25-07500

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 05/15/98
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY		USE PERIOD		DIVERSION	DIVERSION
		DATE	WATER USE	FROM	TO	RATE	VOLUME
C	CITY OF IDAHO FALLS PO BOX 50220 IDAHO FALLS ID 83405 (208) 529-1430	04/21/1989	IRRIGATION DOMESTIC	05/01	11/01 11/01	0.020 CFS 0.020 CFS	6.00 AFA 0.60 AFA
TOTAL DIVERSION:						0.020 CFS	6.60 AFA

Water Source: GROUNDWATER ✓

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.020 CFS ✓

Point(s) of Diversion: T01N R37E S15 Lot (03) NWNW ✓

BONNEVILLE County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE											
		NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:		
T	R	S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	:	Lt Ac	Lt Ac	Lt Ac	Lt Ac	:	Lt Ac	Lt Ac	Lt Ac	Lt Ac	:	SUM	
-----			-----				:	-----				:	-----				:	-----				:	-----
01N 37E 15 :							:	(03-01)				:					:					:	1.5
																						TOTAL ACRES	1.5

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

Pou County: BONNEVILLE

Other Water Rights with Same Point(s) of Diversion with Stage (Includes All Sources):

01-07018 01-07051

Conditions of Approval:

- 048 - The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
- ✓ 049 - The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
- ✓ R68 - This right when combined with all other rights shall provide no more than 0.03 cfs per acre nor more than 4.0 afa per acre at the field headgate for irrigation of the lands above.

Remarks: GEN / Domestic use is for a picnic area and shelters at Gem Lake Dam.

Dates: App. Received: 04/21/1989 Priority Date: 04/21/1989
Proof Due Date: 10/01/1990 Proof Made Date: 08/14/1990
Exam Made Date: 07/02/1992 Exam Sent to S.O.: 01/29/1998
Licensed Date:

Misc: Water District Number: Field Exam Fee: N (Not Required)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	5
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	---

WR-NUMBER	SOURCE	NE								NW								SW								SE								SUM
		NE		NW		SW		SE		NE		NW		SW		SE		NE		NW		SW		SE										
		Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac									
L2507500	T01N R37E S15	GROUNDWATER																																
	:									:	03-01								:									:	1					
A0100075Z0	SNAKE RIVE :	38	38	40	39	:	29			20	39	:	39	39	38	39	:	39	40	39	37	:	553											
A0100076Z0	SNAKE RIVE :	38	38	40	39	:	29			20	39	:	39	39	38	39	:	39	40	39	37	:	553											
0100312	SNAKE RIVE :									:									:									:						
A0100312Z0	SNAKE RIVE :	38	38	40	39	:	29			20	39	:	39	39	38	39	:	39	40	39	37	:	553											
A0100368Z0	SNAKE RIVE :	38	38	40	39	:	29			20	39	:	39	39	38	39	:	39	40	39	37	:	553											
A0100369Z0	SNAKE RIVE :	38	38	40	39	:	29			20	39	:	39	39	38	39	:	39	40	39	37	:	553											
A0100370Z0	SNAKE RIVE :	38	38	40	39	:	29			20	39	:	39	39	38	39	:	39	40	39	37	:	553											
0107104	SNAKE RIVE :									:	02-02								:	01								:	3					
A2500224Z0	WILLOW CRE :	38	38	40	39	:	29			20	39	:	39	39	38	39	:	39	40	39	37	:	553											
--86 MAP--	C11Q-Y 42 :	39	31	38	42	:									38	:	41	37	35	41	:	43	38	42	44	:	509							
NO QTRS	MAPPING	Lot01-20		Lot02-25		Lot03-01		Lot04-05		Lot05-11																								
--86 MAP--	C19Q-Y 42 :	38	33	38	41	:									40	:	42	37	37	41	:	42	40	41	45	:	515							
NO QTRS	MAPPING	Lot01-22		Lot02-27		Lot03-01		Lot04-06		Lot05-13																								

MEMORANDUM

TO: File 25-07500

FROM: Sharla

DATE: May 14, 1998

RE: Licensing Recommendation Adjustments

The adjustments to licensing recommendations for Permit No. 25-07500 are as follows:

H. RECOMMENDATIONS


Irrigation	5/1 - 11/1	0.02 cfs	6.0 afa
Domestic	5/1 - 11/1	0.02 cfs	0.6 afa
	TOTALS	0.02 cfs	6.6 afa

The rate of diversion is limited by the permitted rate; the domestic volume is the standard allowed for in-house use. ~~The original~~ application stated that watering of grass, trees and shrubs was intended under this right and could have been split out as irrigation and domestic at the time it was approved. The original intent did not change; with an amended^{ment} the nature of use can be changed to show the irrigation separate from the domestic use.

Examiner: Paul Meyer
Exam Date: July 2, 1992

MAILED
JUL 30 1998

DEPENDENT RESURVEY AND SURVEY OF



Resurveyed by Walter H. Good & Donald H. Duran 1963-1968

MICROFILMED
JUL 30 1998

LICENSE REVIEW CHECKLIST

PERMIT NO. 25-07500 DATE 5/13/98 REVIEWER: SHARLA

NAME Change/OK
 Address OK
 SOURCE OK Does change clarify orig. intended source? If no, Void permit
 POINT OF DIV OK Change (Para P39 - gov P40/P47) Add (P45/P42)

W32 (multiple in 1/4)
 W36 (overlap)
 W59 (subd. desc)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

PLACE OF USE OK Change (P41 - gov P43/P47) Add (P41/P42)

W60 (subd. desc)
 W27 (ppu acre limit)

Overlaps: Right(s): _____
 File reviewed _____ Profile reports printed _____

RATE OF DIV
 Permitted Rate .02 cfs
 Fee limit OK cfs NO FEE PD. OR REQD
 Measured OK cfs
 Theoretical OK cfs

Recommended Total Div Rate .02 cfs

WATER USES	Rate	Unit	Notes
<u>Dom</u>	<u>.02</u>	cfs	<u>1.2</u> af
<u>Gr</u>	<u>.02</u>	cfs	<u>6.0</u> af
		cfs	<u>af</u>
		cfs	<u>af</u>
		cfs	<u>af</u>
TOTALS	<u>.02</u>	cfs	<u>1.2</u> af

Flow rate .02 cfs X 185 days X 1.98 = 7.3 af


REMARKS D/public rec area @ Gen Lake Dam.

ADD'L CONDITIONS _____ Watermaster Control WD# _____
 _____ GW Measurement/Measuring Device
 _____ Others Trust (052/R55 - remove 051) Non-trust (048/049)

Advance Priority yes no SRBA Claim N/A Adjust Memo use B
 Amend letters note ltd by permit
P46 P38
P42

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.D. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
-	Unknown	-	-	-	-

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: N/A

RECEIVED

JUL 30 1998

E. NARRATIVE/REMARKS/COMMENTS

- * WELL WITH SUBMERSIBLE PUMP FOR DOMESTIC USE AT PICNIC AREA AT GEM LAKE DAM. DOMESTIC USE INCLUDES USE IN 3 SHELTERS PLUS $\frac{1}{2}$ ACRE OF WATERED LAWN.
- * PLEASE NOTE: IRRIGATED GROUND FROM THIS EXCEEDS $\frac{1}{2}$ ACRE ALLOWED PER DEFINITION OF SMALL DOMESTIC (DE MINIMUS) USE. ESTIMATE 1 - $1\frac{1}{2}$ ACRES IRRIGATED.
- * IRRIGATION INCLUDES DRIP SYSTEM AROUND TREES.
- * G AND AFA TO BE RECOMMENDED AT LARGEST AMOUNT RECOGNIZED AS IDWR STANDARD UNDER SMALL DOMESTIC (DE MINIMUS) USE FOR SINGLE FAMILY DWELLING
- * WELL LOG ATTACHED MAY NOT BE FOR THIS WELL.

Have conditions of permit approval been met? ☐ yes ☐ no

MICROFILMED
JUL 30 1998

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

IIDWR STANDARD FOR SMALL DOMESTIC = 0.04 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

IIDWR MAX STANDARD FOR SMALL DOMESTIC = 1.2 AFA

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>DOMESTIC</u>	<u>1-1</u>	<u>12-31</u>	<u>0.04</u>	<u>1.2</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>0.04</u>	<u>1.2</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION


Field Examiner's Name [Signature] Date 1-23-98

Reviewer _____ Date _____

SEAL

MICROFILMED

JUL 30 1998




25-07500

JUL 30 1958

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER City of Idaho Falls # 2 Gem State Project by Lower plant Name P.O. Box 50220 Address Idaho Falls, Idaho 83405 Owner's Permit No. _____	7. WATER LEVEL Static water level <u>25</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature ____°F. Quality <u>Good</u> <i>Describe artesian or temperature zones below.</i>																																																																																																						
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailer ☐ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																			
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																					
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Bore Diam.</th> <th>Depth From</th> <th>To</th> <th>Material</th> <th>Water Yes</th> <th>No</th> </tr> </thead> <tbody> <tr><td>6"</td><td>0</td><td>5</td><td>Soil</td><td> </td><td>X</td></tr> <tr><td> </td><td>5</td><td>2'</td><td>Sand & gravel</td><td> </td><td>X</td></tr> <tr><td> </td><td>27</td><td>68</td><td>Firm gray basalt</td><td> </td><td>X</td></tr> <tr><td> </td><td>68</td><td>7'</td><td>Red sand & clay</td><td> </td><td>X</td></tr> <tr><td> </td><td>7'</td><td>10'</td><td>Firm gray basalt</td><td> </td><td>X</td></tr> <tr><td> </td><td>10'</td><td>108</td><td>Cinders & some clay</td><td>X</td><td> </td></tr> <tr><td> </td><td>108</td><td>115</td><td>Firm gray basalt</td><td> </td><td>X</td></tr> <tr><td> </td><td>115</td><td>118</td><td>Broken gray basalt</td><td>X</td><td> </td></tr> <tr><td> </td><td>118</td><td>169</td><td>Hard brown basalt</td><td> </td><td>X</td></tr> <tr><td> </td><td>169</td><td>176</td><td>Broken brown basalt</td><td>X</td><td> </td></tr> <tr><td> </td><td>176</td><td>196</td><td>Hard green basalt</td><td> </td><td>X</td></tr> <tr><td> </td><td>196</td><td>204</td><td>Broken brown basalt & clay</td><td>X</td><td> </td></tr> <tr><td> </td><td>204</td><td>212</td><td>Firm brown basalt</td><td> </td><td>X</td></tr> <tr><td> </td><td>212</td><td>214</td><td>Cinders, some red sand</td><td>X</td><td> </td></tr> <tr><td> </td><td>214</td><td>216</td><td>Firm basalt</td><td> </td><td>X</td></tr> <tr><td> </td><td>216</td><td>220</td><td>broken basalt</td><td>X</td><td> </td></tr> </tbody> </table>	Bore Diam.	Depth From	To	Material	Water Yes	No	6"	0	5	Soil		X		5	2'	Sand & gravel		X		27	68	Firm gray basalt		X		68	7'	Red sand & clay		X		7'	10'	Firm gray basalt		X		10'	108	Cinders & some clay	X			108	115	Firm gray basalt		X		115	118	Broken gray basalt	X			118	169	Hard brown basalt		X		169	176	Broken brown basalt	X			176	196	Hard green basalt		X		196	204	Broken brown basalt & clay	X			204	212	Firm brown basalt		X		212	214	Cinders, some red sand	X			214	216	Firm basalt		X		216	220	broken basalt	X	
Bore Diam.	Depth From	To	Material	Water Yes	No																																																																																																		
6"	0	5	Soil		X																																																																																																		
	5	2'	Sand & gravel		X																																																																																																		
	27	68	Firm gray basalt		X																																																																																																		
	68	7'	Red sand & clay		X																																																																																																		
	7'	10'	Firm gray basalt		X																																																																																																		
	10'	108	Cinders & some clay	X																																																																																																			
	108	115	Firm gray basalt		X																																																																																																		
	115	118	Broken gray basalt	X																																																																																																			
	118	169	Hard brown basalt		X																																																																																																		
	169	176	Broken brown basalt	X																																																																																																			
	176	196	Hard green basalt		X																																																																																																		
	196	204	Broken brown basalt & clay	X																																																																																																			
	204	212	Firm brown basalt		X																																																																																																		
	212	214	Cinders, some red sand	X																																																																																																			
	214	216	Firm basalt		X																																																																																																		
	216	220	broken basalt	X																																																																																																			
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>6/16/89</u> finished <u>6/22/1989</u>																																																																																																						
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>.280 inches</td> <td>6 inches</td> <td>+ 1 foot</td> <td>14.4 feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>30+</u> Material used in seal: ☐ Cement grout ☐ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>Well Cap</u>	Thickness	Diameter	From	To	.280 inches	6 inches	+ 1 foot	14.4 feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Andrew Well Drilling</u> Firm No. <u>5</u> Address <u>1268 E. 17th Street</u> Date <u>6/26/89</u> <u>Idaho Falls Idaho 83405</u> Signed by (Firm Official) <u>Howard F. Hulse</u> and <u>Dale Hulse</u> (Operator)																																																																						
Thickness	Diameter	From	To																																																																																																				
.280 inches	6 inches	+ 1 foot	14.4 feet																																																																																																				
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																				
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																				
_____ inches	_____ inches	_____ feet	_____ feet																																																																																																				
Number	From	To																																																																																																					
_____ perforations	_____ feet	_____ feet																																																																																																					
_____ perforations	_____ feet	_____ feet																																																																																																					
_____ perforations	_____ feet	_____ feet																																																																																																					
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Bonneville</u> NW ¼ NW ¼ Sec. <u>15</u>, T. <u>1</u>, R. <u>37</u> E/W.	10. Work started <u>6/16/89</u> finished <u>6/22/1989</u>																																																																																																						

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

February 12, 1991

CITY OF IDAHO FALLS
P.O. BOX 50220
IDAHO FALLS, ID 83405

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 25-07500

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED

MAR 14 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 25-7500

Date 12-14-90

GENERAL CONSIDERATIONS

Y Name same as permit?
N Address change? If yes, prepare data entry form.
Y Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
Y Drill permit req'd? Y Copy in file?
 Well log in file?
\$100 Amt paid for drilling permit? Y Correct?

LICENSE EXAMINATION FEE

N Required?
 Amount submitted?
 Correct amount?

MEASURING DEVICE

N Measuring device or access port required?
 Installed?
 Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

*check out drilling permit compliance.
- proof acceptable*

PRIORITY CALCULATION

Date proof received	<u> </u>	<u> </u>
Date proof due	<u> </u>	- <u> </u>
No. of days late	<u> </u>	= <u> </u>
Priority date	<u> </u>	+ <u> </u>
NEW PRIORITY DATE	<u> </u>	= <u> </u>

Drilling Permit

Water Permit No.

Injection Permit No.

25-89-Z-002
25-7467

State of Idaho
Department of Water Resources

D R I L L I N G P E R M I T

(Authorizing Construction of a Well)*

1. Applicant CITY OF IDAHO FALLS
2. Address P.O. BOX 220
IDAHO FALLS, IDAHO 83405
- (x) Well Owner () Well Operator () Other, specify _____
3. Water right permit no. _____; Injection well permit no. _____
4. Proposed well location NE 1/4 NE 1/4 SE 1/4, or Gov't lot No. _____,
Sec. 12, Twp. 2N, Rge. 37E, County BONNEVILLE,
Lot, block and subdivision _____
5. Proposed use of well: (Check all that apply)
() Domestic () Stockwater () Monitoring
() Irrigation () Industrial (x) Municipal
() Injection () Other, Specify _____
6. Well construction information:
(x) New well () Deepen () Replace
Proposed surface diameter 26 INCH Proposed depth 440
Anticipated bottom hole temperature:
(x) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
7. Anticipated construction start date MARCH 1988
8. Well Driller (if known) _____
Address _____
Date _____ Applicant's signature [Signature] **MAR 04 1991**
Title Director of Public Works

* After other pre-requisite approvals have been obtained.

☒ Approved☐ Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. The owner shall contact the Department to identify the driller before well drilling starts.

Dated this 25th day of July, 1989

Signed

Title

J. Glen Saylor
Chief, Water Alloc Bur

Received by lg Fee \$100⁰⁰ ✓ Date 2-10-89

Receipt No. 46416 Construction start date _____

Construction start extension to _____

Extension approved by _____

MICROFILMED

MAR 04 1991

138147

July 31, 1990

CITY OF IDAHO FALLS
P.O. BOX 50220
IDAHO FALLS, ID 83405

PROOF DUE NOTICE

RE: PERMIT NO. 25-07500

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before October 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures



S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
September 1, 1989

CITY OF IDAHO FALLS
P.O. BOX 50220
IDAHO FALLS, ID 83405

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P25-07500

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of

MICROFILMED

SEP 15 1989

Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

SEP 15 1989

Form No. 202a
4/87STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY James M. Dunn DATE 18 May 89 APPLICATION NUMBER 25-7500City of Idaho FallsREQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Field check by _____
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested JUL 21 1989

Department of Water Resources

PROCESSING ☒ Yes ☒ No In form for advertising
☒ Yes ☒ No Statewide advertising
☒ Yes ☒ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☒ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 7-24-89
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☐ Yes ☒ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. 01-P05
☐ Yes ☐ No Special conditions of approval or cover letter below.

See below for additional information
Date of priority recommended 4-21-89
By HWT Date 7-26-89

STATE OFFICE REVIEW P05, P23 P16 46 48 49 04
By KW See below for additional information
Date 8/23/89

ADDITIONAL INFORMATION

App. in NON-TRUST area-

29-Jun-1989

City of Idaho Falls
Box 50220
Idaho Falls, ID 83405

RE: Application for Permit No. 25-7500

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Post-Register. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MICROFILMED

SEP 15 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

JUNE 27, 1989

THE POST-REGISTER
P.O. BOX 1800
IDAHO FALLS, ID 83403

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JULY 24, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

MICROFILMED

SEP 15 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed appropriate the public waters of the State of Idaho:

MICROFILMED

SEP 15 1989

25-07500

CITY OF IDAHO FALLS
BOX 50220
IDAHO FALLS, ID 83405

Source: GROUNDWATER

Diversion Pt: LOT 3 (NWNWNW) Sec 15 T 01N R 37E

Use: DOMESTIC (.020 CFS)

Date Filed: 4/21/1989

In: T01N R37E S15 NWNW

RECORDED

SEP 15 1989

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-3A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before JULY 24, 1989.

R. Keith Higginson, Director

Published 7/06/1989 & 7/13/1989

MICROFILMED

SEP 15 1989

LAW OFFICES
HOLDEN, KIDWELL, HAHN & CRAPO

IDAHO FIRST NATIONAL BANK BUILDING
P.O. BOX 50130
IDAHO FALLS, IDAHO 83405

TELEPHONE (208) 523-0620
TELEFAX (208) 523-9518

ARTHUR W. HOLDEN (1877-1967)
ROBERT B. HOLDEN (1911-1971)
TERRY L. CRAPO (1939-1982)
R. VERN KIDWELL, OF COUNSEL

WILLIAM S. HOLDEN
FRED J. HAHN
KENT W. FOSTER
ROBERT E. FARNAM
WILLIAM D. FALER
STEPHEN E. MARTIN
CHARLES A. HOMER
GARY L. MEIKLE
CURT R. THOMSEN
MICHAEL D. CRAPO
JAMES D. HOLMAN
GAYLE A. SORENSON
DONALD L. HARRIS
GREGOR S. CHVISUK
RANDALL B. REED
G. LANCE NALDER
J. MICHAEL WHEELER
MARIE T. FEELEY

May 26, 1989

RECEIVED

MAY 30 1989

Department of Water Resources
Eastern District Office

Mr. Dennis M. Dunn
Senior Resource Agent
Idaho Department of Water Resources
150 Shoup Avenue, Suite #15
Idaho Falls, Idaho 83402

RE: City of Idaho Falls Applications

Dear Mr. Dunn:

We are returning the two City of Idaho Falls Applications for Permit which have now been signed by the city electrical engineer. All we have ever been able to locate are our photocopies of the former signature pages so they have apparently been misplaced or lost somewhere.

In addition, we have prepared another Application for Permit for wildlife habitat improvement in an area below the dam pursuant to FERC requirements in connection with the City of Idaho Falls Gem State Hydroelectric Project. We are also enclosing our check in the amount of two hundred twenty-five dollars (\$225.00) for the filing fee.

Yours very truly,


Kent W. Foster

#0518.00/srr

Enclosure

MICROFILMED

SEP 15 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 - (208) 525-7161

EASTERN REGION

CECIL D. ANDRUS
GOVERNOR
R. KEITH HIGGINSON
DIRECTOR

May 19, 1989

Mr. Kent W. Foster
P.O. Box 50130
Idaho Falls, ID 83405

Dear Mr. Foster:

I am returning the City of Idaho Falls applications for permit for signature.
The title of official signing the applications must be included.

The Department of Water Resources will continue with processing the applications as soon as they are returned.

Sincerely,

A handwritten signature in cursive script that reads "Dennis M. Dunn".

Dennis M. Dunn
Sr. Resource Agent

DMD:lk
Enc.

MICROFILMED

SEP 15 1989