




Creek

Cemetery

AMMON

EXTENSION

PACIFIC

LATERAL

ROAD

BDY
CORP

22

23

24

Technical School

AMMON

4722

LINCOLN

UNION

CANAL

CROWLEY

4724

4720

17TH

4725

STREET

Storage
Bins

POINT OF DIVERSION

McCowan
Park

WT

Ammon

Creek

Well

4724

4737

4715

27

26

CANAL

T
2
N
R38E

Jr
HS

4713

4712

4727

474

Borrow
Pit

HIGHLINE

Sand

4710

EXTENSION

4720

4740

34

Dam

35

36

Borrow
Pit

4705

ROAD

4703

4706

4712

4723

ROAD

Sandpits

Little


4700

25-7498

NOTIFIED

JAN 22 1993

HILLSIDE



25-7498

RECEIVED

JAN 22 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07498

Priority: November 14, 1989 Maximum Diversion Rate: 2.32 CFS

This is to certify, that CITY OF AMMON
3270 MOLEN
AMMON ID 83406

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated September 11, 1989; and has submitted Proof of Beneficial Use on March 6, 1991. An examination indicates that the works have a diversion capacity of 2.320 cfs of water from a GROUNDWATER source, and a water right has been established as follows:


<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
MUNICIPAL	01/01 to 12/31	2.32 CFS	
<u>LOCATION OF POINT(S) OF DIVERSION:</u>		SENW , Sec. 26, Township 02N, Range 38E BONNEVILLE County	

PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. This water right is appurtenant to the described place of use.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the right and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. Place of use is within the city limits of Ammon.
7. Point of diversion is identified as well #5.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 18TH day of DECEMBER, 1992.

Acting for  Director

RECORDED

JAN 22 1993

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 25-7498 IN THE
NAME OF CITY OF AMMON

)
) ORDER OF REINSTATEMENT
)
)

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before January 1, 1991; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department notified the permit holder that the permit lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on March 6, 1991;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 25-7498 be REINSTATED and the priority advanced to November 14, 1989.

Dated this 10th day of April, 1991.


L. GLEN SAXTON, Chief
Water Allocation Bureau

MICROFILMED

JUL 15 1991

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 25-07498

Proposed Priority: September 11, 1989 Maximum Diversion Rate: 2.32 CFS

This is to certify, that CITY OF AMMON
3270 MOLEN
AMMON, ID 83406

has applied for a permit to appropriate water from: GROUNDWATER
and a permit is APPROVED for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
MUNICIPAL	01/01 to 12/31	2.32 CFS

LOCATION OF POINT(S) OF DIVERSION: NESENW Sec. 26, Township 02N, Range 38E
BONNEVILLE County

PLACE OF USE: See Remarks

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1991.
2. Subject to all prior water rights.
3. Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. The right to the use of water acquired under this permit shall not give rise to any right or claim against the holder of a senior right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
5. The Director retains jurisdiction of the permit and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
6. Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
7. Place of use is within the city limits of Ammon.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this

28th day of December, 1989.

RECEIVED

FEB 13 1990

for

R. Keith Higginson

R. Keith Higginson, Director

Ident. No. 25-07498

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES


APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name: CITY OF AMMON 208-529-4211
Address: 3270 MOLEN
AMMON, ID 83406
2. Source: GROUNDWATER Trib. to:
3. Location of point of diversion:
- | Township | Range | Section | 1/4 of | 1/4 of | 1/4 of | Lot | County |
|----------|-------|---------|--------|--------|--------|-----|------------|
| 02N | 38E | 26 | NE | SE | NW | | BONNEVILLE |
4. Water will be used for the following purposes:
- | Purpose | From | To | CFS | (or) | AFA |
|-----------|-------|-------|-----|-------|-----|
| MUNICIPAL | 01/01 | 12/31 | | 2.320 | |
5. Total quantity appropriated is:
2.320 CFS (and/or) AFA
6. Proposed diverting works:
- Description of ditches, flumes, pumps, headgates, etc.
100HP TURBINE PUMP ON WELL. PIPED INTO CITY DELIVERY SYSTEM
 - Height of storage dam feet; active reservoir capacity
acre-feet; total reservoir capacity acre-feet; period of
year when water will be diverted to storage: to inclusive.
 - Proposed well diameter is 14 inches; proposed depth of well is 150
feet.
 - Is groundwater with a temperature greater than 90F being sought? NO
7. Time required for the completion of the works and application of
the water to the proposed beneficial use is 1 years.
8. Description of proposed uses:
MUNICIPAL USE WITHIN THE CITY LIMITS OF AMMON

MICROFILMED

FEB 13 1990



IDAHO FALLS

IDAHO FALLS

Eastern Idaho Vocational Technical School

McCowin Park

Ammon

POINT OF DIVERSION #5

1042 GPM

R 38 E

T2N

T1N

FEB 13 1930

PLACE OF USE

Sand

Dam

Borrow Pit

Borrow Pit

TOWNSHIP

TOWNSHIP

U. S. PACIFIC

Creek

Creek

Little

Corral

CANAL

CROWLEY

CROWLEY

CROWLEY

CROWLEY

CROWLEY

CROWLEY

CROWLEY

EXTENSION

LATERAL

Creek

STREET

EXTENSION

TAYLOR

CROWLEY

CROWLEY

CROWLEY

Sand

ROAD

ROAD

ROAD

ROAD

ROAD

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

STREET

9. Description of place of use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
02N	38E	22			MUNI	
		26			MUNI	
		27			MUNI	
		34			MUNI	
		35			MUNI	

10. Describe any other water rights used for the same purposes.
25-07023, 07168, 04297, 04294 & 04295.

11. a. Who owns the property at the point of diversion?

CITY OF AMMON

b. Who owns the land to be irrigated or place of use?

RESIDENTS OF CITY

c. If the property is owned by a person other than the applicant,
describe the arrangement enabling the applicant to make this filing.
CITY IS RESPONSIBLE FOR DELIVERY OF WATER TO RESIDENTS

12. Remarks:

THIS WELL HAS BEEN IN PLACE SINCE 1967. WAS PURCHASED FROM
FRED KARFORDT AND WAYNE PETERSON, SUBDIVIDERS, IN 1976.

13. Map of proposed point of diversion and place of use attached? [✓]

BE IT KNOWN that the undersigned hereby makes application for permit to
appropriate the public waters of the State of Idaho as herein set forth.

CITY OF AMMON

BY: David E. Benton
Applicant

TITLE CITY ENGINEER

ES

Received by J Date 9-11-89 Time 430 Preliminary check by _____

Fee \$ 85 Receipted by J # E010256 Date 9-11-89

Publication prepared by RB Date 10-19-89 Published in Last Register

Publication approved RB Date 11-20-89

MILLER

FEB 13 1990

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s) have been
filed to appropriate the public waters of the
State of Idaho:

25-07402

NORTHSIDE EST. INC.
6300 NORTHSIDE CIRCLE
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NWNE Sec 32 T 03N R 38E
Use: IRRIGATION (.160 CFS)
Date Filed: 5/31/1985
In: T03N R38E S32 NWNE
8.0 ACRES TOTAL

25-07498

CITY OF AMMON
3270 MOLEN
AMMON, ID 83406
Source: GROUNDWATER
Diversion Pt: NESENW Sec 26 T 02N R
38E
Use: MUNICIPAL (2.320 CFS)
Date Filed: 6/06/1989
In: T02N R38E S22
S26
S27
S34
S35

25-07519

ELISON, RONALD C
620 N 55TH E
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: SWNWSW Sec 18 T 02N R
39E
Use: DOMESTIC (.040 CFS)
IRRIGATION (.030 CFS)
Date Filed: 9/13/1989
In: T02N R39E S18 NWSW
1.0 ACRES TOTAL

25-07527

JORGENSEN, DERALD
JORGENSEN, KIM
4106 E. FAIRVIEW
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NWNE Sec 23 T 03N R 38E
Use: IRRIGATION (.040 CFS)
DOMESTIC (.060 CFS)
Date Filed: 9/22/1989
In: T03N R38E S23 NWNE
2.0 ACRES TOTAL

25-07528

KRESS, THOMAS J.
KRESS, ROSELYN VAN EVERA
3239 S. LAURELWOOD DR.
IDAHO FALLS, ID 83406
Source: GROUNDWATER
Diversion Pt: SWSE Sec 30 T 02N R 39E
Use: IRRIGATION (.060 CFS)
DOMESTIC (.040 CFS)
Date Filed: 9/19/1989
In: T02N R39E S30 SWSE
2.0 ACRES TOTAL

25-07530

STORER, GALE
STORER, BETTY
2968 N. HOLMES
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NWNW Sec 8 T 02N R 38E
Use: COMMERCIAL (.040 CFS)
Date Filed: 8/28/1989
In: T02N R38E S08 NWNW

35-08815

WOOD, SUSAN
6127 S. 4500 W.
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: SWSW Sec 4 T 01N R 37E
Use: DOMESTIC (.110 CFS)
Date Filed: 9/20/1989
In: T01N R37E S04 SWSW

35-08821

BITTER, VERL L.
HAINES, KENNETH
SIMMONS, LARRY
SMITH, RICKY
SMITH, ROGER
STODDART, DUANE A.
WHEELER, BLISS
425 N. KAREY LANE
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: NWSE Sec 18 T 02N R 37E
Use: DOMESTIC (.120 CFS)
Date Filed: 9/13/1989

RECEIVED

FEB 13 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 21, 1992

CITY OF AMMON
3270 MOLEN
AMMON ID 83406

RE: WATER RIGHT NO. 25-07498

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MINISTRY OF
JAN 22 1993

LICENSE REVIEW CHECKLIST

Permit # 25-07498

Date 12-11-92
38

	<u>Yes</u>	<u>No</u>	
NAME	<u> </u>	<u>✓</u>	Address Change?
PRIORITY DATE	<u> </u>	<u>✓</u>	Advance? <u> </u>
	<u> </u>	<u>✓</u>	Memo to Advance
	<u> </u>	<u>✓</u>	Order to Reinstate Needed?
TOTAL CFS	<u> </u>	<u>✓</u>	Incorrect Fee for rate recommended?
	<u>NA</u>	<u> </u>	Disagree with Actual Measurement?
			<u>2.32 cfs (MUNI)</u>
	<u> </u>	<u>✓</u>	Disagree with Theoretical?
	<u> </u>	<u>✓</u>	Limited by Capacity? <u>2.22 cfs</u>
TOTAL VOLUME			Rate/ac <u> </u> AFA Irr. Season <u> </u>
			<u> </u> Standard Irr. Season
			<u> </u> Season Recommended
	<u>NA</u>	<u> </u>	Disagree with Examiner's Calculations?
	<u>NA</u>	<u> </u>	Limited by Flow? <u> </u>
SOURCE	<u> </u>	<u>✓</u>	Changes? Clarification of <u>Originally</u>
			<u>Intended</u> source
	<u> </u>	<u>✓</u>	Notice of Intent to Void.
P/D	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
P/U	<u> </u>	<u>✓</u>	Verify with Map
	<u> </u>	<u>✓</u>	Amendment Needed? <u>City Limits</u>
	<u> </u>	<u>✓</u>	Is Overlap Analysis a Consideration?
USES	<u> </u>	<u>✓</u>	Change(s) in Nature of Use? <u> </u>
	<u> </u>	<u>✓</u>	Amendment Needed? <u> </u>
REMARKS	<u> </u>	<u>✓</u>	Multiple P/Ds in 1/4 1/4? <u> </u>
	<u> </u>	<u>✓</u>	Non-Irr. Uses <u> </u>
	<u> </u>	<u>✓</u>	Special Overlap Condition <u> </u>
	<u>✓</u>	<u> </u>	Other <u>Well #5</u>
CONDITIONS	<u> </u>	<u>✓</u>	Measuring Device
	<u> </u>	<u>✓</u>	W/Master Control
	<u> </u>	<u>✓</u>	Overlap
	<u> </u>	<u>✓</u>	Water Quality
			DATES/MISC
			<u> </u> <u>✓</u> Water Dist.
			<u> </u> <u>✓</u> App Rec'd
			<u> </u> <u>✓</u> Exam Made
COMMENTS/MEMOS NEEDED: <u> </u>			
<u> </u>			
<u> </u>			
License <u>✓</u> 10-Day <u> </u> 15-Day <u> </u> Special Correspondence <u> </u>			

WR0749NP
No. L25-07498

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 12/11/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	CITY OF AMMON 3270 MOLEN AMMON ID 83406 (208) 529-4211	11/14/1989	MUNICIPAL	01-01 12-31	2.32 CFS	
TOTAL DIVERSION:					2.32 CFS	

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 2.32 CFS

Point(s) of Diversion: T02N R38E S26 SE NW

Pou County:

Non-Irrigation Uses: MUNICIPLE USE WITHIN CITY LIMITS OF CITY OF AMMON

Other Rights: 25-07023, 07168, 04297, 04294 & 04295.

Conditions of Approval:

- 048 - The use of water under this right shall not give rise to any
- claim against the holder of a senior water right based upon the
- theories of forfeiture, abandonment, adverse possession, waiver,
- equitable estoppel, estoppel by laches or customary preference.
- 049 - The Director retains jurisdiction of the right and any license
- subsequently issued to incorporate the use into a water district,
- require streamflow augmentation or other action needed to protect
- prior surface water and groundwater rights.

Remarks: Place of use is within the city limits of Ammon.
Point of diversion is identified as well #5.

Dates: App. Received: 09/11/1989 Priority Date: 11/14/1989 (Priority Date Advanced.)
Proof Due Date: 01/01/1991 Proof Made Date: 03/06/1991 (Proof Received Late.)
Exam Made Date: 08/04/1992 Exam Sent to S.O.: 11/27/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee:

Audit: 12/11/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 02 1992

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 25-7498

1. Owner: City of Ammon Phone No. 529-4211

Current Address: 3270 Molen, Ammon, Id. 83406

2. Accompanied by: Rick Williams EXAM. DATE: 30 July 1992

Address: 3270 Molen Phone No. 529-4211

Relationship to Permit Holder: Public Works Foreman

3. Source: Groundwater tributary to _____


B. OVERLAP REVIEW

1. Other water rights with same place of use: 25-04294/04295/04297/04298/07023/07168
_____ ☐ Copies Attached

2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☐ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☐ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MINUTEMEN
JAN 22 1993

System Description (continued)

3. **Narrative:** Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well #5 pump, motor machine to bank to distribution system

Pumping depth 65' in 1985

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#5	US Motors	100	C521440	Peerless	230030
			84-14694-376		

*Code to correspond with No. on map and aerial photo

5. **Point(s) of Diversion:**

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
#5			SE	NW	26	2N	38E	Bonneville	On site inspection / USGS MAP

6. **Place(s) of Use:**

Indicate Method of Determination _____

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Used within city limits of Channon

Do not use this space

RECEIVED

JAN 22 1993

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

Thickness 0.444
Circ 26 7/8"
80 psi

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

$Q = 2.32 \text{ cfs}$

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Ampsx .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

RECEIVED

JAN 22 1993

[illegible]

1. Recommended Amounts

2. Recommended Amendments

- ## J. AUTHENTICATION

CONSULTANT SEAL

REPORT

22 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

25-7498

Permit No.

Measurement Calculations

$$Q = \frac{hp (8.814) \text{ eff}}{\text{Lift} + (PSI \times 2.308)}$$

PSI = 80

hp = 100hp

eff = 70% assumed

Static H₂O = 65' in 1985 assume

80' pumping depth


$$Q = \frac{100 (8.814) (0.7)}{80 + (80 \times 2.308)} = 2.33 \text{ cfs}$$

$$Q_{\text{LIMITED BY PERMIT}} = 2.32 \text{ cfs}$$

RECEIVED

JAN 22 1993

25-7498



Funeral
Cemetery

Creek

EXTENSION

PACIFIC

ROAD

AMMON

22

23

2

Technical School

CORP
BDY

RD
LATERAL

LINCOLN

UNION

CANAL

CROWLEY

AMMON

4722

4724

4720

4717

4725

STREET

Storage
Bins

Point of Diversion

McCowin
Park

WT

Ammon

Creek

Well

4724

4737

27

4715

26

T
2
N

R38E

CANAL

Jr
HS

4712

4722

474
SUNNY

ROAD

Borrow
Pit

HIGHLINE

Sand

4710

EXTENSION

4720

34

Dam

35

36

4705

Borrow
Pit

ROAD

4703

4706

4712

4723

ROAD

Sandpits

4700


Little

25-7498

JAN 22 1993

HILLSIDE

Corral



25-7498

RECEIVED

JAN 22 1993

April 16, 1991

CITY OF AMMON
3270 MOLEN
AMMON, ID 83406

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 25-07498

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

I note that the permit issued to you by the department requires the installation of a flow measurement port to allow the department to determine the rate of diversion. The proof which you submitted does not show that you have installed this equipment.

The installation of the flow measurement port must be complete by the time the department representative conducts the examination of your system unless the department has rescinded the requirement prior to the field examination. In some cases, the equipment requirement can be rescinded because the equipment cannot be physically installed, is not appropriate or can be accommodated with other measuring methods.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

MICROFILMED
JUL 15 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 25-7498

Date 3-29-91

GENERAL CONSIDERATIONS

☒ Name same as permit?
☒ Address same as permit? If no, prepare data entry form.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

☒ Surface water source
☒ Ground water source
☒ Drill permit req'd? NA
☒ Copy in file? NA Drill permit no. _____
☒ Well log in file?
☒ Amt paid for drilling permit? _____ Correct?

LICENSE EXAMINATION FEE

☒ Required?
☒ Amount submitted? 135.00
☒ Correct amount?

MEASURING DEVICE

☒ Measuring device or access port required?
☒ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

needs flow measurement
Proof acceptable when reinstated

PRIORITY CALCULATION

Date proof received	<u>Mar 6, 1991</u>	<u>65</u>
Date proof due	<u>Jan 1, 1991</u>	<u>- 1</u>
No. of days late		<u>= 64</u>
Priority date	<u>Sept 11, 1989</u>	<u>+ 254</u>
NEW PRIORITY DATE	<u>Nov 14, 1989</u>	<u>= 318</u>

RECEIVED

MAR 06 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only

Amt. of Fee \$ 150.00

Date 3/6/91

Receipt No. 009833

Received by J. Benton

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 25-07498 Telephone No. 208 522-8033
2. Name(s) of Permit Holder(s): CITY OF AMMON
3. Post Office Address: 3270 MOLEN STREET
4. Source of Water: UNDERGROUND WELL
 - a. If ground water, well driller's name: Andrew Well Drilling Date drilled: 1966 or 1967
 - b. Pump horsepower: 100 Pressure (psi): 65 Dynamic pumping level (ft.): 195-211
5. Extent of Use:

Domestic <u>1200</u> (No. of households)	Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock)	Other _____
6. Total rate and/or volume for which proof is submitted 2.32 cfs _____ acre/feet
7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes No Installed? Yes No

OR

Flow Measurement Port: Required? X Yes No Installed? Yes X No
8. Fee Enclosed: \$ 150.00 (See License Examination Fee Schedule)
9. Person to contact to accompany the Department representative during the field examination:

David Wadsworth	Director of Public Works	529-4211
Name		Telephone No.
<u>3270 Molen St. Ammon, Idaho</u>		
Address		
10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Feb. 20, 1991

Date

David E. Benton
 Signature (and title if on behalf of a company or organization)
 David E. Benton, City Engineer 522-8033

FILED
JUL 15 1991

WARNING

CANCELLED OR LAPSED

This permit has been officially CANCELLED or LAPSED.

Ninety days following the date of official action this file will be DESTROYED.

CITY OF AMMON
3270 MOLEN
AMMON, ID 83406

January 7, 1991

LAPSE NOTICE

RE: PERMIT NO. 25-07498

Dear Permit Holder:

You are hereby notified that under the provisions of Section 42-218A, Idaho Code, the above referenced permit has lapsed and is of no further force nor effect. The department provided the proper forms to you in our proof due notice dated October 31, 1990. No further construction or additional development is authorized under this permit unless it is reinstated.

The permit can only be reinstated if you submit an acceptable proof of beneficial use or an acceptable request for extension of time to the department within sixty (60) days of the mailing of this lapse notice. An acceptable proof of beneficial use submittal must include the examination fee or a completed field examination report. A request for extension of time must be accompanied by a fifteen dollar (\$15) fee.

Enclosed again for your use are a proof of beneficial use form and a request for extension of time form. Please note that only one extension of time can be granted unless the project has not been completed because of lack of a necessary approval by a government agency or by litigation which may bring title to the water in question.

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:rf

Enclosures

MICROFILMED

JUL 15 1991

CERTIFICATION OF MAILING

I hereby certify that on 1-10-91
a copy/an original of this document was
deposited in the United States mail,
postage prepaid addressed to the
individual(s) named above.



CITY OF AMMON
3270 MOLEN
AMMON, ID 83406

138559
October 31, 1990

PROOF DUE NOTICE

RE: PERMIT NO. 25-07498

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

JUL 15 1991

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 327-7900
December 29, 1989

CITY OF AMMON
3270 MOLEN
AMMON, ID 83406

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. P25-07498

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

RECEIVED

FEB 13 1990

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed. If development is complete, you may submit proof of beneficial use immediately.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MICROFILMED

FEB 14 1999

Form No. 202a
4/87STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY DN DATE 10-3-89 APPLICATION NUMBER _____
City of AmmonREQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes _____ No* In form to receipt

ADDITIONAL INFORMATION

- _____ Overlapping place of use (Describe source & relationship to present application on the back.)
- _____ Overlapping point of diversion
- _____ Yes _____ No Field check required
- _____ Yes _____ No Field check by _____
- _____ Yes _____ No Field report attached
- _____ Yes _____ No Critical groundwater area
- _____ Yes _____ No Groundwater management area
- _____ Yes _____ No Send dam safety information
- _____ Yes _____ No Send power requirement letter
- _____ Yes _____ No Send fish farm requirement letter
- _____ Yes _____ No Power residency affidavit
- _____ Yes _____ No Power efficiency form
- _____ Yes _____ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- _____ Yes _____ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- _____ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested _____

RECEIVED
NOV 24 1989

Department of Water Resources

PROCESSING ☒ Yes ☐ No In form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO ☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☐ Yes ☒ No Protests received
Final date for protest 11-6-89
☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☐ Yes ☒ No Recommendations attached
☐ Yes ☒ No Measuring device required
☒ Yes ☐ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. 01
☐ Yes ☐ No Special conditions of approval or cover letter below. P05

See below for additional information
Date of priority recommended 9-11-89
By HWS Date 11-21-89

STATE OFFICE REVIEW P05, P23, P03, P16 46 48 49 016
By KW See below for additional information
Date 12-19-89

ADDITIONAL INFORMATION

App. in NON-TRUST area -

16-Oct-1989

City of Ammon
3270 Molen
Ammon, ID 83406

RE: Application for Permit No. 25-7498

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Post-Register. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

RECEIVED

FEB 13 1990

25-07498

CITY OF AMMON
3270 MOLEN
AMMON, ID 83406

Source: GROUNDWATER

Diversion Pt: NESENW Sec 26 T 02N R 38E

Use: MUNICIPAL (2.320 CFS)

Date Filed: 6/06/1989

In: T02N R38E S22
S26
S27
S34
S35

RECORDED

FEB 13 1990