

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. TWP-04N RNG - 40E

TWP-04N

RNG - 40E

SEC. 28 SEC. 27

SW 1/4
SE 1/4
X ← Point of Intersection & Place of Use

SEC. 33 SEC. 34

MICROFILMED

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Rodney Haller
(Applicant)
Production Manager*

*see original app.-kw

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. *TWP-DUN DNG 1125*

TWP-04N RNG-40E

TWP-04N R10E-40E
 SEC. 28 SEC. 27
 SW 1/4
 SE 1/4
 X ← Point of Intersection & Place of
 SEC. 33 SEC. 34
 MICROFILMED
 MAR 30 1989


Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Production Manager
Rodney Gallez
(Applicant)

Delano Pacific Corp.

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. *SEE FLOW CHART FOR PLANT*



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1		50	SUBMERSIBLE	FRANKLIN	6"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PRESSURE GAGE		U.S. G.			0-160	48 PSI

2. Measurements: NONE


MICROFILMED

SEP 10 1997

WATER SYSTEM USAGE FLOW CHART OF PLANT.


Idaho Pacific

POD
WELL



MICROFILMED
SEP 10 1997

25-07475



ROAD CLASSIFICATION

HARD-SURFACE ALL WEATHER ROADS		DRY WEATHER ROADS
Heavy-duty	4 LANE 16 LANE	Improved dirt
Medium-duty	4 LANE 16 LANE	Unimproved dirt

U. S. Route
 State Route

25-07475

X-44



QUADRANGLE LOCATION

STANDARDS
 OR RESTON, VIRGINIA 22092
 ILABLE ON REQUEST

Revisions shown in purple and woodland compiled from
 aerial photographs taken 1976 and other source data.
 This information not field checked. Map edited 1980

MICROFILME RIRIE, IDAHO
 N4337.5-W11145/7.5

SEP 10 1997

1950
 PHOTOREVISED 1980
 DMA 3671 III NE-SERIES V893

IDAHO PACIFIC CORP.
RIKIE, ID.

1 of 2



VIEW OF
PLANT AND
IRRIGATED
AREAS

PLANT
PLACE OF
USE



IRRIGATED
AREAS

SEP 10 1997


25-07475

IDAHO PACIFIC CORP.

212



VIEW OF
WELL
POINT OF
DIVERSION



VIEW OF
INCOMING
WATER LINE
AND MANIFOLD
SYSTEM
INTO PLANT.

INCOMING
FROM WELL

MICROFILMED
SEP 10 1997

25-07475

25-07475

IDAHO PACIFIC CORP.
P.O. BOX 478
RIRIE, ID 83443

Source: GROUNDWATER

Diversion Pt: SESW Sec 28 T 04N R 40E

Use: INDUSTRIAL (1.000 CFS)

Date Filed: 12/06/1988

In: T04N R40E S28 SESW

25-07475
IDAHO PACIFIC CORP.
P.O. Box 478
RIRIE, ID 83443
Source: GROUNDWATER
Diversion Pt: SESW Sec 28 T 04N R 40E
Use: INDUSTRIAL (1.000 CFS)
Date Filed: 12/06/1988
In: T04N R40E S28 SESW

NOTIFIED

MAR 30 1989

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07475

Priority: December 6, 1988

Maximum Diversion Rate:

0.93 CFS

Maximum Diversion Volume:

431.1 AF

This is to certify, that IDAHO PACIFIC CORP

PO BOX 478

RIRIE ID 83443

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated December 6, 1988; and has submitted Proof of Beneficial Use on April 17, 1989. An examination indicates that the works have a diversion capacity of 2.130 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
INDUSTRIAL	01/01 to 12/31	0.93 CFS	431.1 AF

LOCATION OF POINT(S) OF DIVERSION: SESW , Sec. 28, Township 04N, Range 40E
JEFFERSON County

PLACE OF USE: INDUSTRIAL

TWN RGE SEC

04N 40E 28

SESW

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Water used under this right when discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.
6. Industrial use is for a potato processing plant and lawn watering.
7. Right 25-07056 is also diverted through the point(s) of diversion described above.

MICROFILMED


SEP 10 1997

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07475

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 27TH
day of AUGUST, 1977.


Acting for KARL J. DREHER, Director

MICROFILMED

SEP 10 1987

Form 217
03/86

RECEIVED

APR 17 1989

Department of Water Resources

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Fee Received \$125.00
Date 4/17/89
Receipt # 0006348
Receipt by CP
Reviewed by JS
Sent to region 22

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 25-07475

Name(s) of Permit Holder: IDAHO PACIFIC CORP

Post Office Address: P.O. BOX 478 RIRIE, ID 83443

Telephone No. (208) 538-6971

Source of Water: GROUNDWATER

Extent of Use:

Domestic (number of households) Stockwater (number and type of stock)

Irrigation (acres) Other/Remark INDUSTRIAL

Total rate and/or volume for which proof is submitted 1 cfs acre-feet

Show the date water was first diverted and beneficially used under this permit: 12-06-88

Measuring Device: Required? ☒ Yes ☐ No

Fee enclosed \$ 125.00

COUPLING SADDLE Installed? ☒ Yes ☐ No

(See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☒ No

Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

RODNEY GALLUP

(Name)

(208) 538-6971

(Telephone Number)

P.O. BOX 478 RIRIE, ID 83443

(Address)

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

SEP 15 1989

MARCH 21, 1989

Date

Signature of Permit Holder (and title, if appropriate)

RODNEY GALLUP (PRODUCTION MANGER)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Idaho Pacific Corp. Phone 538-6971
Post office address P.O. BOX 478 Ririe, ID 83443
2. Source of water supply Groundwater which is a tributary of N/A
3. Location of point of diversion is _____ $\frac{1}{4}$ of SE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 28 Township 04N Range 40E B.M. Jefferson County; additional
points of diversion if any: _____
4. Water will be used for the following purposes:
Amount 1cfs for Industrial purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated is (a) 1.0 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. Well with 50 hp pump set at 120'.
Total depth is 643' deep - existing.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 10" - existing inches; proposed depth of well is 120' - existing feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? No
7. Time required for the completion of the works and application of the water for proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

MAR 30 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. Industrial - A fresh potato shed & dehydrated processing plant.

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
04N	40E	28												I					

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. Ident. # A25-07056
Has 1.2 cfs. Want to increase to a total of 2.2

- Who owns the property at the point of diversion? Idaho Pacific Corp.
- Who owns the land to be irrigated or place of use? Same
- If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: Corp. Officers; Frank Lynott - Pres.
Mrs. Frank Lynott - Sec. - Treasurer
As per file - con
2-7-89 HWJ


NOT RECORDED

MAR 30 1989

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.

TWP-04N

RNG - 40E



MICROFILMED

MAR 30 1989

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Rodney Galt
(Applicant)
Production Manager*

*see original app. - kw

Proposed Priority 12/6/88

Received by HWJ Date 2-6-89 Time 2:55 p.m. Preliminary check by DMD

Fee \$ 45.00 Received by HWJ # E005010 Date 12/06/88

Publication prepared by RB Date 12/23/88 Published in Jefferson Star
1/4 & 1/11/89

Publication approved CW Date 1/31/89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 25-7475, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Consumptive use of water under this permit shall not exceed 2.0 acre feet per day.

Water used under this permit if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.

Witness my hand this 10th day of March, 1989.

J. Glen Saxton

MICROFILMED

MAR 30 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant IDAHO PACIFIC CORP. Phone 538-6971

Post office address P.O. Box 478 RIRIE, ID. 83443

2. Source of water supply GROUNDWATER which is a tributary of N/A

3. Location of point of diversion is _____ 1/4 of SE 1/4 of SW 1/4, Govt. Lot _____

Sec. 28 Township 04N Range 40E B.M. JEFFERSON County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 1 cfs for INDUSTRIAL purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 1.0 cubic feet per second and/or (b) _____ acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well with 50 H.P. pump
set at 120'. Total depth is 643' deep - existing

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 10'-existing inches; proposed depth of well is 120'-existing feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

MICROFILMED

MAR 30 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. INDUSTRIAL - A FRESH POTATO SHED & DEHYDRATED PROCESSING PLANT

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
04N	40E	28												I					

Total number of acres to be irrigated _____

- Describe any other water rights used for the same purposes as described above. IDENT. # A25-07056 HAS 1.2 cfs want to increase to a total of 2.2
- Who owns the property at the point of diversion? IDAHO PACIFIC CORP.
 - Who owns the land to be irrigated or place of use? SAME
 - If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

MICROFILMED

MAR 30 1989

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number. *TWP-04N DNG-40E*

TWP-04N RING-40E

SEC. 28 SEC. 27

SW 1/4
SE 1/4
X ← Point of Intersection & Place of Use

SEC. 33 SEC. 34

MICROFILMED
MAR 30 1989

Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Production Manager
Rodney Isalugo
(Applicant)

Island Pacific Corp.

Received by HLJ Date 12-6-88 Time 2:55 pm Preliminary check by DMH
Fee \$ 45 Received by HLJ # 1205010 Date 12/06/88
Publication prepared by RB Date 12-23-88 Published in T Jefferson Star
Publication approved RB CW Date 1-5-89 1-31-89

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19 ____.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

MICROFILMED

MAR 30 1989

THE JEFFERSON STAR
RIGBY, IDAHO

AFFIDAVIT OF
PUBLICATION

STATE OF IDAHO)
) ss
County of Jefferson)

I, Crystal Foster
of the Jefferson Star, published
weekly at Rigby, Jefferson County,
Idaho, do solemnly swear that the

Applications for Water Rights
a copy of which notice appears at-
tached hereto, was published in the
regular and entire issue of said
newspaper, and not in any supple-

ment issue thereof for Two (2)
consecutive issues, the first publica-

having been made on 1-4-89
and the last publication having been

made on 1-11-89.

Further, that said newspaper is one
of general circulation in said coun-
ty; that it is a legal newspaper, con-
forming to legal specifications
under the Idaho Statutes; that it has
as least two hundred bona fide
subscribers living within the county
of publication; and that it has been
continuously and uninterruptedly
published in said county during a
period of seventy-eight consecutive
weeks prior to the first publication
of the said notice.

Crystal Foster

On this 24th day of Jan

in the year of 1989, before
me, a Notary Public, personally ap-

peared Crystal Foster,
known or identified to me to be the
person whose name subscribed to
the within instrument, and being by
me first duly sworn, declared that
the statements therein are true, and
acknowledged to me that he ex-
ecuted the same.

Loane Leathan
Notary Public for Idaho

Residing at Shelly

My commission expires: 1-27-91

NOTICE OF APPLICATION FOR
WATER RIGHTS

The following applications have been filed
to appropriate the public waters of the State
of Idaho:

25-07472
JOINT SCHOOL DIST. No. 251
201 IDAHO AVE.
RIGBY, ID 83442
Source: GROUNDWATER
Diversion Pt: SENESE Sec 32 T 05N R 38E
Use: DOMESTIC (.070 CFS)
Date Filed: 12/02/1988
In: T05N R38E S32 NESE

25-07473
JOINT SCHOOL DIST. No. 251
201 IDAHO AVE.
RIGBY, ID 83442
Source: GROUNDWATER
Diversion Pt: SENESE Sec 5 T 04N R 38E
Use: DOMESTIC (.070 CFS)
Date Filed: 12/02/1988
In: T04N R38E S05 NESE

25-07474
CLARK, RAOEL H.
CLARK, JANET C.
268 N. 4100 E.
RIGBY, ID 83442
Source: GROUNDWATER
Diversion Pt: SENESE Sec 20 T 04N R 39 E
Use: DOMESTIC (.080 CFS)
Date Filed: 12/02/1988
In: T04N R39E S20 SENE

25-07475
IDAHO PACIFIC CORP.
P.O. Box 478
RIRIE, ID 83443
Source: GROUNDWATER
Diversion Pt: SESW Sec 28 T 04N R 40E
Use: INDUSTRIAL (1.000 CFS)
Date Filed: 12/06/1988
In: T04N R40E S28 SESW

25-07476
GNEITING, J. ALTON
GNEITING, ELAINE
4348 E. 500 N.
RIGBY, ID 83442
Source: GROUNDWATER
Diversion Pt: NENENW Sec 11 T 04N R 39E
Use: IRRIGATION (.060 CFS)
Date Filed: 11/29/1988
In: T04N R39E S11 NENW
2.0 ACRES TOTAL

31-07515
TERRETON PUMP No. 2
c/o K. S. BAUER
P.O. BOX 57
TERRETON, ID 83450
Source: GROUNDWATER
Diversion Pt: NENENE Sec 22 T 06N R 34E
Use: COMMERCIAL (100 CFS)
DOMESTIC (.120 CFS)
Date Filed: 11/22/1988
In: T06N R34E S22 NENE

35-08683
JOINT SCHOOL DIST. No. 251
201 IDAHO AVE.
RIGBY, ID 83442
Source: GROUNDWATER
Diversion Pt: NWNWNE Sec 32 T 05N R 37E
Use: DOMESTIC (.070 CFS)
Date Filed: 12/02/1988
In: T05N R37E S05 NWNE

The permits will be subject to all prior
water rights. Protests may be submitted bas-
ed on the criteria of Sec. 42-203A, Idaho
Code and/or the new public interest criteria
of Sec. 42-203C, Idaho Code. Protests must
be filed with the Director, Dept. of Water
Resources, 150 Shoup Ave., Suite 15, Idaho
Falls, Idaho 83402 on or before JANUARY 11,
23, 1989.

R. Keith Higginson, Director
Published in the Jefferson Star, Rigby,
Idaho, January 4 and 11, 1989.

RECEIVED

JAN 26 1989

Department of Water Resources
District Office

MICROFILMED

MAR 30 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

August 28, 1997

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

IDAHO PACIFIC CORP
PO BOX 478
RIRIE ID 83443

RE: WATER RIGHT NO. 25-07475

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

SEP 10 1997

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

SEP 10 1967

Sincerely,

Shelley W. Keen
Water Rights Supervisor


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 28th day of August, 1997, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 25-07475

IDAHO PACIFIC CORP
PO BOX 478
RIRIE ID 83443


Kari Lynn Townsend
Secretary

MICROFILMED

SEP 10 1997

MEMORANDUM

TO: File 25-07475

FROM: Sharla

DATE: August 12, 1997

RE: Telecon

On March 14, the plant manager called in response to my letter of 3/12. He explained that there is only one well serving this industrial facility. There were several other wells that he was aware of which had been abandoned. The single well used is by the NE corner of the plant.

I told him that when the approved license is sent out, we will include a reminder suggesting they amend their SRBA claim (25-07056) to reflect a single well.

In July, Cindy Bird spoke with Wally Browning concerning the instantaneous flow and annual volume diverted by their water delivery system. Mr. Browning clarified that the meter turns over every 100 million gallons. In the "daily water usage" table sent to us July 14, the meter obviously turns over several times a year. The highest diversion on the chart (1,038,000) on the 31st of whatever month the readings were taken yields 720 gpm. Thus the combined licenses for 2.13 cfs seems appropriate. Also, the annual volume calculations have been adjusted in line with the daily usage chart (28million gallons/month X 12 months/325,850 = 1031.1 afa minus 600.0 af licensed under 25-07056 is **431.1 afa**).

MICROFILMED

SEP 10 1997



SUPERIOR
DEHYDRATED
POTATO
PRODUCTS

July 8, 1997

RECEIVED

JUL 14 1997

Department of Water Resources

State of Idaho
Department of Water Resources
P.O. Box 83720
Boise, Idaho 83720-0098


Attention: Cindy Bird

Dear Ms. Bird:

It is my understanding that you are working on licensing our permit No. 25-07475, and that you need a record of our daily water usage for a month's period of time. Idaho Pacific Corporation presently has license No. 25-07056 for 1.2 cfs, and permit No. 25-07475 for 1.0 cfs, for a total water usage of 2.2 cfs. The water usage on the enclosed sheet is for the total water volume of our facility.

Thank you Ms. Bird. I apologize for the delay in providing you with this information. The individual over this area is no longer with the company, and I was not aware that we had not provided you with this information. Please let me know if you should need anything further to complete the licensing. Please keep me informed on the progress of the licensing of our permit.

Sincerely,


Wally Browning
Vice President

MICROFILMED

SEP 10 1997

DAILY WATER USAGE

DAY GALLONS/DAY

1	868,000
2	879,000
3	886,000
4	862,000
5	1,000,000
6	1,038,000
7	1,005,000
8	977,000
9	928,000
10	938,000
11	921,000
12	966,000
13	801,000
14	846,000
15	926,000
16	927,000
17	928,000
18	949,000
19	930,000
20	870,000
21	920,000
22	960,000
23	960,000
24	797,000
25	386,000
26	732,000
27	968,000
28	933,000
29	973,000
30	839,000
31	<u>1,021,000</u>

MONTHLY

TOTAL: 27,934,000

RECEIVED

JUL 14 1997

Department of Water Resources

MICROFILMED

SEP 10 1997



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. BOX 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

July 7, 1997

Wally Browning
Vice President
Idaho Power Corp
P.O. Box 478
Ririe, ID 83443

RE: Permit No. 25-07475

Dear Mr. Browning:

We were in the process of reviewing your permit for the purpose of issuing a license. In order to complete this process we need some additional information. Our records indicate that we have not received the usage logs yet.

Please submit the information requested at your earliest convenience so that we can proceed with our review for licensing this right. Thank you for your help in this matter. If you have any questions, please feel free to contact our office.

Sincerely;

Cindy Bird

MICROFILMED

SEP 10 1997



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

March 12, 1997

Idaho Pacific Corp.
PO Box 478
Ririe, ID 83443

RE: Permit No. 25-07475

Gentlemen:

In May of 1995, one of our field examiners conducted an inspection of the water delivery system under the permit referenced above for the purpose of issuing a water right license. He reported the diversion of water from a well in the SESW, Section 28, T4N, R40E, used for industrial purposes (potato processing plant).

A previous license, No. 25-07056, was issued for 3 points of diversion (wells) within this description. The Snake River Basin Adjudication claim filed on the license references four points of diversion within this description. In comparing the recent examination report with the previous right, it appears to me that the three wells under 25-07056 are on the south side of the plant, while the well referenced by the examiner for 25-07475 is on the north side.

Are there four wells serving this facility? If so, we could reference all four in the license we issue for Permit 25-07475. Could you please provide a diagram showing the location of all wells in relation to the plant?

I look forward to hearing from you and thank you in advance for your help in this matter.

Sincerely,

A handwritten signature in cursive script that reads 'Sharla Curtis'.

SHARLA CURTIS
Water Resource Agent

MICROFILMED

SEP 10 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 25-07475

DATE 1/16/97

REVIEWER: SHARLA

NAME Change OK Address Change NO
 SOURCE Change OK Is change clarification of originally intended source? NO
 POINT OF DIV Change OK If not, prepare Notice of Intent to Void NO
 PLACE OF USE Change OK Amendment required NO

Does map agree with written description? yes no

OVERLAPS govt lot(s) yes no P/D P/U

RATE OF DIV

Permitted Rate 1.0 cfs
 Fee limit 2.0 cfs \$12500
 Measured 1.56 cfs 700 gpm on gauge
 Theoretical 2.13 cfs

Recommended Total Div Rate 1.0 93 cfs

ANNUAL VOLUME/
NATURE OF USES Use

Ind.

Volume Calculation

SUBTOTAL

Flow rate 93 cfs X 365 days X 1.98 af 99.2 af 534.6 672.1
 Total volume recommended af
 (SUBTOTAL or Flow Rate, whichever is less)

REMARKS

W36 (25-07056 - 00.000)

W36 not being used, unable to determine

CONDITIONS Watermaster Control WD#

GW Measurement/Measuring Device

Overlap

Use-specific conditions 09E

Advancement of Priority Date Required yes no

SRBA Claim Filed yes

Adjustment Memo no

1st Amend Letter NA

2nd Amend Letter NA

appears 3 pld's are on south side of plant, this one is on north
looked at file
Adj claim now includes 4 pld

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

JAN 22 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 25-7475

1. Owner: IDAHO PACIFIC CORP.

Phone No. (208) 538-6971

Current Address: P.O. BOX 478, AIRIE, ID 83443

2. Accompanied by: RODNEY GALLUP

EXAM DATE: 5/2/95

Address: SAME

Phone No. SAME

Relationship to Permit Holder: PLANT MANAGER

3. Source: GROUND WATER tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with the same place of use: 25-7056

2. Other water rights with the same point of diversion: 25-7056

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NW	SE	SW	28	4N	R40E	JEFFERSON	U.S. G.S. 7070 MAP

2. Place(s) of Use:


Indicate Method of Determination ON SITE INSP.

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	40E	28																	

MICROFILMED

SEP 10 1997

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable. *SEE FLOW CHART FOR PLANT*



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
#1		50	SUBMERSIBLE	FRANKLIN	6"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
PRESSURE GAGE		U.S. G.			0-160	48 PSI

2. Measurements: NONE

MICROFILMED

SEP 10 1997

E. NARRATIVE/REMARKS/COMMENTS

ON 5/2/95 AT APPROXIMATELY 1030 HRS A FIELD EXAM WAS
CONDUCTED ON PERMIT #25-7475.

WATER FOR THIS INDUSTRIAL SYSTEM IS PUMPED OUT OF
A WELL VIA A SUBMERSIBLE 50 HP PUMP. WATER THEN
ENTERS A MANIFOLD SYSTEM WHERE IT IS DIVERTED
OUT TO VARIOUS PLANT PROCESSING AREAS. WATER
IS ALSO USED TO WATER APPROXIMATELY 2 ACRES OF
LAWNS.

WELL:	10" CASING	PUMP:	50 HP SUBMERSIBLE
	643' FEET DEEP		6" OUTPUT
	24' STATIC WATER		48 PSI AT PLANT
			MANIFOLD

PLANT FLOW METER - RAIN BIRD METER

315997.00 GALLONS USED TO DATE 700 GPM GAGE

* PLANT ENGINEER KEN DURRELL

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
SEP 10 1997

F. FLOW CALCULATIONS☒ Additional Computation Sheets Attached

Measured Method:

$$Q = 2.13 \text{ cfs}$$

$$Q \text{ LIMITED BY PERMIT} = 1 \text{ cfs}$$

Licence 25-07056 now comes from this well; 1.2 cfs licensed
2.13 cfs capacity - 1.2 cfs = 0.93 cfs

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

PLANT DISCHARGE = 295,000 GPD X 270 ^{AVERAGE} OPERATING DAYS = $\frac{79,650,000 \text{ GLS/YR}}{325,850 \text{ GLS/AF}} = 244,437 \text{ AFA}$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
INDUSTRIAL	1/1	12/31	~~1.0 cfs~~ 0.93	244.4
Totals:			~~1.0 cfs~~ 0.93 cfs	244.4 AFA

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name SIMPKINS Date 1/9/96Reviewer [Signature] Date 1-16-96

SEAL

MICROFILMED

SEP 10 1997

THEORETICAL PUMP FLOW CALCULATIONS

Formula:

$$Q_{cfs} = [(Hp)(8.814)(Eff)] \div [Lift + (psi \times 2.308)]$$

$$\begin{aligned} Hp &= \text{Horsepower} = \underline{50} \\ Eff &= \text{Efficiency} = \underline{.7} \quad (\text{Usually } 70\%) \\ \text{Lift: } &(\text{Static Level} + \text{Assumed Drawdown}) \\ \text{Static Water Level} &= \underline{24} \text{ ft.} \\ \text{Assumed Drawdown} &= + \underline{10} \text{ ft.} \\ \text{Lift} &= \underline{34} \end{aligned}$$

OR

$$\text{Measured Dynamic Water Level} = \underline{\hspace{2cm}} \text{ ft.}$$

$$psi = \text{Operating Pressure} = \underline{48} \text{ psi}$$

$$Q_{cfs} = \left[\frac{50}{Hp} \times 8.814 \times \frac{.70}{Eff} \right] \div \left[\frac{34}{Lift} + \left(\frac{48}{psi} \times 2.308 \right) \right]$$

$$Q_{cfs} = \left[\underline{308.45} \right] \div \left[\underline{144.784} \right]$$

$$Q_{cfs} = \underline{2.13} \text{ cfs}$$

MICROFILMED


SEP 18 1977

25-07475

WATER SYSTEM USAGE FLOW CHART OF PLANT.


Idaho Pacific

POD
WELL



MICROFILMED
SEP 10 1937

25-07475



ROAD CLASSIFICATION

HARD-SURFACE ALL WEATHER ROADS DRY WEATHER ROADS
 Heavy-duty... 4 LANE 16 LANE Improved dirt...
 Medium-duty... 4 LANE 16 LANE Unimproved dirt

U. S. Route State Route

25-07475

X-44

RIRIE, IDAHO
 N4337.5-W11145/7.5

STANDARDS
 OR RESTON, VIRGINIA 22092
 AVAILABLE ON REQUEST

Revisions shown in purple and woodland compiled from
 aerial photographs taken 1976 and other source data.
 This information not field checked. Map edited 1980

SEP 10 1937

1950
 PHOTOREVISED 1980
 DMA 3871 III NE-SERIES V893

IDAHO PACIFIC CORP.
RIKIE, ID.

1 of 2

VIEW OF
PLANT AND
IRRIGATED
AREAS

PLANT
PLACE OF
USE

IRRIGATED
AREAS

SEP 10 1937

25-07475

IDAHO PACIFIC CORP.

212

VIEW OF
WELL
POINT OF
DIVERSION

VIEW OF
INCOMING
WATER LINE
AND MANIFOLD
SYSTEM
INTO PLANT.

INCOMING
FROM WELL

MICROFILMED

SEP 10 1937

25-07475

September 13, 1989

Permit No. 25-07475

Idaho Pacific Corp.
P.O. Box 478
Ririe, ID 83443

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this Department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161, or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,

KEITH C. WILSON
Sr. Resource Agent

KCW:lk

MICROFILMED
SEP 10 1997

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 25-7475

Date: 4/28/89

General Considerations:

y Name same as permit
y Signature the same as permit holder
N Address change _____ If yes, prepare a data entry
y Proof received timely
_____ Reinstated

Source of Water:

_____ Surface water
y Groundwater
_____ 1. well log in file
_____ 2. drilling permit
_____ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

y Rate of diversion appropriate for uses
y Is rate or volume and fee appropriate?
y Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

y Is a measuring device or access port required?
y Has one been installed?
N/A Waiver or modification of measuring device requested

Remarks:

Proof acceptable

N/A Priority Calculation:

Date proof received	_____	_____
Date proof due	_____	- _____
No. of days late	_____	= _____
Priority date	_____	+ _____
NEW PRIORITY DATE	_____	= _____

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

State law requires that this report be filed with the Director, Department of Water Resources within 20 days after the completion or abandonment of the well.

104-1090

[illegible]

State law requires that this report be filed with the Director, Department of Water Rights within 30 days after the completion or abandonment of the well.

RECEIVED

[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Labor Relations, within 30 days after the expiration or abandonment of the contract.

1994

[illegible]

IDAHO PACIFIC CORPORATION

WATER PERMIT

11958

MICROFILMED

SEP 15 1989



DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, ID 83720

RECEIVED
SEP 15 1989

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
March 15, 1989

IDAHO PACIFIC CORP.
P.O. BOX 478
RIRIE, ID 83443

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 25-07475

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully, since you must take further action to develop this permit. Also

MAR 30 1989

FILMED

enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

MAIL ROOM

MAR 30 1989

Dist. for staffing 700 12-7-88

Submitted for adv. HWS 12-14-88

DCMF

Form No. 202a
1/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY Dennis Dunn DATE 8 Dec 88 APPLICATION NUMBER 2507475

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
- ☒ Address
- ☒ Source (See USGS Quad for names of water sources)
- ☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
- ☒ County
- ☒ Quantity (flow and/or volume)
- ☒ Period of Use
- ☒ Nature of proposed use (Include description of use.)
- ☒ Description of diverting works
- ☒ Time required for beneficial use of water
- ☒ Place of use or acres irrigated
- ☒ Map
- ☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
- ☒ Fee
- ☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
- ☐ Overlapping point of diversion
- ☐ Yes ☒ No Field check required
- ☐ Yes ☒ No Field report attached
- ☐ Yes ☒ No Critical groundwater area
- ☐ Yes ☒ No Groundwater management area
- ☐ Yes ☒ No Send dam safety information
- ☐ Yes ☒ No Send power requirement letter
- ☐ Yes ☒ No Send fish farm requirement letter
- ☐ Yes ☒ No Power residency affidavit
- ☐ Yes ☒ No Power efficiency form
- ☒ Yes ☐ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
- ☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
- ☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested FEB 08 1989

Department of Water Resources

E 005010

RECEIVED

PROCESSING

☒ Yes
☐ Yes
☒ Yes

☐ No
☒ No
☐ No

Form for advertising
Statewide advertising
Fee amount, receipt date & No. recorded on application

SEND COPIES TO

☐ Idaho Dept. of Health & Welfare
☐ Idaho Dept. of Fish & Game
☐ Idaho Dept. of Lands
☐ Adjudication Bureau Unit

☐ U.S. BLM
☐ U.S. Forest Service
☐ Water District
☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application

☐ Yes ☒ No Protests received

Final date for protest 1-23-89

☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application

☐ Yes ☐ No Recommendations attached

☐ Yes ☐ No Measuring device required

☒ Yes ☐ No Access port required

☒ Yes ☒ No Will water be delivered by watermaster? If yes, what Dist. 01-PO5

☒ Yes ☐ No Special conditions of approval or cover letter below. _____

Date of priority recommended
By HWT

☐ See below for additional information
12-06-88
Date 2-6-89

STATE OFFICE REVIEW

P05, P23, P03, P16

46 016 32 09E

By kw

☐ See below for additional information
Date 3/6/89

ADDITIONAL INFORMATION

Conditions: <016> <32>

App. in trust water area - DMTI-OK

ACTION REQUIRED

FROM: Rita Bodell 1/31/89

TO: Idaho Pacific Corp. RE: Application for Permit 25-7475

It is necessary for you to sign this Application for Permit as the original one was done in pencil. I have retyped it and am sending it to you. Please check it over, sign it, and return it as soon as possible so that we may continue processing it.

Thank you for your cooperation.

RECEIVED
FEB - 6 1989
Department of Water Resources
Eastern District Office

January 17, 1989

Jefferson Star
P.O. Box 37
Rigby, Idaho 83442

RE: Application for Permit No. 25-07475; Idaho
Pacific Corporation

Gentlemen:

Would you please submit an affidavit of publication and certified bill in connection with the above referenced application. The legal notice was to have been published in your paper on January 4, and January 11, 1989.

Your cooperation in this matter is greatly appreciated.

Sincerely,

Rita Bodell
Office Secretary

MICROFILMED

MAR 30 1989

December 28, 1988

Idaho Pacific Corp.
P.O. Box 478
Ririe, ID 83443

Application for Permit No. 25-07475

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned identification No. 25-07475. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in the JEFFERSON STAR. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

MAR 30 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

DECEMBER 27, 1988

THE JEFFERSON STAR
P.O. BOX 37
RIGBY, ID 83442

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before JANUARY 23, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

MAIL ROOM

MAR 30 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed appropriate the public waters of the State of Idaho:

RECORDED

MAR 30 1989

25-07475

IDAHO PACIFIC CORP.
P.O. BOX 478
RIRIE, ID 83443

Source: GROUNDWATER

Diversion Pt: SESW Sec 28 T 04N R 40E

Use: INDUSTRIAL (1.000 CFS)

Date Filed: 12/06/1988

In: T04N R40E S28 SESW

IDAHO PACIFIC CORP.
P.O. BOX 478
RIRIE, ID 83443
Diversion Pt. SESW Sec 28 T 04N R 40E
Use: INDUSTRIAL (1.000 CFS)
Date Filed: 12/06/1988
In: T04N R40E S28 SESW

RECORDED

MAR 30 1989

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 4. A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before JANUARY 23, 1989.

R. Keith Higginson, Director

Published 1/04/1989 & 1/11/1989

MICROFILMED

MAR 30 1989

