


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




T4N
R40E
SEC 29

Scale: 2 inches equal 1 mile.

MAR 30 1989

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Delaina Stromberg, Secretary
(Applicant)
Stromberg Repair, Inc.



ROAD CLASSIFICATION


HARD-SURFACE ALL WEATHER ROADS		DRY WEATHER ROADS
Heavy-duty	4 LANE 6 LANE	Improved dirt
Medium-duty	4 LANE 6 LANE	Unimproved dirt


U. S. Route

State Route

X-44

System Diagram Attachment





Point of Diversion & Place of Use

RECEIVED
AUG 15 1994

25-07445

25-07445

STROMBERG REPAIR INC.
P.O. BOX 281
RIRIE, ID 83443

Source: GROUNDWATER

Diversion Pt: NENENE Sec 29 T 04N R 40E

Use: COMMERCIAL (.040 CFS)

Date Filed: 10/18/1988

In: T04N R40E S29 NENE

25-07445
STROMBERG REPAIR INC.
P.O. BOX 281
RIRIE, ID 83443
Source: GROUNDWATER
Diversion Pt: NENENE Sec 29 T 04N R 40E
Use: COMMERCIAL (.040 CFS)
Date Filed: 10/18/1988
In: T04N R40E S29 NENE

MAK 30 1989

RECEIVED
AUG 15 1994

25-07445

Point of Decision & Point of Use



State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07445

Priority: October 18, 1988

Maximum Diversion Rate:

0.04 CFS

Maximum Diversion Volume:

1.2 AF

This is to certify, that STROMBERG REPAIR INC

PO BOX 281

RIRIE ID 83443-0281

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 18, 1988; and has submitted Proof of Beneficial Use on March 20, 1990. An examination indicates that the works have a diversion capacity of .040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COMMERCIAL	01/01 to 12/31	0.04 CFS	1.2 AF

LOCATION OF POINT(S) OF DIVERSION:

NENENE , Sec. 29, Township 04N, Range 40E
JEFFERSON County

PLACE OF USE: COMMERCIAL

TWN RGE SEC


04N 40E 29

NENE

CONDITIONS/REMARKS:


1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.
6. Commercial use is for a repair shop.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 25th day of July, 1994.



Acting for R. Keith Higginson, Director

AUG 15 1994



STATE OF IDAHO

Department of Water Resources
Eastern District Office

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE



MAR 26 1990

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 25-07445 Telephone No. 538-7717

Name(s) of Permit Holder(s): Stromberg Repair Inc

Post Office Address: P.O. Box 281, Ririe, ID 83443

Source of Water: Groundwater

If ground water, well driller's name: NA Date drilled: 1965

Extent of Use:
Domestic _____ (No. of households) Irrigation _____ (No. of acres)
Stockwater _____ (No. and type of stock) Other Commercial

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre/feet

Show date water was first diverted and beneficially used under this permit: 10-18-88

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

Fee Enclosed: \$ NA (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Name Kenneth Stromberg Telephone No. 538-7717

Address See above

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

APR 19 1990

Date 3-20-90

Signature (and title if on behalf of a company or organization) Delaina Stromberg, Secretary

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

257445
Ident. No. _____

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant STROMBERG REPAIR INC. Phone 208/538-7717

Post office address P.O. Box 281, Ririe, ID 83443

2. Source of water supply GROUNDWATER which is a tributary of _____

3. Location of point of diversion is NE ¼ of NE ¼ of NE ¼, Govt. Lot _____

Sec. 29 Township 4 N Range 40 E B.M. JEFFERSON County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 for COMMERCIAL purposes from 01/01 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.04 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

WELL AND PUMP, PIPELINES TO TWO BUILDINGS FOR STEAM
CLEANER & RESTROOMS & OUTDOOR HYDRANTS

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 6" inches; proposed depth of well is 75" feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
1 years (minimum 1 year).

NOT FILMED

MAR 30 1969

8. Description of proposed uses (if irrigation only, go to item 9):

- Hydropower; show total feet of head and proposed capacity in KW. _____
- Stockwatering; list number and kind of livestock. _____
- Municipal; show name of municipality. _____
- Domestic; show number of households. _____
- Other; describe fully. Commercial - large equipment repair shop with
steam cleaners, restrooms, hydraulics. Two buildings

9. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
4N	40E	29	C																

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. _____

SEE ALSO A25-10614 - Domestic claim for two homes (one owner)

11. a. Who owns the property at the point of diversion? Kenneth & Delaine Stromberg

b. Who owns the land to be irrigated or place of use? Same

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

Mr & Mrs Stromberg own Stromberg Repair Inc.

12. Remarks: Existing well & system.


OFFICERS: KENNETH (PRESIDENT) & DELAINE (SECRETARY)

P.O. Box 281, Ririe ID 83448

(208) 538-6961

MICROFILMED

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Delaina Stromberg, Secretary
(Applicant)
Stromberg Repair, Inc.

Proposed Priority 10/18/88

Received by PRM Date 10-18-88 Time 1031 hrs Preliminary check by S.M.

Fee \$ 30.00 Receipted by PRM # E003243 Date 11-17 & 11-24-88

Publication prepared by RB Date 11-9-88 Published in Jefferson Star

Publication approved all Date 12-21-88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 25-7445, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Water used under this permit if discharged into a natural channel or subsurface system shall meet Idaho Water Quality Standards.

Witness my hand this 2nd day of March, 1989.

J. Shu Sayton
Chief, Water Allocation Bureau

MICROFILMED

MAR 30 1989

THE JEFFERSON STAR
RIGBY, IDAHO

AFFIDAVIT OF
PUBLICATION

STATE OF IDAHO)
) ss
County of Jefferson)

I, Crystal Foster
of the Jefferson Star, published
weekly at Rigby, Jefferson County,
Idaho, do solemnly swear that the

Not. of Application

a copy of which notice appears at-
tached hereto, was published in the
regular and entire issue of said
newspaper, and not in any supple-

ment issue thereof for Two (2)
consecutive issues, the first publica-

having been made on Nov. 16, 88
and the last publication having been
made on Nov. 23, 1988

Further, that said newspaper is one
of general circulation in said coun-
ty; that it is a legal newspaper, con-
forming to legal specifications
under the Idaho Statutes; that it has
as least two hundred bona fide
subscribers living within the county
of publication; and that it has been
continuously and uninterruptedly
published in said county during a
period of seventy-eight consecutive
weeks prior to the first publication
of the said notice.

On this 5th day of Dec

in the year of 1988, before
me, a Notary Public, personally ap-

peared Crystal Foster
known or identified to me to be the
person whose name subscribed to
the within instrument, and being by
me first duly sworn, declared that
the statements therein are true, and
acknowledged to me that he ex-
ecuted the same.

Loann Heather
Notary Public for Idaho

Residing at Idaho

My commission expires: 6-27-91

NOTICE OF APPLICATION FOR
WATER RIGHTS

The following applications have been filed
to appropriate the public waters of the State
of Idaho:

25-07444
KLINGER, DEL MAR
KLINGER, ILENE
595 N. 3300 S.
MENAN, ID 83434
Source: GROUNDWATER
Diversion Pt: NENENE Sec 1 T 04N R 37E
Use: IRRIGATION (090 CFS)
Date Filed: 9/21/1988
In: T04N R37E S01 NENE

3.0 ACRES TOTAL

25-07445
STROMBERG REPAIR INC.
P.O. BOX 281
RIRIE, ID 83443
Source: GROUNDWATER
Diversion Pt: NENENE Sec 29 T 04N R 40E
Use: COMMERCIAL (040 CFS)
Date Filed: 10/18/1988
In: T04N R40E S29 NENE

25-07447
DANIEL, BRENDA
113 N. 3700 E.
RIGBY, ID 83442
Source: GROUNDWATER
Diversion Pt: NESESE Sec 27 T 04N R 38 E
Use: IRRIGATION (090 CFS)
Date Filed: 10/25/1988
In: T04N R38E S27 NESESE

25-07448
TAYLOR, EARL H.
2495 MORNINGSTAR LANE
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NWSW Sec 24 T04N R 38E
Use: IRRIGATION (090 CFS)
Date Filed: 10/19/1988
In: T04N R38E S24 NWSW

3.0 ACRES TOTAL

25-07449
CANNERS SEED CORPORATION
P.O. BOX 18
LEWISVILLE, ID 83431
Source: GROUNDWATER
Diversion Pt: SENWNE Sec 8 T04N R 38E
Use: DOMESTIC (040 CFS)
COMMERCIAL (040 CFS)
Date Filed: 10/19/1988
In: T04N R38E S08 SENWNE

25-07450
TAYLOR'S QUICK STOP INC.
P.O. BOX 513
RIGBY, ID 83442
Source: GROUNDWATER
Diversion Pt: SWSW Sec 19 T 04N R 39E
Use: COMMERCIAL (040 CFS)
Date Filed: 10/25/1988
In: T04N R39E S19 Lot 4 (SWSW)

The permit(s) will be subject to all prior
water rights. Protests may be submitted bas-
ed on the criteria of Sec. 42-203A Idaho
Code and/or the new public interest criteria
of Sec. 42-203C, Idaho Code. Protests must
be filed with the Director, Dept. of Water
Resources, 150 Shoup Ave, Suite 15, Idaho
Falls, Idaho 83402 on or before DECEMBER
5, 1988.

R. Keith Higginson, Director
Published in the Jefferson Star, Rigby,
Idaho, November 16 and 23, 1988.

MICROFILMED

MAR 30 1989

RECEIVED

DEC 1 1988

Department of Water Resources
Eastern District Office



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 25, 1994

STROMBERG REPAIR INC
PO BOX 281
RIRIE ID 834430281

RE: WATER RIGHT NO. 25-07445

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

A handwritten signature in black ink, appearing to read 'Jim Johnson', followed by a horizontal line.

JIM JOHNSON, Manager
Water Right Permits Section

JJ:dc

Enclosure

RECEIVED
AUG 15 1994

WR0749NP
No. L25-07445

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT

DATE: 07/20/94
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	STROMBERG REPAIR INC PO BOX 281 RIRIE ID 83443-0281 (208) 538-7717	10/18/1988	COMMERCIAL	01-01 12-31	0.04 CFS	1.20 AFA
TOTAL DIVERSION:					0.04 CFS	1.20 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.04 CFS

Point(s) of Diversion: T04N R40E S29 NENENE JEFFERSON County

Place of use Legal Description for: COMMERCIAL

NE				NW				SW				SE											
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:
			:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:
---	---	---	:	---	---	---	---	:	---	---	---	---	:	---	---	---	---	:	---	---	---	---	:
04N	40E	29	:	C				:					:					:					:

Pou County: JEFFERSON

Other Rights: A25-10614

Other Water Rights Listing Overlapping Place(s) of use:
01-00035AK 01-00177B

Conditions of Approval:

- ROB - Return flow if discharged to a surface water system shall meet
- Idaho Water Quality Standards.

Remarks: Commercial use is for a repair shop.

Dates:	App. Received:	10/18/1988	Priority Date:	10/18/1988
	Proof Due Date:	04/01/1990	Proof Made Date:	03/20/1990
	Exam Made Date:	06/11/1993	Exam Sent to S.O.:	04/26/1994
	Licensed Date:			

Misc: Water District Number: Field Exam Fee: N (Not Required)

Audit: 07/20/94 CZIMMERM

Cindy Zimmerman

Permit #: 25-7445 Name: Stromberg Repair Date: 7/20/94

	Yes	No	
NAME	☒	☐	Or Address Change?
SOURCE	☒	☐	Change/Clarify source _____ Prelim. Order to Void - Source change.
P/D	☒	☐	Amendment Needed? clarify? _____ -P39, P38 Overlap(s) _____
P/U	☒	☐	Amendment Needed? reduce? _____ -P41, P38 Overlap(s) _____ *P/D & P/U Amend? P37, P38 (See list for feds.)
RATE	☒	☐	Measurement Done? _____
	☒	☐	Theoretical Only? <u>allow permitted</u>
	☒	☐	Theoretical (HP) $\frac{8.8 \times 0.70 \times 1}{15 + (2.31 \times 40)} = 0.04$
	☒	☐	Capacity <u>0.04</u> cfs Allowable Amount: <u>0.04</u> cfs
VOLUME	☒	☐	Season of Use: <u>1/1 - 12/31</u> days Calculations: <u>denominus = 1.2 AF</u>
			Flow limit: _____ x _____ x 1.9835 = _____ AF Allowable volume <u>1.2</u> AF
USES	☒	☐	Change(s) in Nature of Use? _____ -P46 Amendment Needed? _____
REMARKS	☒	☐	Multiple p/d's in $\frac{1}{2}$? _____ Other <u>Common</u>
CONDITIONS	☒	☐	Measuring/Locking Devices <u>R04</u> Watermaster Control - Water District _____ ☒ Irrigation Overlap <u>R08</u> Water Quality ☒ Other
PRIORITY	☒	☐	Correct fee submitted? Receipt No. <u>N/A 3/20/90</u> ☒ Order to Reinstate Needed? Done? _____ ☒ Advance(d)? _____ Advanced to: _____
	App	Rcd	<u>6/10/88</u> Priority <u>10/18/88</u> Exam done <u>6/11/93</u>

COMMENTS:

RECOMMENDED	CFS	DIV VOL	LICENSE: P49
<u>Common</u>	<u>0.04</u>	<u>1.2</u>	#1 AMEND LTR: P46 or P39/P41/P37 & P38
<u>TOTAL</u>	<u>0.04</u>	<u>1.2</u>	#2 AMEND LTR: P42/P47

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
APR 28 1994
Department of Water Resources

A. GENERAL INFORMATION

Permit No. 25-07445

1. Owner: STROMBERG REARIE INC. Phone No. (208) 538-7717

Current Address: P.O. Box 281, Ririe, ID 83443

2. Accompanied by: KEN STROMBERG EXAM DATE: 6-11-93

Address: SAME Phone No. SAME

Relationship to Permit Holder: Holder

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: SRBA DOMESTIC CLAIM A25-10614

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		NE	NE	NE	29	4N	40E	JEFFERSON	USGS, ONSITE

2. Place(s) of Use:


Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
4N	40E	29	C																

AUG 15 1994

BC

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☐ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
UNKNOWN		1"			

*Code to correspond with No. on map and aerial photo

* AS PER MR. STROMBERG

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
N/A						

2. Measurements: MR. STROMBERG INDICATED STATIC H₂O @ 75'

PSR - 40 LBS/IN²

AUG 16 1977



1 MILE
5000 6000 7000 FEET
1 KILOMETER

ET
M OF 1929

AUG 15 1994

U. S. Route


State Route

X-44

ROAD CLASSIFICATION

HARD SURFACE ALL WEATHER ROADS		DRY WEATHER ROADS	
Heavy-duty	2 LANE 16 LANE	Improved dirt	
Medium-duty	4 LANE 16 LANE	Unimproved dirt	


System Diagram Attachment



AUG 15 1994

Water Right Number: 25 - 07445

Date: 1 / 6 / 94



Point of Diversion & Place of Use

RECEIVED
AUG 15 1994

25-07445

E. NARRATIVE/REMARKS/COMMENTS

* WELL, PUMP AND PIPELINES TO 2 SHOPS FOR GENERAL SHOP USE,
RESTROOM FACILITIES, HYDRANTS, STEAM CLEANERS.

* PERIOD OF USE IS 1/1 thru 12/31

Have conditions of permit approval been met? ☐ yes ☐ no

AUG 15 1994

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method:

$$Q_{THEOR} = \frac{410 (8.814) EFF}{252 (2.308) + 4147}$$
$$= \frac{410 (8.814) .7 EFF}{40052 (2.308) + 75' LIFT} = \underline{\underline{0.04 CFS}}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R} \text{ and } V_{D.R} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

$$DE MINIMUS \text{ USE} = 1.20 \text{ AFA}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Commercial	1/1	12/31	0.04	1.2
Totals:			0.04	1.2

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Don E. Moore 1-6-93 Date

Reviewer Keith C. Wilson Date 1/27/94

SEAL

AUG 15 1994

April 18, 1990

STROMBERG REPAIR INC.
P.O. BOX 281
RIRIE, ID 83443

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 25-07445

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

APR 19 1990

138068
January 31, 1990

STROMBERG REPAIR INC.
P.O. BOX 281
RIRIE, ID 83443

PROOF DUE NOTICE
RE: PERMIT NO. 25-07445

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before April 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

APR 13 1990

S T A T E O F I D A H O
D E P A R T M E N T O F W A T E R R E S O U R C E S

Statehouse
Boise, Idaho 83720
(208) 334-7900
March 14, 1989

STROMBERG REPAIR INC.
P.O. BOX 281
RIRIE, ID 83443

P E R M I T A P P R O V A L N O T I C E

RE: PERMIT NO. 25-07445

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also

UNRECORDED

MAR 30 1989

enclosed for your convenience is a form entitled "Proof of Beneficial Use" that must be submitted to the Department when your project is completed.

Sincerely,

GARY SPACKMAN, Supervisor
Water Right Permits Section

GS: SC
Enclosures

RECORDED

MAR 30 1985

October 14, 1988

Stromberg Repair, Inc.
P.O. Box 281
Ririe, Id 83443

RE: Application for Permit No. 25-07445

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned identification No. 25-07445. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in THE JEFFERSON STAR. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

RECEIVED

MAR 30 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

NOVEMBER 8, 1988

THE JEFFERSON STAR
P.O. BOX 37
RIGBY, ID 83442

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before DECEMBER 5, 1988.

Yours truly,

Rita Bodell
Secretary

Encl.

MAILED
MAR 30 1989

NOTICE OF APPLICATION FOR WATER RIGHTS

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED

MAR 30 1989

25-07445

STROMBERG REPAIR INC.
P.O. BOX 281
RIRIE, ID 83443

Source: GROUNDWATER

Diversion Pt: NENENE Sec 29 T 04N R 40E

Use: COMMERCIAL (.040 CFS)

Date Filed: 10/18/1988

In: T04N R40E S29 NENE



MAR 30 1989

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before DECEMBER 5, 1988.

R. Keith Higginson, Director

Published 11/16/1988 & 11/23/1988

MAR 30 1989