


RIMROCK ACRES SUBDIVISION

DIVISION NO. 2

BONNEVILLE COUNTY, IDAHO

Part of S 1/2 Sec. 20 & N 1/2 Sec. 29 T.2N.R. 39EBM.

While this is a photographic reproduction of the recorded plat, the company assumes no liability for variations, if any, with a re-survey.




Bonneville Land & Title Co.
 600 West 1st St. • P.O. Box 1116 • Ketchikan, Alaska 99901

MICROFILMED

FEB 14 1989

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Model Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible		7½	40575-25	—	—

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS


1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Theoretical						

2. Measurements: Static H₂O 30' from well log
30 psi. operating pressure

17 1993

ROCK ACRES
2 - 4921



MICROFILMED


FEB 17 1993

DIV.

39 E

570 000 FEET

428



FEB 17 1993



Well

Pressure Tanks



25-7439

RECEIVED
JUN 17 1993

WATER RIGHT SUMMARY

ACTION	RIGHT NO.	NAME	CFS
Original Application	25-07439	Jay B Hammond	0.14
Full Assignment	25-07439	John M Henry F Scott Gray Javier P Rodriguez	0.14

OCT 23 1992

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07439

Priority: August 15, 1988

Maximum Diversion Rate:

0.09 CFS

Maximum Diversion Volume:

7.0 AF

This is to certify, that JOHN M HENRY
JAVIER P RODRIGUEZ
F SCOTT GRAY

1750 RIMLINE

IDAHO FALLS ID 83402

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 15, 1988; and has submitted Proof of Beneficial Use on December 5, 1991. An examination indicates that the works have a diversion capacity of .130 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.03 CFS	4.0 AF
DOMESTIC	01/01 to 12/31	0.06 CFS	3.0 AF
	Totals	0.09 CFS	7.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 29, Township 02N, Range 39E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N	39E	29	NENW	1		1

Total number of acres irrigated: 1

PLACE OF USE: DOMESTIC

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>
02N	39E	20	SESW	SWSE
		29	NENW	

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

RECORDED

FEB 17 1993


State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 25-07439

CONDITIONS/REMARKS:

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Irrigation use under this right is authorized only in connection with a domestic use.
6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.
7. Domestic use is for 3 homes.
8. Place of use is located within Lots 12, 13 and 14, Block 3, Rimrock Acres Subdivision No. 2.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 15TH day of FEBRUARY, 1993.

Acting for 
R. Keith Higginson, Director

MICROFILMED

FEB 17 1993

State of Idaho
Department of Water Resources

RECEIVED

FEB 9 1993

APPROVED

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 25-07439

Department of Water Resources

Date of Priority: August 15, 1988

Maximum Diversion Rate: 0.09 CFS
Maximum Diversion Volume: 7.0 AF

Comes now

JOHN M HENRY
JAVIER P RODRIGUEZ
F SCOTT GRAY

1750 RIMLINE
IDAHO FALLS ID 83402

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 25-07439, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 10/31	0.03 CFS	4.0 AF
DOMESTIC	01/01 to 12/31	0.06 CFS	3.0 AF
	Totals	0.09 CFS	7.0 AF

LOCATION OF POINT(S) OF DIVERSION:

NENW , Sec. 29, Township 02N, Range 39E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
02N 39E 29	NENW 1			1

Total number of acres irrigated: 1

PLACE OF USE: DOMESTIC

<u>TWN RGE SEC</u>		
02N 39E 20	SESW	SWSE
29	NENW	

APPROVED


FEB 17 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 25-07439

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Idaho Falls, this 4 day of February, 1993.


(Signature)

RECORDED

FEB 17 1993

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 25-07439

FOR DEPARTMENT USE ONLY

Preliminary check by DS Fee = \$20.00 Receipted by gy # CO26643 Date 02-02-93

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 25-07439 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Irrigation use under this right is authorized only in connection with a domestic use.
6. This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.
7. Domestic use is for 3 homes.
8. Place of use is located within Lots 12, 13 and 14, Block 3, Rimrock Acres Subdivision No. 2.

Witness my hand this 15TH day of FEBRUARY, 1993.

Acting for R. Keith Higginson, Director

RECEIVED

FEB 17 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED
SEP 8 1992
Department of Water Resources

ASSIGNMENT OF ~~APPLICATION FOR~~ PERMIT

I, Jay B. Hammond, hereby assign to John M. Henry
F. Scott Gray
Javier P. Rodriguez
of, 1750 Rimline Idaho Falls, Idaho
(Full Address)

All my right, title, and interest in and to Application for Permit
No. 25-7439 to appropriate the public waters of the State of Idaho.

OR (for partial assignments)

The following described portion of my right, title, and interest in and to
Application for Application for Permit No. 25-7439 to appropriate the public
waters of the State of Idaho.


Describe portion of the application assigned listing the number of acres in each 40 acre
subdivision, point of diversion location, and the amount of water in cubic feet per second.

Made this 20 day of August, 1992, ~~1990~~

Jay B. Hammond
Applicant

State of Idaho)
County of Bonneville) ss

On this 20th day of August, 1992, ~~1990~~ personally appeared before me the signer of the
above instrument, duly acknowledged to me that he (she) (they) executed the same.



My commission expires: 2-27-98

Denise M. Croft
Notary Public
Residing at: Idaho Falls, Idaho

RECORDED
OCT 23 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 257439

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Jay B. Hammond Phone 523-1522 / 522-6800
Post office address 2835 Westmoreland Idaho Falls, ID 83402

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of NW $\frac{1}{4}$, Govt. Lot _____
Sec. 29 Township 2N Range 39E B.M. Bonneville County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.06 for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs ~~acre-feet per annum~~) *Allow 4/1**

Amount 0.14 for Irrigation purposes from 1/1 to 11/1 (both dates inclusive)
(cfs ~~acre-feet per annum~~)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.14 and/or (b) _____
**kw 1/16/89* cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. community well & pump for three houses
& 2 1/2 acre lots

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 8-10" inches; proposed depth of well is 500 feet.

d. Is ground water with a temperature of greater than 90°F being sought? NO

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
3 years (minimum 1 year).

MICROFILMED

FEB 14 1989

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. lots 12,13,14 of Rim Rock Acres Subdivision - 3 homes ★
- e. Other; describe fully. _____

*per item 6a-kw 1/16/89

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	39E	20											3 D-3						3
		29					4												4

Total number of acres to be irrigated 7

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: The applicant is developing Rim Rock Acres & wishes to provide domestic water and water for the irrigation of about 2 1/2 acres per lot.

RECEIVED

FEB 14 1989

RIMROCK ACRES SUBDIVISION

BONNEVILLE, COUNTY, IDAHO

DIVISION NO. 2


Part of S 1/2 Sec. 20 & N 1/2 Sec. 29 T.2N.R. 39E.B.M.

While this is a photographic reproduction of the recorded plat, the company assumes no liability for variations, if any, with a re-survey.

Bonneville Land & Title Co.
 6010 North • Fairview • Salt Lake City • Utah • 84116 • (801) 474-6666

MICROFILMED

FEB 14 1989



on, place of us
19000000

FER 14 1989

—

Application for permit to appropriate the public waters of


(Applicant)

(Applicant)

assisted by RDC

Proposed Priority 8/15/88

Received by dg Date 8-15-88 Time 3:40 Preliminary check by SM

Fee \$ 30.00 Received by dg # E001305 Date 8-15-88

Publication prepared by OB Date 10-27-88 Published in Post-Register

Publication approved OB Date 11-29-88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of

Idaho No. 25-7439, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

February 1, 19 92

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code. Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete. Irrigation use under this permit is authorized only in connection with a domestic use.

Witness my hand this 17th day of January, 1989.

J. Hunt
Register

REGISTERED

FEB 14 1989

Proof of Publication
The Post-Register

RECEIVED

NOV 18 1988

State of Idaho, }
County of Bonneville } ss

Department of Water Resources
Eastern District Office

I, Ted Delezene, first being duly sworn, depose and say: That I am the
Foreman of The Post Company, a corporation of Idaho Falls, Bonneville
County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except
Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in
the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903,
such consolidation being made on the 1st day of November, 1931, and each of said newspapers have been
published continuously and uninterruptedly, prior to consolidation, for more than seventy-eight (78) weeks and
said Post-Register having been published continuously and uninterruptedly from the date of such consolidation,
up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in
said Post-Register for two consecutive weeks, first publication having been made
on the 3rd day of November, 1988, last publication
having been made on the 10th day of November, 1988, and that the
said notice was published in the regular and entire issue of said paper on the respective dates of publication, and
that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 17th day of November, 1988

Ted Delezene
Donk Pepier
Notary Public

My commission expires September 30, 1994.

B10

RECEIVED

NOV 18 1988

MICROFILMED

FEB 14 1989

NOTICE OF APPLICATION
FOR WATER RIGHT

The Following application(s) have been
filed to appropriate the public waters of the
State of Idaho:

23-07120

CHAPPLE, LARRY
HANSON, CLAYNE
P.O. BOX 50558
IDAHO FALLS, ID 83405
Source: GROUNDWATER
Diversion Pt: NWNWNE Sec 1 T 01N R
43E
Use: COMMERCIAL (.040 CFS)
Date Filed: 8/04/1988
In: T01N R43E S01 NWNE

23-07121

HUSKEY, ORVILLE E.
HC 34, BOX 28A
IRWIN, ID 83428
Source: GROUNDWATER
Diversion Pt: NESE Sec 35 T 01N R 44E
Use: DOMESTIC (.040 CFS)
COMMERCIAL (.120 CFS)
IRRIGATION (.030 CFS)
Date Filed: 10/11/1988
In: T01N R44E S35 NESE SESE
1.0 ACRES TOTAL

25-07438

NORTH HIGHLANDER FARMS, INC.
1845 TIFFANY DRIVE
IDAHO FALLS, ID 83404
Source: GROUNDWATER
Diversion Pt: NWNWNE Sec 14 T 02N R
38E

Use: COMMERCIAL (.040 CFS)
Date Filed: 8/08/1988
In: T02N R38E S14 NWNE

25-07439

HAMMOND, JAY B.
2835 WESTMORELAND
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: NWNENW Sec 29 T 02N R
39E
Use: DOMESTIC (.060 CFS)
IRRIGATION (.140 CFS)
Date Filed: 8/15/1988
In: T02N R39E S20 SWSW
S29 NWNW
7.0 ACRES TOTAL

25-07440

ZIRKELBACH, RICHARD
ZIRKELBACH, NANCY
4767 E. 65TH S.
IDAHO FALLS, ID 83401

Source: GROUNDWATER
Diversion Pt: SWSW Sec 1 T 01N R 38E
Use: DOMESTIC (.040 CFS)
IRRIGATION (.040 CFS)
STOCKWATER (.020 CFS)
Date Filed: 8/25/1988
In: T01N R38E S01 SWSW
2.0 ACRES TOTAL

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A, Idaho
Code and/or the new public interest criteria
of Sec. 42-203C, Idaho Code. Protests must
be filed with the Director, Dept. of Water
Resources, 150 Shoup Ave., Suite 15, Idaho
Falls, Idaho 83402 on or before
NOVEMBER 21, 1988.

R. Keith Higginson, Director
Published: November 3, 10, 1988

MICROFILMED

FEB 14 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 16, 1993

JOHN M HENRY
JAVIER P RODRIGUEZ
F SCOTT GRAY
1750 RIMLINE
IDAHO FALLS ID 83402

RE: WATER RIGHT NO. 25-07439

Dear Water Right Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit along with a copy of your approved application for amendment.

Should you have any questions regarding these documents, please feel free to contact our office.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

MICROFILMED

FEB 17 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 2, 1993

JOHN M HENRY
JAVIER P RODRIGUEZ
F SCOTT GRAY
1750 RIMLINE
IDAHO FALLS ID 83402

RE: Permit No. 25-07439

Dear Permit Holder(s):

Thank you for returning the licensing amendment for the above referenced permit. We won't, however, be able to complete processing until the amendment form is signed.

Please sign the form and return it by February 16, 1993, so that we can issue you a water right license.

If you have any questions, please feel free to contact our office.

Sincerely,

A handwritten signature in cursive script that reads "Pamela Skaggs".

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

NOT RECORDED

FEB 17 1993



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

December 15, 1992

JOHN M HENRY
JAVIER P RODRIGUEZ
F SCOTT GRAY
1750 RIMLINE
IDAHO FALLS ID 83402

RE: WATER RIGHT NO. 25-07439

Dear Water Right Holder(s):

The above referenced water right is in the process of being licensed. However, before a license can be issued, your permit must be amended to correspond with the findings of the Department's field examiner.

The enclosed application for amendment contains information that will be included on the license when it is issued. Please review carefully and if you concur, sign the amendment and return with the \$20.00 filing fee within 15 days.

If you do not concur with these findings or if you have any questions, please contact us within the 15-day period.

Sincerely,

PAMELA SKAGGS
Water Resource Agent

PS:cz

Enclosure

FEB 17 1993

LICENSE REVIEW CHECKLIST

Permit # 25-07439

Date 12-08-92
CB

	Yes	No	
NAME	☐	☒	Address Change?
PRIORITY DATE	☐	☒	Advance?
	☐	☒	Memo to Advance
	☐	☒	Order to Reinstate Needed?
TOTAL CFS	☐	☒	Incorrect Fee for rate recommended?
	☒	☐	Disagree with Actual Measurement?
			<u>1x.03=.03cfs (IRR) .06cfs (DOM) per permit</u>
	☐	☒	Disagree with Theoretical?
	☐	☒	Limited by Capacity? <u>.13cfs</u>
TOTAL VOLUME			Rate/ac <u>4.0</u> AFA Irr. Season <u>C</u>
			<u>4-1 to 10-31</u> Standard Irr. Season
			<u>Same/Reduced 1 Day</u> Season Recommended
	☒	☐	Disagree with Examiner's Calculations?
			<u>1x4.0 = 4.0afa (IRR) (2x1.2) + (.6) = 3.0afa (DOM)</u>
	☐	☒	Limited by Flow?
SOURCE	☐	☒	Changes? Clarification of <u>Originally</u>
	☐	☒	<u>Intended</u> source
	☐	☒	Notice of Intent to Void.
P/D			Verify with Map
	☐	☒	Amendment Needed?
	☐	☒	Is Overlap Analysis a Consideration?
P/U			Verify with Map <u>Change to</u>
	☒	☐	Amendment Needed? <u>SESW + SWSE, S20 & DENW, S29</u>
	☐	☒	Is Overlap Analysis a Consideration?
USES	☐	☒	Change(s) in Nature of Use?
	☐	☒	Amendment Needed?
REMARKS	☐	☒	Multiple P/Ds in 1/4 1/4?
	☒	☐	Non-Irr. Uses <u>DOM/3 Homes</u>
	☐	☒	Special Overlap Condition
	☒	☐	Other <u>P/U</u>
CONDITIONS	☐	☒	Measuring Device
	☐	☒	W/Master Control
	<u>R51</u>	☐	Overlap
	☐	☒	Water Quality
			DATES/MISC
		☒	Water Dist.
		☒	App Rec'd
		☒	Exam Made
COMMENTS/MEMOS NEEDED:	<u>Reduced Acres, rate</u> <u>Amend P/U</u>		

License ☐ 10-Day ☐ 15-Day ☒ Special Correspondence ☐

WR0749NP
No. 125-07439

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 12/08/92
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	JOHN M HENRY	08/15/1988	IRRIGATION	04-01 10-31	0.03 CFS	4.0 AFA
C	JAVIER P RODRIGUEZ		DOMESTIC	01-01 12-31	0.06 CFS	3.0 AFA
C	F SCOTT GRAY					
	1750 RIMLINE					
	IDAHO FALLS ID 83402					
TOTAL DIVERSION:					0.09 CFS	7.0 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion Capacity: 0.13 CFS

Point(s) of Diversion: T02N R39E S29 NE NW

Place of use Legal Description for: IRRIGATION

NE		NW		SW		SE	
NESE	NWSE	SWSE	SESE	NESE	NWSE	SWSE	SESE
T	R	S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac
02N	39E	29	:	01	:	:	:
TOTAL ACRES				1.0			

Place of use Legal Description for: DOMESTIC

NE		NW		SW		SE	
NESE	NWSE	SWSE	SESE	NESE	NWSE	SWSE	SESE
T	R	S	: Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac
02N	39E	20	:	:	:	:	:
02N	39E	29	:	D	:	:	:

Pou County: BONNEVILLE

Non-Irrigation Uses: ~~073-HOMES~~

Other Rights: NONE

Other Water Rights with Same Point(s) of Diversion and Source:
25-07556

Other Water Rights Listing Overlapping Place(s) of use:
25-07556

Conditions of Approval:

- 041 - Irrigation use under this right is authorized only in connection with a domestic use.
- R51 - This right when combined with all other rights shall provide no more than .03 cfs per acre nor more than 4.0 afa per acre for the lands above.

Remarks: Domestic use is for 3 homes.
Place of use is located within Lots 12, 13 and 14, Block 3,
Rimrock Acres Subdivision No. 2.

WR0749NP
No. L25-07439

IDAHO DEPARTMENT OF WATER RESOURCES
WATER RIGHT PROFILE REPORT
(REGIONAL)

DATE: 12/08/92
PAGE: 2

Dates: App. Received: 08/15/1988 Priority Date: 08/15/1988
Proof Due Date: 02/01/1992 Proof Made Date: 12/05/1991
Exam Made Date: 08/18/1992 Exam Sent to S.O.: 11/27/1992
Licensed Date:

Misc: Water District Number: Field Exam Fee:

Comments: Date: 12/09/1991 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Date: 12/13/1991 User-ID: VAULT Subject: Proof of Beneficial Use Rcvd
Proof of Beneficial Use Rcvd

Audit: 12/08/92 SKAGGS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
DEC 02 1992

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 25-7439

1. Owner: John M. Henry, F. Scott Gray, Javier P. Rodriguez

Phone No. 529-4274
523-7721

Current Address: % J. P. Rodriguez
1750 Rimline Idaho Falls Id

2. Accompanied by: Jay B. Hammond

EXAM DATE: 18 Aug 1992

Address: 2835 Westmoreland, Idaho falls 83402

Phone No. 522-6800

Relationship to Permit Holder: —

3. Source: Groundwater

tributary to —

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NW	29	2N	39E	Bonneville	ON SITE (NSP / COUNTY PLAT


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	39E	29					D												
							/												/
		20											D			D			

FEB 17 1993

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Model Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
Submersible		7 1/2	40575-25	—	—

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Theoretical						

2. Measurements: Static H₂O 30' from well log
30 psi operating pressure

1 7 1993

E. NARRATIVE/REMARKS/COMMENTS

Jack Cushman drilling 505' deep 30' static H₂O 11/10/88
(from well log)*

Well pump mainline to three pressure tanks mainline to one single
Domestic home within Lot 12 and hookups for lots 13 & 14
Block 3 Subdivision #2 Rimrock acres. Irrigator of $\approx$ 1 acre
in Lot 12 Block 3 Subdivision #2 Rimrock acres.

* Well log shows a static H₂O level of 30 ft. Other wells in
area have a static H₂O level of 300 ft or more feet.
Therefore; static H₂O level will be assumed to be 300 ft.

Recommend Licensing all three domestics even though only one
home attached to system at time of the exam.

Have conditions of permit approval been met? ☒ yes ☐ no

RECEIVED

FEB 17 1993

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$Q = \frac{W_p(8.814)(af)}{Lift + (PS)(2.308)} = \frac{7.5(8.814)(0.7)}{300 + (30 \times 2.308)} = 0.125 \text{ cfs} = 0.13 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1 \text{ ac} \times 4 = 4 \text{ af}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .03 \times 214 \times 1.9835 = 12.7$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 4$$

2. Volume Calculations for Other Uses:

$$V_{Dom} = 1.2 \times 3 = 3.6 \text{ af}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	4/1	10/31	0.03	4.0
Domestic (3 units)	1/1	12/31	0.08	3.6 af
			Totals:	7.6 af
			0.11 cfs	

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☒ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name Keith C. Wells Date 18 Aug 1992

Reviewer [Signature] Date 11-25-92

SEAL

FEB 17 1993

[illegible]


FEB 17 1993

DIV.

39 E

570 000 FEET

428



25-7439

FEB 17 1993

IDAHO DEPARTMENT OF WATER RESOURCES

WELL INSPECTION FORM

OPEN WELL Yes ☐ No ☒

Drilling Permit # 25-89-2-001

Water Right # 25-7439

Well Location: 1/4, NE 1/4, NW 1/4, Lot 29, Sec. 29, Twp 2N, Rge 39E

Owner: J.P. Rodriguez, John M. Henry, Scott Gray Phone # 523-7721

Address: 1750 Rimline City Idaho Falls State Id Zip

Well Driller: Jack Cushman State License # #94

Is Driller Licensed? Yes ☒ No ☐ Is Driller on Site? Yes ☐ No ☒

Is a Copy of Drilling Permit on Site? Yes ☐ No ☒

WELL INFORMATION: Completion Date of Well:

Casing Size? 8⁴ inches. Water Tight Cap? Yes ☒ No ☐

Casing >12" above ground? Yes ☒ No ☐

Evidence of well seal? Yes ☒ No ☐ Visual? Yes ☒ No ☐

Auger to a depth of? feet. Access Port? Yes ☐ No ☒

Static Water Level? FROM well logs in area +300 feet. Water Temperature? degrees.

Cascading Water? Yes ☐ No ☐ Flowing through casing? Yes ☐ No ☐

Flowing Artesian? Yes ☐ No ☒ Flowing around annulus? Yes ☐ No ☐

Pressure Gage? Yes ☐ No ☐ Pressure? psi.

Are there obvious construction problems that may be a safety hazard, a source of contamination or waste of water? Yes ☐ No ☒

Notes or Diagrams:

Keith Wilson
DEPARTMENT OF WATER RESOURCES AGENT


18 Aug 1992
DATE OF INSPECTION

FEB 17 1993



Well

Pressure Tanks



25-7439

17 1993

September 21, 1992

JOHN M HENRY
F SCOTT GRAY
JAVIER P RODRIGUEZ
1750 RIMLINE
IDAHO FALLS ID 83402

Re: Permit No. 25-07439

Dear Permit Holder(s):

We acknowledge receipt of the correspondence transferring ownership of the above referenced water right to you. We have modified our computer records to reflect this change in ownership.

If you have any questions regarding this matter, please feel free to contact us.

Sincerely,

BRENDA L. MILLER
Water Resource Agent

BLM:cz

RECEIVED

OCT 23 1992

December 12, 1991

JAY B. HAMMOND
2835 WESTMORELAND
IDAHO FALLS ID 83402

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 25-07439

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

DEC 23 1991

RECEIVED

DEC - 5 1991

STATE OF IDAHO

For Office Use Only
Amt. of Fee \$ 50.00
Date 5 Dec 1991
Receipt No. E016774
Received by KCW

Department of Water Resources
Eastern District Office

DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 25-7439 Telephone No. 523-1522 / 522-6800
2. Name(s) of Permit Holder(s): Jay B. Hammond
3. Post Office Address: 2835 Westmoreland Idaho Falls Id 83402
4. Source of Water: Groundwater
- a. If ground water, well driller's name: Cushman Drilling Date drilled: 9-7-88
- b. Pump horsepower: 7 1/2 Pressure (psi): _____ Dynamic pumping level (ft.): 450

5. Extent of Use:

Domestic 3 (No. of households) Irrigation 7 (No. of acres)
Stockwater _____ (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted 0.14 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No Installed? Yes ☐ No
OR
Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☐ No

8. Fee Enclosed: \$ 50.00 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Jay B. Hammond
Name

523-1522

Telephone No.

523-6800

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

Dec 5, 1991
Date

Jay B. Hammond
Signature (and title if on behalf of a company or organization)

DEC 23 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 25-07439

Date 12/11/91

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit? If no, indicate below.
yes Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

 Surface water source
✓ Ground water source
yes Drill permit req'd?
yes Copy in file? Drill permit no. 25-89-Z-001
100 yes Amt paid for drilling permit? yes Correct?
yes Well log in file?

LICENSE EXAMINATION FEE

yes Required?
50 Amount submitted?
yes Correct amount?

MEASURING DEVICE

NA Measuring device or access port required?
 Installed?
 Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

proof acceptable

PRIORITY CALCULATION

Date proof received	<u>NA</u>	<u> </u>
Date proof due	<u> </u>	- <u> </u>
No. of days late	<u> </u>	= <u> </u>
Priority date	<u> </u>	+ <u> </u>
NEW PRIORITY DATE	<u> </u>	= <u> </u>

DATA ENTRY

ADDRESS CHANGE

PROOF MADE 12/13/91 KXg
12/5/91

JAY B. HAMMOND
2835 WESTMORELAND
IDAHO FALLS ID 83402

138257
November 30, 1991

PROOF DUE NOTICE

RE: PERMIT NO. 25-07439

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before February 1, 1992. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures

DEC 23 1991



MICROFILMED

DEC 23 1991



FEB 27 1989

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

Department of Water Resources



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
COMMENCEMENT OF WORKS

Permit No. 25 17439
Name(s) of Permit Holder(s): JOHN B. HARRIS
Post Office Address: 2035 WESTMICHLEND
1000 E. 11th 83402 Tel. No. 322-6400

- ☒ I hereby certify that construction of diversion works for the above referenced permit began on Jan 1988 (date) and understand that I must continue to develop the water system with due diligence to maintain a valid permit.
- ☐ I hereby certify that construction of diverting works on the above referenced project has not yet begun due to the following reason beyond my control:

*Note: A financing difficulty is
not an acceptable reason.

Date

Signature of Permit Holder

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
February 6, 1989

JAY B. HAMMOND
2835 WESTMORELAND
IDAHO FALLS, ID 83402

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 25-07439

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

MICROFILMED

FEB 14 1989

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Rights Permits Section

GS: SC
Enclosures

MICROFILMED

FEB 14 1989

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

Static water level 30 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature 53 °F. Quality Good
Describe artesian or temperature zones below.

☐ Pump ☐ Bailer ☒ Air ☐ Other

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
8"	0	10	Dry Clay		X
	10	11	Broken Basalt		X
	11	30	Gray Sandstone		X
	30	50	Brown Sandy Clay		X
	50	140	Gray Pumice		X
	140	160	Red Pumice		X
	160	170	Dark Gray Shale		X
	170	180	Red Broken Shale		X
	180	220	Firm Red Shale		X
	220	240	Black Shale		X
	240	285	Gray Sandstone	X	
	285	320	Red Sandy Clay		X
	320	365	Soft White Pumice	X	
	365	420	White & Green Pumice	X	
	420	480	White & Green Clay		X
	480	490	Gray Pumice	X	
	490	505	Red Shale	X	

Work started 8/26/88 finished 9/7/88

Signed by (Firm Official) Jack Cushman
and
(Operator) Monte Staples

REC-111
NOV 30 1988

Department of Water Resources

RECEIVED

NOV 17 1967

Department of Water Resources
Eastern District Office

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

1. Applicant WAY B HAMMOND
2. Address 2835 Westmeland
Idaho Falls 83402 Telephone 522-6800 ⁵²³⁻¹⁵²²
- (☒) Well Owner () Well Operator () Other, specify _____
3. Proposed well location NW 1/4 _____ 1/4, or Gov't lot No. _____,
Sec. 29, Twp. 2N, Rge. 39E6M, County Bonneville,
Lot, block and subdivision Lot 13 block 3 Pioneer Acres Div #2
4. Proposed use of well: (Check all that apply)
(☒) Domestic () Stockwater () Monitoring
() Irrigation () Industrial () Municipal
() Injection () Other, Specify _____
5. Well construction information:
(☒) New well () Deepen () Replace
Proposed surface diameter 8/10" Maximum depth 550
Anticipated bottom hole temperature: _____
(☒) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
6. Anticipated construction start date 8-20-1988
7. Well Driller (if known) Cushman #94
Address _____
8. Applicant's signature [Signature] **MICROFILMED**
Title Owner **FEB 14 1999**
Date Aug 15, 1988

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

ACTION OF IDWR

(☒) Approved () Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.

SPECIFIC CONDITIONS:

26th January 1989 John B. Burt
Dated this ~~Aug 15~~th day of AUGUST, 1988.

RECEIVED
JAN 26 1989
IDAHO DEPARTMENT OF
WATER RESOURCES

Signed

Title REGIONAL MANAGER

Received by dg Fee \$100⁰⁰ Date 8-15-88 MICROFILMED
Receipt No. EC01305 Construction start extension to FEB 14 1989
Extension approved by _____

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

1. Applicant WAY B HAMMOND

2. Address 2835 Westmoreland

Idaho Falls 83402 Telephone 522-6800 ⁵²³⁻¹⁵²²

(☒) Well Owner () Well Operator () Other, specify _____

3. Proposed well location NW 1/4 _____ 1/4, or Gov't lot No. _____,

Sec. 29, Twp. 2N, Rge. 39E, County Bonneville,

Lot, block and subdivision Lot 13 block 3 Pioneer River Div #2

4. Proposed use of well: (Check all that apply)

(☒) Domestic () Stockwater () Monitoring

() Irrigation () Industrial () Municipal

() Injection () Other, Specify _____

5. Well construction information:

(☒) New well () Deepen () Replace

Proposed surface diameter 8/10" Maximum depth 550

Anticipated bottom hole temperature: _____

(☒) 85°F or less (Cold water well)

() 85°F to 212°F (Low temp. geothermal well)

() 212°F or more (Geothermal well)

6. Anticipated construction start date 8-20-1988

7. Well Driller (if known) Cushman #94

Address _____

8. Applicant's signature Way B Hammond **MICROFILMED**

Title Owner **FEB 14 1989**

Date Aug 15, 1988

* After other pre-requisite approvals have been obtained.

* Fee is \$10 for single family domestic. Other uses may be \$100, \$50 or \$10.

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

Dist. for staffing dg 8-17-88

submitted for adv. HWT 9-30-88

INITIAL REVIEW BY Steve McLaughlin DATE 9/29/88 APPLICATION NUMBER 25-7439

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☐ Overlapping place of use (Describe source & relationship to present application on the back.)
☐ Overlapping point of diversion
☐ Yes ☒ No Field check required
Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

RECEIVED
DEC 05 1988

Date Requested

Department of Water Resources

PROCESSING

☒ Yes ☐ No Form for advertising
☐ Yes ☒ No Statewide advertising
☒ Yes ☐ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application

☐ Yes ☒ No Protests received

Final date for protest 11-21-88

☐ Yes ☐ No Protests, dates, resolution of protest, recorded on application

☐ Yes ☒ No Recommendations attached

☐ Yes ☒ No Measuring device required

☐ Yes ☒ No Access port required

☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. 01-P05

☐ Yes ☒ No Special conditions of approval or cover letter below. _____

☐ See below for additional information

Date of priority recommended 8-15-1988

By HWJ

Date 11-30-88

STATE OFFICE REVIEW

P05 P23

P17

46

41

26

☐ See below for additional information

By KW

Date 1/14/89

ADDITIONAL INFORMATION

Drilling permit previously issued - see below.
OK to allow 3 yrs. for B/L development
DCMI - OK to process.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

OCTOBER 27, 1988

THE POST-REGISTER
P.O. BOX 1800
IDAHO FALLS, ID 83403

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before NOVEMBER 21, 1988.

Yours truly,

Rita Bodell
Secretary

Encl.

RECORDED

FEB 14 1989

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

RECORDED

FEB 14 1989

25-07439

HAMMOND, JAY B.
2835 WESTMORELAND
IDAHO FALLS, ID 83402

Source: GROUNDWATER

Diversion Pt: NWNENW Sec 29 T 02N R 39E

Use: DOMESTIC (.060 CFS)
 IRRIGATION (.140 CFS)

Date Filed: 8/15/1988

In: T02N R39E S20 SWSW
 S29 NWNW

7.0 ACRES TOTAL

RECORDED

FEB 14 1989

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before NOVEMBER 21, 1988.

R. Keith Higginson, Director

Published 11/03/1988 & 11/10/1988

MICROFILMED

FEB 14 1989