


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

NOV 21 1988

[Signature]
(Applicant)

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 25-07429)
IN THE NAME OF WAYNE AND AILEEN FRECKLETON)
_____)

ORDER OF
REINSTATEMENT

WHEREAS, the Department issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before September 1, 1991; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,

WHEREAS, on September 1, 1991, the permit lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of lapsing; and,


WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on September 3, 1991;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 25-07429 be REINSTATED with an advance in priority to June 29, 1988.

Dated this 9th day of December, 1991.

UNRECORDED

DEC 23 1991


L. GLEN SAXTON
Chief, Water Allocation Bureau

RECEIVED
JUL 11 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by J. Saxon
Date 7/11/90
Receipt # 5019611

REQUEST FOR EXTENSION OF TIME

Department of Water Resources

To provide additional time in which to submit proof
of beneficial use for a water right permit

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 25-07429

Name(s) of Permit Holder: Wayne Freckleton & Aileen Freckleton

Post Office Address: 409 East 2050 South, Bountiful, Utah 84010

Telephone No. (801) 524 2520

Date Proof is Due: _____

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

over

Costing \$ 17,615.43

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

greater need in another area of the same property

Permit holder(s) request an extension to 7-1-95, 19____.
(1 yr. minimum)

[Signature]
(Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to September 1, 1991.

Signed this 16 day of August, 19 90.

[Signature]
Chief, Water Allocation Bureau

The current water situation has made it necessary for us to do a great deal of work on the ranch at the requested permit area. We have put in a 8 inch line to carry water to several water tanks. We have cleaned the springs on the property and put in water storage tanks at these points.

We are currently drilling a new well at another site because the present well is not sufficient to meet our needs. These projects have had to take precedence over drilling a well at the site indicated on this permit. It is all part of the same project, however.

Because of our investments in the other areas and their greater needs we request that you extend this permit for up to 5 years if possible. If that time is too long just extend it for the amount of time you can.

The water lines we have put in will feed from this well when it is drilled

Thanks for your consideration.

Yours truly,



Aileen Freckleton

MICROFILMED

SEP 04 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

Ident. No. 25-7429

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Wayne &/or Aileen Freckleton Phone 801-524-2520
Post office address 409 East 2050 South, Bountiful, UT 84010

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is _____ $\frac{1}{4}$ of NW $\frac{1}{4}$ of SE $\frac{1}{4}$, Govt. Lot _____
Sec. 12 Township 3S Range 42E B.M. Bonneville County; additional
points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.04 cfs for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.09 for Stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated is (a) 0.09 and/or (b) _____
cubic feet per second acre feet per annum

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well and pump

b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.

c. Proposed well diameter is 6" inches; proposed depth of well is 80" feet.

d. Is ground water with a temperature of greater than 90°F being sought? _____

7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

RECORDED

NOV 21 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. 400 cattle
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1 home
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
3S	42E	12														D/S			

Total number of acres to be irrigated _____

10. Describe any other water rights used for the same purposes as described above. None

11. a. Who owns the property at the point of diversion? Applicant
- b. Who owns the land to be irrigated or place of use? Applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. _____

12. Remarks: _____

NOV 21 1988

Proposed Priority 6/27/88
Received by OW Date 6-27-88 Time 2:45 Preliminary check by KCW
Fee \$ 30.00 Receipted by SM # E000535 Date 6-27-88
Publication prepared by dg Date 7-13-88 Published in Post-Register
Publication approved dg Date 8-8-88

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 25-7429, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before September 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.
- e. Other: Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 30th day of August, 1988.

R. Kent Higgins
Director

RECEIVED

NOV 21 1988

Proof of Publication
The Post-Register

RECEIVED

AUG 8 1988

Department of Water Resources
Eastern District Office

State of Idaho, }
County of Bonneville } ss

I, ... Ted Delezene ..., first being duly sworn, depose and say: That I am the
... Foreman ... of The Post Company, a corporation of Idaho Falls, Bonneville
County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except
Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in
the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903,
such consolidation being made on the 1st day of November, 1931, and each of said newspapers have been
published continuously and uninterruptedly, prior to consolidation, for more than seventy-eight (78) weeks and
said Post-Register having been published continuously and uninterruptedly from the date of such consolidation,
up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in
said Post-Register for ... two ... consecutive weeks, first publication having been made
on the ... 21st ... day of ... July ... , 19. 88., last publication
having been made on the ... 28th ... day of ... July ... , 19. 88., and that the
said notice was published in the regular and entire issue of said paper on the respective dates of publication, and
that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this ... 4th ... day of ... August ... , 19. 88. .

Ted Delezene
.....
Don R. Papp
.....
Notary Public

My commission expires .. September .. 30, ..., 1988. .

B10

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s) have been
filed to appropriate the public waters of the
State of Idaho:

25-07427
FRECKLETON, WAYNE
FRECKLETON, AILEEN
409 EAST 2050 SOUTH
BOUNTIFUL, UT 84010

Source: GROUNDWATER

Diversion Pt: SESESE Sec 13 T 03S R 42E

Use: STOCKWATER (.090 CFS)

DOMESTIC (.040 CFS)

Date Filed: 6/27/1988

In: T03S R42E S13 SESE

25-07428

FRECKLETON, WAYNE

FRECKLETON, AILEEN

409 EAST 2050 SOUTH

BOUNTIFUL, UT 84010

Source: GROUNDWATER

Diversion Pt: NWSW Sec 12 T 03S R 42E

Use: STOCKWATER (.090 CFS)

DOMESTIC (.040 CFS)

Date Filed: 6/27/1988

In: T03S R42E S12 NWSW

25-07429

FRECKLETON, WAYNE

FRECKLETON, AILEEN

409 EAST 2050 SOUTH

BOUNTIFUL, UT 84010

Source: GROUNDWATER

Diversion Pt: NWSE Sec 12 T 03S R 42E

Use: STOCKWATER (.090 CFS)

DOMESTIC (.040 CFS)

Date Filed: 6/27/1988

In: T03S R42E S12 NWSE

25-07430

RILEY, BARBARA C.

RILEY, LOUISE

438 EAST SEBREE

DILLON, MT 59725

Source: SPRING; Tributary: SINKS

Diversion Pt: LOT 6 (SWNWSE) Sec 6 T

04S R 43E

Use: STOCKWATER (.050 CFS)

Date Filed: 7/05/1988

In: T04S R43E S06 Lot 6 (NWSE)

25-07431

JOHNSON, KIM O.

6195 EAST SUNNYSIDE ROAD

IDAHO FALLS, ID 83406

Source: GROUNDWATER

Diversion Pt: SENWSE Sec 30 T 02N R 39E

Use: IRRIGATION (.060 CFS)

DOMESTIC (.040 CFS)

Date Filed: 6/29/1988

In: T02N R39E S30 NWSE

2.0 ACRES TOTAL

31-07503

SPRABEARY, A.E.

P.O. BOX 146

SHELLEY, ID 83274

Source: THOMAS CREEK; Tributary: BEA-

VER CREEK

Diversion Pt: NWSWSW Sec 14 T 12N R

36E

Use: STOCKWATER STORAGE (.50 AF)

DOMESTIC (.040 CFS)

RECREATION (.50 AF)

DIVERSION TO STORAGE (.120 CFS)

Date Filed: 6/14/1988

In: T12N R36E S14 SWSW

The permit(s) will be subject to all prior

water rights. Protests may be submitted

based on the criteria of Sec. 42-203A, Idaho

Code and/or the new public interest criteria

of Sec. 42-203C, Idaho Code. Protests must

be filed with the Director, Dept. of Water

Resources, 150 Shoup Ave., Suite 15, Idaho

Falls, Idaho 83402 on or before AUGUST 8,

1988.

R. Keith Higginson, Director

Published: July 21, 28, 1988

NOV 21 1988

December 12, 1991

WAYNE FRECKLETON
AILEEN FRECKLETON
409 E. 2050 S.
BOUNTIFUL UT 84010

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 25-07429

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order advancing the priority of the permit since the proof was received after the proof due date. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

c: IDWR - Region

Enclosure

RECEIVED

DEC 23 1991

RECEIVED
SEP 03 1991

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

For Office Use Only
Amt. of Fee \$ 50.00
Date 12/5/91
Receipt No. CD77630
Received by rel

RECEIVED
DEC 04 1991

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the Department of Water Resources completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 25-07429 Telephone No. (801) 524-2520
2. Name(s) of Permit Holder(s): Wayne Freckleton & Aileen Freckleton
3. Post Office Address: 409 E. 2050 So. Bountiful, Utah 84010
4. Source of Water: well
- a. If ground water, well driller's name: Ray Nelson #215 Date drilled: 1990
- b. Pump horsepower: 1 1/2 Pressure (psi): 110 Dynamic pumping level (ft.): 258' approx

5. Extent of Use:

Domestic _____ (No. of households) Irrigation _____ (No. of acres)
Stockwater X (No. and type of stock) Other _____

6. Total rate and/or volume for which proof is submitted .09 cfs _____ acre/feet

7. Refer to the approval conditions on your permit and respond accordingly as per permit

Measuring device: Required? Yes XNo Installed? Yes No
OR
Flow Measurement Port: Required? Yes XNo Installed? Yes No

8. Fee Enclosed: \$ 50 (See License Examination Fee Schedule)

9. Person to contact to accompany the Department representative during the field examination:

Wayne Freckleton (801) 524-2520
Name Telephone No.
409 E. 2050 So. Bountiful, Utah 84010
Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

WIDENFILMED

8/29/91
Date

Wayne Freckleton
Signature (and title if on behalf of a company or organization)

DEC 23 1991

ANALYSIS SHEET
for
PROOF OF BENEFICIAL USE

Permit No. 25-7429

Date 9-25-91

GENERAL CONSIDERATIONS

- ☒ Name same as permit?
☒ Address same as permit? If no, indicate below.
☒ Proof timely received? If no, complete priority advancement below.

SOURCE OF WATER

- ☐ Surface water source
☒ Ground water source
☒ Drill permit req'd?
NO Copy in file? Drill permit no. _____
1990 Amt paid for drilling permit? _____ Correct?
NO Well log in file?

LICENSE EXAMINATION FEE

- NO Required?
☒ Amount submitted? *stockwater*
☒ Correct amount?

MEASURING DEVICE

- NO Measuring device or access port required?
☒ Installed?
☒ Waiver requested or needed?

DEFICIENCIES OR ACTION ITEMS

needs OK - R.P.
driller #215
needs 50 fee - Received 12/4/91
proof acceptable

PRIORITY CALCULATION

Date proof received 9/3/91
Date proof due 9/1/91 -
No. of days late =
Priority date 6/27/88 +
NEW PRIORITY DATE 6/29/88 =

12/13/91 KAG

November 25, 1991

Wayne and Aileen Freckleton
409 East 2050 South
Bountiful, UT 84010

Re: Permit No. 25-07429

Dear Permit Holder:


Returned is your Proof of Beneficial Use form submitted to this office on September 3, 1991, indicating the total rate of water use to be .09 cfs.

When the total maximum rate of diversion is greater than 0.04 cfs, a license examination fee is required to be submitted with the proof. A license examination fee based on a rate of flow of .09cfs. is \$50. Note the back of the enclosed instruction sheet/fee schedule.

Please return this form and fee to me within 30 days of the date of mailing. Upon receipt of the proof form and fee, we will continue processing your proof by notifying the region that a field exam is needed.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,


Karen L. Gustafson
Secretary/Records Manager

Enclosures

RECEIVED

DEC 23 1991

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Wm. Fredrickson</u> Address <u>Hope, 12050 S.</u> Owner's Permit No. <u>Bountiful, Utah 84010</u>	7. WATER LEVEL Static water level <u>47'</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>52</u> °F. Quality <u>Good</u> <i>Describe artesian or temperature zones below.</i>																																																																																								
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																					
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																							
3. PROPOSED USE ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☒ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td>1 1/4"</td> <td>0</td> <td>2</td> <td>overburden</td> <td></td> <td>X</td> </tr> <tr> <td>"</td> <td>2</td> <td>21</td> <td>Casag sticky clay</td> <td></td> <td></td> </tr> <tr> <td>7/8"</td> <td>21</td> <td>44</td> <td>" " "</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>44</td> <td>82</td> <td>Brown clay</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>82</td> <td>86</td> <td>Med. broken lava</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>86</td> <td>110</td> <td>Hard lava</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>110</td> <td>185</td> <td>Very hard massive lava</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>185</td> <td>200</td> <td>Hard lava</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>200</td> <td>218</td> <td>Med. broken lava</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>218</td> <td>227</td> <td>Med. broken lava</td> <td></td> <td></td> </tr> <tr> <td>"</td> <td>227</td> <td>235</td> <td>Cinder 35 GPM</td> <td></td> <td>X</td> </tr> <tr> <td>"</td> <td>235</td> <td>240</td> <td>Brown clay</td> <td></td> <td>X</td> </tr> <tr> <td>6"</td> <td>240</td> <td>260</td> <td>" "</td> <td></td> <td>X</td> </tr> </tbody> </table> <i>Very little water @</i>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	1 1/4"	0	2	overburden		X	"	2	21	Casag sticky clay			7/8"	21	44	" " "			"	44	82	Brown clay			"	82	86	Med. broken lava			"	86	110	Hard lava			"	110	185	Very hard massive lava			"	185	200	Hard lava			"	200	218	Med. broken lava			"	218	227	Med. broken lava			"	227	235	Cinder 35 GPM		X	"	235	240	Brown clay		X	6"	240	260	" "		X
Bore Diam.	Depth		Material	Water																																																																																					
	From	To		Yes	No																																																																																				
1 1/4"	0	2	overburden		X																																																																																				
"	2	21	Casag sticky clay																																																																																						
7/8"	21	44	" " "																																																																																						
"	44	82	Brown clay																																																																																						
"	82	86	Med. broken lava																																																																																						
"	86	110	Hard lava																																																																																						
"	110	185	Very hard massive lava																																																																																						
"	185	200	Hard lava																																																																																						
"	200	218	Med. broken lava																																																																																						
"	218	227	Med. broken lava																																																																																						
"	227	235	Cinder 35 GPM		X																																																																																				
"	235	240	Brown clay		X																																																																																				
6"	240	260	" "		X																																																																																				
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>.312 inches</td> <td>8" ID</td> <td>+ 1 feet</td> <td>20 feet</td> </tr> <tr> <td>.250 inches</td> <td>6" ID</td> <td>+ 1 feet</td> <td>239 feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☐ Yes ☒ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☒ Torch ☐ Gun Size of perforation <u>3/16</u> inches by <u>12</u> inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>30 perforations</td> <td>219 feet</td> <td>239 feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>20</u> Material used in seal: ☒ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☒ Seal surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>plug in cap</u>	Thickness	Diameter	From	To	.312 inches	8" ID	+ 1 feet	20 feet	.250 inches	6" ID	+ 1 feet	239 feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	30 perforations	219 feet	239 feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																																																								
Thickness	Diameter	From	To																																																																																						
.312 inches	8" ID	+ 1 feet	20 feet																																																																																						
.250 inches	6" ID	+ 1 feet	239 feet																																																																																						
_____ inches	_____ inches	_____ feet	_____ feet																																																																																						
_____ inches	_____ inches	_____ feet	_____ feet																																																																																						
Number	From	To																																																																																							
30 perforations	219 feet	239 feet																																																																																							
_____ perforations	_____ feet	_____ feet																																																																																							
_____ perforations	_____ feet	_____ feet																																																																																							

Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

Discharge G.P.M.

Pumping Level

Hours Pumped

3. PROPOSED USE

- ☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☒ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

4. METHOD DRILLED

- ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
312 inches	8" ID	1 feet	20 feet
250 inches	6" ID	1 feet	139 feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☐ Yes ☒ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☒ Yes ☐ No
How perforated? ☐ Factory ☐ Knife ☒ Torch ☐ Gun
Size of perforation 3/16 inches by 12 inches

Number	From	To
30 perforations	219 feet	239 feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☐ Yes ☒ No

Manufacturer's name _____

Type _____ Model No. _____

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Diameter _____ Slot size _____ Set from _____ feet to _____ feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 20 Material used in seal: ☒ Cement grout

☒ Bentonite ☐ Puddling clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☒ PEYM surface casing

☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent

Weld

☐ Cemented between strata

Describe access port PLUG IN CAP

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water Yes/No
	From	To		
11 1/4	0	2	overburden	
"	2	21	Gray sticky clay	
7 7/8	21	44	" " "	
"	44	82	Brown clay	
"	82	86	Med. broken lava	
"	86	110	Hard lava	
"	110	185	Very hard massive lava	
"	185	200	Hard lava	
"	200	218	Med. broken lava	
"	218	227	Med. broken lava	
"	227	235	Cinder 35 GPM	x
"	235	240	Brown clay	
6"	240	260	" "	

Very little water @

10.

Work started 7-12-90 finished 7-23-90

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards we complied with at the time the rig was removed.

Firm Name Nelson Drilling Firm No. 215

Address Soda Springs, Id. Date 7-26-9

Signed by (Firm Official) Ray Nelson


DEC 23 1991

and

(Operator) Ray Nelson

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County 2 2 Bonerville

SW SE 13 T. 3 N W R. 42

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

9/89

Drilling Permit No. 5-90-E 085

Water Right Permit No. _____

Injection Permit No. _____

RECEIVED

JUL 5 1990

State of Idaho
Department of Water Resources

DRILLING PERMIT

Department of Water Resources

RECEIVED

JUL - 2 1990

Department of Water Resources
Eastern District Office

1. Applicant Wayne Freckleton
2. Mailing Address 409 E 2050 St.
Bountiful, UT, 84010 Telephone 801-295-8142
Office 524-2520
- (X) Well Owner () Well Operator () Other, specify _____
3. Proposed well location SE 1/4 SE 1/4, or Gov't lot No. _____,
Sec. 13, Twp. 3 S, Rge. 42 E, County Bonnieville,
Street Address of Well Site Herman Rd. Herman Id.,
Lot, block and subdivision _____
4. Proposed use of well:
- (X) Single family or stockwater use (less than 13,000 gallons per day)
- () Irrigation (more than 1/2 acre)
- () Monitoring - A well bore schematic and map is required for each well.
No. of proposed wells: _____
- () Other (describe fully) _____
5. Well construction information:
- A. () New well (X) Deepen () Replace - See Condition 9.
- B. Proposed surface diameter 6" Maximum depth 250'
- C. Anticipated bottom hole temperature:
- (X) 85°F or less (Cold water well)
- () 85°F to 212°F (Low temp. geothermal well)
- () 212°F or more (Geothermal well)
6. Construction Start Date 7-11-90
7. Anticipated Well Driller Nelson Drilling 215
NOTE: The actual well driller must be identified prior to drilling.
8. Applicant's signature Ray Nelson Date 6-30-90
Title Owner
(Owner, Firm Representative, Other)

MICROFILMED

DEC 23 1991

ACTION OF DEPARTMENT OF WATER RESOURCES

This Permit is APPROVEDDate 7-3-90


If approved, this permit authorizes the construction of a well subject to the following conditions. READ CAREFULLY!

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from the above approval date for the start of construction and is valid for one (1) year from the approval date for completion of the well unless an extension has been granted.
3. This permit does not constitute the approval of the District Health Department or the Idaho Department of Health and Welfare which may be required before construction of this well.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Approval of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.
7. This drilling permit does not represent a right to divert and use the water of the State of Idaho.
8. If a bottom hole temperature of 85°F or greater is encountered, well construction shall cease and the well driller and the well owner shall contact the Department immediately.
9. If this permit is for a replacement well, the well being replaced must be abandoned in accordance with Department Rules and Regulations.

SPECIFIC CONDITIONS:

MICROFILMED
DEC 23 1991



Signature of Authorized Department Representative

EASTERN REGIONAL MANAGER

Title

Receipt No. E014954 Received by RB Fee \$10.00 Date 7-3-90EXTENSION OF DRILLING PERMIT

Extension approved by _____ Approval Date _____

This extension is good for 60 days beyond the above extension approval date.



RECEIVED
NOV 21 1991
Department of Water Resources

November 19, 1991

Dear Ms. Gustafson,

I am enclosing the information you requested in your letter of 11/12/91.
I believe you will find that the necessary forms have been filed.

Mr. Nelson informed me that he has filed these reports in Idaho Falls.

Please let me know if you need anything else.

Yours truly,

Aileen Freckleton

RECEIVED

DEC 23 1991

Permit # 25-07429



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 12, 1991

Wayne and Aileen Freckleton
409 East 2050 South
Bountiful, UT 84010

Re: Permit No. 25-07429

Dear Permit Holder:

In the department's review of the proof of beneficial use submitted in connection with the above referenced permit, the department was not able to locate a drilling permit which should have been applied for before construction of your well began. We have also been unable to locate a well log which should have been submitted by your well driller 30 days after completion of the construction of your well.

If you have a drilling permit or a copy of the well log, please provide this office with a copy of each. If you do not have a copy of the well log, please contact your driller and ask that he submit a copy. In your return letter, please be sure to show the above referenced permit number on any documents. Also, please address any correspondence directly to me. Your response, with both forms attached, should be received within 20 days of the date of this mailing.

This information is needed before the department can proceed further with the examination of your system and the eventual issuance of a license of water right.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Karen L. Gustafson
Secretary/Records Manager

MICROFILMED
DEC 23 1991

WBF
409 E. 2650 So.
Bountiful, Utah 84010

MAIL
P 682 705 915

MAIL



RECEIVED
DEC 23 1991
RETURN RECEIPT
REQUESTED

State of Idaho
Dept. of Water Resources
1301 N. Orchard St.
Statehouse Mail
Boise, Idaho 83720-9000

138763

June 30, 1991

WAYNE FRECKLETON
AILEEN FRECKLETON
409 E. 2050 S.
BOUNTIFUL, UT 84010

PROOF DUE NOTICE

RE: PERMIT NO. 25-07429

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED

DEC 23 1991

August 20, 1990

Wayne and Aileen Freckleton
409 East 2050 South
Bountiful, UT 84010

Dear Mr. and Mrs. Freckleton:

Re: Permit No. 25-07429

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to September 1, 1991.

Note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

MICROFILMED

SEP 04 1990

Permit No. 25-7429

Date 8-15-90

4 Date stamp received
5 Extension received timely (not too early not too late)
5 Fee received and receipted
5 Name and signature same as permit
N Address change

4
5

Has adequate work been completed to demonstrate due diligence?

Has the cost incurred been adequate to demonstrate an intent to complete the project?

Has the permit been involved in litigation?

a. Swan Falls _____ Dismissed from Swan Falls _____
Other _____ Identify _____

b. Is supporting documentation needed to complete the file? _____
Requested _____

c. Calculate the period of delay _____

NEW PROOF DUE DATE =

Is supporting documentation needed to complete the file? _____
Requested?

ACTION TAKEN - Recommend approval based on due diligence for the year

2/1/80 Reinstatement Date extension received _____ = _____
 Proof due date _____ = _____
 No. of days late _____ = _____
 Priority date _____ = + _____
 ADJUSTED PRIORITY DATE _____ = _____

Change proof due date _____ Address change
Priority date change _____

138928

June 30, 1990

WAYNE FRECKLETON
AILEEN FRECKLETON
409 E. 2050 S.
BOUNTIFUL, UT 84010

PROOF DUE NOTICE

RE: PERMIT NO. 25-07429

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before September 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

UNFILMED

SEP 14 1990

S T A T E O F I D A H O

DEPARTMENT OF WATER RESOURCES

Statehouse
Boise, Idaho 83720
(208) 334-7900
August 31, 1988

WAYNE FRECKLETON
AILEEN FRECKLETON
409 EAST 2050 SOUTH
BOUNTIFUL, UT 84010

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 25-07429

Dear Permit Holder:

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

NOV 21 1988

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

Gary Spackman
Supervisor, Water Allocation Section

GS: SC
Enclosures

RECEIVED

NOV 21 1988

Form No. 202a
4/87

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY KC Wilson DATE 7-5-88 APPLICATION NUMBER 257429

REQUIRED INFORMATION

- ☒ Name (If applicant is a corporation or partnership, names must be provided for the director, officers, & other partners.)
☒ Address
☒ Source (See USGS Quad for names of water sources)
☒ Point of Diversion (10 acres for spring, lot & block descriptions for subdivisions, local name, flow and/or volume)
☒ County
☒ Quantity (flow and/or volume)
☒ Period of Use
☒ Nature of proposed use (Include description of use.)
☒ Description of diverting works
☒ Time required for beneficial use of water
☒ Place of use or acres irrigated
☒ Map
☒ Signature (If applicant is corp. partnership, or municipality, title of signator is required)
☒ Fee
☒ Yes ☐ No* In form to receipt

ADDITIONAL INFORMATION

- ☒ Overlapping place of use (Describe source & relationship to present application on the back.)
☒ Overlapping point of diversion
☐ Yes ☒ No Field check required
Field check by _____
☐ Yes ☒ No Field report attached
☐ Yes ☒ No Critical groundwater area
☐ Yes ☒ No Groundwater management area
☐ Yes ☒ No Send dam safety information
☐ Yes ☒ No Send power requirement letter
☐ Yes ☒ No Send fish farm requirement letter
☐ Yes ☒ No Power residency affidavit
☐ Yes ☒ No Power efficiency form
☐ Yes ☒ No Within trustwater boundary (If yes, attach trust water supplementary analysis sheet.)
☐ Yes ☒ No Diversion greater than 5 cfs or 500 acre ft. (If yes, attach large diversion supplementary analysis sheet.)
☐ See reverse side for additional information

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT

Date Requested

RECEIVED
AUG 15 1988

Department of Water Resources

PROCESSING

☒ Yes ☒ No form for advertising
☒ Yes ☒ No Statewide advertising
☒ Yes ☒ No Fee amount, receipt date & No. recorded on application

SEND COPIES TO

☐ Idaho Dept. of Health & Welfare ☐ U.S. BLM
☐ Idaho Dept. of Fish & Game ☐ U.S. Forest Service
☐ Idaho Dept. of Lands ☐ Water District
☐ Adjudication Bureau Unit ☐ Other _____

FINAL REGIONAL PROCESSING REVIEW

☒ Yes ☐ No Affidavit of publication received *8-8-88*
☒ Yes ☐ No Application published correctly. If not, record action taken.

☒ Yes ☐ No Publication dates & paper, recorded on application
☒ Yes ☐ No Protests received
Final date for protest *8-8-88*
☒ Yes ☐ No Protests, dates, resolution of protest, recorded on application
☒ Yes ☐ No Recommendations attached
☒ Yes ☐ No Measuring device required
☒ Yes ☐ No Access port required
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what Dist. *01-P05*
☒ Yes ☐ No Special conditions of approval or cover letter below.

☐ See below for additional information
Date of priority recommended *6-27-1988*
By *HWJ* Date *8-12-88*

STATE OFFICE REVIEW *P05, P23, P17 46 26*

☐ See below for additional information
By *KW* Date *8/24/88*

ADDITIONAL INFORMATION

Condition of approval - 26
ok to allow 2 yrs. for B/U development
as requested-

July 18, 1988

Wayne or Aileen Freckleton
409 East 2050 South
Bountiful, UT 84010

RE: Application for Permit No. 25-7427, 25-7428, 25-7429

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right applications for permit. The applications have been assigned the above identification Nos. Please refer to these numbers in all further correspondence.

This office is currently in the process of advertising the applications in the Post Register. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

Ernest Carlsen
Water Rights Supervisor

EC/dg

RECEIVED

NOV 21 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 834
(208) 525-7161

JULY 13, 1988

THE POST-REGISTER
P.O. BOX 1800
IDAHO FALLS, ID 83403

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 8, 1988.

Yours truly,

Deena Green
Secretary

Encl.

MAILED
NOV 21 1988

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed to appropriate the public waters of the State of Idaho:

MICROFILMED

NOV 21 1988

25-07429

FRECKLETON, WAYNE
FRECKLETON, AILEEN
409 EAST 2050 SOUTH
BOUNTIFUL, UT 84010

Source: GROUNDWATER

Diversion Pt: NWSE Sec 12 T 03S R 42E

Use: STOCKWATER (.090 CFS)
 DOMESTIC (.040 CFS)

Date Filed: 6/27/1988

In: T03S R42E S12 NWSE

MICROFILMED

NOV 21 1988

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before AUGUST 8, 1988.

R. Keith Higginson, Director

Published 7/21/1988 & 7/28/1988

RECEIVED

NOV 21 1988

