


13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.



FEB 25 1988

Robert Howell, V.P.
(Applicant)


COUNTRY CORNER ESTATES

BONNEVILLE COUNTY, IDAHO
A PORTION OF SEC. 15 T. 2 N. R. 38 E. B. M.

ELLSWORTH ENGINEERING, INC.
IDAHO FALLS, IDAHO



Designates Iron
..... Building Setback
----- Easements 8' or
Otherwise Noted



MICROFILMED

FEB 25 1988

While this is a photographic reproduction of the recorded plat, the Company assumes no liability for variations, if any, with a re-survey.
IDAHO TITLE & TRUST CO.
Idaho Falls, Idaho

i

569.1792


AMMON - LINCOLN

13

FEB 25 1988

587° 10' 42" E 2039 m

FEB 25 1988



Legend

- G — Galvanized Water Line
- D — Class 160 P.C. Water Line
- T — Transite Asbestos Cement Water Line
- I — Cast or Ductile Iron Water Line
- H — Fire Hydrant
- V — Water Valves

WATER SYSTEM
MOBILE HOME ESTATES

BONNEVILLE COUNTY, IDAHO

PART OF
THE S.W. 1/4 SEC. 14 T. 8 N. R. 38 E. B.M.
BENTON ENGINEERING CONSULTING ENGINEERS
IDAHO FALLS, IDAHO

SCALE: 1" = 100'

Jan. 4, 1978

MONTE VISTA
SUBDIVISION

FALLS WATER COMPANY INC.
IDAHO FALLS, IDAHO

MICROFILMED

FEB 25 1988

MC DONALD'S FARM


PART OF THE WEST 1/2 OF THE NW 1/4 SEC. 23
T2N, R38 EBM
BONNEVILLE COUNTY, IDAHO

DAVID E. BENTON & ASSOCIATES—CONSULTING ENGINEERS
IDAHO FALLS

SCALE 1" = 100'

Sanitary restrictions removed under Title 50, Chapter 13, Idaho Code

W.T. VIEW ESTATES Date 4-6-78 David E. Benton CHS
District 7 Health Dept.



MICROFILMED

FEB 25 1988

While this is a photographic reproduction of the recorded plat, the surveyor assumes no liability for variations, if any, with a re-survey.
DATED THIS 8TH DAY OF
MAY 1978
DAVID E. BENTON & ASSOCIATES
IDAHO FALLS, IDAHO

MC DONALD'S FARM

DIVISION NO. 2

PART OF THE WEST 1/2 OF THE NW 1/4 SEC. 23
T2N, R38 E8M

BONNEVILLE COUNTY, IDAHO

DAVID E. BENTON & ASSOCIATES—CONSULTING ENGINEERS
IDAHO FALLS IDAHO



REPROFILMED

FEB 25 1988

SCALE 1" = 100'

VIEW ESTATES

AMMON-LINCOLN ROAD

WEST 1/4 COR.
SEC. 23, T2N.
R38 E8M

NW COR. SEC. 23
T2N, R38 E8M.


MAURINE DRIVE


JASON DRIVE

MARJORIE AVENUE

JILL STREET
DALEEN ST

CERTIFICATE





1/4 CITY BLOCK
N 1/4 SEC 14
AMMON-LINCOLN RD.

CLOVER DALE ESTATES


DIVISION NO. 1
BONNEVILLE COUNTY, IDAHO

N 1/4 SE 1/4
SW 1/4 SE 1/4

Sec 14 2N 14E

MICROFILMED
FEB 25 1988

Doc
62



What this is a photograph of the
location of the recorded plat. The
surveyor is not responsible for the
accuracy of the plat with a previous
IDAHO TITLE & TRUST CO
Idaho Falls, Idaho.

CLOVER LALE ESTATES

DIVISION NO. 2 - BONNEVILLE COUNTY, IDAHO
PART OF THE NE-1/4 SEC. 14, T.2N., R.38E.B.M.

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

1/4 City Block - N 1/4 13' 45" E 2842.27

S.W. COR. SEC. 14, T.2N., R.38E.B.M. (BRASS CAP)

West 1/4 COR. T.2N., R.38E. (BRASS CAP)

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

NE 1/4 Sec 14

Note: All easements shown on this plat are 8 feet thru each lot unless shown otherwise.

Union Pacific Railroad spur

R.R. R/W Line

MONTE VISTA DR.

N 0° 44' 05" E 1121.89

AUBURN AVE

AUBURN AVE

LANCIE STREET

SPARTINA STREET

GREENWILLOW LANE

CRIMSON DRIVE

POA STREET

12

13

East 1/4 COR. SEC. 14 T.2N., R.38E.B.M.

RECORDED

FEB 25 1968

105

BUILDING SET-BACK REQUIREMENTS:
All buildings shall be set back a minimum distance of 30 feet from any street.
No recreation vehicles such as trailers, campers, pools, snowmobiles and like equipment or non-operating vehicles shall be parked or stored of the building set back line as noted above.


While this is a photographic reproduction of the original plat, the accuracy of the same, with a few exceptions, is not guaranteed.

IDAHO TITLE & TRUST CO.
IDAHO FALLS, IDAHO

CLOVER DALE ESTATES DIVISION NO.3 BONNEVILLE COUNTY, IDAHO PART OF THE SE 1/4 OF SEC. 14, T.2N., R.38 E.B.M. with SE 1/4 SubSet Sec 14

While this is a photographic reproduction of the recorded plat, the Company assumes no liability for variations, if any, with a re-survey.

IDAHO TITLE & TRUST CO.
 Idaho Falls, Idaho



FILMED

FEB 25 1988

19

BONNEVILLE COUNTY, IDAHO

PART OF THE S.E. 1/4 OF SEC. 14, T. 2 N., R. 38 E. B. M.


DAVID E. BENTON & ASSOCIATES — CONSULTING ENGINEERS
IDAHO FALLS, IDAHO

SCALE — 1" = 100'

While this is a photographic reproduction of the recorded plot, the Company assumes no liability for variations, if any, with a re-survey.

All easements are 8'-0" wide through each lot unless otherwise noted.

NW 1/4 SE 1/4
 SW 1/4 SE 1/4
 SE 1/4 SE 1/4



NOTE

All street and easement dedications reserve full rights to Falls Water Company Inc., to construct, maintain, and service their utilities. Bilcox Construction Company is granted the control or right of occupancy and right to assign specific locations to various utility companies. After assignment by Bilcox, const. co. these easements are for water, telephone, telecable, gas, and power.

No recreation vehicles such as trailers, campers, boats, snowmobiles and like equipment or non-operating vehicles shall be parked ahead of the building set back line.

Bonneville County will not maintain roads until constructed to County standards, and approved by County Engineers.

MICROFILMED

FEB 25 1988



While this is a photographic reproduction of the recorded plat, the Company assumes no liability for variations, if any, with a re-survey.

IDAHO TITLE & TRUST CO.
Idaho Falls, Idaho

CLOVER DALE ESTATES

DIVISION NO. 5

BONNEVILLE COUNTY, IDAHO


PART OF THE S.E. 1/4 OF SEC. 14, T. 2 N., R. 38 E. BM.

DAVID E. BENTON & ASSOCIATES — CONSULTING ENGINEERS

IDAHO FALLS, IDAHO

SCALE 1" = 100'

N 1/4 Sec. 14



East 1/4 Sec. 14 T. 2 N., R. 38 E.

RECORDED

FEB 25 1988

CLOVER DALE ESTATES


DIVISION NO. 6

BONNEVILLE COUNTY, IDAHO

PART OF THE SE 1/4 SEC 14, T.2 N, R.38 E.B.M.

91

NE 1/4 SE 1/4
SW 1/4 SE 1/4
SE 1/4 SE 1/4



Form land.

20 SE Cor
Sec. 14, T.2 N
R.38 E.B.M.

NOT RECORDED

FEB 25 1988

While this is a photographic reproduction of the recorded plat the Company assumes no liability for variations, if any, with a re-survey
IDAHO TITLE & TRUST CO
Idaho Falls, Idaho

Section Line

CLOVER DALE ESTATES

DIVISION NO. 7


AND THE FIRST AMENDED PLAT OF LOTS 5,6,7,8, & 20A,
BLOCK 16 OF CLOVER DALE ESTATES DIVISION NO. 4.

BONNEVILLE COUNTY, IDAHO

PART OF THE S.E. 1/4 OF SEC. 14, T.2N., R.38 E.B.M.

NE 1/4 SE 1/4

East 1/4 Cor.
Sec. 14, T.2N.
R. 38 E.B.M.




All easements are 8 ft wide through each lot unless otherwise noted.
Bonneville County will not maintain roads until constructed to County standards and approved by the County Engineer. UNPLATTED
No recreational vehicles such as trailers, campers, boats, snowmobiles, and like equipment or non-operating vehicles shall be parked ahead of the building set back line.

While this is a photographic reproduction of the recorded plat, the Company assumes no liability for variations, if any, with a re-survey.

IDAHO TITLE & TRUST CO.
Boise Falls, Idaho

FILED

FEB 25 1988



LINCOLN PARK SUBDIVISION

DIVISION NO. 1

BONNEVILLE COUNTY, IDAHO

PART OF

THE N.W. 1/4 SECTION 14, T2N, R38 E.B.M.

Sub 1/4 NW 1/4

N.W. COR. SEC. 14
T2N, R38 E.B.M.
(City monument)

AMMON-LINCOLN ROAD

MOONSTONE DRIVE

YELLOWPINE DRIVE

STEVENS DRIVE

RECORDED

FEB 25 1988


Section line P
51°13'45"W

WEST 1/4 COR. SEC. 14
T2N, R38 E.B.M.
(City monument)

DIVISION NO. 3

Center line thru SECTION 14
N 87°19'04"E 1039.40

While this is a photograph, representation of the recorded plat, the Company assumes no liability for variations, if any, with a re-survey.
IDAHO TITLE & TRUST CO.
Boise Falls, Idaho



LINCOLN PARK SUBDIVISION

DIVISION NO. 3

BONNEVILLE COUNTY, IDAHO

PART OF
THE NW 1/4 SECTION 14, T.2N., R.38 E.B.M.

(CITY MONUMENT)
N.W. COR. SEC. 14
T2N., R38 E.B.M

AMMON - LINCOLN ROAD


GREENWILLOW LANE

MOONSTONE DR.

YELLOWPINE DR.

STEVENS DR.

MOBILE HOME ESTATE



While this is a photographic reproduction of the recorded plat, the Company assumes no liability for variations, if any, with a re-survey.
DAHO TITLE & TRUST CO.
Boise, Idaho


MICROFILMED

FEB 25 1988

LAWN DALE ESTATES
DIVISION NO. 1
BONNEVILLE COUNTY, IDAHO
PART OF
SE 1/4 SEC. 15, T2N, R38E, B88M
SCALE 1"=100'
AUGUST 1989

NE SE
NW SE
SE SE

FEB 25 1988



IDAHO TITLE & TRUST CO.
IDAHO FALLS, IDAHO

VICTOR F. HANKS & SONS DIVISION NO. 1



2nd COR.
SEC. 11, T2N.
R. 38E.B.M. S

PART OF THE NORTH 1/2 OF THE SW 1/4 SEC. 11, T2N., R. 38E.B.M.

BONNEVILLE COUNTY, IDAHO


CONSULTING ENGINEERS
IDAHO

While this is a photographic reproduction of the recorded plat, the Company assumes no liability for variations, if any, with a re-survey.

IDAHO TITLE & TRUST CO.
Idaho Falls, Idaho

Note: All buildings shall be set back a minimum of 30' from all streets.

Note: Sanitary restrictions removed under Title 50, Chapter 13, Idaho Code.
District 7 Health Dept.
Date 3-31-77
100' SBT 19.30'E



Lot	Area	Acres	Value	Improvements	Notes
1	44,113.5	80.00	16.12	8.53	20.28
2	12,784.20	23.37	4.75	1.50	15.60
3	12,784.20	23.37	4.75	1.50	15.60
4	12,784.20	23.37	4.75	1.50	15.60
5	12,784.20	23.37	4.75	1.50	15.60
6	12,784.20	23.37	4.75	1.50	15.60
7	12,784.20	23.37	4.75	1.50	15.60
8	12,784.20	23.37	4.75	1.50	15.60
9	12,784.20	23.37	4.75	1.50	15.60
10	12,784.20	23.37	4.75	1.50	15.60
11	12,784.20	23.37	4.75	1.50	15.60
12	12,784.20	23.37	4.75	1.50	15.60
13	12,784.20	23.37	4.75	1.50	15.60
14	12,784.20	23.37	4.75	1.50	15.60
15	12,784.20	23.37	4.75	1.50	15.60
16	12,784.20	23.37	4.75	1.50	15.60
17	12,784.20	23.37	4.75	1.50	15.60
18	12,784.20	23.37	4.75	1.50	15.60
19	12,784.20	23.37	4.75	1.50	15.60
20	12,784.20	23.37	4.75	1.50	15.60
21	12,784.20	23.37	4.75	1.50	15.60
22	12,784.20	23.37	4.75	1.50	15.60
23	12,784.20	23.37	4.75	1.50	15.60
24	12,784.20	23.37	4.75	1.50	15.60

MICROFILM

1986-02-24



VICTOR F. HANKS SUBDIVISION DIVISION NO. 2

BONNEVILLE COUNTY, IDAHO

PART OF THE NORTH 1/2 OF THE SW 1/4 SEC. 11, T.2N., R.38E.B.M.

NW 1/4 Sec 14

CITY MONUMENT

DAVID E. BENTON & ASSOCIATES
IDAHO FALLS, IDAHO
CONSULTING ENGINEERS

W. 1/4 Cor. Sec. 11
T.2N., R.38E.B.M.

SCALE: 1" = 100'

While this is a photographic reproduction of the recorded plat, the Company assumes no liability for variations, if any, with a re-survey.
IDAHO TITLE & TRUST CO.
Idaho Falls, Idaho


LARUE AVENUE

PROPOSED
DIVISION NO. 3

MICHELLE STREET

STREET

DIVISION NO. 1



SW Cor. Sec. 11
T.2N., R.38E.B.M.

UNPLATTED

MICROFILMED
FEB 25 1986

Proof of Publication

The Post-Register

State of Idaho, }
County of Bonneville } ss

I, ... Ted Delezene, first being duly sworn, depose and say: That I am the Foreman of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers have been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eight (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for ... two consecutive weeks, first publication having been made on the 1st day of October, 19.87., last publication having been made on the 8th day of October, 19.87., and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this .. 9th ... day of October, 19. 87..

Ted Delezene
Dean R. Napier
Notary Public

My commission expires . September . 30, 19. 88 .

B10

RECEIVED
OCT 13 1987

Department of Water Resources
Eastern District Office

NOTICE OF APPLICATION
FOR WATER RIGHT

The following applications have been filed to appropriate the public waters of the State of Idaho:

25-7418
FALLS WATER COMPANY INC.
405 11TH STREET, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: SENESW SWSW NESW Sec 14 T 02N R 38E NWSW Sec 11 T 02N R 38E
Use: IRRIGATION (1.0 CFS); DOMESTIC (1.0 CFS)
Date Filed: 09/23/1987
In: NESW NWSW SWSW Sec 11 T 02N R 38E SWNW NESW NWSW SWSW NESW NESW SWSE SESE Sec 14 T 02N R 38E NESW NWSE SWSE SESE Sec 15 T 02N R 38E NWNE SWNE Sec 22 T 02N R 38E NWNW SWNW Sec 23 T 02N R 38E FOR 350 ACRES

The permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42.203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83402 on or before October 19, 1987.

R. Keith Higginson
Director

Published: October 1, 8, 1987

MICROFILMED

FEB 25 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Falls Water Company Inc. Phone 522-1300
Post office address 405 11th Street, Idaho Falls, ID 83401
2. Source of water supply groundwater which is a tributary of _____
(Well #6)
3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of SW $\frac{1}{4}$, Govt. Lot _____
Sec. 14 Township 2N Range 38E B.M. Bonneville County; additional
points of diversion if any: (Well #1) SWSW, (Well #2 & #4) NESW, Sec. 14; (Well #5) NWSW,
Sec. 11, all in T. 2N, R. 38E, B.M.
4. Water will be used for the following purposes:

Amount <u>1.00</u> cfs for <u>Irrigation</u> (cfs or acre-feet per annum)	purposes from <u>4/1</u> to <u>11/1</u> (both dates inclusive)
Amount <u>1.00</u> cfs for <u>Domestic</u> (cfs or acre-feet per annum)	purposes from <u>1/1</u> to <u>12/31</u> (both dates inclusive)
Amount _____ for _____ (cfs or acre-feet per annum)	purposes from _____ to _____ (both dates inclusive)
Amount _____ for _____ (cfs or acre-feet per annum)	purposes from _____ to _____ (both dates inclusive)
5. Total quantity to be appropriated is (a) 1.00 and/or (b) _____
cubic feet per second acre feet per annum
6. Proposed diverting works:
 - a. Description of ditches, flumes, pumps, headgates, etc. well, 40 hp pump, mainline to water system
serving 1500 homes.
 - b. Height of storage dam _____ feet; active reservoir capacity _____ acre-feet; total
reservoir capacity _____ acre-feet; period of year when water will be diverted to storage:
_____ to _____ inclusive.
 - c. Proposed well diameter is 24 inches; proposed depth of well is 150 feet.
 - d. Is ground water with a temperature of greater than 90°F being sought? _____
7. Time required for the completion of the works and application of the water to the proposed beneficial use is
2 years (minimum 1 year).

RECEIVED

FEB 25 1988

8. Description of proposed uses (if irrigation only, go to item 9):

- a. Hydropower; show total feet of head and proposed capacity in KW. _____
- b. Stockwatering; list number and kind of livestock. _____
- c. Municipal; show name of municipality. _____
- d. Domestic; show number of households. 1,500 (domestic use is also same as irrigation use)
- e. Other; describe fully. _____

9. Description of place of use:

- a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- b. If water is used for other purposes, place a symbol of the use (example: *D* for *Domestic*) in the corresponding place of use below. See instructions for standard symbols.

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
2N	38E	11									6	6	27						39
		14							9		27	27	27	27	27	27	27	14	212
		15													26	10	2	23	61
		22		11	6														17
		23						16	5										21
			All irrigation is for residential lots																

Total number of acres to be irrigated 350

10. Describe any other water rights used for the same purposes as described above. _____

No. 25-7191 and 25-7148

11. a. Who owns the property at the point of diversion? Fall Water Co.

b. Who owns the land to be irrigated or place of use? Individual Home Owners

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing. Co. certified by P.U.C.


12. Remarks: Wells #1 through #5 already licensed or under claim to a water right.
Size of well is to accommodate future growth demand.

Irrigation is for residential lots.

MICROFILMED

FEB 25 1988

13. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

FEB 25 1988

Belmont Howell, V.P.
(Applicant)

Assisted by Kew 9-23-87
Proposed Priority 9/23/87
Received by dg Date 9-23-87 Time 11:20 AM Preliminary check by [signature]
Fee \$ 45.00 Received by dg # 42018 Date 9-23-87
Publication prepared by dg Date 9-23-87 Published in Post Register
Publication approved dg Date 10-15-87

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 25-7418, and said application is hereby APPROVED

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 89.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. The water right acquired under this permit if for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this permit and shall not give rise to any right or claim against any future rights to the use of water, other than hydropower, within the State of Idaho initiated later in time than the priority of this permit.

e. Other:

Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Permit holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.

Prior to the diversion of water under this permit a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Irrigation use under this permit is authorized only in connection with a domestic use.

Witness my hand this 6th day of November, 1987.


[Signature]
Director

MICROFILMED

FEB 25 1988

COUNTRY CORNER ESTATES

BONNEVILLE COUNTY, IDAHO
A PORTION OF SEC. 15 T. 2 N. R. 38 E. B. M.
ELLSWORTH ENGINEERING, INC.
IDAHO FALLS, IDAHO



While this is a photographic reproduction of the recorded plat, the Company assumes no liability for variations, if any, with a re-survey.
IDAHO TITLE & TRUST CO.
Idaho Falls, Idaho


RECORDED

FEB 25 1988

E1/4
E1/4

SW 1/4 Sec 11
T2N R38E

FEB 25 1988




S 87° 10' 42" E 20.39 Ad.

LINCOLN ROAD

WILLIAMS BROS. REAL ESTATE

BONNEVILLE COUNTY, IDAHO
 A PORTION OF THE W1/2 N.1/4 SEC. 22 T.2N. R. 38 E.B.M.


SCALE 1" = 100'



MICROFILMED

FEB 25 1988

With this map, the following information is provided for the record:
 1. The location of the plat in the county.
 2. The location of the plat in the section.
 3. The location of the plat in the township and range.
 4. The location of the plat in the block.
 5. The location of the plat in the lot.
 6. The location of the plat in the subdivision.
 7. The location of the plat in the tract.
 8. The location of the plat in the estate.
 9. The location of the plat in the interest.
 10. The location of the plat in the right.
 11. The location of the plat in the title.
 12. The location of the plat in the deed.
 13. The location of the plat in the contract.
 14. The location of the plat in the agreement.
 15. The location of the plat in the instrument.
 16. The location of the plat in the document.
 17. The location of the plat in the record.
 18. The location of the plat in the file.
 19. The location of the plat in the index.
 20. The location of the plat in the map.
 21. The location of the plat in the plan.
 22. The location of the plat in the drawing.
 23. The location of the plat in the sketch.
 24. The location of the plat in the diagram.
 25. The location of the plat in the illustration.
 26. The location of the plat in the representation.
 27. The location of the plat in the depiction.
 28. The location of the plat in the portrayal.
 29. The location of the plat in the image.
 30. The location of the plat in the picture.
 31. The location of the plat in the photograph.
 32. The location of the plat in the image.
 33. The location of the plat in the picture.
 34. The location of the plat in the photograph.
 35. The location of the plat in the image.
 36. The location of the plat in the picture.
 37. The location of the plat in the photograph.
 38. The location of the plat in the image.
 39. The location of the plat in the picture.
 40. The location of the plat in the photograph.
 41. The location of the plat in the image.
 42. The location of the plat in the picture.
 43. The location of the plat in the photograph.
 44. The location of the plat in the image.
 45. The location of the plat in the picture.
 46. The location of the plat in the photograph.
 47. The location of the plat in the image.
 48. The location of the plat in the picture.
 49. The location of the plat in the photograph.
 50. The location of the plat in the image.
 51. The location of the plat in the picture.
 52. The location of the plat in the photograph.
 53. The location of the plat in the image.
 54. The location of the plat in the picture.
 55. The location of the plat in the photograph.
 56. The location of the plat in the image.
 57. The location of the plat in the picture.
 58. The location of the plat in the photograph.
 59. The location of the plat in the image.
 60. The location of the plat in the picture.
 61. The location of the plat in the photograph.
 62. The location of the plat in the image.
 63. The location of the plat in the picture.
 64. The location of the plat in the photograph.
 65. The location of the plat in the image.
 66. The location of the plat in the picture.
 67. The location of the plat in the photograph.
 68. The location of the plat in the image.
 69. The location of the plat in the picture.
 70. The location of the plat in the photograph.
 71. The location of the plat in the image.
 72. The location of the plat in the picture.
 73. The location of the plat in the photograph.
 74. The location of the plat in the image.
 75. The location of the plat in the picture.
 76. The location of the plat in the photograph.
 77. The location of the plat in the image.
 78. The location of the plat in the picture.
 79. The location of the plat in the photograph.
 80. The location of the plat in the image.
 81. The location of the plat in the picture.
 82. The location of the plat in the photograph.
 83. The location of the plat in the image.
 84. The location of the plat in the picture.
 85. The location of the plat in the photograph.
 86. The location of the plat in the image.
 87. The location of the plat in the picture.
 88. The location of the plat in the photograph.
 89. The location of the plat in the image.
 90. The location of the plat in the picture.
 91. The location of the plat in the photograph.
 92. The location of the plat in the image.
 93. The location of the plat in the picture.
 94. The location of the plat in the photograph.
 95. The location of the plat in the image.
 96. The location of the plat in the picture.
 97. The location of the plat in the photograph.
 98. The location of the plat in the image.
 99. The location of the plat in the picture.
 100. The location of the plat in the photograph.



FEB 25 1988

MC DONALD'S FARM


PART OF THE WEST 1/2 OF THE NW 1/4 SEC. 23
T2N, R38 EBM
BONNEVILLE COUNTY, IDAHO

DAVID E. BENTON & ASSOCIATES—CONSULTING ENGINEERS
IDAHO FALLS IDAHO

SCALE 1" = 100'

Sanitary restrictions removed under Title 50, Chapter 13, Idaho Code

N.T. VIEW ESTATES DATE 4-6-78 David A. Benton, EHS
DISTRICT 7 HEALTH DEPT.



RECORDED

FEB 25 1988

While this is a photographic reproduction of the recorded plat, the surveyor assumes no liability for its accuracy, if any, with a recovery. DATED THIS 8TH DAY OF OCTOBER, 1978. Public, Idaho.

MC DONALD'S FARM

DIVISION NO. 2

PART OF THE WEST 1/2 OF THE NW 1/4 SEC. 23

T2N, R38 E8M

BONNEVILLE COUNTY, IDAHO

DAVID E. BENTON & ASSOCIATES—CONSULTING ENGINEERS
IDAHO FALLS

SCALE 1" = 100'


VIEW ESTATES

REFUSED

FEB 25 1988



WEST 1/4 COR.
SEC. 23, T2N
R38 E8M



NW COR. SEC. 23
T2N, R38 E8M



CLOVER DALE ESTATES


DIVISION NO. 1
BONNEVILLE COUNTY, IDAHO

NW 1/4 Sec 14
SW 1/4 SE 1/4

Sec 14 NE 1/4

FEB 25 1988

Doc 62



NOTE: This is a preliminary map. No warranty is made by the State of Idaho as to the accuracy of the survey. It is the responsibility of the owner to verify the accuracy of the survey. IDAHO TITLE & TRUST CO. IDAHO FALLS, IDAHO.



CLOVER DALE ESTATES

DIVISION NO. 3

BONNEVILLE COUNTY, IDAHO

PART OF THE SE 1/4 OF SEC. 14, T. 2 N., R. 38 E. B. M.

Sub 5 of Sec. 14



While this is a photographic reproduction of the recorded plat, the Company assumes no liability for variations, if any, with a re-survey.

DAVID TITLE & TRUST CO.
 Idaho Falls, Idaho

RECORDED

FEB 25 1988

CLOVER DALE ESTATES

DIVISION NO. 4

BONNEVILLE COUNTY, IDAHO

PART OF THE S.E. 1/4 OF SEC. 14, T. 2 N., R. 3 E. B. 1 M.

DAVID E. BENJON & ASSOCIATES — CONSULTING ENGINEERS

IDAHO FALLS, IDAHO

SCALE — 1" = 100'


While this is a photographic reproduction of the recorded plat, the draughtsman assumes no liability for variations, if any, with a recovery. IDAHO TITLE & TRUST CO. Idaho Falls, Idaho

All easements are 8'-0" wide through each lot unless otherwise noted.

SEE 1/4 SEE 1/4 SEE 1/4 SEE 1/4 SEE 1/4 SEE 1/4 SEE 1/4 SEE 1/4

MICROFILMED


FEB. 25 1968



NOTE:

All street and easement dedications reserve full rights to Falls Water Company Inc. to construct, maintain, and service their utilities. Wilcox Construction Company is granted the control of right of occupancy and right to assign specific locations to various utility companies. After assignment by Wilcox Const. Co. these easements are for: water, telephone, tele cable, gas, and power.

No recreation vehicles such as trailers, campers, boats, snowmobiles and like equipment or non-operating vehicles shall be parked ahead of the building set back line. Bonneville County will not maintain roads until constructed to county standards and approved by County Engineer.



While this is a photographic reproduction of the recorded plat, the Company assumes no liability for variations, if any, with a re-survey.

IDAHO TITLE & TRUST CO.
Idaho Falls, Idaho

CLOVER DALE ESTATES

DIVISION NO. 5
BONNEVILLE COUNTY, IDAHO


PART OF THE S.E. 1/4 OF SEC. 14, T. 2 N., R. 38 E. BM.
DAVID E. BENTON & ASSOCIATES — CONSULTING ENGINEERS
IDAHO FALLS, IDAHO

SCALE 1" = 100'

NE 1/4 Sec. 14

RECORDED

886152 1988




CLOVER DALE ESTATES

DIVISION NO 6

BONNEVILLE COUNTY, IDAHO

PART OF THE SE 1/4 SEC 14, T2 N, R38 E.B.M.

NE 1/4 SE 1/4
SW 1/4 SE 1/4
SE 1/4 SE 1/4



20 SE Cor.
Sec. 14, T2N
R38 E.B.M.

Section Line

RECORDED

FEB 25 1988

While this is a photographic reproduction of the recorded plat the Company assumes no liability for variations, if any, with a re-survey.
IDAHO TITLE & TRUST CO
Idaho Falls, Idaho

CLOVER DALE ESTATES

DIVISION NO. 7

AND THE FIRST AMENDED PLAT OF LOTS 5, 6, 7, 8, & 20A,
BLOCK 16 OF CLOVER DALE ESTATES DIVISION NO. 4

BONNEVILLE COUNTY, IDAHO

PART OF THE S.E. 1/4 OF SEC. 14, T. 2 N., R. 38 E. B.M.

NE 1/4 SE 1/4

East 1/4 Cor.
Sec. 14, T. 2 N.
R. 38 E. B.M.

SCALE: 1" = 100'

IDAHO

DIV. NO. 5

BROME ST

FARNSWORTH DRIVE

NATALIE ST

KIMBERLY DRIVE

SECTION LINE

CROWLEY ROAD

LADINO DRIVE


All easements are 8 ft wide through each lot unless otherwise noted.
Bonnevill County will not maintain roads until constructed to County standards and approved by the County Engineer. UNPLATTED
No recreational vehicles such as trailers, campers, boats, snowmobiles, and like equipment or non-operating vehicles shall be parked ahead of the building set back line.

S.E. Sec. Cor.
Sec. 14, T. 2 N.
R. 38 E. B.M.

While this is a photographic reproduction of the recorded plat, the Company assumes no liability for variations, if any, with a re-survey.

IDAHO TITLE & TRUST CO.
Boise Falls, Idaho

FEB 25 1988



LINCOLN PARK SUBDIVISION

DIVISION NO. 1

BONNEVILLE COUNTY, IDAHO

PART OF

THE NW 1/4 SECTION 14, T2N, R38 E.B.M.

Sub 1/4 NW 1/4

N.W. COR. SEC. 14
T2N, R38 E.B.M.
(City monument)

AMMON-LINCOLN ROAD


MOONSTONE DRIVE

YELLOWPINE DRIVE

STEVENS DRIVE

RECORDED

FEB 25 1988



WEST 1/4 COR. SEC. 14
T2N, R38 E.B.M.
(City monument)

While this is a photographic reproduction of the recorded plat, the City assumes no liability for variations, if any, with a resurvey. ROAD TITLE & TRUST CO. Idaho Falls, Idaho

LINCOLN PARK SUBDIVISION

DIVISION NO. 3

BONNEVILLE COUNTY, IDAHO

PART OF

THE NW 1/4 SECTION 14, T.2N., R.38 EBM.

Sou 1/4 NW 1/4

(CITY MONUMENT)
N.W. COR. SEC. 14
T2N., R38 E.B.M

AMMON - LINCOLN ROAD


GREENWILLOW LANE

MOONSTONE DR.

YELLOWPINE DR.

STEVENS DR.

MOBILE HOME ESTATE



MICROFILMED


FEB 25 1988

While this is a photographic reproduction of the recorded plat, the Company assumes no liability for variations, if any, with a resurvey.
DAVID TITLE & TRUST CO.
Boise, Idaho

LAWN DALE ESTATES
DIVISION NO. 1
BONNEVILLE COUNTY, IDAHO
PART OF
SE 1/4 SEC. 15, T2N, R36E, B6M
SCALE 1"=100'
AUGUST 1989

NE SE
NW SE
SE SE


FEB 25 1988



Note:
60' Dia. Cul-de-Sac Easements are shown on
Temporary Dead-End Streets. That part of
Easement beyond 50' R.O.W. to revert to
lot owner when Streets are extended.

IDAHO TITLE & TRUST CO.
IDAHO FALLS, IDAHO

VICTOR F. HANKS & SONS, INC. DIVISION



CLARK CO.
SEC. 11, T2N
R. 38E, B.M. S

PART OF THE NORTH 1/2 OF THE SW 1/4 SEC. 11, T2N, R. 38E, B.M.

BONNEVILLE COUNTY, IDAHO

CONSULTING ENGINEERS
IDAHO

While this is a photographic reproduction of the recorded plat, the Company assumes no liability for variations, if any, with a re-survey.

IDAHO TITLE & TRUST CO.
Idaho Falls, Idaho

Note: All buildings shall be set back a minimum of 30' from all streets.

Note: Sanitary restrictions removed under Title 50, Chapter 15, Idaho Code, 3-31-72.
City of Idaho Falls, Health Dept.
Date 10-19-72

R.R. R.O.W. LINE

EXISTING R.R. ALBION

20' WIDE

10' WIDE

10' WIDE

10' WIDE

10' WIDE


10' WIDE

10' WIDE

10' WIDE


10' WIDE

10' WIDE



Lot	Area	Area	Area	Area	Area
1	107.00	107.00	107.00	107.00	107.00
2	107.00	107.00	107.00	107.00	107.00
3	107.00	107.00	107.00	107.00	107.00
4	107.00	107.00	107.00	107.00	107.00
5	107.00	107.00	107.00	107.00	107.00
6	107.00	107.00	107.00	107.00	107.00
7	107.00	107.00	107.00	107.00	107.00
8	107.00	107.00	107.00	107.00	107.00
9	107.00	107.00	107.00	107.00	107.00
10	107.00	107.00	107.00	107.00	107.00
11	107.00	107.00	107.00	107.00	107.00
12	107.00	107.00	107.00	107.00	107.00
13	107.00	107.00	107.00	107.00	107.00
14	107.00	107.00	107.00	107.00	107.00
15	107.00	107.00	107.00	107.00	107.00
16	107.00	107.00	107.00	107.00	107.00
17	107.00	107.00	107.00	107.00	107.00
18	107.00	107.00	107.00	107.00	107.00
19	107.00	107.00	107.00	107.00	107.00

10-25-1988



VICTOR F. HANKS SUBDIVISION DIVISION NO. 2

BONNEVILLE COUNTY, IDAHO

PART OF THE NORTH 1/2 OF THE SW 1/4 SEC. 11, T2N, R38E B.M.

Wells Sub

CITY MONUMENT

DAVID E. BENTON & ASSOCIATES
IDAHO FALLS, IDAHO
CONSULTING ENGINEERS

W 1/4 Cor. Sec. 11
T2N, R38E B.M.


SCALE: 1" = 100'

While this is a photographic reproduction of the recorded plat, the Company assumes no liability for variations, if any, with a survey.

IDAHO TITLE & TRUST CO.
Idaho Falls, Idaho

LARUE AVENUE

PROPOSED
DIVISION NO. 3



SW Cor. Sec. 11
T2N, R38E B.M.

UNPLATTED

RECORDED
1961 MAY 24

Proof of Publication

The Post-Register

State of Idaho, }
County of Bonneville } ss

I, ... Ted Delezene, first being duly sworn, depose and say: That I am the
..... Foreman of The Post Company, a corporation of Idaho Falls, Bonneville
County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except
Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in
the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903,
such consolidation being made on the 1st day of November, 1931, and each of said newspapers have been
published continuously and uninterruptedly, prior to consolidation, for more than seventy-eight (78) weeks and
said Post-Register having been published continuously and uninterruptedly from the date of such consolidation,
up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in
said Post-Register for ... two consecutive weeks, first publication having been made
on the 1st day of October 19.87..., last publication
having been made on the 8th day of October 19.87..., and that the
said notice was published in the regular and entire issue of said paper on the respective dates of publication, and
that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this .. 9th ... day of October 19.87..

Ted Delezene
Leon R. Napier
Notary Public

My commission expires . September . 30, ..., 19.88..

B10

RECEIVED
OCT 13 1987

Department of Water Resources
Eastern District Office

NOTICE OF APPLICATION FOR WATER RIGHT The following applications have been filed to appropriate the public waters of the State of Idaho: 25-7418 FALLS WATER COMPANY INC. 405 11TH STREET, IDAHO FALLS, ID 83401 Source: GROUNDWATER Diversion Pt: SENESW SWSW NESW Sec 14 T 02N R 38E NWSW Sec 11 T 02N R 38E Use: IRRIGATION (1.0 CFS); DOMESTIC (1.0 CFS) Date Filed: 09/23/1987 In: NESW NWSW SWSW Sec 11 T 02N R 38E SWNW NESW NWSW SWSW SENW NENE NWSE SWSE SESE Sec 14 T 02N R 38E NESE NWSE SWSE SESE Sec 15 T 02N R 38E NWNE SWNE Sec 22 T 02N R 38E NWNW SWNW Sec 23 T 02N R 38E FOR 350 ACRES The permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42.203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83402 on or before October 19, 1987. R. Keith Higginson Director Published: October 1, 8, 1987
--

MICROFILMED

FEB 25 1988

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

December 1, 1989

FALLS WATER CO. INC.
405 11TH ST.
IDAHO FALLS, ID 834010000

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 25-07418

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

RECEIVED
DEC 14 1989

1/88

PROOF OF BENEFICIAL USE

ANALYSIS SHEET

Permit No. 25-7418

Date: 11/22/89

General Considerations:

- ☒ Name same as permit
☒ Signature the same as permit holder
☒ Address change NO If yes, prepare a data entry
☒ Proof received timely
☐ Reinstated

Source of Water:

- ☒ Surface water
☒ Groundwater
☒ 1. well log in file
☒ 2. drilling permit
☒ A. amount of drilling fee paid for proposed uses

Extent of Use and Rate of Diversion:

- ☒ Rate of diversion appropriate for uses
☒ Is rate or volume and fee appropriate?
☒ Has permit holder indicated when water was first put to a beneficial use?

Measuring Device:

- ☒ Is a measuring device or access port required?
☒ Has one been installed?
☒ Waiver or modification of measuring device requested

Remarks:

Proof Acceptable

Priority Calculation:

Date proof received

Date proof due

No. of days late

Priority date

NEW PRIORITY DATE

<i>N/A</i>	
	-
	=
	+
	=

SEND FILES TO DATA ENTRY AND THEN TO MICROFILM

TRANSMITTAL LETTER

Date: 11/17/89

FROM:

KELLY HOWELL
FALLS WATER COMPANY, INC
405 11th Street
Idaho Falls, ID 83404

Items enclosed:

WELL DRILLERS REPORT

TO: RITA FLECK
ID DEPT WATER RESOURCES
1301 N ORCHARD
BOISE, ID 83706

- ☒ (X) As Requested
☐ () File Copy
☐ () For Your Use
☐ () For Review
☐ () For Comment

REF: WATER RIGHT NUMBER 25-7418

Remarks:

RECEIVED

DEC 14 1989

RECEIVED

NOV 20 1989

Department of Water Resources

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER
Falls Water Co., Inc.
Name
Wayne Wilcox
405 11th Street
Address
Idaho Falls, Id 83401
Owner's Permit No.
25-87-2-004

7. WATER LEVEL
Static water level
56
feet below land surface.
Flowing?
Yes No
G.P.M. flow
Artesian closed-in pressure
p.s.i.
Controlled by:
Valve Cap Plug
Temperature
of.
Quality
Good
Describe artesian or temperature zones below.

2. NATURE OF WORK
New well Deepened Replacement
Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE
Domestic Irrigation Test Municipal
Industrial Stock Waste Disposal or Injection
Other (specify type)

4. METHOD DRILLED
Rotary Air Hydraulic Reverse rotary
Cable Dug Other

5. WELL CONSTRUCTION
Casing schedule:
Steel Concrete Other
Thickness Diameter From To
.250 inches 24 inches + 1 feet 90.4 feet
.250 inches 20 inches 11.2 feet 122.9 feet
Was casing drive shoe used?
Yes No
Was a packer or seal used?
Yes No
Perforated?
Yes No
How perforated?
Factory Knife Torch
Size of perforation
Inches by
Inches
Number From To
perforations feet feet
perforations feet feet
perforations feet feet
Well screen installed?
Yes No
Manufacturer's name
Type
Model No.
Diameter Slot size Set from feet to feet
Diameter Slot size Set from feet to feet
Gravel packed?
Yes No
Size of gravel
Placed from feet to feet
Surface seal depth
30+
Material used in seal:
Cement grout
Bentonite Puddling clay
Sealing procedure used:
Slurry pit Temp. surface casing
Overbore to seal depth
Method of joining casing:
Threaded Welded Solvent Weld
Cemented between strata
Describe access port
Well Cap

6. WELL TEST DATA
Pump Baller Air Other
Discharge G.P.M. Pumping Level Hours Pumped

7. LITHOLOGIC LOG
Bore Diam. Depth From To Material Water Yes No
24 0 4 Top Soil X
4 4 10 Gravel & MALT clay X
10 10 40 Large Gravel & clay X
40 40 60 Large gravel & sand X
60 60 70 " " " X
70 70 77 " " " X
77 77 80 Basalt boulders & clay X
80 80 89 Basalt broken & clay X
89 89 92 Basalt firm fractures X
20 92 94 Course sand & broken rock X
94 94 97 Basalt firm gray X
97 97 108 Basalt hard gray X
108 108 136 Basalt hard fractured gray X
136 136 144 Cinders black, sand red X
144 144 150 Cinders some sand red X

8. RECEIVED
NOV 2 1989
Department of Water Resources
RECEIVED
NOV 20 1989
Department of Water Resources

9.
10.
Work started
12/6/88
finished
3/1/89

6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location. N  W E S Subdivision Name <u>MICROFILMED</u> Lot No. _____ Block No. <u>DEC 14 1989</u> County <u>Bonneville</u> NE 1/4 SW 1/4 Sec. <u>14</u>, T. <u>2</u> N/S, R. <u>38</u> E/W.	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Andrew Well Drilling</u> Firm No. <u>5</u> Address <u>1268 E. 17th Street</u> Date <u>3/20/89</u> <u>Idaho Falls, Idaho 83404</u> Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>[Signature]</u>
---	---



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

October 13, 1989

Andrew Well Drilling
1268 E. 17th
Idaho Falls, ID 83401

Gentlemen:

Re: Permit No. 25-7418

Drilling Permit No. 25-87-Z-004

Please forward to me a copy of the well driller's report for Falls Water Company, Inc. I've search through the department's reports and have been unable to locate it. (Drilled about November 1987).

Please put the document to my attention. Thank you in advance.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

MICROFILMED

DEC 14 1989

RECEIVED
OCT 03 1989

812522
For Office Use Only
Fee Received 125.00
Date 9-29-89
Receipt # 6010920
Receipt by SV
Reviewed by SV
Sent to region 1013 89

STATE OF IDAHO
Department of Water Resources
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 25-7148-25-7418 MAF

Name(s) of Permit Holder: FALLS WATER COMPANY, INC.

Post Office Address: 405 11TH STREET, IDAHO FALLS, IDAHO 83404-4899

Telephone No. 208-522-1300

Source of Water: GROUNDWATER

Extent of Use:

Domestic 1500 (number of households) Stockwater _____ (number and type of stock)
Irrigation 350 (acres) Other/Remark _____

Total rate and/or volume for which proof is submitted 2.0 cfs _____ acre-feet

Show the date water was first diverted and beneficially used under this permit: JULY 1, 1988

Measuring Device: Required? ☒ Yes ☐ No Fee enclosed \$ 125.00
Installed? ☒ Yes ☐ No (See License Examination Fee Schedule)

Flow Measurement Port: Required? ☐ Yes ☐ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

KELLY HOWELL 208-522-1300
(Name) (Telephone Number)

405 11TH STREET, IDAHO FALLS, ID 83404
(Address)

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

SEPT. 29, 1989

Date

Kelly Howell
Signature of Permit Holder (and title, if appropriate)

DEC 14 1989
VICE-PRES.

FALLS WATER CO. INC.
405 11TH ST.
IDAHO FALLS, ID 834010000

September 30, 1989

138648

RE: PERMIT NO. 25-07418 PROOF DUE NOTICE

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before December 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

DEC 14 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

Governor

R. KEITH HIGGINSON

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

November 25, 1987

RE: Permit No. 25-7418

Falls Water Co. Inc.
405 11th St.
Idaho Falls, ID 83401

Dear Permit Holders:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the final page. Also enclosed is a copy of the approved drilling permit filed in connection with this water right.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the Department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

MICROFILMED

FEB 25 1988

Page 2

Please note the requirement that as a permit holder you must commence the excavation or construction of diverting works within one year of the date the permit was issued, and you must proceed diligently until the project is completed. The enclosed blue card must be completed and returned to this office as soon as you commence construction, no later than one year from the date the permit was approved.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit into a license.

Sincerely,

GARY SPACKMAN, Supervisor
Water Allocation Section

GS:sc
Enclosures

RECEIVED

FEB 25 1988

State of Idaho
Department of Water Resources

DRILLING PERMIT

(Authorizing Construction of a Well)*

1. Applicant FALLS WATER CO. INC
2. Address 405 - 11th Street
Idaho Falls Id 83401
- (☒) Well Owner () Well Operator () Other, specify _____
3. Water right permit no. _____; Injection well permit no. _____
4. Proposed well location SE 1/4 NE 1/4 SW 1/4, or Gov't lot No. _____,
Sec. 14, Twp. 2N, Rge. 38E, County Bonneville,
Lot, block and subdivision Lot 35, Block 15 MOBILE HOME ESTATES
5. Proposed use of well: (Check all that apply)
(☒) Domestic () Stockwater () Monitoring
(☒) Irrigation () Industrial () Municipal
() Injection () Other, Specify _____
6. Well construction information:
(☒) New well () Deepen () Replace
Proposed surface diameter 24" Proposed depth 150
Anticipated bottom hole temperature:
(☒) 85° F or less (Cold water well)
() 85° F to 212° F (Low temp. geothermal well)
() 212° F or more (Geothermal well)
7. Anticipated construction start date ASAP as APPLICATION FOR PERMIT APPROVED (2 NOV 1987)
8. Well Driller (if known) Andrews Well Drilling
Address 1268 E 17th Idaho Falls Id 83401
Date 23 Sept 87 Applicant's signature [Signature]
Title Vice Pres

Approved

() Denied

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

RECEIVED

FEB 25 1988

Dated this 6th day of November, 19 87.

Signed

Title

Received by day Fee \$100⁰⁰ Date 9-23-87Receipt No. 42018 Construction start date _____

Construction start extension to _____

Extension approved by _____

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: ES APPLICATION NUMBER: 25-7418

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☐ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

☐ Yes ☒ No Field check required.

☐ Yes ☒ No Critical groundwater area.

☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☒ Other Rosholt

Copies sent by: dg Date: 9-24-87

PROCESSING:

- ☐ Yes ☒ No
☒ Yes ☐ No

Platted by: _____ Map No. _____

Other rights on same place of use. 25-7191/7148

☒ Yes ☐ No*

In form for advertising.

Final date for protests: Oct. 19, 1987

☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 10-13-87

☐ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application.

☒ Publication dates and paper, recorded on application.

☐ Protests, dates, withdrawal, etc., recorded on application.

☐ Recommendation & initial, recorded on application.

☐ Yes ☒ No Measuring device required.

☒ Yes ☐ No Access port required.

☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 01

1050 9-23-87 Date of priority recommended.

Special conditions of approval or cover letter. _____

01F, 43

*Process drilling permit too.

2 yrs. is reasonable for B/U development

By: Ernest Calver Date: 22 Oct. 87

STATE OFFICE REVIEW:

46 016 26 04 41 103, 105, 117

☐ See attached sheet for more information.

By: EW Date: 11/2/87

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH FEB 12 1969
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

File./enc



STATE OF IDAHO

DEPARTMENT OF HEALTH
AND WELFARE

DIVISION OF ENVIRONMENT

150 N. 3rd Avenue (basement)
Pocatello, Idaho 83201

RECEIVED

October 16, 1987

OCT 20 1987

Department of Water Resources
Eastern District Office

Falls Water Company, Inc.
405 11th Street
Idaho Falls, ID 83401

RE: Application #25-7418
Bonneville County

Dear Sirs:

We have been apprised of your application for a permit to appropriate the public waters of the State of Idaho to provide additional domestic water to 1500 families.

By regulations your proposed water system is defined as "public-community" and, therefore, subject to the Idaho Regulations for Public Drinking Water Systems. The regulations set forth minimum requirements for construction, water quality, monitoring, and maintenance and operation; further, the regulations (Section 1-8400.01) requires approval by the Department of plans and specifications for the wells prior to construction. The regulations also require specific sampling and testing of the wells after construction and before final approval. If you require a copy of these rules and regulations, please forward your request to:

Administrative Procedures Section
Department of Health and Welfare
Division of Support Services
10th Floor - 450 West State
Boise, ID 83720

The cost of this booklet is \$4.40 and your check should accompany the request.

If we may be of assistance with interpreting the regulations, please do not hesitate to contact us (236-6160).

Sincerely,

George Spinner

Senior Water Quality Specialist

GS/nn

cc: Gordon Hopson
Bill Smith

Ernest Carlsen, Dept. of Water Resources
Richard Horne, Dist. 7 Health

FEB 25 1988

EQUAL OPPORTUNITY EMPLOYER

FALLS WATER CO.

405 11th Street
IDAHO FALLS, IDAHO 83401

522-1300
Telephone (208) ~~822-2523~~

RECEIVED

SEP 25 1987

Department of Water Resources
Eastern District Office

25 SEPT 87

State of Idaho
Department of Water Resources
150 Shoup, Suite 15
Idaho Falls, Idaho 83402

SUBJECT: WATER PERMIT APPLICATION

Falls Water Company, Inc. hereby requests
that our current water permit application
be processed using the new interim
procedures.

Thank you for your consideration of this
request.

Sincerely,

FALLS WATER COMPANY, INC.



Kelly D. Howell, Vice-Pres.

RECEIVED

FEB 25 1988

September 24, 1987

Dept. of Health & Welfare
Division of Environment
150 North 3rd
Pocatello, Idaho 83201

RE: Application for Permit No. 25-7418, Falls Water Company Inc.

Gentlemen:

This office is currently in the process of publishing notices that the above application was filed with the Department of Water Resources. Since the application maybe of interest to you, a copy is enclosed for your examination. Comments concerning the application should be addressed to the applicant with a copy forwarded to this office. Protests objecting to granting the permit should be directed to this Department and received no later than October 19, 1987. Final action will be taken by this office shortly after this date, provided there are no protests lodged against the application

Respectfully submitted,

Ernest Carlsen
Water Rights Supervisor

EC/dg

Enclosure

RECEIVED

FEB 25 1988

September 24, 1987

Mr. John Rosholt
P.O. Box 1906
Twin Falls, Idaho 83303

RE: Application for Permit 25-7418

Dear Mr. Rosholt:

Enclosed for your information please find an application for permit being advertised under the interim approval condition.

Sincerely,

Deena Green
Office Secretary

Enclosure

RECEIVED

FEB 25 1988

September 24, 1987

Falls Water Company Inc.
405 11th Street
Idaho Falls, Idaho 83401

RE: Application for Permit No. 25-7418

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right application for permit. The application has been assigned identification no. 25-7418. Please refer to this number in all further correspondence.

This office is currently in the process of advertising the application in The Post Register. The advertisement will be published for two weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

Ernest Carlsen
Water Rights Supervisor

EC/dg

RECEIVED

FEB 25 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

SEPTEMBER 23, 1987

The Post Register
P. O. Box 1800
Idaho Falls, Idaho 83401

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 19, 1987.

Yours truly,

Deena Green
Office Secretary

Encl.

RECEIVED

FEB 25 1988

NOTICE OF APPLICATION

FOR WATER RIGHT

The following applications have been filed to appropriate the public waters of the State of Idaho:

The permits will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42.203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83402 on or before October 19, 1987.

R. Keith Higginson

Director

Published October 1, and October 8, 1987

MICROFILMED

FEB 25 1988

25-7418

FALLS WATER COMPANY INC.

405 11TH STREET, IDAHO FALLS, ID 83401

Source: GROUNDWATER

Diversion Pt: SENESW SMSW NESW Sec 14 T 02N R 38E NWSW
Sec 11 T 02N R 38E

Use: IRRIGATION (1.0 CFS)
DOMESTIC (1.0 CFS)

Date Filed: 09/23/1987

In: NESW NWSW SMSW Sec 11 T 02N R 38E SSWW NESW NWSW SMSW SESW NESE NWSE EWSE
SESE Sec 14 T 02N R 38E NESE NWSE EWSE SESE Sec 15 T 02N R 38E NNNE SWNE
Sec 22 T 02N R 38E NNW SWNW Sec 23 T 02N R 38E FOR 350 ACRES

MICROFILMED

FEB 25 1988

