


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

UTAH POWER & LIGHT COMPANY

By

Samuel Haywood

(Applicant)

Vice President

AW

MICROFILMED

Proof of Publication

The Post-Register

RECEIVED

SEP 16 1985

Department of Water Resources
Eastern District Office

State of Idaho,

County of Bonneville

ss.

I, Ted Delezene, first being duly sworn, depose and say: That I am the

Foreman of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 5th day of September, 1985, last publication having been made on the 12th day of September, 1985, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 13th day of September, 1985

Leon K. Napier
Notary Public

My commission expires September 30, 1988

B10, 1M,

NOTICE OF APPLICATION FOR WATER RIGHT

The following applications have been filed to appropriate the public waters of the State of Idaho and are being readvertised to allow evaluation of the public interest criteria under Section 42-203C, Idaho Code.

23-7108

U.S. DEPT. OF AGRIC.
FOREST SERVICE, FEDERAL BLDG., 324
25TH STREET, OGDEN, UT 84401
Source: MUD SPRINGS Trib. to SNAKE
RIVER, S. FK.

Date Filed: 11/30/1984
Diversion Pt.: NWSE NESE Sec. 04 T 03NR
42E

Use: In stream STOCKWATER (0.05CFS)
In: NESE NWSE Sec. 04 T 03N R 42E

25-7298

CITY OF IDAHO FALLS
P.O. BOX 220, IDAHO FALLS, ID 83402
Source: GROUNDWATER

Date Filed: 12/23/1982
Diversion Pt.: NWSE Sec 28 T 02N R 38E

Use: MUNICIPAL (3.35 CFS)
In: the city limits of Idaho Falls

25-7307

BUTIKOFER, ELDRED
RT. 6 BOX 303, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 02/22/1983

Diversion Pt: SESE Sec 06 T 03N R 38E

Use: IRRIGATION (0.02 CFS); STOCK-
WATER (0.02 CFS); DOMESTIC (0.06 CFS)
In: SESE Sec 06 T 03N R 38 E FOR 1 ACRES

25-7314

ASHMENT, RAY &/or JUDY
RT. 3, BOX 66, IDAHO FALLS, ID 83401

Source: GROUNDWATER
Date Filed: 03/28/1983

Diversion Pt: SESW Sec 04 T 03N R 39E
Use: IRRIGATION (0.04 CFS); STOCK-
WATER (0.02 CFS); DOMESTIC (0.06 CFS)
In: SWSW SESW Sec 04 T 03N R 39E FOR 2
ACRES

25-7325

CITY OF RIRIE
BOX 68, RIRIE, ID 83443

Source: GROUNDWATER
Date Filed: 05/13/1983

Diversion Pt: NENE Sec 05 T 03N R 40E
Use: MUNICIPAL (0.89 CFS)

In: The city limits of Ririe.

25-7326

LDS CHURCH
IONA STAKE, P.O. BOX 415, IONA, ID
83427

Source: GROUNDWATER
Date Filed: 05/16/1983

Diversion Pt: SENE Sec 25 T 03N R 38E
Use: IRRIGATION (0.02 CFS); DOMESTIC
(0.04 CFS)

In: SENE Sec 25 T 03N R 38E FOR 1 ACRES

25-7336

BURTON, ORDEN

TURNER, DAVID
RT. 7, BOX 16, IDAHO FALLS, ID 83401

Source: GROUNDWATER

Date Filed: 06/16/1983

Diversion Pt: SESW Sec 34 T 02N R 38E
Use: IRRIGATION (0.03 CFS); DOMESTIC
(0.06 CFS)

In: SESW Sec 34 T 02N R 38E FOR 1 ACRES

25-7379

EVERETT, KENT E. &/or NICKOLENA V.
RT. 2, BOX 215, IDAHO FALLS, ID 83401

Source: GROUNDWATER

Date Filed: 06/29/1983

Diversion Pt: SWNW Sec 22 T 03N R 38E
Use: IRRIGATION (0.10 CFS); STOCK-
WATER (0.02 CFS); DOMESTIC (0.04 CFS)

In: SWNW Sec 22 T 03N R 38E FOR 2
ACRES

25-7403

UTAH POWER & LIGHT

P.O. BOX 899, SALT LAKE CITY, UT 84110

Source: GROUNDWATER

Date Filed: 06/14/1985

Diversion Pt: SENE Sec 25 T 02N R 37E

Use: WATER QUALITY IMPROVEMENT
(1.40 CFS)

In: SENE Sec 25 T 02N R 37E

The permit(s) will be subject to all prior water rights. Protests are limited to the public interest criteria under Section 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83402 on or before September 23, 1985.

KEN DUNN

MICROFILMED

Proof of Publication
The Post-Register

RECEIVED

JUL 29 1985

Department of Water Resources
Eastern District Office

State of Idaho, {
County of Bonneville { ss.

I, Ted Delezene, first being duly sworn, depose and say: That I am the Foreman of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 18th day of July, 1985, last publication having been made on the 25th day of July, 1985, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 26th day of July, 1985.

Ted Delezene
Leon R. Napier
Notary Public

My commission expires September 30, 1988.

B10, 1M,

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

25-7403
UTAH POWER & LIGHT
P.O. BOX 899, SALT LAKE CITY, UT 84110
Source: GROUNDWATER
Date Filed: 06/14/1985
Diversion Pt.: SENE Sec 25 T 02N R 37E
Use: WATER QUALITY IMPROVEMENT
(1.40 CFS)
In: SENE Sec 25 T 02N R 37E

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Avenue, Suite 15, Idaho Falls, Idaho 83402 on or before AUGUST 5, 1985.

KENN DUNN, Dir.


Published: July 18, 25, 1985


MICROFILMED


DEPARTMENT OF THE ARMY
CORPS OF ENGINEERS

7.5 MINU

RIGBY 14 MI.
UCON 8.3 MI.







POINTS OF DIVERSION
AND
PLACE OF USE

R37E

T2N

Lot 1

Lot 2

Lot 3

Lot 4

25

25-07403

R37E

R38E

24

19

25

30

25

1034

T1399

140

1943

T2161

5.0

1052

T1413

19.2

878

T1206

11.9

1073

T1426

10.0

2773

T2800


25

30

36

31

POINTS OF DIVERSION



Monitoring Well

Photo #1

MAIN LINES ARE DOUBLE WALLED
INNER PIPE CARRIES WATER INTO PROCESSING FACILITY
OUTER PIPE RETURNS ANY LEAKS BACK TO WELL

25-07403

FROM WELLS




INDIVIDUAL 60° V-Notch weirs
(ONE FOR EACH WELL)

PHOTO # 2

25-0 7403

PRETREATMENT TANK



WET WELL PUMPS

OIL ABSORPTION COLUMN

PHOTO #3

25-07403





Photo #4

25-07403




GRANULAR ACTIVATED CHARCOAL COLUMNS

PHOTO # 5

25-07403

The locations of the 2nd & 3rd wells will depend on information gained from the present drilling. The first one will be near location 12 and another to 13.



BED AQUIFER NO. 3 MONITOR WELL
AQUIFER NO. 3

BED RECOVERY WELL LOCATIONS
AQUIFER NO. 1 WELL
AQUIFER NO. 2 WELL

BED MONITOR/RECOVERY WELLS LOCATIONS
AQUIFER NO. 1 WELL
AQUIFER NO. 2 WELL

PROPOSED
RECOVERY AND
MONITOR WELLS

RECEIVED
DEC 17 1995

FOR OFFICE USE ONLY
Amt. of Fee \$: 75.00
Receipt No. CO34109
Receipt By: SW
Date Received: 12-12-95

STATE OF IDAHO Department of Water Resources
DEPARTMENT OF WATER RESOURCES

CO 33813
10/31/95

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 25-07403 Telephone No. (801) 220-2174
2. Name(s) of Permit Holder(s): PacifiCorp (Utah Power & Light Co.)
3. Mailing Address: 1407 W. No. Temple, Salt Lake City, Utah 84140
4. Source of Water: Wells If **GROUNDWATER** (well), Date Drilled: mo. 1985 / yr to presen
 - a. Well Driller: Andrews Well Drilling Drilling Permit Number: - -
 - b. **OPTIONAL:**
Pump Horsepower: Pressure (psi): Dynamic pumping level (ft):
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): Stockwater (No. and type of stock):
Irrigation (No. of acres): Other: Organic contaminants cleanup
6. Total rate of diversion and/or volume for which proof is submitted: 1.4 cfs OR 98 acre feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is **not optional**. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes X or No

Has the measuring device been installed?

Yes X or No

Flow Measurement Port: Is a flow measurement port required?

Yes or No X

Has the measurement port been installed?

Yes or No X

8. Fee Enclosed: \$ 75.00 additional (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Jon Cowley Telephone Number: (208) 522-6811

Address: PacifiCorp, 680 West 23rd Street, Idaho Falls, Idaho 83402

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder:

Carly Burton, Hydrological Engineer Date: 12/3/95
(include your title, if on behalf of company or organization)

DEC 20 1995

RECEIVED

OCT 21 1993

Department of Water Resources

For Office Use Only

\$15 Fee Received by Warrant
Date 10-23-93
Receipt No. 0028840

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

**TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT**

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of water right under the provisions of Section 42-204, Idaho Code.

Permit No. 25-07403

Name(s) of Permit Holder: Utah Power & Light Company

Mailing Address: 1407 West North Temple, Suite 270, Salt Lake City, Utah 84140

Date Proof is Due November 1, 1993 Telephone No. (801) 220-2174

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

A total of 49 wells have been drilled to date.

Costing \$

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

The Company is waiting on a decision by Idaho Department of
Environmental Quality to drill 2 additional wells. An additional
2 year extension is therefore requested.

Permit holder(s) request an extension to November 1, 19 95.

FEE: \$15.00

(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED
and the time within which to submit proof of beneficial use is
extended to November 1, 1995.

OCT 27 1993

Signed this 25th day October, 19 93

[Signature]
Chief, Water Allocation Bureau

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by [Signature]
Date 10-10-91
Receipt # 0621978

**REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT**

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 25-07403

Name(s) of Permit Holder: UTAH POWER & LIGHT COMPANY

Post Office Address: 1407 WEST NORTH TEMPLE, SALT LAKE CITY, UTAH 84140

Telephone No. (801) 220-2174

Date Proof is Due: NOVEMBER 1, 1991

Describe what work has been completed toward the development of this water right: SEVERAL ADDITIONAL WELLS
(This must be filled out! If no work has been completed, show "none".)

HAVE BEEN DRILLED SINCE THE REQUEST FOR EXTENSION WAS GRANTED IN NOVEMBER 1989. THE STATE OF IDAHO,
DEPARTMENT OF ENVIRONMENTAL QUALITY AND EPA MAY REQUIRE AN ADDITIONAL THREE WELLS BE DRILLED AS PART OF
THE EXISTING PERMITS. THEREFORE, AN ADDITIONAL THREE-YEAR EXTENSION IS REQUESTED.

Costing \$ 120,000

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

PERMIT COMPLIANCE

Permit holder(s) request an extension to NOVEMBER 1, 19 94.
(1 yr. minimum) [Signature]
(Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED DEC 09 1991
and the time within which to submit proof of beneficial use is extended
to November 1, 1993.

Signed this 7th day of November, 19 91.

[Signature]
Chief, Water Allocation Bureau

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by D.K.
Date 11-2-89
Receipt # 002644

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use for a water right permit

RECEIVED
NOV 02 1989

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 25-7403

Name(s) of Permit Holder: Utah Power & Light Company

Post Office Address: 1407 West North Temple, Salt Lake City, Utah 84140

Telephone No. (801) 220-2174

Date Proof is Due: November 1, 1989

Describe what work has been completed toward the development of this water right: 30 wells drilled to date
(This must be filled out! If no work has been completed, show "none".)


Since the additional wells were completed in 1988, Utah Power & Light Co. has determined that six (6) additional wells may be needed at the Idaho Falls Poleyard in 1990 in order to comply with EPA and Idaho's compliance regulations. A two year extension is therefore requested.

Costing \$ 240,000.00

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

See above paragraph:

Permit holder(s) request an extension to November 1, 1991
(1 yr. minimum)


(Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED

ACTION OF THE DEPARTMENT OF WATER RESOURCES

DEC 12 1989

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to November 1, 1991.

Signed this 14 day of November, 1989


Chief, Water Allocation Bureau

RECEIVED
JAN 04 1988

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

For Office Use Only
\$15 FEE Received by 48
Date 1-5-88
Receipt # 48852

Department of Water Resources

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use for a water right permit

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 25-7403

Name(s) of Permit Holder: Utah Power & Light Company

Post Office Address: P. O. Box 899, Salt Lake City, Utah 84120

Telephone No. 801-220-2174

Date Proof is Due: December 31, 1987

Describe what work has been completed toward the development of this water right: 27 wells drilled to date
(This must be filled out! If no work has been completed, show "none".)

Per the attached letter to John Beal dated September 3, 1987, Utah Power & Light Company
requested and received permission to drill 3 additional wells at the Idaho Falls pole yard.

The three wells are nearly completed. Presently, there are 20 monitoring wells and 7 recovery
and treatment wells. Costing \$ 120,000 (3 new wells)

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

The three new wells are nearly completed; however, EPA and the State of Idaho will require
Utah Power & Light Company to drill nine additional compliance monitoring wells in 1988.

Utah Power & Light Company, therefore, requests an additional 2-year extension of time to drill

Permit holder(s) request an extension to December 31, 19 89.
(1 yr. minimum)

(continued)
[Signature]
(Signature)*

FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to November 1, 1989.

RECORDED
DEC 12 1989

Signed this 6 day of January, 19 88.

[Signature]

The permit holder(s) has been unable to complete the remainder of the work for the following reasons: (Continued)

the wells, take appropriate flow measurements, and complete the proof requirement after the well drilling program is completed.

MICROFILMED

DEC 12 1989

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

REQUEST FOR EXTENSION OF TIME

To provide additional time in which to submit proof
of beneficial use for a water right permit

For Office Use Only

\$15 FEE Received by 19

Date 10-24-86

Receipt # 30348

RECEIVED

OCT 23 1986

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time in which to complete development of a water right under the provisions of Section 42-204, Idaho Code.

Permit No. 25-7403

Name(s) of Permit Holder: Utah Power & Light Company

Post Office Address: P. O. Box 899 - Room 145

Salt Lake City, Utah 84110

Telephone No. (801) 535-2174

Date Proof Is Due: November 1, 1986

Describe what work has been completed toward the development of this water right: _____
(This must be filled out! If no work has been completed, show "none".)

Utah Power & Light Company has drilled 8 wells at the Idaho Falls pole yard.


Additional wells will be required to sufficiently treat the groundwater in the
immediate vicinity.

Costing \$100,000

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:

In July, 1986, Utah Power & Light Company requested and was granted permission to drill 5
additional wells at the pole yard. The work is progressing slower than anticipated and
completion of wells will not occur until 1987.

Permit holder(s) request an extension to December 31, 19 87.
(1 yr. minimum)


(Signature)


FEE: \$15.00

*IF OTHER THAN PERMIT HOLDER,
POWER OF ATTORNEY MUST BE SUPPLIED.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be APPROVED and the time within which to submit proof of beneficial use is extended to January 1, 1988.

Signed this 31st day of October, 19 86.


Chief, Operations Bureau

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho.

APPROVED

1. Name of applicant Utah Power & Light Phone (801) 535-2174

Post office address P. O. Box 899, Salt Lake City, Utah 84110

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 25 Township 2N

Range 37E B.M. Bonneville County County, additional points of diversion if any: _____

(7 POINTS IN SE $\frac{1}{4}$ NE $\frac{1}{4}$) All changes made per telecon with Jody Williams 6/19/85 GFR

4. Water will be used for the following purposes:

1.40 cfs water quality (see remarks)
Amount 1.40 CFS for improvement purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 1.40 cubic feet per second and/or b. 98 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. 4" dia. well, steel casing, installed with submersible pump (7 wells total)

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 4 inches; proposed depth of well is 158 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 year (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 25 Township 2N

Range 37E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.

(5) If water is to be used for other purposes describe: (see remarks) _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion Utah Power & Light Company

b. Who owns the land to be irrigated or place of use Utah Power & Light Company

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Under this application, UP&L proposes to drill one of the seven wells at the Idaho Falls pole yard (see Paragraph 3 for location). The water from each well will be treated to remove organic contaminants. The water will then be conveyed to the City's sewage treatment plant for additional treatment with subsequent discharge to the Snake River. No water will be consumed. (Paragraph 4) UP&L contemplates drilling the wells and treating the water during the period August 1, 1985, to March 31, 1986.


Additional information regarding location of this well is as follows:

(based on the modified Idaho State Plane Coordinate System, East Zone)

Northing - 660,384 Easting - 532,014

The total amount of water diverted under this application will not exceed 98 acre feet.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

UTAH POWER & LIGHT COMPANY

By

Samuel Hays
(Applicant)

Vice President

SW

MICROFILMED

Proposed Priority 6/14/85Received by CW Date 6-14-85 Time 1:20 PPreliminary check by DJR Fee \$ 65.00 # 35428Receipted by ct Date 7-5-85Publication prepared by ct Date 7-10-85Published in Post RegisterPublication dates 7-18 & 7-25-85 Re-ad 9-5 & 9-12-85Publication approved CW Date 7-30-85 & 9-17-85Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC KW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 25-7403, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 86.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Return flow if discharged to a subsurface system must be authorized by a separate injection well permit, and return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.

Use of water under this permit shall be non-consumptive.

A flow measurement port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.

Witness my hand this 8th day of October, 1985.

J. Glen Saxton
Chief, Operations Bureau

Proof of Publication The Post-Register

RECEIVED

SEP 16 1985

Department of Water Resources
Eastern District Office

State of Idaho,

County of Bonneville

ss.

I, Ted Delezene, first being duly sworn, depose and say: That I am the Foreman of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 5th day of September, 1985, last publication having been made on the 12th day of September, 1985, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 13th day of September, 1985.

Notary Public

B10, 1M,

NOTICE OF APPLICATION FOR WATER RIGHT

The following applications have been filed to appropriate the public waters of the State of Idaho and are being readvertised to allow evaluation of the public interest criteria under Section 42-203C, Idaho Code.

23-7108
U.S. DEPT. OF AGRIC.
FOREST SERVICE, FEDERAL BLDG., 324
25TH STREET, OGDEN, UT 84401
Source: MUD SPRINGS Trib. to SNAKE
RIVER, S. FK.
Date Filed: 11/30/1984
Diversion Pt: NWSE NESE Sec. 04 T 03N R 42E
Use: In stream STOCKWATER (0.05CFS)
In: NESE NWSE Sec. 04 T 03N R 42E

25-7298
CITY OF IDAHO FALLS
P.O. BOX 220, IDAHO FALLS, ID 83402
Source: GROUNDWATER
Date Filed: 12/23/1982
Diversion Pt: NWSE Sec 28 T 02N R 38E
Use: MUNICIPAL (3.35 CFS)
In: the city limits of Idaho Falls

25-7307
BUTIKOFER, ELDRED
RT. 6 BOX 303, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 02/22/1983

My commission expires September 30, 1988.

Diversion Pt: SESE Sec 06 T 03N R 38E
Use: IRRIGATION (0.02 CFS); STOCK-
WATER (0.02 CFS); DOMESTIC (0.06 CFS)
In: SESE Sec 06 T 03N R 38 E FOR 1 ACRES

25-7314
ASHMENT, RAY &/or JUDY
RT. 3, BOX 66, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 03/28/1983
Diversion Pt: SESW Sec 04 T 03N R 39E
Use: IRRIGATION (0.04 CFS); STOCK-
WATER (0.02 CFS); DOMESTIC (0.06 CFS)
In: SWSW SESW Sec 04 T 03N R 39E FOR 2
ACRES

25-7325
CITY OF RIRIE
BOX 68, RIRIE, ID 83443
Source: GROUNDWATER
Date Filed: 05/13/1983
Diversion Pt: NENE Sec 05 T 03N R 40E
Use: MUNICIPAL (0.89 CFS)
In: The city limits of Ririe.

25-7326
LDS CHURCH
IONA STAKE, P.O. BOX 415, IONA, ID
83427
Source: GROUNDWATER
Date Filed: 05/16/1983
Diversion Pt: SENE Sec 25 T 03N R 38E
Use: IRRIGATION (0.02 CFS); DOMESTIC
(0.04 CFS)
In: SENE Sec 25 T 03N R 38E FOR 1 ACRES

25-7336
BURTON, ORDEN
TURNER, DAVID
RT. 7, BOX 16, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 06/16/1983
Diversion Pt: SESW Sec 34 T 02N R 38E
Use: IRRIGATION (0.03 CFS); DOMESTIC
(0.06 CFS)
In: SESW Sec 34 T 02N R 38E FOR 1 ACRES

25-7379
EVERETT, KENT E. &/or NICKOLENA V.
RT. 2, BOX 215, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversion Pt: SWNW Sec 22 T 03N R 38E
Use: IRRIGATION (0.10 CFS); STOCK-
WATER (0.02 CFS); DOMESTIC (0.04 CFS)
In: SWNW Sec 22 T 03N R 38E FOR 2
ACRES

25-7403
UTAH POWER & LIGHT
P.O. BOX 899, SALT LAKE CITY, UT 84110
Source: GROUNDWATER
Date Filed: 06/14/1985
Diversion Pt: SENE Sec 25 T 02N R 37E
Use: WATER QUALITY IMPROVEMENT
(1.40 CFS)
In: SENE Sec 25 T 02N R 37E

The permit(s) will be subject to all prior water rights. Protests are limited to the public interest criteria under Section 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83402 on or before September 23, 1985.

KEN DUNN
Director

MICROFILMED

Proof of Publication The Post-Register

RECEIVED

JUL 29 1985

Department of Water Resources
Eastern District Office

State of Idaho,
County of Bonneville } ss.

I, Ted Delezene, first being duly sworn, depose and say: That I am the Foreman of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 18th day of July, 1985, last publication having been made on the 25th day of July, 1985, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 26th day of July, 1985.

Ted Delezene
Deon R. Napier
Notary Public

My commission expires September 30, 1988.

B10, 1M,

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

25-7403
UTAH POWER & LIGHT
P.O. BOX 899, SALT LAKE CITY, UT 84110
Source: GROUNDWATER
Date Filed: 06/14/1985
Diversion Pt: SENE Sec 25 T 02N R 37E
Use: WATER QUALITY IMPROVEMENT
(1.40 CFS)
In: SENE Sec 25 T 02N R 37E

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Avenue, Suite 15, Idaho Falls, Idaho 83402 on or before AUGUST 5, 1985.

KENN DUNN, Dir.

Published: July 18, 25, 1985

MICROFILMED

[illegible]

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.

Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4. ALL PUMPS ARE SUBMERSIBLE

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: SEE FLOW MEASUREMENT FROM DAILY FLOW REPORT dated July 4, 1996
SUPPLIED BY JON COWLEY (UPI L)

DAILY FLOW REPORT
July 4, 1996

WELL	WEIR	GPM	PUMPING MINUTES	GALLONS PUMPED
A-1	1.06	5	1440	7200
A-2	1.14	15	1440	21600
C-1	1.14	15	1440	21600
MW-9	1.22	34	1440	48960
R-2	1.26	47	1440	67680
R-6	1.09	8	1440	11520
R-7	1.26	47	1440	67680
R-8	1.18	24	1440	34560

TOTAL GPM: 195

TOTAL GALLONS: 280800

DOCUMENT SUPPLIED BY JON COWLEY

25-07403

DEPARTMENT OF THE ARMY
CORPS OF ENGINEERS


7.5 MINU

IDAHO FALLS (NORTH)


DUBOIS 48 MI.
ROBERTS 15 MI.
R 37 E

2'30" 16R 38 E

RIGBY 14 MI.
UCON 8.3 MI.



25-07403





POINTS OF DIVERSION
AND
PLACE OF USE

R37E

T
2
N

25

Lot 2

Lot 3

Lot 4

25-07403

R37E

R38E

24

19

25

30

25

30

36

31

POINTS OF DIVERSION



POINTS OF
DIVERSION

Monitoring well

PHOTO #1

MAINLINES ARE DOUBLE WALLED
INNER PIPE CARRIES WATER INTO PROCESSING FACILITY
OUTTER PIPE RETURNS ANY LEAKS BACK TO WELL

25-07403

FROM WELLS



INDIVIDUAL 60° V-Notch weirs
(ONE FOR EACH WELL)

PHOTO # 2

25-0 7403

PRETREATMENT TANK



WET WELL PUMPS

OIL ABSORPTION COLUMN

PHOTO #3

25-07403





Photo #4

25-07403



GRANULAR ACTIVATED CHARCOAL COLUMNS

PHOTO # 5

25-07403

E. NARRATIVE/REMARKS/COMMENTS

SYSTEM CONSISTS OF 15 SEPARATE WELLS PUMPING WATER INTO TREATMENT FACILITY AND TREATED WATER IS DISCHARGED INTO CITY OF IDAHO FALLS SEWER SYSTEM. EACH WELL DELIVERS WATER TO FACILITY BY A SEPARATE MAINLINE (PHOTO #1). WATER IS MEASURED USING 60° V-NOTCH WEIR (PHOTO #2) BEFORE BEING COMBINED WITH WATER FROM OTHER WELLS. AFTER BEING COMBINED THE WATER GOES INTO THE PRETREATMENT TANK (PHOTO #3) [TO SEPARATE OUT CREOSOTE] AND THEN FLOWS INTO WET WELL SUMP WHERE IT IS PUMPED BY WET WELL PUMPS (PHOTO #4) INTO OAC (OIL ABSORPTION COLUMNS) (PHOTO #3). WATER FROM OAC IS THEN PUMPED THRU GAC (GRANULAR ACTIVATED CHARCOAL COLUMNS) (PHOTO #5) AND DISCHARGED INTO CITY SEWER SYSTEM. WATER IN THE CREOSOTE SLUDGE (FROM PRETREATMENT TANK) IS SEPARATED IN THE SLUDGE DE-WATERING BIN USING 0.25μ MESH PAPER. THE WATER FLOWS THRU THE PAPER INTO WET WELL SUMP, AND THE CREOSOTE REMAINS ON THE PAPER AND IS PACKAGED FOR DISPOSAL. (PHOTO #4)

SYSTEM MAXIMUM CAPACITY IS 200 gpm

* RECOMMEND LICENSING THE PERMIT FOR MAXIMUM SYSTEM CAPACITY (200 gpm = 0.45 cfs) EVEN THOUGH MAXIMUM DIVERSION TO DATE HAS BEEN 195 gpm (0.43 cfs)

Have conditions of permit approval been met? ☒ yes ☐ no

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

LIMIT CAPACITY TO MAXIMUM SYSTEM CAPACITY OF
 $200 \text{ gpm} = 0.4456 \text{ cfs} \approx 0.45 \text{ cfs}$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

 $V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$ $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$ $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$

2. Volume Calculations for Other Uses:

$V_{\text{WATER QUALITY IMPROVEMENT}} =$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			_____	_____

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ____ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name KEITH C WILSON Date 8-19-1997

Reviewer _____ Date _____

SEAL

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 25-07403 Reviewed by [Signature] Date 12-15-95

GENERAL CONSIDERATIONS

yes Name same as permit?
yes Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Comm.
Correct Uses? yes

SOURCE OF WATER

Surface water source
☒ Ground water source
yes Drilling permit required? multiple wells
Copy in the file? Drilling Permit No. _____
Amount paid for permit _____ Correct?
Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
125.00 Amount Submitted
yes Correct?

MEASURING DEVICE

yes Required?
yes Installed?
Waiver requested?

PRIORITY CALCULATION

Date proof received _____
Date proof due _____
No. of days late _____
Priority Date _____
New Priority Date _____

DEFICIENCIES OR ACTION ITEMS

Proof acceptable

DATA ENTRY

New Address _____ Proof Made 10-30-95

IDAHO FALLS POLEYAR

Date	Total
10/30/94	204,480
10/31/94	204,480
11/01/94	220,800
11/02/94	207,690
11/03/94	204,480
11/04/94	204,480
11/05/94	204,480
11/06/94	204,480
11/07/94	199,000
11/08/94	200,160
11/09/94	203,040
11/10/94	67,680
11/14/94	72,420
11/15/94	203,040
11/16/94	178,560
11/17/94	203,040
11/18/94	203,040
11/19/94	203,040
11/20/94	203,040
11/21/94	204,480
11/22/94	204,480
11/23/94	203,040
11/24/94	203,040
11/25/94	203,040
11/26/94	203,040
11/27/94	203,040
11/28/94	195,840
11/29/94	195,840
11/30/94	195,840

DEC 20 1995

IDAHO FALLS POLEYARD - Daily Influent (gallons per day)

WELL I.D.

Date	Total	A-1	A-2	B-1	C-1	MW-9	R-2	R-4	R-5	R-6	R-7	R-8	R-9	R-10	R-11	R-12
12/01/94	194,400	11,520	17,280	11,520	0	53,280	31,680	34,560	0	0	0	34,560	0	0	0	0
12/02/94	194,400	11,520	17,280	11,520	0	53,280	31,680	34,560	0	0	0	34,560	0	0	0	0
12/03/94	194,400	11,520	17,280	11,520	0	53,280	31,680	34,560	0	0	0	34,560	0	0	0	0
12/04/94	194,400	11,520	17,280	11,520	0	53,280	31,680	34,560	0	0	0	34,560	0	0	0	0
12/05/94	188,640	11,520	18,720	11,520	0	53,280	31,680	27,360	0	0	0	34,560	0	0	0	0
12/06/94	191,520	11,520	17,280	11,520	0	53,280	31,680	31,680	0	0	0	34,560	0	0	0	0
12/07/94	178,560	11,520	17,280	11,520	0	48,960	27,360	27,360	0	0	0	34,560	0	0	0	0
12/08/94	178,560	11,520	17,280	11,520	0	48,960	27,360	27,360	0	0	0	34,560	0	0	0	0
12/09/94	175,680	10,080	14,400	11,520	0	48,960	31,680	24,480	0	0	0	34,560	0	0	0	0
12/10/94	175,680	10,080	14,400	11,520	0	48,960	31,680	24,480	0	0	0	34,560	0	0	0	0
12/11/94	175,680	10,080	14,400	11,520	0	48,960	31,680	24,480	0	0	0	34,560	0	0	0	0
12/12/94	172,800	11,520	17,280	11,520	0	48,960	27,360	21,600	0	0	0	34,560	0	0	0	0
12/13/94	175,680	11,520	14,400	11,520	0	48,960	27,360	27,360	0	0	0	34,560	0	0	0	0
12/14/94	175,680	11,520	14,400	11,520	0	48,960	27,360	27,360	0	0	0	34,560	0	0	0	0
12/15/94	182,880	14,400	14,400	11,520	0	53,280	27,360	27,360	0	0	0	34,560	0	0	0	0
12/16/94	181,440	14,400	12,960	11,520	0	53,280	27,360	27,360	0	0	0	34,560	0	0	0	0
12/17/94	167,640	13,200	13,200	10,560	0	48,840	25,080	25,080	0	0	0	31,680	0	0	0	0
12/18/94	182,880	14,400	14,400	11,520	0	53,280	27,360	27,360	0	0	0	34,560	0	0	0	0
12/19/94	177,120	11,520	17,280	11,520	0	53,280	27,360	21,600	0	0	0	34,560	0	0	0	0
12/20/94	177,120	11,520	17,280	11,520	0	53,280	27,360	21,600	0	0	0	34,560	0	0	0	0
12/21/94	177,120	11,520	17,280	11,520	0	53,280	27,360	21,600	0	0	0	34,560	0	0	0	0
12/22/94	177,120	11,520	17,280	11,520	0	53,280	27,360	21,600	0	0	0	34,560	0	0	0	0
12/23/94	175,680	11,520	17,280	10,080	0	53,280	27,360	21,600	0	0	0	34,560	0	0	0	0
12/24/94	175,680	11,520	17,280	10,080	0	53,280	27,360	21,600	0	0	0	34,560	0	0	0	0
12/25/94	175,680	11,520	17,280	10,080	0	53,280	27,360	21,600	0	0	0	34,560	0	0	0	0
12/26/94	175,680	11,520	17,280	10,080	0	53,280	27,360	21,600	0	0	0	34,560	0	0	0	0
12/27/94	156,960	10,080	14,400	11,520	0	48,960	27,360	12,960	0	0	0	31,680	0	0	0	0
12/28/94	156,960	10,080	14,400	11,520	0	48,960	27,360	12,960	0	0	0	31,680	0	0	0	0
12/29/94	156,960	10,080	14,400	11,520	0	48,960	27,360	12,960	0	0	0	31,680	0	0	0	0

IDAHO FALLS POLEYARD - Daily Influent (gallons per day)

WELL I.D.

Date	Total	A-1	A-2	B-1	C-1	MW-9	R-2	R-4	R-5	R-6	R-7	R-8	R-9	R-10	R-11	R-12
12/30/94	158,400	11,520	14,400	11,520	0	48,960	27,360	12,960	0	0	0	31,680	0	0	0	0
12/31/94	158,400	11,520	14,400	11,520	0	48,960	27,360	12,960	0	0	0	31,680	0	0	0	0
1/01/95	158,400	11,520	14,400	11,520	0	48,960	27,360	12,960	0	0	0	31,680	0	0	0	0
1/02/95	158,400	11,520	14,400	11,520	0	48,960	27,360	12,960	0	0	0	31,680	0	0	0	0
1/03/95	152,640	8,640	12,960	8,640	0	48,960	27,360	11,520	0	0	0	34,560	0	0	0	0
1/04/95	158,400	8,640	17,280	10,080	0	48,960	27,360	11,520	0	0	0	34,560	0	0	0	0
1/05/95	155,520	8,640	14,400	10,080	0	48,960	27,360	11,520	0	0	0	34,560	0	0	0	0
1/06/95	155,520	8,640	14,400	10,080	0	48,960	27,360	11,520	0	0	0	34,560	0	0	0	0
1/07/95	155,520	8,640	14,400	10,080	0	48,960	27,360	11,520	0	0	0	34,560	0	0	0	0
1/08/95	155,520	8,640	14,400	10,080	0	48,960	27,360	11,520	0	0	0	34,560	0	0	0	0
1/09/95	155,520	8,640	14,400	11,520	0	48,960	27,360	10,080	0	0	0	34,560	0	0	0	0
1/10/95	155,520	8,640	14,400	11,520	0	48,960	27,360	10,080	0	0	0	34,560	0	0	0	0
1/11/95	164,160	8,640	17,280	10,080	0	53,280	31,680	8,640	0	0	0	34,560	0	0	0	0
1/12/95	164,160	8,640	17,280	10,080	0	53,280	31,680	8,640	0	0	0	34,560	0	0	0	0
1/13/95	162,720	8,640	17,280	8,640	0	53,280	31,680	8,640	0	0	0	34,560	0	0	0	0
1/14/95	162,720	8,640	17,280	8,640	0	53,280	31,680	8,640	0	0	0	34,560	0	0	0	0
1/15/95	162,720	8,640	17,280	8,640	0	53,280	31,680	8,640	0	0	0	34,560	0	0	0	0
1/16/95	154,080	8,640	14,400	7,200	0	53,280	27,360	8,640	0	0	0	34,560	0	0	0	0
1/17/95	158,400	7,200	17,280	11,520	0	48,960	31,680	7,200	0	0	0	34,560	0	0	0	0
1/18/95	158,400	7,200	17,280	11,520	0	48,960	31,680	7,200	0	0	0	34,560	0	0	0	0
1/19/95	158,400	7,200	17,280	11,520	0	48,960	31,680	7,200	0	0	0	34,560	0	0	0	0
1/20/95	158,400	7,200	17,280	11,520	0	48,960	31,680	7,200	0	0	0	34,560	0	0	0	0
1/21/95	158,400	7,200	17,280	11,520	0	48,960	31,680	7,200	0	0	0	34,560	0	0	0	0
1/22/95	158,400	7,200	17,280	11,520	0	48,960	31,680	7,200	0	0	0	34,560	0	0	0	0
1/23/95	139,680	7,200	14,400	0	0	48,960	27,360	7,200	0	0	0	34,560	0	0	0	0
1/24/95	151,200	7,200	17,280	10,080	0	48,960	27,360	5,760	0	0	0	34,560	0	0	0	0
1/25/95	151,200	7,200	17,280	10,080	0	48,960	27,360	5,760	0	0	0	34,560	0	0	0	0
1/26/95	151,200	7,200	17,280	10,080	0	48,960	27,360	5,760	0	0	0	34,560	0	0	0	0
1/27/95	148,320	7,200	14,400	10,080	0	48,960	27,360	5,760	0	0	0	34,560	0	0	0	0

1995

IDAHO FALLS POLEYARD - Daily Influent (gallons per day)

WELL I.D.

Date	Total	A-1	A-2	B-1	C-1	MW-9	R-2	R-4	R-5	R-6	R-7	R-8	R-9	R-10	R-11	R-12
1/28/95	148,320	7,200	14,400	10,080	0	48,960	27,360	5,760	0	0	0	34,560	0	0	0	0
1/29/95	148,320	7,200	14,400	10,080	0	48,960	27,360	5,760	0	0	0	34,560	0	0	0	0
1/30/95	142,560	5,760	14,400	7,200	0	48,960	27,360	4,320	0	0	0	34,560	0	0	0	0
1/31/95	142,560	5,760	14,400	7,200	0	48,960	27,360	4,320	0	0	0	34,560	0	0	0	0
2/01/95	145,440	5,760	17,280	7,200	0	48,960	27,360	4,320	0	0	0	34,560	0	0	0	0
2/02/95	146,400	5,520	13,800	6,900	0	46,920	26,220	2,430	0	5,700	21,090	17,820	0	0	0	0
2/03/95	180,000	5,760	14,400	7,200	0	48,960	31,680	0	0	14,400	57,600	0	0	0	0	0
2/04/95	180,000	5,760	14,400	7,200	0	48,960	31,680	0	0	14,400	57,600	0	0	0	0	0
2/05/95	178,560	4,320	14,400	7,200	0	48,960	31,680	0	0	14,400	57,600	0	0	0	0	0
2/06/95	174,240	5,760	14,400	5,760	0	48,960	27,360	0	0	14,400	57,600	0	0	0	0	0
2/07/95	174,240	5,760	14,400	5,760	0	48,960	27,360	0	0	14,400	57,600	0	0	0	0	0
2/08/95	174,240	5,760	14,400	5,760	0	48,960	27,360	0	0	14,400	57,600	0	0	0	0	0
2/09/95	174,240	5,760	14,400	5,760	0	48,960	27,360	0	0	14,400	57,600	0	0	0	0	0
2/10/95	174,240	5,760	14,400	5,760	0	48,960	27,360	0	0	14,400	57,600	0	0	0	0	0
2/11/95	174,240	5,760	14,400	5,760	0	48,960	27,360	0	0	14,400	57,600	0	0	0	0	0
2/12/95	187,200	5,760	14,400	5,760	0	48,960	27,360	0	0	27,360	57,600	0	0	0	0	0
2/13/95	177,120	4,320	17,280	8,640	0	48,960	27,360	0	0	12,960	57,600	0	0	0	0	0
2/14/95	194,820	4,320	14,400	4,320	0	48,960	27,360	0	0	18,720	57,600	0	0	19,140	0	0
2/15/95	207,360	4,320	14,400	4,320	0	48,960	27,360	0	0	17,280	48,960	0	0	41,760	0	0
2/16/95	207,360	4,320	14,400	4,320	0	48,960	27,360	0	0	17,280	48,960	0	0	41,760	0	0
2/17/95	207,360	4,320	14,400	4,320	0	48,960	27,360	0	0	17,280	48,960	0	0	41,760	0	0
2/18/95	207,360	4,320	14,400	4,320	0	48,960	27,360	0	0	17,280	48,960	41,760	0	0	0	0
2/19/95	207,360	4,320	14,400	4,320	0	48,960	27,360	0	0	17,280	48,960	0	0	41,760	0	0
2/20/95	207,360	4,320	14,400	4,320	0	48,960	27,360	0	0	17,280	48,960	0	0	41,760	0	0
2/21/95	205,920	4,320	12,960	4,320	0	48,960	27,360	0	0	17,280	48,960	0	0	41,760	0	0
2/22/95	205,920	4,320	12,960	4,320	0	48,960	27,360	0	0	17,280	48,960	0	0	41,760	0	0
2/23/95	214,560	7,200	12,960	10,080	0	48,960	27,360	0	0	17,280	48,960	0	0	41,760	0	0
2/24/95	214,560	7,200	12,960	10,080	0	48,960	27,360	0	0	17,280	48,960	0	0	41,760	0	0
2/25/95	214,560	7,200	12,960	10,080	0	48,960	27,360	0	0	17,280	48,960	0	0	41,760	0	0

201995

IDAHO FALLS POLEYARD - Daily Influent (gallons per day)

WELL I.D.

Date	Total	A-1	A-2	B-1	C-1	MW-9	R-2	R-4	R-5	R-6	R-7	R-8	R-9	R-10	R-11	R-12
2/26/95	214,560	7,200	12,960	10,080	0	48,960	27,360	0	0	17,280	48,960	0	0	41,760	0	0
2/27/95	210,240	7,200	14,400	4,320	0	48,960	27,360	0	0	17,280	48,960	0	0	41,760	0	0
2/28/95	211,680	7,200	12,960	7,200	0	48,960	27,360	0	0	17,280	48,960	0	0	41,760	0	0
3/01/95	211,680	7,200	14,400	5,760	0	48,960	27,360	0	0	17,280	48,960	0	0	41,760	0	0
3/02/95	211,680	7,200	14,400	5,760	0	48,960	27,360	0	0	17,280	48,960	0	0	41,760	0	0
3/03/95	210,240	7,200	12,960	5,760	0	48,960	27,360	0	0	17,280	48,960	0	0	41,760	0	0
3/04/95	210,240	7,200	12,960	5,760	0	48,960	27,360	0	0	17,280	48,960	0	0	41,760	0	0
3/05/95	210,240	7,200	12,960	5,760	0	48,960	27,360	0	0	17,280	48,960	0	0	41,760	0	0
3/06/95	205,920	5,760	12,960	2,880	0	48,960	27,360	0	0	17,280	48,960	0	0	41,760	0	0
3/07/95	214,560	5,760	17,280	2,880	0	53,280	27,360	0	0	17,280	48,960	0	0	41,760	0	0
3/08/95	218,880	5,760	17,280	2,880	0	53,280	31,680	0	0	17,280	48,960	0	0	41,760	0	0
3/09/95	218,880	5,760	17,280	2,880	0	53,280	31,680	0	0	17,280	48,960	0	0	41,760	0	0
3/10/95	211,680	7,200	17,280	2,880	0	48,960	27,360	0	0	17,280	48,960	0	0	41,760	0	0
3/11/95	211,680	7,200	17,280	2,880	0	48,960	27,360	0	0	17,280	48,960	0	0	41,760	0	0
3/12/95	211,680	7,200	17,280	2,880	0	48,960	27,360	0	0	17,280	48,960	0	0	41,760	0	0
3/13/95	197,280	5,760	12,960	1,440	0	48,960	27,360	0	0	14,400	44,640	0	0	41,760	0	0
3/14/95	201,600	5,760	12,960	1,440	0	48,960	27,360	0	0	14,400	48,960	0	0	41,760	0	0
3/15/95	201,600	5,760	12,960	1,440	0	48,960	27,360	0	0	14,400	48,960	0	0	41,760	0	0
3/16/95	201,600	5,760	12,960	1,440	0	48,960	27,360	0	0	14,400	48,960	0	0	41,760	0	0
3/17/95	201,600	5,760	12,960	1,440	0	48,960	27,360	0	0	14,400	48,960	0	0	41,760	0	0
3/18/95	201,600	5,760	12,960	1,440	0	48,960	27,360	0	0	14,400	48,960	0	0	41,760	0	0
3/19/95	201,600	5,760	12,960	1,440	0	48,960	27,360	0	0	14,400	48,960	0	0	41,760	0	0
3/20/95	207,360	7,200	12,960	1,440	0	48,960	27,360	0	0	11,520	48,960	0	0	48,960	0	0
3/21/95	180,000	7,200	12,960	1,440	0	48,960	0	0	0	11,520	48,960	0	0	48,960	0	0
3/22/95	207,360	7,200	12,960	1,440	0	48,960	27,360	0	0	11,520	48,960	0	0	48,960	0	0
3/23/95	203,040	5,760	12,960	1,440	0	48,960	27,360	0	0	12,960	44,640	0	0	48,960	0	0
3/24/95	191,400	5,280	11,880	2,640	0	44,880	25,080	0	0	11,880	44,880	0	0	44,880	0	0
3/25/95	208,800	5,760	12,960	2,880	0	48,960	27,360	0	0	12,960	48,960	0	0	48,960	0	0
3/26/95	208,800	5,760	12,960	2,880	0	48,960	27,360	0	0	12,960	48,960	0	0	48,960	0	0

20 1995

IDAHO FALLS POLEYARD - Daily Influent (gallons per day)

WELL I.D.

Date	Total	A-1	A-2	B-1	C-1	MU-9	R-2	R-4	R-5	R-6	R-7	R-8	R-9	R-10	R-11	R-12
3/27/95	213,120	5,760	14,400	1,440	0	48,960	27,360	0	0	17,280	48,960	0	0	48,960	0	0
3/28/95	213,120	5,760	14,400	1,440	0	48,960	27,360	0	0	17,280	48,960	0	0	48,960	0	0
3/29/95	208,800	4,320	14,400	1,440	0	48,960	27,360	0	0	14,400	48,960	0	0	48,960	0	0
3/30/95	208,800	5,760	12,960	2,880	0	48,960	27,360	0	0	12,960	48,960	0	0	48,960	0	0
3/31/95	208,800	5,760	12,960	2,880	0	48,960	27,360	0	0	12,960	48,960	0	0	48,960	0	0

ME

DEC 20 1995

IDAHO FALLS POLEYARD - Well Flow (minutes per day)

WELL I.D.

Date	A-1	A-2	B-1	C-1	MM-9	R-2	R-4	R-5	R-6	R-7	R-8	R-9	R-10	R-11	R-12
10/01/94	1440	1440	1440	0	1440	1440	0	1440	0	0	1440	0	0	0	0
10/02/94	1440	1440	1440	0	1440	1440	0	1440	0	0	1440	0	0	0	0
10/03/94	1440	1440	1440	0	1440	1440	0	1440	0	0	1440	0	0	0	0
10/04/94	1440	1440	1440	0	1440	1440	0	1440	0	0	1440	0	0	0	0
10/05/94	1440	1440	1440	0	1440	1440	0	1440	0	0	1440	0	0	0	0
10/06/94	1440	1440	1440	0	1440	1440	0	1440	0	0	1440	0	0	0	0
10/07/94	1440	1440	1440	0	1440	1440	0	1440	0	0	1440	0	0	0	0
10/08/94	1440	1440	1440	0	1440	1440	0	1440	0	0	1440	0	0	0	0
10/09/94	1440	1440	1440	0	1440	1440	0	1440	0	0	1440	0	0	0	0
10/10/94	1440	1440	1440	0	1440	1440	540	900	0	0	1440	0	0	0	0
10/11/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
10/12/94	1260	1260	1260	0	1260	1260	1260	0	0	0	1260	0	0	0	0
10/14/94	420	420	420	0	420	420	420	0	0	0	420	0	0	0	0
10/15/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
10/16/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
10/17/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
10/18/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
10/19/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
10/20/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
10/21/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
10/22/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
10/23/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
10/24/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
10/25/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
10/26/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
10/27/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
10/28/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
10/29/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0

1995

IDAHO FALLS POLEYARD - Well Flow (minutes per day)

WELL I.D.

Date	A-1	A-2	B-1	C-1	MM-9	R-2	R-4	R-5	R-6	R-7	R-8	R-9	R-10	R-11	R-12
10/30/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
10/31/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
11/01/94	1440	1440	1440	960	1440	1440	1440	0	0	0	1440	0	0	0	0
11/02/94	1380	1380	1380	690	1380	1380	1380	0	0	0	1380	0	0	0	0
11/03/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
11/04/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
11/05/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
11/06/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
11/07/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
11/08/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
11/09/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
11/10/94	480	480	480	0	480	480	480	0	0	0	480	0	0	0	0
11/14/94	510	510	510	0	510	510	510	0	0	0	510	0	0	0	0
11/15/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
11/16/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
11/17/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
11/18/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
11/19/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
11/20/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
11/21/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
11/22/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
11/23/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
11/24/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
11/25/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
11/26/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
11/27/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
11/28/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
11/29/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
11/30/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0

DEC 20 1995

IDAHO FALLS POLEYARD - Well Flow (minutes per day)

WELL I.D.

Date	A-1	A-2	B-1	C-1	MW-9	R-2	R-4	R-5	R-6	R-7	R-8	R-9	R-10	R-11	R-12
12/01/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/02/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/03/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/04/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/05/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/06/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/07/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/08/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/09/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/10/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/11/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/12/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/13/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/14/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/15/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/16/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/17/94	1320	1320	1320	0	1320	1320	1320	0	0	0	1320	0	0	0	0
12/18/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/19/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/20/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/21/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/22/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/23/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/24/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/25/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/26/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/27/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/28/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/29/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0

DEC 20 1994

IDAHO FALLS POLEYARD - Well Flow (minutes per day)

WELL I.D.

Date	A-1	A-2	B-1	C-1	MW-9	R-2	R-4	R-5	R-6	R-7	R-8	R-9	R-10	R-11	R-12
12/30/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
12/31/94	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/01/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/02/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/03/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/04/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/05/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/06/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/07/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/08/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/09/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/10/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/11/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/12/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/13/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/14/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/15/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/16/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/17/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/18/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/19/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/20/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/21/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/22/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/23/95	1440	1440	0	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/24/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/25/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/26/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/27/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0

DEC 20 1995

IDAHO FALLS POLEYARD - Well Flow (minutes per day)

WELL I.D.

Date	A-1	A-2	B-1	C-1	MW-9	R-2	R-4	R-5	R-6	R-7	R-8	R-9	R-10	R-11	R-12
1/28/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/29/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/30/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
1/31/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
2/01/95	1440	1440	1440	0	1440	1440	1440	0	0	0	1440	0	0	0	0
2/02/95	1380	1380	1380	0	1380	1380	810	0	570	570	810	0	0	0	0
2/03/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	0	0	0
2/04/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	0	0	0
2/05/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	0	0	0
2/06/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	0	0	0
2/07/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	0	0	0
2/08/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	0	0	0
2/09/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	0	0	0
2/10/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	0	0	0
2/11/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	0	0	0
2/12/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	0	0	0
2/13/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	0	0	0
2/14/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	0	0	0
2/15/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	660	0	0
2/16/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
2/17/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
2/18/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	1440	0	0	0	0
2/19/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
2/20/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
2/21/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
2/22/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
2/23/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
2/24/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
2/25/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0

BFC 20 1995

IDAHO FALLS POLEYARD - Well Flow (minutes per day)

WELL I.D.

Date	A-1	A-2	B-1	C-1	MU-9	R-2	R-4	R-5	R-6	R-7	R-8	R-9	R-10	R-11	R-12
2/26/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
2/27/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
2/28/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/01/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/02/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/03/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/04/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/05/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/06/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/07/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/08/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/09/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/10/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/11/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/12/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/13/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/14/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/15/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/16/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/17/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/18/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/19/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/20/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/21/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/22/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/23/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/24/95	1320	1320	1320	0	1320	1320	0	0	1320	1320	0	0	1320	0	0
3/25/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/26/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0

DEC 20 1995

IDAHO FALLS POLEYARD - Well Flow (minutes per day)

WELL I.D.

Date	A-1	A-2	B-1	C-1	MW-9	R-2	R-4	R-5	R-6	R-7	R-8	R-9	R-10	R-11	R-12
3/27/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/28/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/29/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/30/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0
3/31/95	1440	1440	1440	0	1440	1440	0	0	1440	1440	0	0	1440	0	0

DEC 20 1995

RECEIVED

DEC 11 1995

Department of Water Resources

1407 West North Temple
Salt Lake City, Utah 84140
(801) 220-2000



December 5, 1995

Mr. L. Glen Saxton, Chief
Water Allocation Bureau
Idaho Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise, Idaho 83720-9000

Re: Proof of Beneficial Use - Permit #25-07403

Dear Mr. Saxton:

Per your letter dated November 3, 1995, we have completed the Proof of Beneficial Use form for the above-referenced permit. This proof documents the well drilling program and associated clean-up of contaminated ground water at PacifiCorp's Idaho Falls Pole Yard. Also, included is a check for the additional \$75 needed (\$50 previously paid) and well discharges that have been measured.

Please contact Mr. Jon Cowley at (208) 522-6811 at the Pole Yard Facility for the additional information.

Sincerely,

Carly Burton
Hydrological Supervisor

Attach:

saxton.

RECEIVED

DEC 20 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

November 3, 1995

Utah Power & Light Co.
1407 W. North Temple, Suite 270
Salt Lake City, UT 84140

RE: PERMIT NO. 25-07403

Gentlemen:

The department has reviewed the request for extension of time which you submitted on October 30, 1995, in connection with the above referenced permit.

My review of the file shows that the department issued the permit in October 1985, and has subsequently granted five (5) extensions of time in which to submit proof of construction of works and application of water to beneficial use.

It appears that the appropriate document for you to file is the proof of beneficial use rather than another request for extension of time in which to submit the proof.

Following receipt of proof, the department examines the point(s) of diversion and place of use to determine the extent of beneficial use of water and ultimately will issue a license of water right. The license will allow you to use water as authorized on the permit. Hence, there is no reason of which the department is aware which would justify the granting of another extension request.

The department will withhold action on the latest extension request for thirty (30) days to allow you time to file the proof of beneficial use form. The department will apply the \$50 extension of time fee toward the license examination fee of \$125, if you timely file the proof. If you do not file the proof, the department will act on the pending extension request with the information presently available.

Sincerely,

L. GLEN SAXTON, Chief
Water Allocation Bureau

RECORDED

DEC 20 1995

Encl: Proof form

c: E. Region

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

RECEIVED

REQUEST FOR EXTENSION OF TIME
TO PROVIDE ADDITIONAL TIME IN WHICH TO SUBMIT PROOF OF
BENEFICIAL USE FOR A WATER RIGHT PERMIT

OCT 30 1995

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a request that the permit holder(s) be granted an additional period of time under the provisions of Section 42-204, Idaho Code in which to complete development of a water right.

Permit No. 25-07403

Name(s) of Permit Holder: PacifiCorp (formerly Utah Power & Light Co.)

Mailing Address: 1407 W. North Temple, Suite 270, SLC, Utah 84140

Date Proof is Due: November 1, 1995 Telephone No. (801) 220-2174

Describe what work has been completed toward the development of this water right:
(This must be filled out! If no work has been completed, show "none".)

A total of 49 wells have been drilled as part of the groundwater
clean-up effort at the Idaho Falls Pole Yard.

Costing \$ _____

The permit holder(s) has been unable to complete the remainder of the work for the following reasons:
PacifiCorp is still evaluating its groundwater clean-up efforts
with Idaho Dept. of Environmental Quality and additional wells may be
drilled in the future. An additional 2 year extension is therefore requested

Permit holder(s) request an extension to November 1, 19 97

FEE: \$50.00

A. C. DeLauria
(Signature)*

*If other than permit holder, Power of Attorney must be supplied.

ACTION OF THE DEPARTMENT OF WATER RESOURCES

IT IS HEREBY ORDERED that the above request for extension of time be

MAINTAINED

Signed this _____ day of DEC 20, 1995

August 31, 1995

UTAH POWER & LIGHT
1407 W. N. TEMPLE
SALT LAKE CITY UT 84140

PROOF DUE NOTICE

RE: PERMIT NO. 25-07403

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1995.

(See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

MICROFILMED

DEC 20 1995





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

October 26, 1993

Utah Power Light Co
1407 West North Temple Ste 270
Salt Lake City, UT 84140

Re: Permit No. 25-07403

Dear Permit Holder:

Enclosed is a copy of your approved Request for Extension of Time submitted in connection with the above referenced permit. The time within which to submit proof of beneficial use is extended to November 1, 1995.

Please note that the department has granted this extension based upon governmental agency delay. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Senior Secretary

Enclosure

c: IDWR-Regional Office

RECEIVED

OCT 27 1993

ANALYSIS SHEET
FOR
EXTENSION OF TIME

Permit No. 25-07403

Reviewed by llg

Date 10/25/93

BASIC INFORMATION

10/21/93 Date stamp received
yes Extension received timely
yes Fee received and receipted
yes Name and signature same as permit
no Address Change

BASIS FOR EXTENSION REQUEST

_____ Has adequate work been completed to demonstrate due diligence?
_____ Has the permit been involved in litigation?
_____ Is supporting documentation needed to complete the file? Requested? _____
✓ Is delay by a government agency?
_____ Is supporting documentation needed to complete the file? Requested? _____
_____ Is the project more than 25,000 acre feet for irrigation or 10,000 acre feet for a reservoir?

ACTION TAKEN

Recommend for approval Based on govt agency delay. Extend to 11/1/95

PRIORITY CALCULATION

Date extension received	_____	=	_____
Proof due date	_____	=	_____
Number of days late	_____	=	_____
Priority date	_____	=	_____
New Priority Date	_____	=	_____

DATA ENTRY

New Address _____
Change Proof Due Date 10/26/93 llg
Change Priority Date _____

~~NOTIFIED~~
OCT 27 1993

August 31, 1993

UTAH POWER & LIGHT
1407 W. N. TEMPLE
SALT LAKE CITY UT 84140

PROOF DUE NOTICE

RE: PERMIT NO. 25-07403

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1993. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.


If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Karen L. Gustafson
Secretary/Records Manager

Enclosures



MICROFILMED
OCT 27 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 8, 1991

Utah Power and Light Company
1407 West North Temple
Salt Lake City, UT 84140

Re: Permit No. 25-07403

Dear Permit Holder:

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to November 1, 1993.

Please note that the department has granted this extension based upon governmental agency delay. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

If you have any questions or if I can be of any further assistance, please feel free to contact me.

Sincerely,

Karen L. Gustafson
Secretary/Records Manager

Enclosure

c: IDWR-Regional Office

MICROFILMED

DEC 09 1991

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 25-7403

Reviewed by KLG

Date 10/31/91

BASIC INFORMATION

- 11/1 10/10/91 Date stamp received
✓ Extension received timely (not too early not too late)
✓ Fee received and receipted
✓ Name and signature same as permit
no Address change

BASIS FOR EXTENSION REQUEST

- Has adequate work been completed to demonstrate due diligence?
 Has the cost incurred been adequate to demonstrate an intent to complete the project?
 Has the permit been involved in litigation?
 a. Swan Falls Dismissed from Swan Falls
 Other Identify
 b. Is supporting documentation needed to complete the file?
 Requested
 c. Calculate the period of delay
 Date litigation completed
 Date litigation began
 Total period of delay =
 Present proof due date +
 NEW PROOF DUE DATE =
- ✓ Is delay by a government agency?
 Is supporting documentation needed to complete the file? no
 Requested?

ACTION TAKEN

Approved due to delay caused By a governmental agency. Extend proof due to (3/11/92)

 Reinstate Date extention received =
 Proof due date =
 No. of days late =
 Priority date = +
 ADJUSTED PRIORITY DATE =

DATE ENTRY

✓ Change proof due date Address change
✓ Priority date change

PACIFIC POWER ♦ UTAH POWER



Utah Power & Light Co.
1407 West North Temple
Salt Lake City, Utah 84140

October 3, 1991

Idaho Department of Water Resources
Statehouse Mail
1301 North Orchard Street
Boise, Idaho 83720

Reference: **PERMIT #25-07403**

Gentlemen:

The enclosed check for \$15.00 and a Request for Extension of Time for the above referenced permit is requested to allow additional testing of the ground water in the vicinity of Utah Power & Light's Idaho Falls Pole Yard. Three additional wells may be required under existing permits with EPA and the Idaho Department of Environmental Quality; therefore, a three-year extension is requested.

Very truly yours,

Carly Burton
Hydrological Supervisor

CBB4/25:cms

Enclosures

MICROFILMED

DEC 09 1991

138984

August 31, 1991

UTAH POWER & LIGHT
1407 W. N. TEMPLE
SALT LAKE CITY, UT 84140

PROOF DUE NOTICE

RE: PERMIT NO. 25-07403

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1991. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

DEC 09 1991

UTAH POWER & LIGHT COMPANY

1407 WEST NORTH TEMPLE STREET
SALT LAKE CITY, UTAH 84140

LEGAL DEPARTMENT
JODY L. WILLIAMS
ATTORNEY AT LAW
801-220-2851

RECEIVED
APR 4 1990

Department of Water Resources

April 2, 1990

RECEIVED
APR 6 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street
Boise, Idaho 83706-2237

Re: Notice to Change Mailing Address

Dear Dept. of Water Resources representative:

Please change your mailing records (~~which are currently as shown on the attached mailing label~~) to reflect the following corrected address (P.O. Box 899 is no longer being used by our Company):

Ms. Jody L. Williams
Utah Power & Light Company
1407 W. North Temple
Salt Lake City, Utah 84140

Thank you.

Very truly yours, .



Jody L. Williams

JLW:cld

21-7363

13-4128

25-7403

4129

01-7051

21-4060

11-7081

27-7018

7084

35-2830

4004

+ misc. decreed files

MICROFILMED

- computer updated 4-17-90
SC

DEC 09 1991

November 15, 1989

Utah Power and Light Company
1407 West North Temple
Salt Lake City, UT 84140

Gentlemen:

Re: Permit No. 25-7403

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to November 1, 1991.

Note that the department has granted this extension based on due diligence. It is important that you work diligently toward the completion of this project during the construction period allowed. The department may not be able to grant additional requests.

Also, the department requires that well drilling permits be obtained before drilling begins. These permits can be issued by the regional office.

If you have any questions concerning these matters, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

RECEIVED
FILMED

DEC 12 1989

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 25-7403Reviewed by RJDate 11-8-1989

BASIC INFORMATION

y Date stamp received
y Extension received timely (not too early not too late)
y Fee received and receipted
y Name and signature same as permit
N Address change

BASIS FOR EXTENSION REQUEST

 Has adequate work been completed to demonstrate due diligence?
 Has the cost incurred been adequate to demonstrate an intent to complete the project?
 Has the permit been involved in litigation?
 a. Swan Falls Dismissed from Swan Falls
 Other Identify
 b. Is supporting documentation needed to complete the file?
 Requested
 c. Calculate the period of delay

Date litigation completed Date litigation began Total period of delay = Present proof due date + NEW PROOF DUE DATE =

y Is delay by a government agency?
 Is supporting documentation needed to complete the file?
 Requested?

ACTION TAKEN

Recommend approval based on federal government regulations

- Advise to complete work - future ext. may not be granted

N/A Reinstate Date extension received =
 Proof due date =
 No. of days late =
 Priority date = +
 ADJUSTED PRIORITY DATE =

DATE ENTRY

X Change proof due date Address change
 Priority date change



801
220-2919

PAYEE

IDAHO DEPARTMENT OF WATER

PAYEE NO.

62

DATE

10/31/89

CHECK NO.

0146305

INVOICE NUMBER	DATE	PURCHASE DOCUMENT	AMOUNT	DISCOUNT/ADJUSTMENTS	NET AMOUNT
CR103189 FILING FEE FOR EXTENSION TIME NO. 25-7403 IDAHO FALLS POLE YARD	10/31/89	REQUEST ON APPLICATION	15.00	.00	15.00
RETURN TO - C B BURTON ROOM 195				CHECK TOTAL	15.00

RECEIVED
DEC 12 1989

138538
August 31, 1989

UTAH POWER & LIGHT
P.O. BOX 899
SALT LAKE CITY, UT 84110

PROOF DUE NOTICE
RE: PERMIT NO. 25-07403

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before November 1, 1989. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

MICROFILMED

DEC 12 1989

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 25-7403Reviewed by YDate 1-13-1988

BASIC INFORMATION

- ☒ Date stamp received
☒ Extension received timely
(not prior to 6 month before proof due date or after reinstatement period)
☒ Fee received and receipted
☒ Name and signature same as permit
☒ Address change (indicate on coding sheet)

BASIS FOR EXTENSION REQUEST

- ☒ Has adequate work been completed to demonstrate due diligence?
☒ Has the cost incurred been adequate to demonstrate an intent to complete the project?
☐ Has the permit been involved in litigation?
a. Swan Falls _____ Dismissed from Swan Falls _____
Other _____ Identify _____
b. Is supporting documentation needed to complete the file? _____
Requested _____
c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

- ☐ Is delay by a government agency?
Is supporting documentation needed to complete the file? _____
Requested? _____

ACTION TAKEN - Based on delay by a federal agency.

Special conditions or remarks:

☒ Reinstate Date extension received _____ = _____
Proof due date _____ = _____
No. of days late _____ = _____
Priority date _____ = + _____
ADJUSTED PRIORITY DATE _____ = _____

- ☒ Prepare coding sheet
☒ Change rolodex cardf

January 5, 1988

Utah Power and Light Company
P. O. Box 899
Salt Lake City, UT 84120

Gentlemen:

Re: Permit No. 25-7403

Enclosed is the approved request for extension of time. The time within which to submit proof of beneficial use is extended to November 1, 1989.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enc.

MICROFILMED

DEC 12 1989



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 1301 North Orchard Street Boise, Idaho 83706-2237 • (208) 334-4440

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

EXTENSION OF TIME

January 5, 1988

Utah Power & Light Company
P. O. Box 899
Salt Lake City, UT 84120

PERMIT NO. 25-7403

We are in receipt of the \$15 extension fee for Extension(s) of Time to provide additional time in which to submit proof of beneficial use on a water right permit.

Your request for extension(s) of time is being reviewed by staff. You will be informed of our decision when review has been completed.

Enclosed is our receipt No. 48252.

Roberta Garrett
Records Supervisor

Enclosure

MICROFILMED

DEC 12 1989

1/5/88

Ritz - & File 25-7403

I was not aware that this water right was for Aquifer restoration when drilling permits 25-87-2-001, 002 & 003 were approved. This is the first of these I have seen.

I recommend the approval of the extension.

In the letter please state.

MICROFILMED

You must obtain DEC 12 1989 drilling permits for all wells drilled after July 1, 1987. Any new wells not

covered by permits 25-87-2-001, 002 and 003, must be covered by individual drilling permits or by a blanket drilling permit submitted by a licensed professional engineer or geologist.



1407 West North Temple
P.O. Box 899
Salt Lake City, Utah 84110

RECEIVED

JAN 04 1988

Department of Water Resources

September 3, 1987

Mr. John Beal
State House
Boise, Idaho 83720

Re: Drilling Permits for 2 or 3 additional wells at the Utah Power &
Light Company Idaho Falls Pole Yard

Dear Mr. Beal:


Utah Power & Light Company is continuing its efforts to define the extent and reduce the level of organic contamination at the Idaho Falls Pole Yard Facility, 680 West 23rd Street, Idaho Falls, Idaho.

We are preparing to drill up to three additional wells during the fall of 1987. These wells will be approximately 400 feet deep and constructed as previous wells, with adequate protection for the aquifer. All arrangements have been made to begin drilling on or shortly after September 7, 1987. Andrews Drilling was awarded the drilling contract.

We do have Water Right No. 25-7403 appropriating 1.4 cfs of water. The wells are located in the SE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 25, T.2 N., R.37 E., B.M. Bonneville County. These wells are being drilled for monitoring purposes, as required by the United States Environmental Protection Agency and the Health Department of the State of Idaho, and will produce 5 to 6 casing volumes of water each calendar quarter.

Please find enclosed a check in the amount of \$30.00 for the permitting of these three wells.

Sincerely,



James S. McCloy
Professional Hydrologist

encls.

9d3.jsm

MICROFILMED

DEC 12 1989



1407 West North Temple
P.O. Box 899
Salt Lake City, Utah 84110

RECEIVED
OCT 13 1987

Department of Water Resources

October 7, 1987

Mr. John E. Beal, P. E., Section Manager
Groundwater Protection
450 West State
Boise, Idaho 83720

Re: Well Permits for Utah Power & Light Company Idaho Falls Pole Yard


Dear Mr. Beal:

Please find enclosed one copy of each of three well permits and an area map of the Idaho Falls Pole Yard facility. These permits reflect a recent request by the U. S. Environmental Protection Agency to identify the flow direction of an aquifer approximately 350 feet below the ground surface. They also requested that at least one well be placed downgradient of the Hazardous Waste Management Facility found on site.

One well was drilled to 390 feet in 1984. In order to get flow direction, three wells are required. It is our hope to drill only two additional wells in 1987 and that at least one of the total of three wells will be in the required downgradient direction. In all probability, the fourth deep well (the third permit) will have to be constructed also in 1987.

No precise location can be submitted at this time for wells #2 and #3, since placement of subsequent wells will be a function of the information gained as drilling proceeds. All wells will be inside the perimeter fence on UP&L property. I will submit a map showing actual locations when drilling is completed.

Sincerely,



James S. McCloy
Professional Hydrologist

encl.

10d4.jsm

MICROFILMED

DEC 12 1989



EXPLANATION OF SYMBOLS

APPROXIMATE LOCATION OF SURFACE FEATURES

- MONITOR OR RECOVERY WELL COMPLETED IN AQUIFER No. 1
- ▲ MONITOR OR RECOVERY WELL COMPLETED IN DEEPER AQUIFER
- BOREHOLE LOCATION
- FENCE LINE
- UNION PACIFIC RAILROAD
- EDGE OF COLD MIX ASPHALT
- EDGE OF HOT MIX ASPHALT

APPROXIMATE LOCATION OF EMERGENCY EQUIPMENT

- ▲ FIRE HYDRANT
- FIRE HOSE STATION WITH WATER UNLESS OTHERWISE NOTED
- YARD LIGHT ON POLE
- YARD LIGHT ON BUILDING
- ① TELEPHONE LOCATION

APPROXIMATE LOCATION OF GATES


- SWINGING GATE SHOWING RELATIVE SIZE
- SLIDING GATE SHOWING RELATIVE SIZE

APPROXIMATE LOCATION OF UNDERGROUND LINES AND RELATED FEATURES

- SANITARY AND PROCESS SEWERAGE
- STORM SEWERAGE
- STORM SEWER CATCHMENT BASIN
- WATER LINE
- GAS LINE
- ELECTRICAL LINE
- TELEPHONE LINE
- BITUMEN AND ELECTRIC GATE (OPEN)
- MANHOLE LOCATION

APPROXIMATE LOCATION OF ABOVE GROUND LINES


- RECOVERY WELL LINE
- ELECTRICAL LINES



1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000

The locations of the 1st & 3rd
wells will depend on information
gained from the present drilling.
The first one well will be near
location E-4 and another of E-3.

SEE
PAGE
1000



SED AQUIFER NO. 2 MONITOR WELL
WELL NO. 3

ED RECOVERY WELL LOCATION

WELL NO. 1 WELL

WELL NO. 2 WELL

ED MONITOR/RECOVERY WELLS LOCATIONS

WELL NO. 1 WELL

WELL NO. 2 WELL

Dames & Moore



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 11, 1987

James McCloy
Utah Power & Light Co.
P.O. Box 899
Salt Lake City, UT 84110

RE: Drilling Permits 25-87-Z-001
25-87-Z-002
25-87-Z-003

Dear Mr. McCloy:

Enclosed are three approved drilling permits for your Pole Yard monitoring wells in Idaho Falls.

Please submit a plan sketch or map to me showing the lay-out of the yard and the existing and proposed wells. Thank you for your efforts.

If you have any questions or comments, please contact me.

Sincerely,

JOHN E. BEAL, Manager
Groundwater Protection Section

JEB:ldt

Enclosures

CC: IDWR - Eastern Region

MICROFILMED

DEC 12 1989

RECEIVED

OCT 13 1987

State of Idaho
Department of Water Resources

DRILLING PERMIT

Department of Water Resources (Authorizing Construction of a Well)*

APPROVED

1. Applicant Utah Power & Light
2. Address 1407 West North Temple
Salt Lake City, Utah 84140
(X) Well Owner () Well Operator () Other, specify _____
3. Water right permit no. _____; Injection well permit no. _____
4. Proposed well location 1/4 SE 1/4 NE 1/4, or Gov't lot No. _____,
Sec. 25, Twp. 2N, Rge. 37E, County Bonneville,
Lot, block and subdivision _____
5. Proposed use of well: (Check all that apply)
() Domestic () Stockwater (X) Monitoring
() Irrigation () Industrial () Municipal
() Injection () Other, Specify _____
6. Well construction information:
(X) New well () Deepen () Replace
Proposed surface diameter _____ Proposed depth 400
Anticipated bottom hole temperature:
(X) 85°F or less (Cold water well)
() 85°F to 212°F (Low temp. geothermal well)
() 212°F or more (Geothermal well)
7. Anticipated construction start date 9/7/87
8. Well Driller (if known) Andrews
Address 1268 East 17th Street Idaho Falls Idaho 83404
Date _____ Applicant's signature * L E Steward
Title _____

MICROFILMED

DEC 12 1989

* See Attached letter

ACTION OF IDWR

(✓) Approved () Denied

25-87-2-001, 002 & 003

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

7. Item 3 is not required
8. Wells shall be installed and constructed
As required by EPA + Idaho Dept
of H & W.

MICROFILMED

Dated this 11 day of September, 1987. DEC 12 1989

Signed

Joh E Beal

Title

SECTION MANAGER
GROUNDWATER PROTECTIONReceived by Hg/ges Fee 3000-3.00 Date 9/10/87Receipt No. 44573 Construction start date 9/10/87

Construction start extension to _____

Extension approved by _____



1407 West North Temple
P.O. Box 899
Salt Lake City, Utah 84110

RECEIVED

SEP 10 1987

Department of Water Resources

September 3, 1987

Mr. John Beal
State House
Boise, Idaho 83720

Re: Drilling Permits for 2 or 3 additional wells at the Utah Power &
Light Company Idaho Falls Pole Yard

Dear Mr. Beal:


Utah Power & Light Company is continuing its efforts to define the extent and reduce the level of organic contamination at the Idaho Falls Pole Yard Facility, 680 West 23rd Street, Idaho Falls, Idaho.

We are preparing to drill up to three additional wells during the fall of 1987. These wells will be approximately 400 feet deep and constructed as previous wells, with adequate protection for the aquifer. All arrangements have been made to begin drilling on or shortly after September 7, 1987. Andrews Drilling was awarded the drilling contract.

We do have Water Right No. 25-7403 appropriating 1.4 cfs of water. The wells are located in the SE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 25, T.2 N., R.37 E., B.M. Bonneville County. These wells are being drilled for monitoring purposes, as required by the United States Environmental Protection Agency and the Health Department of the State of Idaho, and will produce 5 to 6 casing volumes of water each calendar quarter.

Please find enclosed a check in the amount of \$30.00 for the permitting of these three wells.

Sincerely,


James S. McCloy
Professional Hydrologist

encls.

9d3.jsm

MICROFILMED

DEC 12 1989

RECEIVED
OCT 13 1987

State of Idaho
Department of Water Resources

DRILLING PERMIT

Department of Water Resources (Authorizing Construction of a Well)*

APPROVED

1. Applicant Utah Power & Light
2. Address 1407 West North Temple
Salt Lake City Utah 84140
- ☒ Well Owner ☐ Well Operator ☐ Other, specify _____
3. Water right permit no. _____; Injection well permit no. _____
4. Proposed well location 1/4 SE 1/4 NE 1/4, or Gov't lot No. _____,
Sec. 25, Twp. 2N, Rge. 37E, County Bonneville,
Lot, block and subdivision _____
5. Proposed use of well: (Check all that apply)
☐ Domestic ☐ Stockwater ☒ Monitoring
☐ Irrigation ☐ Industrial ☐ Municipal
☐ Injection ☐ Other, Specify _____
6. Well construction information:
☒ New well ☐ Deepen ☐ Replace
Proposed surface diameter _____ Proposed depth 400
Anticipated bottom hole temperature: **MICROFILMED**
☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well) **DEC 12 1989**
7. Anticipated construction start date 9/7 Oct 19, 1987
8. Well Driller (if known) A. J. Drews
Address 1268 East 17th Street, Idaho Falls Idaho 83404
Date _____ Applicant's signature * L E Steward
Title _____

* See attached letter

* After other pre-requisite approvals have been obtained.

ACTION OF IDWR

(✓) Approved () Denied

25-87-2-001, 002 & 003

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

7. Item 3 is not required
8. Wells shall be installed and constructed as required by EPA & Idaho Dept of H & W.

MICROFILMED

Dated this 11 day of September, 1987.

DEC 12 1989

Signed

Joh E. Beal

Title

SECTION MANAGER
GROUNDWATER PROTECTIONReceived by H. J. GEB Fee 30.00-3.00 Date 9/10/87Receipt No. 44573 Construction start date _____

Construction start extension to _____

Extension approved by _____



1407 West North Temple
P.O. Box 899
Salt Lake City, Utah 84110

RECEIVED

SEP 10 1987

Department of Water Resources

September 3, 1987

Mr. John Beal
State House
Boise, Idaho 83720

Re: Drilling Permits for 2 or 3 additional wells at the Utah Power & Light Company Idaho Falls Pole Yard

Dear Mr. Beal:


Utah Power & Light Company is continuing its efforts to define the extent and reduce the level of organic contamination at the Idaho Falls Pole Yard Facility, 680 West 23rd Street, Idaho Falls, Idaho.

We are preparing to drill up to three additional wells during the fall of 1987. These wells will be approximately 400 feet deep and constructed as previous wells, with adequate protection for the aquifer. All arrangements have been made to begin drilling on or shortly after September 7, 1987. Andrews Drilling was awarded the drilling contract.

We do have Water Right No. 25-7403 appropriating 1.4 cfs of water. The wells are located in the SE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 25, T.2 N., R.37 E., B.M. Bonneville County. These wells are being drilled for monitoring purposes, as required by the United States Environmental Protection Agency and the Health Department of the State of Idaho, and will produce 5 to 6 casing volumes of water each calendar quarter.

Please find enclosed a check in the amount of \$30.00 for the permitting of these three wells.

Sincerely,



James S. McCloy
Professional Hydrologist

encls.

9d3.jsm

MICROFILMED

DEC 12 1989

RECEIVED

OCT 13 1987

State of Idaho
Department of Water Resources

DRILLING PERMIT

Department of Water Resources (Authorizing Construction of a Well)*

APPROVED

1. Applicant Utah Power & Light
2. Address 1407 West North Temple
Salt Lake City Utah 84140
☒ Well Owner ☐ Well Operator ☐ Other, specify _____

3. Water right permit no. _____; Injection well permit no. _____

4. Proposed well location 1/4 SE 1/4 NE 1/4, or Gov't lot No. _____,
Sec. 25, Twp. 2N, Rge. 37E, County Bonneville
Lot, block and subdivision _____

5. Proposed use of well: (Check all that apply)

- ☐ Domestic ☐ Stockwater ☒ Monitoring
☐ Irrigation ☐ Industrial ☐ Municipal
☐ Injection ☐ Other, Specify _____

6. Well construction information:

- ☒ New well ☐ Deepen ☐ Replace

Proposed surface diameter _____ Proposed depth 400

Anticipated bottom hole temperature:

- ☒ 85°F or less (Cold water well)
☐ 85°F to 212°F (Low temp. geothermal well)
☐ 212°F or more (Geothermal well)

MICROFILMED

DEC 12 1989

7. Anticipated construction start date 7/7 Nov. 16, 1987

8. Well Driller (if known) Andrew

Address 1268 East 17th Street, Idaho Falls Idaho 83404

Date _____ Applicant's signature * E E. Vawter

Title _____

* See Attached Letter

ACTION OF IDWR

(✓) Approved () Denied

25-87-2-001, 002 & 003

The approval of this permit authorizes the construction of a well as described on this application subject to the conditions on this permit.

GENERAL CONDITIONS:

1. The well must be constructed in compliance with the applicable statutes, specific conditions of approval shown on the water right permit, injection well permit, transfer or amendment and the rules and regulations of the Department for water appropriation, injection wells and well construction standards.
2. This drilling permit is valid for two (2) months from its date of issuance for the start of construction and is valid for one (1) year from the date of issuance for completion of the well unless an extension has been granted.
3. The permit holder or his representative shall notify the Department ten (10) days prior to the start of construction unless good cause for later notification can be shown.
4. The well shall be constructed by a driller currently licensed in the State of Idaho who must maintain a copy of the drilling permit at the drilling site.
5. Issuance of this drilling permit does not authorize trespass on the land of another party.
6. This permit does not constitute other local, county, state or federal approvals which may be required for construction of a well.

SPECIFIC CONDITIONS:

7. Item 3 is not required
8. Wells shall be installed and constructed as required by EPA & Idaho Dept of H & W.

Dated this 11 day of September, 1987.

Signed

Title

John E. Beal
SECTION MANAGER
GROUNDWATER PROTECTION

Received by Hg/gcb Fee 3000-3 wells Date 9/10Receipt No. 44573

Construction start date

DEC 12 1989

Construction start extension to

Extension approved by



1407 West North Temple
P.O. Box 899
Salt Lake City, Utah 84110

RECEIVED

SEP 10 1987

Department of Water Resources

September 3, 1987

Mr. John Beal
State House
Boise, Idaho 83720

Re: Drilling Permits for 2 or 3 additional wells at the Utah Power &
Light Company Idaho Falls Pole Yard

Dear Mr. Beal:


Utah Power & Light Company is continuing its efforts to define the extent and reduce the level of organic contamination at the Idaho Falls Pole Yard Facility, 680 West 23rd Street, Idaho Falls, Idaho.

We are preparing to drill up to three additional wells during the fall of 1987. These wells will be approximately 400 feet deep and constructed as previous wells, with adequate protection for the aquifer. All arrangements have been made to begin drilling on or shortly after September 7, 1987. Andrews Drilling was awarded the drilling contract.

We do have Water Right No. 25-7403 appropriating 1.4 cfs of water. The wells are located in the SE $\frac{1}{4}$ of the NE $\frac{1}{4}$ of Section 25, T.2 N., R.37 E., B.M. Bonneville County. These wells are being drilled for monitoring purposes, as required by the United States Environmental Protection Agency and the Health Department of the State of Idaho, and will produce 5 to 6 casing volumes of water each calendar quarter.

Please find enclosed a check in the amount of \$30.00 for the permitting of these three wells.

Sincerely,


James S. McCloy
Professional Hydrologist

encls.

9d3.jsm

MICROFILMED

DEC 12 1989

138034
CERTIFIED MAIL
October 31, 1987

UTAH POWER & LIGHT
P.O. BOX 899
SALT LAKE CITY, UT 84110

PROOF DUE NOTICE

RE: Permit No. 25-7403

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1988. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a completed field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this Department on or before the above described proof due date, or the permit will no longer be of any force nor effect.

Sincerely,

RITA FLECK
Secretary/Records Manager

Enclosures

MICROFILMED

DEC 12 1989



RECEIVED
OCT 23 1986

Department of Water Resources

October 20, 1986

Rita Fleck, Records Manager
Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720

Re: Permit #25-7403

Dear Ms. Fleck:

The enclosed Request for Extension of Time on permit #25-7403 is needed in order to complete the well drilling program at Utah Power's Idaho Falls pole yard. Also enclosed is the \$15 filing fee.

If any additional information is needed, please call me at (801) 535-2174.

Very truly yours,

A handwritten signature in cursive script that reads "Carly Burton".


Carly Burton
Hydrological Supervisor

CBB:lw
cc: Jim Johnson
31/36HYD

RECEIVED
OCT 23 1986



1407 West North Temple
P.O. Box 899
Salt Lake City, Utah 84110



Mr. Jim Johnson
Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720

November 6, 1986

Utah Power and Light Company
P. O. Box 899, Room 145
Salt Lake City, UT 84110

Gentlemen:

Re: Permit No. 25-7403

Enclosed is a copy of the approved request for extension of time. The time within which to submit proof of beneficial use is extended to January 1, 1988.

If you have any questions concerning this water right permit, please feel free to contact this office.

Sincerely,

RITA I. FLECK
Secretary/Records Manager

Enclosure

STAFF REVIEW SHEET - EXTENSION OF TIME

Permit No. 25-7403Reviewed by [Signature]Date 10-30-1986

BASIC INFORMATION

4 Date stamp received
4 Extension received timely
(not prior to 6 month before proof due date or after reinstatement period)
4 Fee received and receipted
4 Name and signature same as permit
0 Address change (indicate on coding sheet)

BASIS FOR EXTENSION REQUEST

4 Has adequate work been completed to demonstrate due diligence?
4 Has the cost incurred been adequate to demonstrate an intent to complete the project?
0 Has the permit been involved in litigation?
a. Swan Falls 0 Dismissed from Swan Falls _____
Other _____ Identify _____
b. Is supporting documentation needed to complete the file? _____
Requested _____
c. Calculate the period of delay

Date litigation completed _____

Date litigation began _____

Total period of delay = _____

Present proof due date + _____

NEW PROOF DUE DATE = _____

Is delay by a government agency? _____

Is supporting documentation needed to complete the file? _____
Requested? _____

ACTION TAKEN - Recommend approval based on due diligence for the period of time requested by permit holder - until 1-1-1988.

Special conditions or remarks:

1/1 Reinstatement Date extension received _____ = _____
Proof due date _____ = _____
No. of days late _____ = _____
Priority date _____ = + _____
ADJUSTED PRIORITY DATE _____ = _____

Prepare coding sheet

Change rolodex card



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

EXTENSION OF TIME

October 28, 1986

Utah Power & Light Company
P. O. Box 899, Room 145
Salt Lake City, UT 84110

PERMIT NO. 25-7403

We are in receipt of the \$15 extension fee for Extension(s) of Time to provide additional time in which to submit proof of beneficial use on a water right permit.

Your request for extension(s) of time is being reviewed by staff. You will be informed of our decision when review has been completed.

Enclosed is our receipt No. 39348.

Roberta Garrett
Records Supervisor

Enclosure

RECEIVED
OCT 30 1986
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BOISE, IDAHO



RECEIVED
OCT 23 1986

Department of Water Resources

October 20, 1986

Rita Fleck, Records Manager
Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720

Re: Permit #25-7403

Dear Ms. Fleck:

The enclosed Request for Extension of Time on permit #25-7403 is needed in order to complete the well drilling program at Utah Power's Idaho Falls pole yard. Also enclosed is the \$15 filing fee.

If any additional information is needed, please call me at (801) 535-2174.

Very truly yours,

A handwritten signature in cursive script that reads "Carly Burton".

Carly Burton
Hydrological Supervisor

CBB:lw
cc: Jim Johnson
31/36HYD

RECEIVED
OCT 23 1986



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

September 9, 1986

RE: Permit No. 25-7403

Carly Burton
Utah Power & Light Co.
1407 W. N. Temple
Box 899
Salt Lake City, UT 84110

Dear Mr. Burton:

This is to advise you that the above referenced water permit appropriating 1.4 cfs of groundwater for use of water quality improvement (more specifically, for removal of organic contaminants) is in good standing. The location of use is at the Idaho Falls pole yard situated within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 25, Twp 2N, Rge 37E.

Pursuant to the provisions of the appropriate sections of the Idaho Code, a water permit is a valid water right and the permit holder, Utah Power and Light Co., has complied with necessary requirements to date. One remaining procedure required of the permit holder is to submit a Statement of Beneficial Use or a Request for Extension of Time on or before November 1, 1986.

If the statement of beneficial use is received, the Department will conduct a field examination to confirm the extent to which water use has been developed. A permanent water right license will be issued based upon the findings of the field examination.

If I can be of any further assistance, please let me know.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

MICROFILM



1407 West North Temple
P.O. Box 899
Salt Lake City, Utah 84110

RECEIVED
SEP 2 1986

Department of Water Resources

August 28, 1986

Mr. Jim Johnson
Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720

Re: Permit #25-7403 (Idaho Falls Pole Yard)

Dear Jim:

Thank you for your clarification of the above-referenced application. You indicated by phone August 7 that this application was processed as a permanent application even though Utah Power & Light described the pilot program as a temporary project in paragraph 10 of the application.

Our legal department has advised me that EPA needs written verification that application 25-7403 was approved as a permanent water right subject to filing proof of beneficial use in the future. Therefore, a brief letter from you indicating the current status of the application will allow us to proceed with the water quality improvement project with full approval from EPA.

Very truly yours,


Carly Burton
Hydrological Supervisor

RECEIVED
SEP 2 1986


CB:lw
16/36HYD
cc: Jody Williams
Jim McCloy

**Utah
Power
& Light Company**

1407 West North Temple
P.O. Box 899
Salt Lake City, Utah 84110



Mr. Jim Johnson
Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
AUGUST 31, 1986

UTAH POWER & LIGHT
P.O. BOX 899
SALT LAKE CITY, UT 84110

138226

PROOF DUE NOTICE

RE: PERMIT NO. 25-7403

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE NOVEMBER 1, 1986. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH WHEN ACCOMPANIED BY THE LICENSE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT PREPARED BY A CERTIFIED WATER RIGHT EXAMINER MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

RECEIVED
AUG 31 1986



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

July 24, 1986

RE: Permit No. 25-7403

Utah Power & Light
Attn: Carly Burton
1407 West North Temple
Box 899
Salt Lake City, UT 84110

Dear Ms. Burton:

In response to your request of 7/7/86 to drill five additional wells at the pole yard site, the Department has no objection to adding these wells providing that the total diversion of all the wells does not exceed the amount identified in your permit.

Secondly, on your request to be advised of requirements to allow permanent pumping of 0.5 cfs, it appears that if the intent is to use the water for water quality improvement as identified on your permit, then no additional requirements are necessary above fulfillment of the permit requirements.

If you have additional questions, please let us know.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

RECEIVED
JUL 27 1986



1407 West North Temple
P.O. Box 899
Salt Lake City, Utah 84110

RECEIVED

JUL 10 1986

Department of Water Resources

July 7, 1986

Mr. Jim Johnson
Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720

Re: Request to Drill Five New Wells at Idaho Falls Pole Yard

Dear Mr. Johnson:

Utah Power and Light Company hereby requests permission to drill five additional wells at Utah Power's Idaho Falls pole yard, located at 680 West 23rd Street. As you are aware, Utah Power was granted approval on permit #25-7403 for seven wells totaling 1.4 CFS. The water is presently pumped from the wells and is treated to remove organic contaminants. The proposed new wells will replace the seven existing wells being pumped at the present time.

Mr. Harold Jones in the Idaho Falls office indicated that the new wells could be drilled and pumped under provisions of the existing permit #25-7403. The testing program for these proposed wells will continue until December 31, 1986 as outlined in the permit.

In addition to the above request, Utah Power requests permission to pump .5 CFS from a combination of the existing and proposed wells (12 total) on a permanent basis commencing on January 1, 1987. Please advise us on how to proceed to acquire a permit for pumping and water treatment on a permanent basis.

Your earliest response to this letter would be appreciated.

Very truly yours,

Carly Burton
Hydrological Supervisor


lw
cc: Harold Jones - Idaho Falls office
9/36HYD

RECEIVED
JUL 10 1986



1407 West North Temple
P.O. Box 899
Salt Lake City, Utah 84110

PRESORTED
FIRST CLASS



Mr. Jim Johnson
Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720





1407 West North Temple
P.O. Box 899
Salt Lake City, Utah 84110

RECEIVED

FEB 18 1986

Department of Water Resources

February 13, 1986

Mr. Jim Johnson
Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720

Re: Application #25-7403

Dear Mr. Johnson:

OK
This letter is to inform you that Utah Power would like to continue to pump water under the above-referenced application until December 31, 1986 as indicated in paragraph 4 of the application. We had indicated in the remarks section under paragraph 10 that pumping would be complete by March 31, 1986; however, the December 31 date is preferred.

If you have any questions, please feel free to call me at (801) 535-2174.

Truly yours,

Carly Burton
Hydrological Supervisor

CBB:lw
7/35Hy



No response required
Jim
2-26-86

RECEIVED
FEB 18 1986

**Uetner
Pouner**
A LIGHT COMPANY
1407 West North Temple
P.O. Box 899
Salt Lake City, Utah 84110

Mr. Jim Johnson
Idaho Department of Water Resources
Statehouse
Boise, Idaho 83720

UetnerPounerA LIGHT COMPANY



October 9, 1985

RE: Permit No. 25-7403

Utah Power & Light
Box 899
Salt Lake City, UT 84110

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Be sure to note the special condition requiring you to install a measuring device, or a flow measurement port to provide for the installation of measuring equipment by the Department. Enclosed please find a list of measuring device options, and specifications for the installation of the flow measurement port.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is the statement of beneficial use that must be submitted when your project is completed.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosures

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: G. E. RAMSEY

APPLICATION NUMBER: 25~7403

CHECK: JUN 18 1985

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

*This application is non-
consumptive.*

- ☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☒ Other H&W DIV OF ENVIRON

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 8-5-85 ✓
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application. 9-23-85

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7-29-85 9-16-85
☐ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 01
6-14-85 Date of priority recommended.
Special conditions of approval or cover letter. _____

*app. not identified in
S.F. suit*

RECEIVED
SEP 26 1985

By: Ernest Carlson

Date: Aug 7, 1985

STATE OFFICE REVIEW:

103, 105, 216

21 OIC OIC

RECEIVED
AUG 12 1985

- ☐ See attached sheet for more information.

By: CW

Date: 10/7/85

Department of Water Resources

MINIMUM 1000

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

1000000
00000000



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

RECEIVED

DIVISION OF ENVIRONMENT
150 North 3rd Avenue
Pocatello, Idaho
83201

JUL 31 1985

Department of Water Resources
~~Eastern District Office~~

July 30, 1985

Mr. Ernest Carlsen
Assistant Regional Supervisor
Department of Water Resources
150 Shoup - Suite 15
Idaho Falls, Idaho 83402

RE: Application for Permit No. 25-7403
and No. 21-7362

Dear Mr. Carlsen:

Regarding the above applications for permits, we have no
objections or concerns regarding these permits

We thank you for the opportunity of reviewing these applications.

Sincerely,

Gordon Hopson
Gordon Hopson
Source Control Field Officer

GH/jd

MICROFILMED

July 17, 1985

RE: Application for Permit No. 25-7403 UTAH POWER & LIGHT

Department of Health & Welfare
150 North Third
Pocatello, ID 83201

Gentlemen:

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and submit any comments you may have to our Department as soon as possible. The last date of protest is August 5, 1985, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Respectfully submitted,

ERNEST CARLSEN
Assistant Regional Supervisor

EC:cw

Enclosure

ENCLOSURE

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

JULY 10, 1985

The Post Register
P. O. Box 1800
Idaho Falls, Idaho 83401

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before AUGUST 5, 1985.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before AUGUST 5, 1985.

KEN DUNN, Dir.

Published 7/18 & 7/25/85.

MICROFILMED

25-2403

UTAH POWER & LIGHT

P.O. BOX 899, SALT LAKE CITY, UT 84110

Source: GROUNDWATER

Date Filed: 06/14/1985

Diversion Pt: SENE Sec 25 T 02N R 37E

Use: WATER QUALITY IMPROVEMENT (1.40 CFS)

In: SENE Sec 25 T 02N R 37E

MICROFILMED

IDAHO DEPARTMENT OF WATER RESOURCES

Initials	Date	Item
CT	7-10-85	Original form entered
CT	7-15-85	Edit Report Correct
		Date Protested
		Date of Hearing
		Date Approved/Denied (Proof due date, stage and/or status, conditions of approval, water district)
		Record Verified
		Amendment Approved
		Extension Approved
		Partial Proof
		Proof Complete
		Field Exam Received
		Field Exam Accepted and changes entered
		License Updated
		Transfer Updated
		Keyponded by State Office

July 5, 1985

Jody L. Williams
Attorney at Law
1407 West North Temple Street
P.O. Box 899
Salt Lake City, UT 84110

Dear Ms. Williams:

We are returning your personal check in the amount of \$65.00.
We received the check from Utah Power & Light and have receipted
that one for the water application.

Thanks for your consideration.

Sincerely,

CHERYL THOMPSON
Secretary

Attachment: 31-2 for \$65.00.

UNRECORDED

UTAH POWER & LIGHT COMPANY

1407 WEST NORTH TEMPLE STREET

P. O. BOX 899

SALT LAKE CITY, UTAH 84110

LEGAL DEPARTMENT

JODY L. WILLIAMS

ATTORNEY AT LAW

801 - 585-2851

July 3, 1985

Mr. Gerald Ramsey
Radiologic Specialist
Idaho Department of Water Resources
150 Shoup, Suite 15
Idaho Falls, Idaho 83402

Dear Mr. Ramsey,

Enclosed please find my personal check for \$65.00 for the filing fee for Utah Power & Light Company's Application to Appropriate Water for the clean-up wells in the pole yard at Idaho Falls. Utah Power & Light Company's accounting department insists that they have mailed a check to your office for the \$65.00, so I cannot get another check from them until the one they mailed turns up. Please go ahead and use my check as the filing fee unless the Company's check arrives before you cash mine. Then please return whichever check you do not use to me.

I am sorry for the time and trouble this has caused you. Please accept our apology. Thank you for working with us to process our application.

Very truly yours,



Jody L. Williams

JLW
encl.

MICROFILMED

June 19, 1985

Jody L. Williams
Utah Power & Light
P.O. Box 899
Salt Lake City, UT 84110

Dear Jody:

Enclosed is Utah Power & Light's check for \$210.00 per our telephone conversation of 6-19-85. The Application for Permit will be processed as soon as the \$65.00 filing fee is received. Thanks for your cooperation.

Enclosed are the 6 applications that have been marked "void".

Sincerely,

GERALD F. RAMSEY
Radiologic Specialist

GFR/ct

Enclosures

G. F. RAMSEY

JUL 3 1985

*Contacted Ms. Wilton
She stated check
would be in the mail
as of above date
/gr*

RECORDED

UTAH POWER & LIGHT COMPANY

LEGAL OFFICES

SIDNEY G. BAUCOM
EXECUTIVE VICE PRESIDENT
AND
GENERAL COUNSEL

ROBERT GORDON
VICE PRESIDENT
535-4258

THOMAS W. FORSGREN
535-4261

SAM F. CHAMBERLAIN
535-4265

RALPH L. JERMAN
535-4253

ROSEMARY RICHARDSON
535-4263

P. O. BOX 899

SALT LAKE CITY, UTAH 84110

June 11, 1985

RECEIVED

JUN 14 1985

Department of Water Resources
Eastern District Office

HELEN J. EDWARDS
535-4255

DAVID LLOYD
535-2885

EDWARD HUNTER
535-2873

JODY L. WILLIAMS
535-2851

DAVID A. WESTERBY
535-4265

THOMAS V. RASMUSSEN
535-2873

MARK G. WHITLOCK
CLAIMS SPECIALIST
535-4027

Mr. Ernest Carlson
Idaho Dept. of Water Resources
150 Shoup, Suite 15
Idaho Falls, Idaho 83402

Dear Mr. Carlson:

The enclosed applications and check are for seven wells that need to be drilled at Utah Power & Light Company's pole yard located near the City of Idaho Falls. The water from each well will be treated to remove organic contaminants. The treated water will then be conveyed to the Idaho Falls sewage treatment plant for additional treatment prior to discharge to the Snake River.

We anticipate drilling the wells in the near future. Treatment of the water will commence August 1, 1985, and will continue until March 31, 1986, pursuant to EPA directives. No water will be consumed except for minute amounts needed for water quality monitoring.

Your earliest response to this letter would be appreciated.

Very truly yours,

Jody L. Williams
Jody L. Williams

CBB/JLW:cm

Enclosures

MICROFILMED