


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

MICROFILMED
FEB 17 1993

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John E. Christofferson
(Applicant)
John E. Christofferson, Director,
Eastern Idaho Vocational-Technical School

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	FRANKLIN	10			3"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
U-S GAGE	0-100				READING 7# PSI	

2. Measurements: _____

MICROFILMED

APR 15 19

27H)

GEOLOGICAL SURVEY

112°00'
43°30'

420000mE


421

16 MI. TO U.S. 26

T2N

17TH ST.

4815000mN



25-7399

R38E

STREET

EXTENSION

CANAL

15 1998

EASTERN IDAHO TECHNICAL COLLEGE

VIEW OF INJECTION WELL

LOCATION OF PRODUCTION WELL



CUT
THROUGH
ASPHALT
CENTER
OF RETURN
LINE TO
INJECTION
WELL

VIEW OF 8" PRODUCTION WELL



↑ CUT FOR PIPING ↑
MICROFILMED TO INJECTION WELL

APR 15 1998

25-7399

EASTERN IDAHO TECHNICAL COLLEGE

VIEW OF INCOMING LINE TO SOME HEAT EXCHANGERS.



RED HANDLES ARE GATE/BALL VALVES

TO PRESSURE GAUGES 0-100 PSI

BLUE VERTICAL CYLINDER IS A SAND TRAP.

MICROFILMED
APR 15 1998

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07399

Priority: January 2, 1985

Maximum Diversion Rate: 0.27 CFS

Maximum Diversion Volume: 21.4 AF

This is to certify, that EASTERN IDAHO TECHNICAL COLLEGE

1600 HITT RD

IDAHO FALLS ID 83404

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 2, 1985; and has submitted Proof of Beneficial Use on February 22, 1994. An examination indicates that the works have a diversion capacity of 0.420 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COOLING	01/01 to 12/31	0.27 CFS	21.4 AF

LOCATION OF POINT(S) OF DIVERSION:

NESE , Sec. 21, Township 02N, Range 38E
BONNEVILLE County

PLACE OF USE: COOLING

TWN RGE SEC

02N 38E 21

NESE

SESE

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. Return flow discharged to a subsurface system must be authorized by a separate injection well permit.

MICROFILMED
APR 15 1998

State of Idaho
Department of Water Resources


WATER RIGHT LICENSE

WATER RIGHT NO. 25-07399

CONDITIONS OF APPROVAL AND REMARKS

8. Cooling use is for climate control in the Technology Building.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 30TH
day of MARCH, 1998.


Acting for KARL J. DREHER, Director

MICROFILMED

APR 15 1998

State of Idaho
Department of Water Resources

RECEIVED

MAR 20 1998

Department of Water Resources

APPLICATION FOR AMENDMENT

(For Licensing Purposes)
WATER RIGHT NO. 25-07399

Date of Priority: January 2, 1985

Maximum Diversion Rate: 0.27 CFS

Maximum Diversion Volume: 21.4 AF

Comes now EASTERN IDAHO TECHNICAL COLLEGE
1600 HITT RD
IDAHO FALLS ID 83404

and represents to the Director of the

Idaho Department of Water Resources:

That he is the owner and holder of Permit to Appropriate the Public Waters of the
State of Idaho No. 25-07399, and requests that the permit be changed as follows:

Source: GROUNDWATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
COOLING	01/01 to 12/31	0.27 CFS	21.4 AF

LOCATION OF POINT(S) OF DIVERSION: NESE , Sec. 21, Township 02N, Range 38E
BONNEVILLE County

PLACE OF USE: COOLING

TWN RGE SEC

02N 38E 21 NESE SESE

Permit holder asserts that no one will be injured by such change and that such change
will be made at permit holder's own risk.

Signed at Idaho Falls Idaho, this 18th day of March, 1998.

MICROFILMED

APR 15 1998

(Signature)

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 25-07399

FOR DEPARTMENT USE ONLY

Preliminary check by SK Fee = \$50.00 Received by KS # CD 41746 Date 3.16.98


~~ACTION OF THE DEPARTMENT OF WATER RESOURCES~~

I, Karl J. Dreher, of the Department of Water Resources hereby approve the
above Application for Amendment for Permit No. 25-07399 with the following;

CONDITIONS OF APPROVAL AND REMARKS

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license shall be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
6. The Director retains jurisdiction of the right to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
7. Return flow discharged to a subsurface system must be authorized by a separate injection well permit.
8. Cooling use is for climate control in the Technology Building.

Witness my hand this 30TH day of March, 1998.


Acting for KARL J. DREHER, Director

MICROFILMED

APR 15 1998

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF CHANGING THE)
FLOW MEASUREMENT PORT OR)
MEASURING DEVICE CONDITION)
OF APPROVAL FOR PERMIT NO.)
25-07399.)

ORDER


WHEREAS, the Department of Water Resources (department) has issued the above captioned water right permit with a condition of approval requiring the permit holder to install a flow measurement port or other device to facilitate the measurement and determination of the rate of diversion by the department; and

WHEREAS, the department has determined that the rate of diversion for certain ground water uses can be estimated by the department without the use of an installed flow measurement port; and,

WHEREAS, the department has determined that the rate of flow for the above captioned permit can be estimated without the use of a flow measurement port;

IT IS THEREFORE, HEREBY ORDERED that the condition of approval requiring the installation of a flow measurement port or other device for the above captioned permit is WAIVED. The department retains the jurisdiction to require the condition be reinstated in the future upon a finding of need by the department.

Dated this 2nd day of March, 1994.


L. GLEN SAXTON
Chief, Water Allocation Bureau

RECEIVED

APR 07 1994

RECEIVED

FEB 22 1994

Department of Water Resources

OFFICE USE ONLY
Amt. of Fee \$ 100.00
Date 2-23-94
Receipt No. C029667
Receipt by Qu

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

1. Permit No. 25-07399 Telephone No. 524-3000
2. Name(s) of Permit Holder(s): Eastern Idaho Technical College
3. Mailing Address: 1600 S 2500 E, Idaho Falls, ID 83404-5788
4. Source of Water: Groundwater

If **GROUNDWATER**, Well Driller's Name: Denning Well Drilling Inc. Date Drilled: 8-7-85

OPTIONAL:

Pump horsepower: 10 Pressure (psi): 40 Dynamic pumping level (ft.): 130

5. Extent of Use (as authorized by the permit):

Domestic (No. of households) Stockwater (No. and type of stock)
Irrigation (No. of acres) Other Heating & Cooling

6. Total rate and/or volume for which proof is submitted .27 cfs OR acre/feet

7. Refer to the approval conditions on your permit and respond accordingly:

Measuring device: Required? Yes ☒ No ☒ Installed? Yes ☒ No ☒ Piping is PVC 3 Inch
OR
Flow Measurement Port: Required? Yes ☒ No ☒ Installed? Yes ☒ No ☒

8. Fee Enclosed: \$ 100.00 (See License Fee Schedule on back of Instruction Sheet)

9. Person to contact to accompany the Department representative during field examination of the water system.

Steve T. Bunnell 524-3000 Ext 331

Name Telephone No.

1600 S 2500 E, Idaho Falls, ID 83404-5788

Address

10. The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

APR 07 1994

February 9, 1994
Date

Steve T. Bunnell
Signature (and title, if on behalf of a company or organization)

Facility Foreman

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 25-07399

Proposed Priority: January 2, 1985 Maximum Diversion Rate: 0.27 CFS
This is to certify, that **EASTERN IDAHO TECHNICAL COLLEGE**
1600 HITT ROAD
IDAHO FALLS ID 83404
has applied for a permit to appropriate water from: **GROUNDWATER**
and a permit is **APPROVED** for development of water as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
HEATING	01/01 to 12/31	0.27 CFS
COOLING	01/01 to 12/31	0.27 CFS
	Totals	0.27 CFS

LOCATION OF POINT(S) OF DIVERSION: SESE , Sec. 21, Township 02N, Range 38E
BONNEVILLE County

PLACE OF USE: HEATING
TWN RGE SEC

02N 38E 21 SESE

PLACE OF USE: COOLING, same as HEATING use

CONDITIONS/REMARKS:

1. Proof of construction of works and application of water to beneficial use shall be submitted on or before **March 1, 1994**.
2. Subject to all prior water rights.
3. Prior to the diversion of water under this right a flow measurement port or other device as specified by the Department shall be installed to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department.
4. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
5. Construction of the well must comply with Idaho well construction standards.
6. The use of water under this right shall not give rise to any claim against the holder of a senior water right based upon the theories of forfeiture, abandonment, adverse possession, waiver, equitable estoppel, estoppel by laches or customary preference.
7. The Director retains jurisdiction of the right and any license subsequently issued to incorporate the use into a water district, require streamflow augmentation or other action needed to protect prior surface water and groundwater rights.
8. The heating and cooling uses are for climate control in the Technology Building.

RECEIVED

FEB 17 1993

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 25-07399

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

3rd day of February, 1993.

R. Keith Higginson

R. Keith Higginson, Director

for

RECEIVED
FEB 17 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

1. Name of applicant TECHNICAL COLLEGE **
Eastern Idaho Vo-Tech School Phone 208-524-3000
Post office address 1600 Hitt Road,* 83404 *
2299 E. 17th Street, Idaho Falls, ID 83402

2. Source of water supply Ground Water which is a tributary of NA

3. Location of point of diversion is SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 21 Township 2 N
Range 38E B.M. Bonneville County, additional points of diversion if any: NA

* CHANGES AS PER TELECON W/STEVE BUNNELL Oct 17, 1988 - KCW

** ~~CHANGE PER CONVERSATION W/STEVE BUNNELL 8/1/1989 - T.O.~~

4. Water will be used for the following purposes:

Amount .27cfs for Heating and Cooling purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .27cfs for irrigation purposes from April 1 to Oct. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount As per telecon with Steve Bunnell 10:33 1-21-93 for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

Amount for purposes from to (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .27 cubic feet per second and/or b. .65 acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Diverting works will consist of a ground water well, 8" in diameter, to an approximate depth of 250 ft.

b. Height of storage dam NA feet, active reservoir capacity NA acre-feet; total reservoir capacity NA acre-feet, materials used in storage dam: NA

Period of year when water will be diverted to storage NA to NA inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 250 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 21 Township 2 N
Range 38E B.M.

(2) Amount of power to be generated: NA horsepower under NA feet of head.

(3) List number of each kind of livestock to be watered NA

(4) Name of municipality to be served NA, or number of families to be supplied with domestic water NA

(5) If water is to be used for other purposes describe: Water will be used to supply a water source heat pump to provide heat and cooling for the Eastern Idaho Vo-Tech School - Technology Building and then returned to the ground via an injection well during the winter and lawn care during the summer.

RECEIVED
FEB 17 1993

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
T2N	38E	21																14	14

Total number of acres to be irrigated 14

c. Describe any other water rights used for the same purposes as described above. -NA--*

SHARES IN IDAHO CANAL *

9. a. Who owns the property at the point of diversion applicant
- b. Who owns the land to be irrigated or place of use applicant
- c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing NA

10. Remarks This permit application is a part of a heating and cooling system conversion project for the Eastern Idaho Vo-Tech School - Technology Building. The Idaho Division of Public Works project number assigned is: 85-132.


~~During the summer months it is anticipated that the 120 gpm water flow will be used to supply a portion of the presently installed lawn sprinkler system. In so doing, this water will replace city supplied water now being used for lawn care.~~

* CHANGES AS PER TELECON W/STEVE BUNNELL Oct 17, 1988 - KCW

APPROVED

FEB 17 1993

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

FEB 17 1993

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

John E. Christofferson
(Applicant)
John E. Christofferson - Director,
Eastern Idaho Vocational-Technical School

Received by CW Date 1-02-85 Time 11:35 A.
CW 12-11-84 2:00 P.
Preliminary check by En Fee \$ 45.00 # 34373
Receipted by CW Date 1-2-85
Publication prepared by CW Date 1-9-85
Published in Post-Register
Publication dates 9-21-28
Publication approved LB Date 10-18-89
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by _____

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. _____, and said application is hereby _____.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before _____, 19____.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

RECEIVED

FEB 17 1993

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The Following application(s) have been
filed to appropriate the public waters of the
State of Idaho:

23-07127
U.S.A. FOREST SERVICE
P.O. BOX 208
ST. ANTHONY, ID 83445
Source: SNAKE RIVER; Tributary:
COLUMBIA RIVER
Diversion Pt: SWSNW Sec 32 T 03N R
43E
Use: STOCKWATER (.040 CFS)
Date Filed: 7/13/1989
In: T03N R43E S32 NWNE
24-07165

KIBBIE, WILLIAM H.
P.O. BOX 22081
SALT LAKE CITY, UT 84122
Source: KING CREEK; Tributary: SALT
RIVER
Diversion Pt: SWNE Sec 3 T 04S R 46E
SWNW Sec 3 T 04S R 46E
SENW Sec 3 T 04S R 46E
Use: IRRIGATION (1,800 CFS)
Date Filed: 7/16/1984
In: T04S R46E S03 NWNE SWNE SWNW
SENW
125.0 ACRES TOTAL
25-07399

EASTERN IDAHO
TECHNICAL COLLEGE
1600 HITT ROAD
IDAHO FALLS, ID 83404
Source: GROUNDWATER
Diversion Pt: SESE Sec 21 T 02N R 38E
Use: IRRIGATION (.270 CFS)
HEATING (.270 CFS)
COOLING (.270 CFS)
Date Filed: 1/02/1985
In: T02N R38E S21 SESE
14.0 ACRES TOTAL
25-07515

GAS HOUSE INC.
LEAVITT, GERALD
4473 S. 15 W.
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: NWSW Sec 36 T 02N R 37E
Use: INDUSTRIAL (.200 CFS)
Date Filed: 8/24/1989
In: T02N R37E S36 NWSW
25-07517

VALLEY BANK INC.
501 BROADWAY
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: LOT 7 (NESENE) Sec 24 T
02N R 37E
Use: COMMERCIAL (.500 CFS)
Date Filed: 8/24/1989
In: T02N R37E S24 Lot 7 (SENE)
R38E S19 Lot 2 (SWNW)
1.0 ACRES TOTAL
25-07518

SUMMERS, RICHARD K.
SUMMERS, STELLA F.
4475 N. AMMON RD.
IDAHO FALLS, ID 83401
Source: GROUNDWATER
Diversion Pt: NESENE Sec 3 T 02N R 38E
Use: COMMERCIAL (.040 CFS)
DOMESTIC (.040 CFS)
Date Filed: 8/24/1989
In: T02N R38E S03 SENE
31-07530

LARSEN, BLAINE
P.O. BOX 188
HAMER, ID 83425
Source: GROUNDWATER
Diversion Pt: NWNWSW Sec 35 T 09N R
36E
Use: STOCKWATER (.176 CFS)
Date Filed: 6/14/1989
In: T09N R36E S02 NENW
S35 SWNW

35-08358

GRIMES, GEORGE B.
RT. 9 BOX 282
IDAHO FALLS, ID 83402
Source: GROUNDWATER
Diversion Pt: NENE Sec 19 T 02N R 37E
Use: IRRIGATION (.120 CFS)
DOMESTIC (.040 CFS)
Date Filed: 10/01/1984
In: T02N R37E S19 NENE
4.0 ACRES TOTAL

The permit(s) will be subject to all prior
water rights. Protests may be submitted
based on the criteria of Sec. 42-203A, Idaho
Code and/or the new public interest criteria
of Sec. 42-203C, Idaho Code. Protests must
be filed with the Director, Dept. of Water
Resources, 150 Shoup Ave., Suite 15, Idaho
Falls, Idaho 83402 on or before OCTOBER
9, 1989.

R. Keith Higginson, Director

Published: September 21, 28, 1989

RECEIVED
FEB 17 1993

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name E.I.V.T.S. C/o Marcum Inc.
Address P.O. Box 7966 Boise, Ida. 83707
Owner's Permit No. 25-85-C-0008-000

7. WATER LEVEL

Static water level 120 feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

2. NATURE OF WORK

W.R. 25-07399

☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

8. WELL TEST DATA

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☐ Industrial ☐ Stock ☐ Waste Disposal or Injection
☒ Other Heat Pump Supply (specify type)

4. METHOD DRILLED

☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____
Thickness _____ inches Diameter _____ inches + _____ feet To _____ feet
.250 inches 10 inches + 1 feet 33 feet
.250 inches 8 inches 1 feet 160 feet
_____ inches _____ inches _____ feet _____ feet
_____ inches _____ inches _____ feet _____ feet
Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number _____ From _____ To _____
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 18" Material used in seal: ☐ Cement grout
☒ Bentonite ☐ Puddling clay ☐ _____
Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing
☒ Overbore to seal depth
Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent
Weld _____
☐ Cemented between strata
Describe access port _____

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	N
10	0	2	Gravel		X
	2	6	Clay		X
	6	32	Gravel		X
8	32	75	Basalt		X
	75	96	Clay	X	
	96	196	Basalt	X	
	196	198	Soft	X	
	198	214	Basalt	X	
	214	220	Clay	X	

RECEIVED

SEP 27 1985

Department of Water Resources
Eastern District Office

RECEIVED


OCT 3 1985

MICROFILMED

Department of Water Resources

6. LOCATION OF WELL

Sketch map location must agree with written location.



Subdivision Name _____

Lot No. _____ Block No. _____

County Bonneville

SE 1/4 SE 1/4 21 T 2 N R 2 E

10.

Work started 7/31/85 finished 8/5/85

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Denning Drilling, Inc. Firm No. 10

Address Box 460 Ucon, Ida. 83454 8/5/85

Signed by (Firm Official) James Denning

and

(Operator) Joey Denning



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 30, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

EASTERN IDAHO TECHNICAL COLLEGE
1600 HITT RD
IDAHO FALLS ID 83404

RE: WATER RIGHT NO. 25-07399

Dear Water Right Holder(s):

The Department of Water Resources (the Department) has issued the enclosed license confirming that a water right has been established in accordance with the permit referenced above. The license is a preliminary order issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action of the Department unless a party petitions for reconsideration or files an exception and/or brief as further described below:

PETITION FOR RECONSIDERATION

Any party may file a petition for reconsideration of a preliminary order with the Department within fourteen (14) days of the service date of this order. The Department will act on a petition for reconsideration within twenty-one (21) days of its receipt, or the petition will be considered denied by operation of law. See section 67-5243(3), Idaho Code.

EXCEPTIONS AND BRIEFS

Within twenty-one (21) days after (a) the service date of a preliminary order, (b) the service date of a denial of a petition for reconsideration from this preliminary order, or (c) the failure within twenty-one (21) days to grant or deny a petition for reconsideration from this preliminary order, any party may in writing support or take exceptions to any part of a preliminary order and may file briefs in support of the party's position on any issue in the proceeding. Otherwise, this preliminary order will become a final order of the Department.

If any party appeals or takes exceptions to this preliminary order, opposing parties shall have twenty-one (21) days to respond to any party's appeal. Written briefs in support of or taking exceptions to the preliminary order shall be filed with the Department. The Department retains the right to review the preliminary order on its own motion.

MICROFILMED

APR 15 1998

ORAL ARGUMENT

If the Department grants a petition to review the preliminary order, the Department shall allow all parties an opportunity to file briefs in support of or taking exceptions to the preliminary order and may schedule oral argument in the matter before issuing a final order. If oral arguments are to be heard, the Department will within a reasonable time period notify each party of the place, date and hour for the argument of the case. Unless the Department orders otherwise, all oral arguments will be heard in Boise, Idaho.

CERTIFICATE OF SERVICE

All exceptions, briefs, requests for oral argument and any other matters filed with the Department in connection with the preliminary order shall be served on all other parties to the proceedings in accordance with Rules of Procedure 302 and 303.

FINAL ORDER

The Department will issue a final order within fifty-six (56) days of receipt of the written briefs, oral argument or response to briefs, whichever is later, unless waived by the parties or for good cause shown. The Department may remand the matter for further evidentiary hearings if further factual development of the record is necessary before issuing a final order. The Department will serve a copy of the final order on all parties of record.

Section 67-5246(5), Idaho Code, provides as follows:

Unless a different date is stated in a final order, the order is effective fourteen (14) days after its issuance if a party has not filed a petition for reconsideration. If a party has filed a petition for reconsideration with the agency head, the final order becomes effective when:

- (a) the petition for reconsideration is disposed of; or
- (b) the petition is deemed denied because the agency head did not dispose of the petition within twenty-one (21) days.

APPEAL OF FINAL ORDER TO DISTRICT COURT

Pursuant to sections 67-5270 and 67-5272, Idaho Code, if this preliminary order becomes final, any party aggrieved by the final order or orders previously issued in this case may appeal the final order and all previously issued orders in this case to district court by filing a petition in the district court of the county in which:

- i. A hearing was held,
- ii. The final agency action was taken,
- iii. The party seeking review of the order resides, or
- iv. The real property or personal property that was the subject of the agency action is located.

MICROFILMED

APR 15 1998

The appeal must be filed within twenty-eight (28) days of this preliminary order becoming final. See section 67-5273, Idaho Code. The filing of an appeal to district court does not itself stay the effectiveness or enforcement of the order under appeal.

For your records I have also enclosed a copy of your Application for Amendment of Permit, which was approved.

If you have any questions, please call me at 208-327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt


Enclosure

CERTIFICATE OF MAILING

I hereby certify that on the 30th day of March, 1998, I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER (Approved License) to the person(s) listed below:

Water Right No. 25-07399

EASTERN IDAHO TECHNICAL COLLEGE
1600 HITT RD
IDAHO FALLS ID 83404


Kari Lynn Townsend
Secretary

MICROFILMED

APR 15 1998

M E M O R A N D U M

DATE: March 17, 1998

TO: File 25-07399

FROM: Kari Lynn Townsend

RE: Application of Amendment

=====

Eastern Idaho Technical College mailed their check to cover the filing fee for the Application of Amendment but forgot to include the amendment form.

I called the college and spoke with Lorna in the Business Office. She will locate the amendment form and send it to my attention.

MICROFILMED

APR 15 1998

PURCHASE ORDER

Eastern Idaho Technical College

1600 S. 2500 E.

Idaho Falls, Idaho 83404

(208) 524-3000 FAX(208) 524-0429

No.:13601

This number must appear on all invoices

DATE:03/06/1998

Department of Water Resources
1301 North Orchard Street
Boise, ID 83706-2237

Requisition No: 06036

Qty.	Catalog Number	Description and Specs.	EITC P.O. No:13601 Unit Price	Page 1 Amount
1 EA	WATER	Check to Department of Water Resources for Water Right No. 25-07399.	\$50.00	\$50.00

Encumbrance Summary:

Program:	Class:	Percent:	Total:
20-200	8000	1.00	\$50.00
Class Code: 5749		Amount:	\$50.00

*SHIP & BILL TO ABOVE ADDRESS UNLESS OTHERWISE INDICATED

Special Instructions:
Payment enclosed.

Order Total: \$50.00

EITC Claims exemption from sales tax on all items on this PO.

MICROFILMED

By:

APR Sandi Dingman



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

March 11, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

EASTERN IDAHO TECHNICAL COLLEGE
1600 HITT RD
IDAHO FALLS ID 83404

RE: WATER RIGHT NO. 25-07399

Dear Permit Holder(s):

I previously forwarded to you an Application for Amendment so that you could amend your permit to depict your water right as it has been actually developed. I have not yet received the amendment. If I do not receive it within 14 days, I will assume you no longer have any interest in the permit and cancellation proceedings will begin.

Enclosed for your convenience is another amendment form. Please note that the filing fee for this amendment is \$50.00. If you have any questions, please call me at (208) 327-7946.

Sincerely,

A handwritten signature in cursive script that reads "Shelley W. Keen".

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

APR 15 1998



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

February 18, 1998

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

EASTERN IDAHO TECHNICAL COLLEGE
1600 HITT RD
IDAHO FALLS ID 83404

RE: WATER RIGHT NO. 25-07399

Dear Permit Holder(s):

The Department of Water Resources is reviewing the permit referenced above prior to issuing a water right license. By issuing a license, the Department confirms that a water right has been established in compliance with the terms of the permit. The examiner who verified your water use reported that the point(s) of diversion and place(s) of use developed are in locations other than what was described on your permit. Therefore, before a license can be issued, your permit must be amended to depict your water right as it was actually developed.

The enclosed Application for Amendment form depicts the point(s) of diversion and place(s) of use and other information as it will appear on the license when it is issued. Please review the amendment form carefully. If you concur with the information presented, please sign the form and return it with the \$50.00 filing fee within 14 days.

Also, please note that some of the proposed conditions of approval and remarks may be modified upon further administrative review.

If you do not concur, or if you have any questions about this information, please contact me as soon as possible. My telephone number is (208)327-7946.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:klt

Enclosure

MICROFILMED

APR 15 1998

MEMORANDUM

TO: File 25-07399

FROM: Sharla

DATE: April 15, 1997

RE: Licensing Recommendation Adjustments

The adjustments to licensing recommendations for Permit No. 25-07399 are as follows:

H. RECOMMENDATIONS

Cooling	1/1 - 12/31	0.27 cfs	21.4 afa
---------	-------------	----------	----------

On this date, Cindy Bird spoke with Steve Bunnell (maintenance supervisor) concerning volume for heating and cooling uses. Steve informed Cindy that the heating is now done with gas fired boilers and water is not diverted for heating anymore. This conversion took place in 1996. Water is now only used for the cooling system. He felt that figuring volume on 120 days of use for 8 hours a day was realistic.

This file was routed to Helen Harrington to confirm the existence of an injection permit. The permit is valid through February, 2000.

Examiner: Don Simpkins
Exam Date: March 8, 1995

MICROFILMED

APR 15 1997

LICENSE REVIEW CHECKLIST

PERMIT NO. 25-07399

DATE 2/27/97

REVIEWER: SHARLA

NAME Change OK Address Change NO
 SOURCE Change OK Is change clarification of originally intended source? NO
 POINT OF DIV ✓ If not, prepare Notice of Intent to Void NO
 PLACE OF USE add NESE Amendment required NO
 Does map agree with written description? yes ✓ no

OVERLAPS NO P/D NO P/U

RATE OF DIV

Permitted Rate .27 cfs

Fee limit 1.0 cfs \$10000

Measured ✓ cfs

Theoretical .42 cfs

Recommended Total Div Rate .27 cfs

ANNUAL VOLUME/
NATURE OF USES ✓

Use

Volume Calculation

~~Heat~~	~~27.4~~	~~37.8~~	af
Cool	21.4		af
			af
			af
SUBTOTAL	59.2		af

Heating 212 days 8 hr. divisions
Cooling 120 days

Flow rate .27 cfs X 365 days X 1.982 = 195.1 af

Total volume recommended 59.2 af

(SUBTOTAL or Flow Rate, whichever is less)

REMARKS

A/C climate control for Technology Bldg.

Sharla -
yes - Permit renewed
last year - valid
thru 2/1/2000.

CONDITIONS Watermaster Control WD#

GW Measurement/Measuring Device

Overlap

Use-specific conditions

Advancement of Priority Date Required yes no

SRBA Claim Filed N/A

Adjustment Memo volume
Helen's update

1st Amend Letter P37, P3

2nd Amend Letter P4

Deh
3/6/97

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED

APR 15 1996

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 25-07399
(208)

1. Owner: EASTERN IDAHO TECHNICAL COLLEGE Phone No. 524-3000

Current Address: 1600 HITT RD., IDAHO FALLS, IDAHO 83404

2. Accompanied by: STEVE BUNDELL EXAM DATE: 3/8/95

Address: SAME Phone No. SAME

Relationship to Permit Holder: MAINTENANCE SUPERVISOR

3. Source: GROUNDWATER tributary to N/A

B. OVERLAP REVIEW

1. Other water rights with the same place of use: NONE

2. Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
		SE	SE	SE	21	2N	38E	BONNEVILLE	U.S.G.S. TOPO MAP


2. Place(s) of Use:

Indicate Method of Determination ON SITE INSP.

			NE				NW				SW				SE				Totals
TWP	RGE	SEC	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
2N	38E	21																	

RECEIVED
APR 15 1998

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	FRANKLIN	10			3"

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
U.S. GAGE	D-100				READING 7# PSI	

2. Measurements: _____

MICROFILMED

APR 15 1961

E. NARRATIVE/REMARKS/COMMENTS

SEE ATTACHMENT

Have conditions of permit approval been met? ☒ yes ☐ no

MICROFILMED
APR 15 1998

F. FLOW CALCULATIONS

_____ Additional Computation Sheets Attached

Measured Method:

$$Q = \frac{(10 \text{ HP})(8.814)(.70)}{120' \text{ STAT} + 10' \text{ DRAW} + (2.308 \times 7 \text{ PSI})} = \frac{61.698}{146.156} = 0.422 \text{ CFS}$$

PERMIT LIMITS TO 0.27 CFS

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
HEATING / COOLING	1/1	12/31	0.27	I don't know what afa to give a temperature dependent system. staff
Totals:			0.27	

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATION

Field Examiner's Name SIMPKINS Date 3/22/95

Reviewer [Signature] Date 4-5-96

SEAL

MICROFILMED

APR 15 1998

7TH

GEOLOGICAL SURVEY

112°00'
43°30'

420000mE

421

R38E

1
CANAL
FILM


15 1998

1.6 MI. TO U.S. 26

72N

4815000mN

17TH ST.



25-7399

4722

22

EXTENSION

CANAL

FILM

15 1998

ON 3/8/95 A FIELD EXAM WAS CONDUCTED FOR PERMIT # 25-7399. THE SYSTEM IS USED FOR HEATING AND COOLING FOR EASTERN IDAHO TECHNICAL COLLEGE.

THE SYSTEM USES A 10 HP SUBMERSIBLE PUMP TO SUPPLY WATER (via underground piping) TO SEVERAL HEAT EXCHANGERS LOCATED IN THE BASEMENT OF THE HEAT PLANT BUILDING. CHECK VALVE IS NEAR WELL HEAD UNDER GROUND. THE SYSTEM IS AN OPEN LOOP SYSTEM, AFTER THE WATER IS PASSED THROUGH HEAT EXCHANGERS IT IS RETURNED TO THE AQUIFER VIA AN INJECTION WELL. HEATING AND COOLING SYSTEM IN BUILDING IS CLOSED LOOP AND IS NOT DIRECTLY CONNECTED WITH WELL WATER SUPPLY.

SYSTEM IS A NON-CONSUMPTIVE USE PERMIT.



**Eastern Idaho
Technical College**

STEVE BUNNELL
MAINTENANCE SUPERVISOR

1600 S. 2500 E. • (1600 Hill Road) • Idaho Falls, ID 83404
(208) 524-3000 • FAX (208) 524-3007

MICROFILMED
APR 15 1998

EASTERN IDAHO TECHNICAL COLLEGE

VIEW OF INJECTION WELL

LOCATION OF PRODUCTION WELL



CUT
THROUGH
ASPHALT
CONCRETE
OF RETAIN
WUE TO
INJECTION
WELL

VIEW OF 8" PRODUCTION WELL




↑ CUT FOR PIPING ↑
MICROFILMED TO INJECTION WELL

APR 15 1998

25-7399

EASTERN IDAHO TECHNICAL COLLEGE

VIEW OF INCOMING LINE TO SOME HEAT EXCHANGERS.



RED HANDLES ARE GATE/BALL VALVES

TO PRESSURE GAGES 0-100 PSI

BLUE VERTICAL CYLINDER IS A SAND TRAP.

MICROFILMED

APR 15 1998

March 3, 1994

EASTERN IDAHO TECH COLLEGE
1600 S 2500 E
IDAHO FALLS ID 83404-5788

PROOF ACKNOWLEDGEMENT LETTER

RE: PERMIT NO. 25-07399

Dear Permit Holder:

The department ^{or} acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. Enclosed is an order waiving the flow measurement port condition on the permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls, at (208)525-7161.

Sincerely,

JULIE L. YARBROUGH
Senior Secretary

Enclosure

c: IDWR - Region

RECEIVED
MAR 07 1994

PURCHASE ORDER

Eastern Idaho Technical College

1600 S. 2500 E.

Idaho Falls, Idaho 83404

(208) 524-3000 FAX (208) 524-3007

No.: 11170

This number must appear on all invoices

DATE: 02/16/1994

Department of Water Resources

1301 North Orchard Street

Boise, ID 83706-2237

Requisition No: 03079

Qty.	Catalog Number	Description and Specs.	EITC P.O. No: 11170 Unit Price	Page 1 Amount
1 EA		LICENSE EXAMINATION FEE FOR PERMIT #25-07399. PROOF OF BENEFICIAL USE FORM ENCLOSED.	\$100.00	\$100.00

Encumbrance Summary:

Program:	Class:	Percent:	Total:
20-200	8000	1.00	\$100.00
Class Code: 5749		Amount:	\$100.00

*SHIP & BILL TO ABOVE ADDRESS UNLESS OTHERWISE INDICATED

Special Instructions:

CHECK ENCLOSED

Order Total:

\$100.00

EITC Claims exemption from sales tax on all items on this PO.

By:

Sandi Dingman
Sandi Dingman

APR 07 1994

ANALYSIS SHEET
FOR
PROOF OF BENEFICIAL USE

Permit No. 25-07399

Reviewed by JY

Date 3-1-94

GENERAL CONSIDERATIONS

yes Name same as permit?
no Address same as permit?
yes Proof timely received?
If not, complete calculation below.

TYPES OF USE

Heat & Cool

Correct Uses? yes

SOURCE OF WATER

 Surface water source

✓ Ground water source

no Drilling permit required?

 Copy in the file? Drilling Permit No.

 Amount paid for permit Correct?

 Well log in the file?

LICENSE EXAMINATION FEE

yes Required?
100.00 Amount Submitted
yes Correct?

MEASURING DEVICE

yes Required?
no Installed?
no Waiver requested?

PRIORITY CALCULATION

Date proof received	<u> </u>		<u> </u>
Date proof due	<u> </u>	-	<u> </u>
No. of days late	<u> </u>	=	<u> </u>
Priority Date	<u> </u>	+	<u> </u>
New Priority Date	<u> </u>		<u> </u>

DEFICIENCIES OR ACTION ITEMS

Recommend waive flow port requirement -
Proof acceptable

DATA ENTRY

New Address 1600 S 2500 E Idaho Falls Proof Made 2-22-94

83404-5788

December 31, 1993

EASTERN IDAHO TECHNICAL COLLEGE
1600 HITT ROAD
IDAHO FALLS ID 83404

PROOF DUE NOTICE

RE: PERMIT NO. 25-07399

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before March 1, 1994. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.


SINCERELY,

JULIE L. YARBROUGH
Senior Secretary

Enclosures

RECEIVED

DEC 27 1994





State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

February 4, 1993

EASTERN IDAHO TECHNICAL COLLEGE
1600 HITT RD
IDAHO FALLS ID 83404

PERMIT APPROVAL NOTICE

RE: PERMIT NO. 25-07399

Dear Permit Holder(s):

Enclosed is a copy of your approved application for permit. We direct your attention to the conditions of approval on the final page.

Enclosed is a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed is a form entitled "Proof of Beneficial Use". If your project is already completed you should complete and submit this form immediately.

Be sure to note the special condition requiring you to install a measuring device. Enclosed, for your reference, is a list of measuring device options.

Section 42-235, Idaho Code, requires that a "drilling permit" must be obtained from the department for all wells constructed after July 1, 1987. A drilling permit is a separate permit that must be issued in addition to your permit to appropriate water. Commencement of well construction or diversion of water under your permit to appropriate water is prohibited unless a drilling permit is obtained.

You should be aware that you are located within a drainage basin where surface water diversions are regulated by a watermaster. It is possible that diversion of groundwater under your permit may cause a reduction of surface water flow. Siting your well as

RECORDED

FEB 17 1993

far as possible from surface water channels and casing your well so that groundwater tributary to surface water flows are not diverted will reduce the potential for the watermaster to regulate your water use.

Sincerely,

Brenda L. Miller
BRENDA L. MILLER
Water Resource Agent

BLM:cz

Enclosure

MICROFILMED
FEB 17 1993

APPLICATION FOR PERMIT REVIEW

Application #: 25-7399 Date: 1-29-93 Reviewer: Brenda Miller *BLM*

SYSTEM COMPLETED:

- No - 26A-P17
- Complete in 1 year - P16
- Yes
- Proof not submitted - P16
- Proof submitted - N/A

AREA OF CONCERN? YES

SNAKE RIVER Moratorium
Exempt Use

GROUNDWATER:

- GT. 0.2 cfs <flo-ch> - 01G-P03, 01C-P03 (existing well)
- No measurement required <flow chart>
- LT. 0.2 cfs - No measurement required <flow chart>

Drilling Permit:

- Approved w/permit - P99 Permit No. 01
- Not included - 046-46A-46B-P23 (after 7/1/87), N/A

SURFACE WATER: not in w/d - 01C-P03 (=GT.2 w/pump), NMR <flow chart>

LOCATION:

- Water Districts - WD No. 01
- Surface water - R04, R04-01H-P01 (LT.2 w/pump)
- R04-01J-P08 (GT.2), NMR <flow chart>
- Groundwater - P05
- Irrigation Districts - 023
- Canal Co. Areas - 023
- Drainage Districts - 024
- Boise Front (63) - 058 (Groundwater)
- Swan Falls Flag - 1 (1, Blank or Other)
- Trust - 051-052-053-P74 (Consumptive Uses)
- Non Trust <1> - 048-049

RIVER BASINS:

- (Surface Water) Water District Control Condition &....
- Boise (63) - 05A & 11E
- Payette (65) - 047-P04, 059-P71
- Snake (01, 02 & 03) - 11A-P04(01), 061-P07(02/03 No W.D.Cond.)

USE:

- Fish Propagation - 06A, 09E-P10 & 010 (WQ/Choose One),
042(req.), 002-P06(MD), 07A(Spec.),
044(Policy 5G)
- Power - Use Power Review
- Mining - 06A, 010, or 09E-P10 & 054(req.)
- Storage - 18A-for multiple measuring devices(In WD),
18B-P09(Size)
- Rec/Wildlf/Aes - 027(Non-Consumptive)
- Domestic - 021 (Boise River - upstream from L Peak)
- (restricted areas) 27A (Payette River & main tributaries)

OWNERSHIP:

- Non land owner - 004

PROTESTED:

- Agreement - 020

Beneficial Use Due Date - 03-01-1994

Other Conditions/Remarks: -

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: G. F. RAMSEY

APPLICATION NUMBER: 25 7399

CHECK:

JAN 4 1985

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

☐ Yes ☒ No Field check required.

☐ Yes ☒ No Critical groundwater area.

☐ Yes ☒ No Request dam safety information. Sent by: _____

Date: _____

☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.

Copies sent by: _____

Date: _____

☒ Other HEALTH & WELFARE (GORDON HOPSON)

PROCESSING:

☐ Yes ☒ No Platted by: _____ Map No. _____

☐ Yes ☒ No Other rights on same place of use. _____

☒ Yes ☐ No* In form for advertising.

Final date for protests: _____

☐ Yes ☐ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: _____

☒ Application published correctly. If not, record action taken: 10-9-89

☒ Fee amount, receipt date & number, recorded on application.

☒ Publication dates and paper, recorded on application.

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No Measuring device required.

☐ Yes ☒ No Access port required.

☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? _____

1-2-85 Date of priority recommended.

Special conditions of approval or cover letter.

Applicants will need an approved mg. with permit before project can proceed.

By: HWS

Date: 10-19-89

STATE OFFICE REVIEW:

☐ See attached sheet for more information.

By: _____ Date: _____

RECEIVED
JAN 28 1993

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

177 1082
C F BVM257

13-Sep-1989

Department of Health & Welfare
254 E. Street
Idaho Falls, ID 83402

RE: Application for Permit No. 25-7399

Dear Sir:

This office is currently in the process of publishing notice that the above application for permit was filed with the Department of Water Resources. Since the application may be of interest to you, a copy is enclosed for your examination. Comments concerning the application should be addressed to the applicant with a copy forwarded to this office. Protests objecting to granting a permit should be directed to this Department and received as soon as possible. Final action will be taken by this office shortly after this date, provided there are no protests lodged against the applications.

Respectfully submitted,

Harold W. Jones
Water Rights Supervisor

HWJ/rb
Enclosure

RECEIVED
FEB 17 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region
150 Shoup Ave., Suite 15

Idaho Falls, Idaho 83402
(208) 525-7161

SEPTEMBER 13, 1989

THE POST-REGISTER
P.O. BOX 1800
IDAHO FALLS, ID 83403

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before OCTOBER 9, 1989.

Yours truly,

Rita Bodell
Secretary

Encl.

RECEIVED

FEB 17 1993

NOTICE OF APPLICATION FOR WATER RIGHT

The Following application(s) have been filed appropriate the public waters of the State of Idaho:

MICROFILMED

FEB 17 1993

25-07399

EASTERN IDAHO TECHNICAL COLLEGE
1600 HITT ROAD
IDAHO FALLS, ID 83404

Source: GROUNDWATER

Diversion Pt: SESE Sec 21 T 02N R 38E

Use: IRRIGATION	(.270 CFS)
HEATING	(.270 CFS)
COOLING	(.270 CFS)

Date Filed: 1/02/1985

In: T02N R38E S21 SESE

14.0 ACRES TOTAL

RECEIVED
FEB 17 1993

The permit(s) will be subject to all prior water rights. Protests may be submitted based on the criteria of Sec. 42-203A, Idaho Code and/or the new public interest criteria of Sec. 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before OCTOBER 9, 1989.

R. Keith Higginson, Director

Published 9/21/1989 & 9/28/1989

RECEIVED

FEB 17 1993

13-Sep-1989

Eastern Idaho Technical College
1600 Hitt Road
Idaho Falls, ID 83404

RE: Application for Permit No. 25-7399

Dear Water Right Applicant:

The Department of Water Resources acknowledges receipt of your water right permit. This office is currently in the process of advertising the application in the Post-Register. The advertisement will be published for two consecutive weeks, and a period of ten days following the second publication will be allowed for the submittal of protests.

If the application is protested, you will be sent a copy of the protest. The protest must be resolved before the application is approved or denied. If the protest is not resolved voluntarily, this Department will conduct a conference and/or hearing on the matter.

If the application is not protested, it will be forwarded to our state office in about five weeks. State office personnel will conduct a complete review prior to final processing of the application and will notify you of the outcome of this review. When a permit is issued, you will be sent a copy. A typical processing time for an unprotested application is about eight weeks.

Please feel free to contact this office if you have any questions regarding this procedure.

Sincerely,

HAROLD W. JONES
Water Rights Supervisor

HWJ/rb

17 1993

December 19, 1984

L.E. Donovan
EG&G Services
P.O. Box 2266
Idaho Falls, Idaho 83403-2266

Dear Sir:

I have reviewed VoTech's application for permit for heating/cooling and irrigation. Several changes are necessary to complete the application:

1. Item 4 change "lawn sprinkling" to "irrigation".
2. Item 8b indicates the acreage of the lawn and the location (please note that IDWR allows a diversion rate of 0.02 cfs per acre. To divert .27 cfs means there must be at least 14 acres of lawn. If there is less lawn multiply .02 x the acreage and place in Item 4 "irrigation".
3. The cost for a permit to use .27 cfs is \$45.00. The cost for a waste well permit is \$50.00 (total of \$95.00). These applications cannot be processed until the fee is received.

Please return the corrected application with the fee. If there are any questions, call (525-7161 or come to the Idaho Falls Office.

Sincerely,

GERALD RAMSEY
Radiologic Specialist

GR:cw

Enclosures

Returned
OK G. F. RAMSEY
JAN 4 1985

FEB 17 1985



EG&G SERVICES

EG&G SERVICES, INC., P. O. BOX 2266, IDAHO FALLS, ID 83403-2266 (208) 529-8700

December 11, 1984

RECEIVED

DEC 11 1984

Department of Water Resources
Eastern District Office

Mr. Gerald Ramsey
State of Idaho
Dept. of Water Resources
150 Shoup Avenue, Suite 15
Idaho Falls, ID 83402

PERMITS - LED-107-84

Dear Mr. Ramsey:

Enclosed are completed Application for Permit Forms 42-3904
and 202.

Thank you for your assistance in this matter.

Very truly yours,

Lloyd E. Donovan/jkr

L. E. Donovan

jk

Enclosures:
As stated

RECEIVED

FEB 17 1993

25-7399

EASTERN IDAHO VO-TECH SCHOOL

1600 Hill Road

~~2299 E. 17TH STREET, IDAHO FALLS, ID 83401~~ 83404

Source: GROUNDWATER

Date Filed: 01/02/1985

Diversion Pt: SESE Sec 21 T 02N R 38E

Use: IRRIGATION	(0.27 CFS)
HEATING	(0.27 CFS)
COOLING	(0.27 CFS)

In: SESE Sec 21 T 02N R 38E FOR 14 ACRES

*Assessment changed
and completed*

MICROFILMED

FEB 17 1993