


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Larry M. Harris
(Applicant)

MICROFILMED

Proof of Publication

The Post-Register

RECEIVED

MAR 6 1985

Department of Water Resources
Eastern District Office

State of Idaho, }
County of Bonneville } ss.

I, J. Robb Brady, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 21st day of February, 1985, last publication having been made on the 28th day of February, 1985, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 4th day of March, 1985.

Notary Public

My commission expires September 30, 1988.

B10, 1M,

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

25-7366

EAST RIVER ROAD WATER CORP.
RT. 6, BOX 98C, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 06/30/1983
Diversion Pt: SESW Sec 19 T 03N R 38E
Use: IRRIGATION (0.09 CFS); STOCK-
WATER (0.02 CFS); DOMESTIC (0.12 CFS)
In: SESW Sec 19 T 03N R 38E FOR 8 ACRES

25-7375

BIRD, WARREN A.
FARNES, LYLE R.
RICKS, RICHARD
SKINNER, VAL D.
RT. 8, BOX 289, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 06/24/1983
Diversion Pt: NWSW Sec 04 T 03N R 38E
Use: IRRIGATION (0.04 CFS); STOCK-
WATER (0.02 CFS); DOMESTIC (0.10 CFS)
In: NWSW Sec 04 T 03N R 39E FOR 2
ACRES

25-7377

FARNES, LYLE R.
RT. 8, BOX 288, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversion Pt: NWSW Sec 16 T 03N R 39E
Use: IRRIGATION (0.04 CFS); STOCK-
WATER (0.02 CFS); DOMESTIC (0.04 CFS)
In: NWSW Sec 06 T 03N R 39E FOR 2
ACRES

35-8127

LARSEN, DEWITT
RT. 4, BOX 437A, IDAHO FALLS, ID 83402
Source: GROUNDWATER
Date Filed: 03/23/1983
Diversion Pt: NESE Sec 04 T 01N R 37E
Use: STOCKWATER (0.02 CFS); DOMESTIC
(0.08 CFS)
In: NESE Sec 04 T 01N R 37E

The permit(s) will be subject to all prior water rights. Protests must be filed with the Directors Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before March 11, 1985.


KEN DUNN, Director

Published: February 21, 28, 1985

MICROFILMED

10. Other water rights on these lands Shares in Idaho Canal Co.
11. Other water right diverted from same p.d. None
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.

Original beneath.



13. ☒ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks Canal water is used only for pastures and gardens.

15. Recommended Amendments
- | | | |
|---|--|--|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☒ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |
16. Examiner's/Consultant's Signature Jahr W Arambam Date 7-8-86
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct Beneficial Use Examination _____

Date

CONSULTANT SEAL

MICROFILMED

LEG 11/11/86


Department of Water Resources

NAME OF APPLICANT

E. R. Road Water Co.

25-7366

Form No. 0



25
~~35~~-7366



MICROFILMED

DEC 15 1985

Department of Water Resources

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 25-7366 Priority July 12, 1983 ^(Late Proof) Amount 0.23 cfs

THIS IS TO CERTIFY, that East River Road Water Corp.
of Idaho Falls, Idaho, has complied with the terms and conditions of Permit
No. 25-7366 issued pursuant to Application for Permit dated June 30, 1983,
and has submitted proof to the Department of Water Resources on June 13, 1985,
that he has applied water to a beneficial use, an examination by the Department indicates that the works have a
capacity for the diversion of 0.33 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>April 1</u> to <u>November 1</u>	at <u>0.09</u> cfs and	<u>14.0</u> acre feet
Stockwater	from <u>January 1</u> to <u>December 31</u>	at <u>0.02</u> cfs and	<u>0.4</u> acre feet
Domestic (7 Units)	from <u>January 1</u> to <u>December 31</u> <i>(both dates inclusive)</i>	at <u>0.12</u> cfs and	<u>4.2</u> acre feet

Subject, however, to the condition that no more than 0.23 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
18.6 acre feet per year, said waters to be diverted within the SE 1/4 SW 1/4 Section 19,
Twp 3N, Rge 38E in the County of Bonneville

Description and location of place of use:

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	38E	19												4					4

MICROFILMED

DEC 15 1987

Total number of acres irrigated 4

Department of Water Resources

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, **Idaho Code**, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Use of water under this license is subject to control by the watermaster of State Water District No. 01, Snake River.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 26TH day of NOVEMBER, 19 86.

MICROFILMED

DEC 15 1986

Department of Water Resources

Acting for the

Director

Norman C. Young

512

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 25-7366 IN THE
NAME OF EAST RIVER ROAD WATER CORP.

)
) ORDER OF REINSTATEMENT
)
)

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use (proof of beneficial use) be submitted on or before June 1, 1986; and,

WHEREAS, the Department notified the permit holder by certified mail that proof was due and instructed the permit holder of the steps to be taken to submit the proof of beneficial use; and,


WHEREAS, the Department has notified the permit holder that the permit has lapsed for failure of the permit holder to submit the proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing why the permit should be reinstated by submitting proof of beneficial use on June 13, 1986;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 25-7366 be REINSTATED and the priority advanced to July 12, 1983.

Dated this 19th day of August, 1986.


L. GLEN SAXTON
Chief, Operations Bureau

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant East River Road Water Corp. Phone 524-0609

Post office address Rt. 6, Box 98C Idaho Falls, ID 83401

2. Source of water supply Groundwater which is a tributary of _____

3. Location of point of diversion is SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 19 Township 3N

Range 38E B.M. Bonneville County, additional points of diversion if any: _____

4. Water will be used for the following purposes: Changes as per telecon w/Larry Harris
*0.12 7-22-83 SM

Amount .28 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .02 for Stock purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount* .09 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. .23 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well with mainline to 7 homes.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 19 Township 3N

Range 38E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered 15 head livestock horses and cattle.

(4) Name of municipality to be served East River Road Water Corp number of families to be supplied with domestic water 7.

(5) If water is to be used for other purposes describe: _____

MICROFILMED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Larry M. Davis
(Applicant)

MICROFILMED

Proposed Priority 6/30/83

MICROFILMED

Received by Jm Date 6-30-83 Time 8:30 A.

Preliminary check by SM Fee \$ 45⁰⁰

Received by CW Date 6-30-83 # 25716

Publication prepared by my Date 2-13-85

Published in Post Register

Publication dates 2-21 & 2-28-85

Publication approved CW Date 3-8-85

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC KW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 25-7366, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before June 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Use of water under this permit is subject to control by the watermaster of State Water District No. 01, Snake River.

Witness my hand this 15th day of May, 1985.

A. Glen Saxton
Chief, Operations Bureau

Proof of Publication The Post-Register

RECEIVED

MAR 6 1985

Department of Water Resources
Eastern District Office

State of Idaho,
County of Bonneville } ss.

I, J. Robb Brady, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 21st day of February, 1985, last publication having been made on the 28th day of February, 1985, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 4th day of March, 1985.

Notary Public

My commission expires September 30, 1988.

B10, 1M,

NOTICE OF APPLICATION
FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

25-7366
EAST RIVER ROAD WATER CORP.
RT. 6, BOX 98C, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 06/30/1983
Diversion Pt: SESW Sec 19 T 03N R 38E
Use: IRRIGATION (0.09 CFS); STOCK-
WATER (0.02 CFS); DOMESTIC (0.12 CFS)
In: SESW Sec 19 T 03N R 38E FOR 8 ACRES

25-7375
BIRD, WARREN A.
FARNES, LYLE R.
RICKS, RICHARD
SKINNER, VAL D.
RT. 8, BOX 289, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 06/24/1983
Diversion Pt: NWSW Sec 04 T 03N R 38E
Use: IRRIGATION (0.04 CFS); STOCK-
WATER (0.02 CFS); DOMESTIC (0.10 CFS)
In: NWSW Sec 04 T 03N R 39E FOR 2
ACRES

25-7377
FARNES, LYLE R.
RT. 8, BOX 288, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversion Pt: NWSW Sec 16 T 03N R 39E
Use: IRRIGATION (0.04 CFS); STOCK-
WATER (0.02 CFS); DOMESTIC (0.04 CFS)
In: NWSW Sec 06 T 03N R 39E FOR 2
ACRES

35-8127
LARSEN, DEWITT
RT. 4, BOX 437A, IDAHO FALLS, ID 83402
Source: GROUNDWATER
Date Filed: 03/23/1983
Diversion Pt: NESE Sec 04 T 01N R 37E
Use: STOCKWATER (0.02 CFS); DOMESTIC
(0.08 CFS)
In: NESE Sec 04 T 01N R 37E

The permit(s) will be subject to all prior water rights. Protests must be filed with the Directors Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before March 11, 1985.

KEN DUNN, Director
Published: February 21, 28, 1985

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 8, 1986

RE: Permit No. 25-7366

East River Road Water Corp.
Rt. 6, Box 98D
Idaho Falls, ID 83401

Gentlemen:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

MICROFILMED

DEC 15 1986

Department of Water Resources



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

November 3, 1986

RE: Permit No. 25-7366

East River Road Water Corp.
Rt. 6, Box 98D
Idaho Falls, ID 83401

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

If you do not concur with the information shown on the draft license, please advise the Department within ten (10) days. If you have any questions, please let us know; otherwise, the license will be issued as identified on the draft copy.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

DEC 15 1986

Department of Water Resources

10 day

(late proof)

4. Permit Holder: East River Road Water Corp.

5. Source: groundwater ✓ tributary to ✓

6. Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
③ DOMESTIC (7 Units) ✓	1/1 ✓	12/31 ✓	0.12 cfs	4.2 AF
② Stockwater ✓	1-1 ✓	12-31 ✓	0.02 cfs	0.4 AF
① Irrigation ✓	4-1 ✓	11-1 ✓	0.09 cfs	14.0 AF

Allowable Maximums: 0.23 cfs ✓ 18.6 gfa ✓

7. Point(s) of Diversion: No Change

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
			SE	SW	19	3N	38E	Bonneville

[illegible]

9. Recommended Conditions/Remarks: SEE MEMORANDUM DATED 13 MAY 1981, ON FIELD EXAMINATIONS FOR DOMESTIC PURPOSES.

No flow measurement was taken, because the pump would only run 3 to 4 minutes before filling pressure tanks and turning off. No access was available before pressure tanks either. AO4 (O1, Snake River)

MICROFILMED

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

DEC 15 1986
Department of Water Resources

DEC 15 1986

Department of Water Resources

11. Examiner's Signature John W. Argamborn Date 7-8-86
Checked in Regional Office by Keith C. Wilson Date 6 Aug 1986
Approved in State Office by K. Wilson Date 10/22/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

25-7366

Permit No.

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

SEE MEMORANDUM DATED 13 MAY 1981, ON FIELD EXAMINATIONS FOR DOMESTIC PURPOSES. MAXIMUM INSTANTANEOUS WATER REQUIREMENTS FOR 7 HOMES.

Hp = 7.5 Efficiency = 83.5 % Head = 120 ft. PSI = 20 psi
Q at 80% eff = 0.32 cfs

$$Q = \frac{Hp (8.814) (Eff)}{Head + (PSI \times 2.308)} = \frac{(7.5) (8.814) (0.835)}{(120 \text{ ft}) + (20 \text{ psi} \times 2.308)} = \underline{0.33 \text{ CFS}}$$

Permit = .12 cfs domestic
.02 cfs stock
.09 cfs irrigation
0.23 cfs

Recommend: .12 cfs domestic
.02 cfs stock
(11-15 examiners hand Book)

$$.03 \frac{cfs}{ac} \times 4 ac = .12 cfs$$

Recommend 0.23 cfs by permit

$$\Sigma 0.26 cfs$$

b) Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 4 \times 3.5 = 14.0 \checkmark$$

$$V_{D.R.} = [\text{Diversión Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 2.3 \times 214 \times 1.9835 = 970.6$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 14.0 \checkmark$$

c) Volume Calculations for Other Uses:

$$V_{DR} = 0.09 \times 1.9835 \times 214 = 38.2 \checkmark$$

$$V_{dom} = \frac{7}{\# \text{ Units}} \times 0.6 \text{ afa} = 4.2 \text{ afa} \checkmark$$

$$V_{stock} = 0.4 \text{ afa} \checkmark \text{ (11-15) Field examiners handbook (15 head)}$$

2. Overlap Review

a) Other water rights with same place of use: None

b) Other water rights with same point of diversion: None

c) Analysis:

MICROFILMED

DEC 15 1986

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

Permit No. *F* 25-7366

Phone No. 524 - 0609

1. Owner: East River Road Water Corp.

Current Address: Rt 6 Box 98 D Idaho Falls

2. Accompanied by: Larry Harris

EXAM. DATE: 7-8-86

Address: Rt 6 Box 980 L.F.

Phone No. 514-0609

Relationship to Permit Holder: President

3. Source: groundwater tributary to NA

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Red Jacket	7.5	—	Red Jacket	208795946

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. **System Description** (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Well with submersible pump to 3 500 gallons

pressure tanks serving eight homes, 6 horses

usually 3 head of Cattle and 15 horses)

Pressure tanks on at 20 off at 40 psi.

Well drilled to 169' lift near 120'

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Theoretical						

7. Measurements

☐ Additional data/computation sheets attached

None possible, pump fills pressure tanks

and shuts off before any measurements could

be taken. Each house irrigates less than $\frac{1}{2}$ acre

8. Point(s) of Diversion:

Indicate Method of Determination U.S.G.S Topo

[illegible]

9. Place(s) of Use: Irrigation - give acres served by system at time of exam.
Indicate Method of Determination _____


Place(s) of Use:

Indicate Method of Determination

[illegible]

10. Other water rights on these lands Shares in Idaho Canal Co.
11. Other water right diverted from same p.d. None
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.

Original beneath.



13. ☒ Photo of Diversion & System Attached ☒ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks Canal water is used only for pastures and gardens.

15. Recommended Amendments
- | | | |
|---|--|--|
| ☐ Change P.D. as reflected above | ☐ Add P.D. as reflected above | ☒ None |
| ☐ Change P.U. as reflected above | ☐ Add P.U. as reflected above | ☐ Other |
16. Examiner's/Consultant's Signature John W. Aramian Date 7-8-86
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct Beneficial Use Examination _____

Date

MICROFILMED

CONSULTANT SEAL


DEC 11 1986

Department of Water Resources

25-7366

NAME OF APPLICANT E. R. Road Water Co.

Form No. 0



25
35-7366



MICROFILMED

DEC 15 1965

Department of Water Resources

CALCULATION OF NEW PRIORITY DATE

FROM: RITA FLECK

TO: FILE # 25-7366

DATE: 8-14-1986

Date proof received

164

Proof due

-152

Number of day proof late

12

Priority date

+181

New priority date

193

June 13, 1986
June 1
June 30, 1983
July 12, 1983

Remarks:

MICROFILMED

4/86

RECEIVED
JUN 13 1986

Department of Water Resources
Eastern District Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received \$100.00
Date 6-13-86
Receipt # 39704
Receipt by ms
Sent to S.O. 6-20-86

RECEIVED
JUN 23 1986

1. Permit No. 25-7366

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE. Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: EAST RIVER ROAD WATER CORP.

3. Post Office Address: RT. 6, Box 98 D, IDAHO FALLS, IDAHO 83401

Telephone No. 524-0609

4. Source of Water: GROUNDWATER

5. Extent of Use:

Domestic 8 (No. of households) Stockwater 3 beef cattle 15 horses (No. and type of stock)

Irrigation 8 acres (acres) Other/Remark Eight homes have

always been served with domestic water from well, but because of clerical error, only 7 homes listed on permit.

6. Total rate &/or volume for which proof is submitted 0.23 cfs acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

Well drilled in March 1974

8. Person to contact to accompany the department representative during the field examination:

LARRY HARRIS (Name)

316 W 81st N (Rt 6, Box 98 D), IDAHO FALLS, ID. 524-0609
(Address) (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

6-13-86 Date Larry M. Harris (President) Signature of Permit Holder (and title, if appropriate)

WICR MED

State of Idaho

Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.

Form 217
12/84
RECEIVED
JUN 13 1986
Department of Water Resources
Eastern District Office

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
JUN 23 1986
Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 25-7366

Name(s) of Permit Holder: EAST RIVER ROAD WATER CORP.

Post Office Address: Rt. 6, Box 98 D, IDAHO FALLS, IDAHO 83401

Telephone No. 524-0609

Source of Water: GROUNDWATER

Extent of Use:

Domestic 8 homes (number of households)

Stockwater 3 beef cattle
15 horses (number and type of stock)

Irrigation 8 acres (acres)

Other/Remarks Eight homes have always been served with domestic water from well, but because of clerical error, only 7 homes listed on permit.

Indicate the date water was first diverted and beneficially used under this permit: Well drilled in March, 1974.

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☐ No

Person to contact to accompany the Department representative during the field examination:

LARRY HARRIS
316 W 81st No. (Rt 6, Box 98 D), Idaho Falls, Id. 524-0609
(Name) (Address) (Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

6-13-86
Date
Paid \$100.00
Date 6-13-86
39704

Larry Harris (President)
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED

Place
Stamp
Here

Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
JUNE 13, 1986

EAST RIVER ROAD WATER CORP.
RT. 6, BOX 98C
IDAHO FALLS, ID 83401

LAPSE NOTICE

RE: PERMIT NO. 25-7366

DEAR PERMIT HOLDER:

YOU ARE HEREBY NOTIFIED THAT UNDER THE PROVISIONS OF SECTION 42-218A, IDAHO CODE, THE ABOVE REFERENCED WATER PERMIT HAS LAPSED. THIS OFFICE DID NOT RECEIVE EITHER AN ACCEPTABLE PROOF OF BENEFICIAL USE SUBMITTAL OR AN ACCEPTABLE REQUEST FOR AN EXTENSION OF TIME. YOU WERE PROVIDED THE PROPER FORMS IN OUR PROOF DUE NOTICE TO YOU DATED MARCH 31, 1986.

YOUR PERMIT CANNOT BE REINSTATED UNLESS YOU SUBMIT PROOF OF BENEFICIAL USE OR SUBMIT AN EXTENSION OF TIME REQUEST SHOWING REASONABLE CAUSE FOR DELAY. EITHER THE COMPLETED PROOF OF BENEFICIAL USE SUBMITTAL (INCLUDING THE EXAMINATION FEE OR A COMPLETED FIELD EXAMINATION REPORT) OR THE EXTENSION REQUEST FORM TOGETHER WITH THE \$15 FEE MUST BE RECEIVED BY THIS DEPARTMENT WITHIN SIXTY DAYS OF THE DATE OF MAILING OF THIS LAPSE NOTICE OR THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

A PROOF OF BENEFICIAL USE FORM AND A REQUEST FOR EXTENSION OF TIME FORM ARE AGAIN ENCLOSED FOR YOUR USE. PLEASE NOTE THAT ONLY ONE EXTENSION OF TIME CAN BE GRANTED UNLESS THE PROJECT HAS NOT BEEN COMPLETED BECAUSE OF LACK OF A NECESSARY APPROVAL BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION.

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

ENCLOSURES

LGS:RF

CERTIFICATION OF MAILING
I hereby certify that on 6-25-1986
a copy of this document was
deposited in the United States mail,
postage and fees paid, to the
individual(s) named above.

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL
MARCH 31, 1986

138038

EAST RIVER ROAD WATER CORP.
RT. 6, BOX 98C
IDAHO FALLS, ID 83401

PROOF DUE NOTICE

RE: PERMIT NO. 25-7366

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF THE ABOVE REFERENCED WATER PERMIT WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE JUNE 1, 1986. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST.) ENCLOSED IS A FORM WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT FULLY COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION WHICH MIGHT BRING TITLE TO THE WATER IN QUESTION, MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER A COMPLETED PROOF OF BENEFICIAL USE FORM OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE NOR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT.
(2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

MICROFILMED

May 24, 1985

RE: Permit No. 25-7366

East River Road Water Corp.
Rt. 6, Box 98C
Idaho Falls, ID 83401

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

Please note that one of the conditions of approval is that the diversion of water under this permit is subject to the control of a State Watermaster. The reason for this is that some hydrologic studies of rivers in the state indicate that wells constructed in the sand and gravel aquifers of the river areas may intercept water that otherwise would have entered the river. However, the extent of the alluvial material thickness is not known nor is the precise degree of interference of wells with surface water flows. Studies do indicate that as much as 50% of the water diverted from a well located one mile from the river would have reached the river if impermeable layers of clay on hard rock do not separate the river from the aquifer from which the well is producing.

The information available to us at this time does not warrant refusing to issue you a permit but does merit cautioning you that any permit issued by the Department cannot deprive water users, with earlier rights, of their water supply.

The reason for conditioning the permit and explaining the potential interference problem is to make you aware that future tests may definitely show that diversion of water from your well should be administered together with the older surface water priorities of the river and its tributaries. If this were to occur, it would essentially mean that there would not be water available for a diversion from your well since the surface water system is fully appropriated. By locating your well as far from the river as possible and by casing out upper water producing zones as the well is constructed, you may be able to reduce the amount of interference with the river.

MICROFILMED

May 24, 1985
RE: Permit No. 25-7366
Page 2 of 2

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is the statement of beneficial use that must be submitted when your project is completed.

Sincerely,

DAVID R. TUTHILL, JR., P.E.
Supervisor, Water Allocation Section

DRT:kw
Enclosures

MICROFILMED

INTER-DEPARTMENT MEMO — 1

FROM Kay Walker

DATE 5/13/85

TO Application for Permit No. 25-7366

SUBJECT Watermaster Control Recommendation

Pursuant to review of this application, I recommend that it be subject to watermaster control because of the close proximity of the well to the river and the shallowness of the well itself. (unknown)

MICROFILMED

SIGNATURE

State of Idaho
Department of Water Resources

575-7000

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Steve McCormick APPLICATION NUMBER: 25 7366

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

- ☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☒ Idaho State Health Department. Copies sent by: EW Date: 3-4-85
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 3-11-85
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 3-6-85
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 01
✓ 6-30-1983 Date of priority recommended.
Special conditions of approval or cover letter. _____

app. dismissed in 3rd S.F. release-

By: Ernest Carlson Date: March 15, 1985

STATE OFFICE REVIEW:

"K" letter 1/16

05 (01, Snake River)

- ☐ See attached sheet for more information.

By: EW

Date: 5/13/85

MAR 21 1985

Department of Water Resources

MICROFILMED
RECEIVED



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

DIVISION OF ENVIRONMENT
150 North 3rd Avenue
Pocatello, Idaho
83201

March 12, 1985

Mr. Ernest Carlsen
Department of Water Resources
150 Shoup - Suite 15
Idaho Falls, Idaho 83402

RECEIVED

MAR 14 1985

Department of Water Resources
Eastern District Office

Dear Mr. Carlsen:

We have received notice of the East River Road Water Corporation, application No. 25-7366, to appropriate waters of the State of Idaho.

Given that the proposed use is for a private water system, as defined by Idaho Regulations for Public Drinking Water Systems, we have no comments regarding the above named application.

Sincerely,

Mark Torf

Mark Torf
Senior Water Quality Specialist

MT/jd

cc: Gordon Hopson

MICROFILMED



STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

DIVISION OF ENVIRONMENT
150 North 3rd Avenue
Pocatello, Idaho
83201

March 12, 1985

East River Road Water Corporation
Rt. 6, Box 98C
Idaho Falls, Idaho 83401

Re: Application #25-7366
Bonneville County

MAR 14 1985

Gentlemen:

Department of Water Resources
Eastern District Office

We have been apprised of your application for a permit to appropriate the public waters of the State of Idaho to provide domestic water to seven families.

By regulations your proposed water system is defined as a "private" water system and, therefore, not subject to the jurisdiction of the Department. However, omission from our jurisdiction does not preclude compliance with any local requirements; further, you should be aware, expansion of the system to provide service to ten or more individual connections changes the classification of the system to "public" at which time you would be expected to meet the requirements of the Idaho Regulations for Public Drinking Water Systems. The regulations set forth minimum requirements for construction, water quality, monitoring, and maintenance and operation. On the premise that, at some future time, you may wish to provide additional service, I would encourage you to comply with the regulations at this time relative to the construction of the facility.

By copy of this letter we are advising the Idaho Falls District Health Department of your intention. If we may be of further assistance in this matter, please do not hesitate to contact us (236-6160).

Sincerely,

Mark Torf

Mark Torf

Senior Water Quality Specialist

MT/jd

cc: Department of Water Resources
Idaho Falls District Health Dept.

MICROFILMED

March 4, 1985

RE: Application for Permit No. 29-7723 BIG SKY WATER USERS
25-7366 EAST RIVER ROAD WATER CORP.

Department of Health & Welfare
150 North Third
Pocatello, ID 83201

Gentlemen:

We are enclosing a copy of an application that may be of interest to your agency. Please review the application and submit any comments you may have to our Department as soon as possible. The last date of protest is March 11, 1985, and we are required to take final action shortly thereafter.

If we may be of further assistance, please feel free to contact us.

Respectfully submitted,

ERNEST CARLSEN
Assistant Regional Supervisor

EC:cw

Enclosure (2)

MICROFILM

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup Ave., Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

FEBRUARY 13, 1985

The Post Register
P. O. Box 1800
Idaho Falls, Idaho 83401

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. We have allowed ample time for you to submit a galley proof to this office for review before the first publication date. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. Your cooperation is appreciated.

Please send the affidavit of publication and publication billing to this office before MARCH 11, 1985.

Yours truly,

RONALD D. CARLSON
Supervisor
Eastern Region

Encl.

MICROFILMED

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before MARCH 11, 1985.

KEN DUNN, Dir.

Published 2/21 & 2/28/85.

MICROFILMED

25-2366-

EAST RIVER ROAD WATER CORP.

RT. 6, BOX 98C, IDAHO FALLS, ID 83401

Source: GROUNDWATER

Date Filed: 06/30/1983

Diversion Pt: SESW Sec 19 T 03N R 38E

Use: IRRIGATION	(0.09 CFS)
STOCKWATER	(0.02 CFS)
DOMESTIC	(0.12 CFS)

In: SESW Sec 19 T 03N R 38E FOR 8 ACRES

MICROFILMED

3/83

IDENT. NO.

I D A H O D E P A R T M E N T O F W A T E R R E S O U R C E S

WATER RIGHT
DATA ENTRY LOG

[illegible]