


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile. Well location: NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 2, Township 1 North, Range 38 E.B.M.
Bonneville County, Idaho

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Corporation of the Presiding Bishop of the Church of Jesus Christ of Latter-Day Saints, a Utah Corporation sole.

By:

Frederick A. Baker

leg

Authorized Agent (Applicant)

MICROFILMED

642.24

TOWNSHIP

1 N

Well

RANGE

COUNTY
Co-operative Society
Presiding Officer
The Church of Jesus Christ
of Latter-day Saints
19 acres
173036

BASEBALL
DIAMOND

LOT 4
40.66

LOT 3
40.59

HOUSE

CATTLE PENS

Co-operative Society
(431870)

346216

CAL. 135.39 AC.

11/60

11/60

2

EAST

BURKE

76/175

CAL. 154.62 AC.

PAUL R.
BYING

502

OLD 4403

12

Exhibit "B"
To Application for Permit

POOR QUALITY ORIGINAL

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION

- Permit No. 25-7361
Attn: Real Estate Dept
Phone No. (800)-453-3860
1. Owner: Corporation of the Presiding Bishop of the Church of Jesus Christ of Latter-day Saints, a Utah Corporation Sole
Current Address: 50 East North Temple, Salt Lake City, Utah 84111
2. Accompanied by: Max Call EXAM. DATE: 2/9/87
Address: Rt 7 Box 109 Idaho Falls 83401 Phone No. 522-0564
Relationship to Permit Holder: farm manager
3. Source: groundwater tributary to NA

B. OVERLAP REVIEW

1. Other water rights with same place of use: canal shares for fields ☐ Copies Attached
2. Other water rights with same point of diversion: none ☐ Copies Attached ☐ Copies of Field Exam's Attached


C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



RECEIVED

SEP 04 1990



PU

PD

2A
IN

MICROFILMED

SEP 04 1990


25-7361

R 38E 39E

IN 38E

25-361

Boise Nevada



25-7361



Dall
diamond



MICROFILMED
SEP 04 1990

25-7361

stock troughs



MICROFILMED

SEP 64 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07361

Priority: June 23, 1983

Maximum Diversion Rate: 0.08 CFS
Maximum Diversion Volume:¹ 6.6 AF

This is to certify, that CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS
50 E. N. TEMPLE

SALT LAKE CITY, UT 84111 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 23, 1983; and has submitted Proof of Beneficial Use on June 27, 1985. An examination indicates that the works have a diversion capacity of .080 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
STOCKWATER	10/01 to 05/01	0.08 CFS	5.4 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	1.2 AF
	Totals	0.08 CFS	6.6 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 3(NENW), Sec. 2, Township 01N, Range 38E
BONNEVILLE County

PLACE OF USE: STOCKWATER

TWN RGE SEC

01N 38E 2 NENW NWNW

PLACE OF USE: DOMESTIC

TWN RGE SEC

01N 38E 2 NENW

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.

MICROFILMED

SEP 04 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE


WATER RIGHT NO. 25-07361

CONDITIONS/REMARKS:

4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 1 home.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 16th day of AUGUST, 1990.

Acting for


R. Keith Higginson, Director

MICROFILMED

SEP 04 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Corporation of the Presiding Bishop of the Church of Jesus Christ of Latter-Day Saints, a Utah Corporation sole. Attn: Real Estate Dept. Phone 800-453-3860
Post office address 50 East North Temple, Salt Lake City, Utah 84111
2. Source of water supply Ground Water which is a tributary of N.A.
3. Location of point of diversion is NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 2 Township 1 North
Range 38 E. B.M. Bonneville County, additional points of diversion if any: N.A.
4. Water will be used for the following purposes:
Amount .09 CFS for stock water purposes from October 1 to May 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .06 CFS for Domestic purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)
Single household, restrooms and drinking at baseball field
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. .15 CFS cubic feet per second and/or b. _____ acre-feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. See Exhibit A "Report of Well Driller" attached hereto and incorporated by reference. 8" Diameter well. Connecting pipes to house, cattle pens and ball diamond.
b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____
Period of year when water will be diverted to storage N.A. to _____ inclusive.
(Month/Day) (Month/Day)
c. Proposed well diameter is 8 inches; proposed depth of well is 117 feet.
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).
8. Description of proposed uses: See item 8b.
a. If water is not for irrigation:
(1) Give the place of use of water: _____ $\frac{1}{4}$ of _____ $\frac{1}{4}$ of Section _____ Township _____
Range _____ B.M.
(2) Amount of power to be generated: _____ horsepower under _____ feet of head.
(3) List number of each kind of livestock to be watered 250 head of beef cows and their calves
As per tele-con with Reed Moss 2-20-85 HWJ
(4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____
(5) If water is to be used for other purposes describe: No more than 400 people will be served at one time upon completion of the recreation area.

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	
1N	38E	2					D/S	D											

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____

9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing N.A.

10. Remarks Drilling of this well was completed January 2, 1969 as shown on attached Exhibit "A" Report of Well Driller.


This well was drilled to replace a smaller well on the property. This well was a hand pump well and was used to provide water for a single domestic household as well as stock water. This earlier well had been used by the prior owners of the property, Earl Empey and Mildred Empey, his wife, and Oren Empey and Emily Empey, his wife, during the time which they owned the property.

The use for the restrooms and fountain at the baseball diamond began in the Spring of 1978. See Exhibit "B" attached hereto and incorporated by reference for location of well, cattle pens, house and baseball diamond.

The use for domestic and stockwater began immediately upon completion of the drilling of the well.

ATTACHMENTS: Exhibit "A" - Report of Well Driller
Exhibit "B" - Copy of Recorder's plat showing location of well and points of use.

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile. Well location: NE $\frac{1}{4}$ NW $\frac{1}{4}$ Sec. 2, Township 1 North, Range 38 E.B.M.
Bonneville County, Idaho

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Corporation of the Presiding Bishop of the Church
of Jesus Christ of Latter-Day Saints, a Utah
Corporation sole.
By: Frederick A. Bahr *lfj*
Authorized Agent (Applicant)

MICROFILMED

Proposed Priority 6/23/83

MICROFILMED

Received by CW Date 6-23-83 Time 11:00 A.

Preliminary check by JGK Fee \$ 30.00

Receipted by CW Date 6-23-83 # 30675

Publication prepared by BP Date 8/31/83

Published in Post Register

Publication dates 9/8 - 9/15/83

Publication approved CW Date 9-21-83

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC CW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 25-7361, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before May 1, 19 90.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 15 th day of May, 1985.

A. Glen Saylor
Chief, Operations Bureau

REPORT OF WELL DRILLER

State of Idaho

State law requires that this report shall be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

WELL OWNER:

Name L. D. S. Armon StakeAddress 2290 SalvayIdaho 83401

Owner's Permit No. _____

NATURE OF WORK (check) Replacement well ☒New well ☐ Deepened ☐ Abandoned ☐Water is to be used for DomesticMETHOD OF CONSTRUCTION Rotary ☒ Cable ☒Dug ☐ Other _____ (explain)CASING SCHEDULE Threaded _____ Welded ☒8 "Diam. from +1 ft. to 117 ft.8 "Diam. from _____ ft. to _____ ft.8 "Diam. from _____ ft. to _____ ft.8 "Diam. from _____ ft. to _____ ft.Thickness of casing: .250 Material:Steel ☒ concrete ☐ wood ☐ other ☐

(explain)

PERFORATED? Yes ☐ No ☒ Type of perforator used: _____

Size of perforations: _____ "by _____"

perforations from _____ ft. to _____ ft.

perforations from _____ ft. to _____ ft.

perforations from _____ ft. to _____ ft.

perforations from _____ ft. to _____ ft.

WAS SCREEN INSTALLED? Yes ☐ No ☒

Manufacturer's name _____

Type _____ Model No. _____

Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

CONSTRUCTION Well gravel packed? Yes ☐No ☒ size of gravel _____ Gravel

placed from _____ ft. to _____ ft. Surface seal


provided? Yes ☐ No ☒ To what depth?ft. Material used in seal BenititoDid any strata contain unusable water? Yes ☐No ☒ Type of water: _____

Depth of strata _____ ft. Method of sealing

strata off: _____

Surface casing used? Yes ☒ No ☐Cemented in place? Yes ☐ No ☒

Locate well in section

LOCATION OF WELL: County BonnevilleT. 1N R. 8E S. 16Size of drilled hole: 8" Totaldepth of well: 117 Standing waterlevel below ground: 0 Temp. _____

Fahr. _____ ° Test delivery: _____ gpm

or _____ cfs Pump? ☐ Bail ☐

Size of pump and motor used to make test: _____

Length of time of test: _____ Hrs. _____ Min.

Drawdown: _____ ft. Artesian pressure: _____ ft.

above land surface _____ Give flow _____ cfs

or _____ gpm. Shutoff pressure: _____

Controlled by: Valve ☐ Cap ☐ Plug ☐No control ☐ Does well leak around casinYes ☐ No ☐

DEPTH MATERIAL WATER

FROM TO YES OR

FEET FEET

0 12 top Soil

12 15 gravel & clay

15 25 gravel & sand

25 30 " larger sand

30 32 " " "

32 40 gravel small sand

40 46 " larger "

46 55 " smaller " clay

55 62 gravel & clay

62 75 gravel clay trace water

75 80 sand & silt

80 95 " " "

95 115 clay

115 117 pea gravel

Use other side for additional remarks

MICROFILMED
POOR QUALITY ORIGINAL


642.24

TOWNSHIP

1 N

Well

RANGE



CAL. 135.39 AC.

Harold BURKE

76/175

CAL. 154.62 AC.

Exhibit "B" POOR QUALITY ORIGINAL
To Application for Permit

MICROFILMED

Proof of Publication
The Post-Register

SEP 21 1983

State of Idaho,
County of Bonneville

ss.

Department of Water Resources
Eastern District Office

I, J. Robb Brady, first being duly sworn, depose and say: That I am the Principal Clerk of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 8th day of September, 1983, last publication having been made on the 15th day of September, 1983, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 19th day of September, 1983

Deon K. Napier
Notary Public

My commission expires September 30, 1984

B10, 1M,

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

25-7358

MANN, FORREST
STAR RT., IDAHO FALLS, ID 83401
Source: SPRING trib. to WILLOW CREEK
Date Filed: 06/30/1983
Diversion Pt: SENW Sec 35 T 03S R 43E
Use: DOMESTIC (0.04 CFS)

In: SENW Sec 35 T 03S R 43E

25-7361

LDS CHURCH
50 E. N. TEMPLE, SALT LAKE CITY, UT 84111
Source: GROUNDWATER
Date Filed: 06/23/1983
Diversion Pt: NENW Sec 02 T 01N R 38E
Use: STOCKWATER (0.09 CFS); DOMESTIC (0.06 CFS)
In: NENW NWNW Sec 02 T 01N R 38E

23-7101

U.S. DEPT. OF AGRI.
FOREST SERVICE, FEDERAL BLDG., 324 25TH ST., OGDEN, UT 84401
Source: GROUNDWATER
Date Filed: 08/16/1983
Diversion Pt: NESE Sec 06 T 03S R 46E
Use: DOMESTIC (0.10 CFS)
In: NESE Sec 06 T 03S R 46E

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before SEPTEMBER 26, 1983.

KEN DUNN
Director

Published: September 8, 15, 1983

MICROFILMED

August 16, 1990

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
50 E. N. TEMPLE
SALT LAKE CITY, UT 84111

RE: PERMIT NO. 25-07361

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 04 1990

February 8, 1990

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
50 E. N. TEMPLE
SALT LAKE CITY, UT 84111

RE: PERMIT NO. 25-07361

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

This right is currently being reviewed by this office for licensing. The enclosed preliminary copy is subject to change upon further administrative review.

We ask that you review the proposed license and if you do not concur with the information, please let us know within 10 days.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

SEP 04 1990

MEMORANDUM

TO:FILE 25-7361

FROM:ROXANNE MCCARTHY

RE: CHANGES TO FIELD EXAM RECOMMENDATIONS

DATE: 16-JAN-1990

=====

I have corresponded with Church officials concerning the Examination Fee for this right. They do not have a copy of the check or receipt nor do we have a record of the transaction. Right 25-7365 has been licensed and the fee was paid as suggested in the letter dated January 11, 1990.

This Permit must be licensed as a single-family domestic and stockwater right due to non-payment of fee; domestic diversion rate and volume figures are altered to reflect this change.

MICROFILMED

SEP 6 1990

THE CHURCH OF
JESUS CHRIST
OF LATTER-DAY
SAINTS

REAL ESTATE DIVISION
Twelfth Floor, RM-1241
50 East North Temple Street
Salt Lake City, Utah 84150
Phone (801) 240-4074

Reference reply to:
Prop. #515-2593 &
#529-4622

January 11, 1990

RECEIVED
JAN 15 1990

Ms. Roxanne McCarthy
Technical Reviewer
State of Idaho Department of Water Resources
1301 North Orchard Street
Statehouse Mail
Boise ID 83720

Department of Water Resources

Dear Ms. McCarthy,

Enclosed is a copy of a letter written to me by Garth Cunningham, Assistant Executive Secretary of the Idaho Falls Idaho Ammon Stake, in which he states that the documents and fees for the Ammon 4th and 7th Wards building and recreation areas were paid. The ward building and recreation area are for water rights 25-7361 and 25-7365.

We do not have a copy of the check here, only the letter which was written August 24, 1986.

I hope this is sufficient to clarify the fact that the examination fee for permit #25-7361 has been paid.

Thanks for your help.

Sincerely,

Ronald C. Johnson
Ronald C. Johnson
Water Analyst

RCJ:ja
enc.

cc: Terry F. Roylance
M. Glade Pincock

MICROFILMED

SEP 04 1990

AUG 28 REC'D

THE CHURCH OF
JESUS CHRIST
OF LATTER-DAY
SAINTS

IDAHO FALLS IDAHO AMMON STAKE

Aug 24, 1986

Ronald C Johnson
Real Estate Division
12th Floor
50 E. North Temple St.
Salt Lake City, Utah 84150

Dear Brother Johnson,

In response to your letter of 11 June 1986, we have submitted the proper forms and fees to the State of Idaho Dept. of Water Resources for the 2 wells. (Ammon 4th and 7th Ward building and the Stake Recreation area.)

If you have any questions, please contact us.

Sincerely,

Garth Cunningham
Garth Cunningham
Asst Exec. Sec.

25-7365 Property 515-2593 Ammon 4 & 7
and

25-7361 Property 529-4622

MICROFILMED
SEP 04 1990

MEMORANDUM

TO: FILE

FROM: ROXANNE MCCARTHY

RE: LICENSE EXAMINATION FEE

DATE: 9-JAN-1990

=====

I received a call today from an official in the Church in Salt Lake City. He has a letter from the gentleman who took care of the fee sheets for Rights 25-7361 and 25-7365 in 1986. A fee sheet for 25-7365 is on file and that right has been licensed. We will receive a copy of the letter from Salt Lake City and I will determine at that time whether 25-7361 is ready to license.

MICROFILMED

SEP 04 1990



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

January 4, 1990

RE: Permit No. 25-7361

Church of Jesus Christ
of Latter Day Saints
50 E. N. Temple
Salt Lake City, UT 84111

Dear Permit Holder:

On May 28, 1986, a certified mailing was made to the above address concerning a mandatory examination fee. The fee is intended to offset the costs of a field examination of your water right.

Although the field examination was completed, we have no record that the fee was received. Could you check your records for a copy of the Fee Information Sheet or perhaps a cancelled check? Your cooperation would be greatly appreciated.

Thanks in advance for your help in this matter.

Sincerely,

Roxanne McCarthy

ROXANNE McCARTHY
Technical Reviewer

RM:sc

MICROFILMED

SEP 04 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

25-7361
Permit No.

EB

RECEIVED

NOV 02 1987

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval Department of Water Resources
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index Kaw 30 MAR 87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index Kaw 30 MAR 87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☐ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed 7/9/87 Carol Slougherbach (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent 7/14/87 (Initial and date)
Exam Reviewed by Manager of Regional Office SM 7/15/87 (Initial and date)
Exam Date Entered in Computer _____ (Initial and date)
Exam sent to State Office _____ (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


- Permit No. 25-7361
Attn: Real Estate Dept
1. Owner: Corporation of the Presiding Bishop of the Church of Jesus Christ of Latter-Day Saints, a Utah Corporation Sole Phone No. (800)-453-3860
Current Address: 50 East North Temple, Salt Lake City, Utah 84111
2. Accompanied by: Max Call EXAM. DATE: 7/9/87
Address: Rt 7 Box 109 Idaho Falls 83401 Phone No. 522-0564
Relationship to Permit Holder: farm manager
3. Source: groundwater tributary to NA

B. OVERLAP REVIEW

1. Other water rights with same place of use: canal shares for fields
☐ Copies Attached
2. Other water rights with same point of diversion: none
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

1 1/2 hp ~~per~~ submersible pump with lines to house, ball diamond, and stock troughs (ball diamond may be disconnected in future) max head of livestock is 500, mostly cattle well depth unknown used for house, watering lawn from hose, stock, and drinking water at ball diamond

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	3		NE	NW	2	1N	38E	Bonneville	USGS

6. Place(s) of Use:

Indicate Method of Determination USGS

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
1N	38E	2					X	X											

MICROFILMED

SEP 04 1990

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

no measurements were possible

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

Thru the air $Q = \frac{1\frac{1}{2}hp \times 8.814 \times .8}{119.4ft + (2.308 \times 35psi)} = 0.05$

from well to SS $= 0.08 cfs$

Act

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

1.2 gpa, .04 gpa for home
6.9 gpa, .02 gpa for ball diamonds $\Rightarrow$.06 cfs domestic

assigned amt $\frac{400 \text{ gpa} \times 10 \text{ sets}}{\text{person}} \times \frac{1 \text{ acre foot}}{325,850 \text{ gallons}} \times 75 \text{ days} = 0.9469$

SEP 04 1990

H. REMARKS AND OVERLAP REVIEW ANALYSIS

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Stock Water	10/1	5/1	.08	5.4
Domestic	1/1	12/31	.06	7.821
Totals:			0.0875 cfs HWT	7.5 7.2 a/a

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☒ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION


Field Examiner's Name Carol Slaughterbeck
Signature Carol Slaughterbeck
Certification Date 9-15-1987
Field Report Preparation Date 7/9/87

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.


RECEIVED

SEP 14 1990



IN 38E


25-361



MICROFILMED

SEP 04 1990

25-7361



Ball
Diamond



MICROFILMED
SEP 04 1990

25-7361

stock troughs



MICROFILMED

SEP 04 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

May 28, 1986

25-7361
CHURCH OF JESUS CHRIST LATTER DAY
50 E. N. TEMPLE
SALT LAKE CITY, UT 84111

CERTIFIED MAIL 0013424

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

SEP 04 1990

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Eastern Region
Idaho Dept. of Water Resources
150 Shoup Avenue
Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Sincerely,



RONALD D. CARLSON
Regional Manager

Enclosure

MICROFILMED
SEP 04 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

NOVEMBER 13, 1985

LDS CHURCH
50 EAST NORTH TEMPLE
SALT LAKE CITY UT 84111

RE: Permit No. 25-7361

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,

s/HAROLD W. JONES
Sr. Resource Agent

MICROFILMED

SEP 04 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
PROOF OF BENEFICIAL USE

RECEIVED
JUN 27 1985

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 25 7361

Name(s) of Permit Holder: Corporation of the Presiding Bishop of the Church of Jesus Christ of Latter-Day Saints

Post Office Address: 50 East North Temple Street, Salt Lake City, Utah 84111

Telephone No. (800) 453-3860

Source of Water: Ground Water

Extent of Use:

Domestic .06CFS (number of households)
Single household, restrooms, drinking at baseball field
Stockwater .09CFS (number and type of stock)
250 head - beef cows
Irrigation -0- (acres)
Other/Remarks -0-

Indicate the date water was first diverted and beneficially used under this permit: Jan. 2, 1969, well completed. Use for domestic and stockwater uses began on said date. Well was
Measuring Device: Required? ☐ Yes ☒ No drilled to replace an earlier well on the
Installed? ☐ Yes ☒ No property which has been in existence prior to
that date. Use for restrooms and drinking
Flow Measurement Port: Required? ☐ Yes ☒ No fountain began in spring, 1978.
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Max Call, Route #7 Box 109, Idaho Falls, Idaho (208) 522-0564

(Name)

(Address)

(Telephone Number)

MICROFILMED

The above information is a true statement of the extent to which the above numbered permit has been developed.

6-25-85
Date

James A. Behr
Signature of Permit Holder (and Title, if appropriate)

Corporation of the President of the Church of
Jesus Christ of Latter-day Saints, a Utah Corporation sole.

AKR
AUTHORIZED AGENT

600

Ronald C. Johnson
Real Estate Div. LDS church 12 FL E.
50 East North temple
Salt Lake City Utah 84150



Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

CHURCH OF JESUS CHRIST, LATTER DAY SAINTS
50 E. N. TEMPLE
SALT LAKE CITY, UT 84111

MAY 21, 1985

RE: PERMIT NO. 25-7361

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

YOU SHOULD BE AWARE THAT THE GROUND WATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUND WATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL FOR INTERFERENCE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

MICROFILMED

RE: PERMIT 25-7361

PAGE 01
MAY

21, 1985

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

25 7381

INITIAL REVIEW BY: JCM

APPLICATION NUMBER: _____

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: _____

Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☐ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: Sept 26, 1983
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 9-21-83
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☐ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 01
6-23-1983 Date of priority recommended.
Special conditions of approval or cover letter. _____

RECEIVED

MAR 14 1985

Department of Water Resources

By: Ernest Carlson

Date: Feb 21, 1985

STATE OFFICE REVIEW:

L05, L17

26

- ☐ See attached sheet for more information.

By: Ken

Date: 5/10/85

MICROFILMED

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

RECEIVED
JAN 1 1962

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

25-7361

LDS CHURCH

50 E. N. TEMPLE, SALT LAKE CITY, UT 84111

Source: GROUNDWATER

Date Filed: 06/23/1983

Diversion Pt: NENW Sec 02 T 01N R 3SE

Use: STOCKWATER (0.09 CFS)
DOMESTIC (0.06 CFS)

In: NENW NWNW Sec 02 T 01N R 3SE

*Name chg su
Computer
3-4-85
cu*

MICROFILMED

PETERSEN, MOSS & OLSEN

GEORGE C. PETERSEN, JR.
REED L. MOSS
DENNIS M. OLSEN
GREGORY P. MEACHAM
WM. CHARLES CARR
STEPHEN D. HALL
ALAN E. BARBER

ATTORNEYS AT LAW
485 "E" STREET
IDAHO FALLS, IDAHO 83402

TELEPHONE
AREA CODE 208
523-4650

June 20, 1983

Mr. Keith Wilson
Idaho Department of Water Resources
150 Shoup Avenue, Suite 15
Idaho Falls, Idaho 83401

Dear Keith:

After visiting with you about the claims to a water right and the applications which we had recently submitted with my letter of June 7, 1983, and after Alan Barber of our office worked with Ernie Carlson of your office, we are now submitting to you the following claims and application forms for certain water rights pertaining to the Idaho Falls, Idaho, Ammon and Ammon West Stakes' upper welfare farm (in the Bone area) and lower welfare farm (South and East about 1 1/2 miles from Kelly's Market in Ammon):

1. A claim form covering a spring located in the Northwest corner of the Southwest quarter of the Southeast quarter of Section 6, Township 2 South, Range 40 E.B.M., in Bingham County.
2. A claim form covering a spring located generally in the Northeast corner on the Southwest quarter of the Southwest quarter of Section 5, Township 2 South, Range 40 E.B.M..
3. A claim form covering another spring located generally in the Southeast corner of the Southwest quarter on the Southeast quarter of Section 6, Township 2 South, Range 40 E.B.M.
4. An application for permit covering 9 acre feet for storage for recreation, .02 cfs for domestic and .23 cfs for diversion to storage, on property on which is located a spring which has been tapped for domestic purposes and a recreation pond to supply water for a youth camp.
5. Another application for .09 cfs for stock water and .06 cfs for domestic water covering a single household, restrooms and drinking fountain at a baseball field supplied by a ground water well located generally in the Northeast quarter of the

MICROFILMED

June 20, 1983

2

Northwest quarter of Section 2, Township 1 North, Range 38 E.B.M.
This latter one is located down in the valley by Ammon. The others
are located up at the Bone area.

Also enclosed will be two checks of the Idaho Falls Ammon
Stake Farm. One in the amount of \$90.00 dated May 13, 1983 and
another in the amount of \$131.00 dated June 19, 1983. These, of
course, total \$225.00 or \$45.00 per claim and application for
permit.

As was discussed between Mr. Carlson and Alan Barber of
our office, there was some question as to whether or not the claim
forms should be filed, but on reflection it was determined that it
would probably be in the best interests of everyone concerned to
have this information filed while we have it assembled so that
there will be a historical record of the use of this water for the
many years that it has occurred to take care of the cattle herd of
the two stakes' cattle ranch.

We hope now that these will be complete. Since we are
approaching the June 30 deadline, if there are any questions or
problems, please call me or Alan Barber as promptly as possible.

Thank you very much for your help.

Very truly yours,

PETERSEN, MOSS & OLSEN



Reed L. Moss

RLM/jm
Enc.
1231k

MICROFILMED