



11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Eldon E. Dees
 Shirley Dees
 & Ronald R. Dees
 Kathleen M. Dees (Applicant)

MICROFILMED



GOSHEN 5.6 MI. (GOSHEN) 3570 1 SE

R 37 E 2'30" R 38 E

INTERIOR-GEOLOGICAL SURVEY, RESTON, VIRGINIA-1979 418000m E.

SCALE 1:24000

R 37 E R 38 E 25-7351'

ROAD CLASSIFICATION

Primary highway, hard surface
Secondary highway
Light-duty improved surface

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-7351

Priority: June 24, 1983

Amount: .06 CFS

2.7 AF

This is to certify, that ELDON G. DEES
MRS. ELDON G. DEES

RT. 3 BOX 128

IDAHO FALLS, ID 83401

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated June 24, 1983, and has submitted proof to the Department of Water Resources on April 8, 1985, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .06 cfs of water from a **GROUNDWATER** source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Stockwater	01/01 to 12/31	.02 cfs	.3 af
Domestic	01/01 to 12/31	.06 cfs	2.4 af
	Totals	.06 CFS	2.7 AF

LOCATION OF POINT OF DIVERSION(S):

SWNE , Sec. 30, Township 1N, Range 38E
Bonneville County

PLACE OF USE: Stockwater

TWN RGE SEC

1N 38E 30

SWNE

PLACE OF USE: Domestic, same as Stockwater use

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 20th day of FEBRUARY, 1987.

MICROFILMED

Acting for the

Director

MAR 05 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

- ✓ 1. Name of applicant Mr. or Mrs. Eldon G. Dees Phone 208 357-3088
Post office address Rt. 3 Box 128, Idaho Falls, ID 83401
- ✓ 2. Source of water supply groundwater which is a tributary of _____
- ✓ 3. Location of point of diversion is SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 30 Township IN
Range 38E B.M. Bonneville County, additional points of diversion if any: _____
- ✓ 4. Water will be used for the following purposes:
Amount 0.02 ^{cfs} for stockwater purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.06 ^{cfs} for domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- ✓ 5. Total quantity to be appropriated:
a. .08 cubic feet per second and/or b. _____ acre-feet per annum.
- ✓ 6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. Well, pump and delivery systems to two homes.
b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____
Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)
c. Proposed well diameter is 6 inches; proposed depth of well is 143 feet.
- ✓ 7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).
- ✓ 8. Description of proposed uses:
a. If water is not for irrigation:
✓ (1) Give the place of use of water: SW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 30 Township IN
Range 38E B.M.
(2) Amount of power to be generated: _____ horsepower under _____ feet of head.
✓ (3) List number of each kind of livestock to be watered 12 beef, 6 horses, 3 goats
2 dozen chickens
✓ (4) Name of municipality to be served two families, or number of families to be supplied with domestic water ✓
(5) If water is to be used for other purposes describe: _____

MICROFILMED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

TWP	RANGE	SEC.	NE¼				NW¼				SW¼				SE¼				TOTALS
			NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	NE¼	NW¼	SW¼	SE¼	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. None


✓ 9. a. Who owns the property at the point of diversion Eldon G. or Shirley Dees

b. Who owns the land to be irrigated or place of use Ronald & Eldon Dees

✓ c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing _____

10. Remarks Well dug and completed June 13, 1968

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Eldon E. Dees
 Shirley Dees
 & Ronald R. Dees
 Kathleen M. Dees (Applicant)

MICROFILMED

Proposed Priority 6/24/83

MICROFILMED

Received by CW Date 6-24-83 Time 9:55 A.

Preliminary check by S.M. Fee \$ 30.00

Receipted by CW Date 6-24-83 # 30707

Publication prepared by BP Date 7/20/83

Published in Post Register

Publication dates 7/28 : 8/4/83

Publication approved CW Date 8-8-83

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC CW

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 25-7351, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before March 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 18th day of March, 1985.

J. Glen Saxton
Chief, Operations Bureau

I, Ted Delezene, first being duly sworn, depose and say: That I am the

Foreman of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 28th day of July, 1983, last publication having been made on the 4th day of August, 1983, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 5th day of August, 1983

Dean K. Napier
Notary Public

My commission expires September 30, 1984

B10, 1M,

NOTICE OF APPLICATION FOR WATER
RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

25-7316

HARRISON, STEVE

VIRGIN, VIRIL

BALL, CECIL

RT. 2, BOX 198, IDAHO FALLS, ID 83401

Source: GROUNDWATER

Date Filed: 04/25/1983

Diversion Pt: NWNW Sec 34 T 03N R 38E

Use: STOCKWATER (0.02 CFS); DOMESTIC (0.08 CFS)

In: NWNW Sec 34 T 03N R 38E

25-7342

STANGER, RICHARD F. &/or EDITH M.

996 S. EMERSON AVE., IDAHO FALLS, ID 83401

Source: GROUNDWATER

Date Filed: 06/27/1983

Diversion Pt: SENW Sec 22 T 03N R 39E

Use: COMMERCIAL (0.04 CFS); DOMESTIC (0.06 CFS)

In: NENW Sec 22 T 03N R 39E

25-7344

LOERTSCHER, DAVID W.

RT. 7, BOX 112, IDAHO FALLS, ID 83401

Source: GROUNDWATER

Date Filed: 06/29/1983

Diversion Pt: NWNE Sec 01 T 01N R 38E

Use: STOCKWATER (0.02 CFS); DOMESTIC (0.11 CFS)

In: NWNE Sec. 01T 01N R 38E

25-7345

WHEATLEY, BYRON

EMPEY, KEITH

RT. 2, BOX 434A, IDAHO FALLS, ID 83401

Source: GROUNDWATER

Date Filed: 06/29/1983

Diversion Pt: SESE Sec 29 T 03N R 38E

Use: DOMESTIC (0.06 CFS)

In: SESE Sec 29 T 03N R 38E

25-7346

OLTMANN, R. JAN &/or DONNA

RT. 7, BOX 155, IDAHO FALLS, ID 83401

Source: GROUNDWATER

Date Filed: 06/29/1983

Diversion Pt: SWSW Sec 10 T 01N R 38E

Use: STOCKWATER (0.05 CFS); DOMESTIC (0.06 CFS)

In: SWSW Sec 10 T 01N R 38E

25-7347

OLTMANN, R. JAN &/or DONNA

RT. 7, BOX 155, IDAHO FALLS, ID 83401

Source: GROUNDWATER

Date Filed: 06/29/1983

Diversion Pt: SESE Sec 16 T 01N R 38E

Use: STOCKWATER (0.12 CFS); DOMESTIC (0.06 CFS)

In: SESE Sec 16 T 01N R 38E

25-7351

DEES, MR. OR MRS. EDDIE G.

RT. 3, BOX 128, IDAHO FALLS, ID 83401

Source: GROUNDWATER

Date Filed: 06/24/1983

Diversion Pt: SWNE Sec 30 T 01N R 38E

Use: STOCKWATER (0.02 CFS); DOMESTIC (0.06 CFS)

In: SWNE Sec 30 T 01N R 38E

25-7352

BRUMFIELD, MICHAEL &/or RHONDA

RT. 8, BOX 236, IDAHO FALLS, ID 83401

Source: GROUNDWATER

Date Filed: 06/28/1983

Diversion Pt: NWSW Sec 04 T 03N R 39E

Use: STOCKWATER (0.23 CFS); DOMESTIC (0.04 CFS)

In: NWSW Sec 04 T 03N R 39E

T- to all pr w

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

CECIL D. ANDRUS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

February 23, 1987

RE: Permit No. 25-7251

Mr. and Mrs. Eldon G. Dees
Rt. 2, Box 128
Idaho Falls, ID 83401

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
MAR 05 1987



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

January 28, 1987

RE: Permit No. 25-7351

Mr. & Mrs. Eldon G. Dees
Rt. 3, Box 128
Idaho Falls, ID 83401

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

If you do not concur with the information shown on the draft license, please advise the Department within ten (10) days. If you have any questions, please let us know; otherwise, the license will be issued as identified on the draft copy.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED
MAR 05 1987

ROUGH DRAFT FOR LICENSE

RT NO. 25-7351 ~~1~~ PRIORITY: 24-Jun-1983 TOTAL RATE: 080 CFS 0.00 AF 2.7 10 DAY

FIRST-NAME: MR. OR MRS. ELTON G. LAST-NAME: DEES

CITY: IDAHO FALLS STATE: ID

APPLICATION DATE: 24-Jun-1983 PROOF MADE: 9-Apr-1985 CAPACITY: 000 CFS 0.00 AF 2.4

SOURCE: GROUNDWATER

USE: 64 STOCKWATER
USE: 43 DOMESTIC

Period From: 4-1-01 Period To: 12-31
Period From: 2-1-01 Period To: 12-31

RATE: 4030 CFS
RATE: 2060 CFS

POINT OF DIVERSION

LOT: TRACT: 28E SECTION: 30 TOWNSHIP: 20N RANGE: 38E COUNTY: 19E BONNEVILLE

PLACE OF USE

TOWNSHIP: 20N RANGE: 28E SECTION: 20 LOT: TRACT: 28E ACRES: 0
TOTAL ACRES: 0

REMARKS: D/2

CONDITIONS: 26

DELETE

REMARKS: D/2


12 Beef 12
6 Hoke 6
3 goats = 1 1/2
19-12 gal days
X .0134
= .2546 or 3 AF

Permit No. 25-7357

Phone No. 357-3088

- [illegible]

10. Other water rights on these lands None
11. Other water right diverted from same p.d. None
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached

☐ Aerial Photo of Place of Use Attached
or Map of Irrigated Acreage Attached

14. Remarks _____

15. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

16. Examiner's/Consultant's Signature Keith Carlson Date 14 Aug 1985

Consultant's License Number _____


IDWR Director's Authorization to Conduct

Beneficial Use Examination _____

Date

CONSULTANT SEAL

MICROFILMED
MAR 05 1987



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORT

RECEIVED

JUN 2 1986

25-7351
Permit No.

Department of Water Resources

1. Measurement Calculations

- a) Field Measurement Calculations (Include theoretical capacities and system capacity)

DOMESTIC - Measured with Bucket & Stopwatch
 $Q = 5 \text{ gal} / 11.07 \text{ sec} = 0.452 \text{ gal/sec} = 0.06 \text{ cfs}$

Non-additive stockwater of 0.02 cfs included

- b) Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

- c) Volume Calculations for Other Uses:

DOMESTIC - 1.2 afa $\times$ 2 homes = 2.4 afa
STOCKWATER - 0.4 afa $\times$ 12/11/84
SB
RDK

2. Overlap Review

- a) Other water rights with same place of use: None

- b) Other water rights with same point of diversion: None

- c) Analysis:

RECORDED
MAR 05 1987

RECOMMENDED AMOUNTS

Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
25-7351					0.06 cfs

4. Permit Holder: _____

Address: _____

5. Source: GROUNDWATER tributary to _____

[illegible]

7. Point(s) of Diversion:

[illegible]

8. Place(s) of Use

[illegible]

9. Recommended Conditions/Remarks: _____

10. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature Seth C. Wilson Date 28 May 1986

Checked in Regional Office by Gary Spelman Date 5-30-86

Approved in State Office by Kon Howerton Date 4 Nov 86

MAR 05 1987

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

AUGUST 12, 1985

ELDON G. DEES
RT. 3, BOX 128
IDAHO FALLS ID 83401

RE: Permit No. 25-7351

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,
s/HAROLD W. JONES
Sr. Resource Agent

MICROFILMED

MAR 05 1987

RECEIVED

APR 15 1985

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

RECEIVED

APR 8 1985

Department of Water Resources
Eastern District Office

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 25-7351

Name(s) of Permit Holder: Eldon G. Dees

Post Office Address: Rt 3 Box 128

Idaho Falls, Idaho 83401 Telephone No. 357-3088

Source of Water: Groundwater

Extent of Use:

Domestic 2 (number of households)

Stockwater 12 beef, 6 horses, 3 goats, 2 dz chickens (number and type of stock)

Irrigation _____ (acres)

Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: June 13, 1968

Measuring Device: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Flow Measurement Port: Required? ☐ Yes ☒ No
Installed? ☐ Yes ☒ No

Person to contact to accompany the Department representative during the field examination:

Mr. or Mrs. Eldon G. Dees

(Name)

Rt 3 Box 128 Idaho Falls 83401 357-3088

(Address)

(Telephone Number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

8 April 1985
Date

Eldon G. Dees
Signature of Permit Holder (and Title, if appropriate)

MICROFILMED

2011
10/10/11
10/10/11

Place
Stamp
Here

Idaho Department of Water Resources
Statehouse Mail
Boise, ID 83720

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

DEES, MR. OR MRS. ELDON G.
RT. 3, BOX 128
IDAHO FALLS, ID 83401

MARCH 28, 1985

RE: PERMIT NO. 25-7351

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

YOU SHOULD BE AWARE THAT THE GROUND WATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUND WATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL FOR INTERFERENCE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

MICROFILMED

RE: PERMIT 25-7351

PAGE 01
MARCH

28, 1985

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Steve McCormick APPLICATION NUMBER: 25 7351

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.

Field check by: _____

Date: _____

Comments: _____

☐ Yes ☒ No Field check required.

☐ Yes ☒ No Critical groundwater area.

☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____

☒ Yes ☐ No* In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

☐ Yes ☒ No Platted by: _____ Map No. _____

☐ Yes ☐ No Other rights on same place of use. _____

☒ Yes ☐ No* In form for advertising.

Final date for protests: Aug 15, 1983

☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 8-8-83

☒ Application published correctly. If not, record action taken: _____

☒ Fee amount, receipt date & number, recorded on application.

☒ Publication dates and paper, recorded on application.

☒ Protests, dates, withdrawal, etc., recorded on application.

☒ Recommendation & initial, recorded on application.

☐ Yes ☒ No Measuring device required.

☐ Yes ☒ No Access port required.

☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 01

6-24-83 Date of priority recommended.

Special conditions of approval or cover letter. _____

26

app. released in 3rd S.E. dismissal

By: Ernest Carlson

Date: Feb 13, 1985

STATE OFFICE REVIEW:

205, 217

26 ~~24~~

☐ See attached sheet for more information.

By: EW

Date: 3/1/85

RECEIVED
FEB 20 1985

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

25-7351

DEES, MR. OR MRS. ELDON G.

RT. 3, BOX 128, IDAHO FALLS, ID 83401

Source: GROUNDWATER

Date Filed: 06/24/1983

Diversion Pt: SWNE Sec 30 T 01N R 38E

Use: STOCKWATER	(0.02 CFS)
DOMESTIC	(0.06 CFS)

In: SWNE Sec 30 T 01N R 38E

*Proofed
by phone
BP 7/26/83*

MICROFILMED

IDENT. NO. 25 7351

WATER RIGHT
DATA ENTRY LOG

Item

Keypunched by State Office
