


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Clarence W. Wooten

Donald T. Widdling
(Applicant)



well

25-7338

MICROFILMED
JUN 26 1995

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07338

Priority: June 20, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:

0.04 CFS
2.4 AF

This is to certify, that DONALD R WILDING
CLAREN J WOOLSTENHULME

9407 N 5 E

IDAHO FALLS ID 83401

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated June 20, 1983; and has submitted Proof of Beneficial Use on December 29, 1989. An examination indicates that the works have a diversion capacity of 0.040 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
DOMESTIC	01/01 to 12/31	0.04 CFS	2.4 AF

LOCATION OF POINT(S) OF DIVERSION: NENE , Sec. 19, Township 03N, Range 38E
BONNEVILLE County

PLACE OF USE: DOMESTIC

TWN RGE SEC

03N 38E 19

NENE

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for 2 homes.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 14TH day of JUNE, 1995.

Acting for  KARL J. DREHER, Director

RECORDED

JUN 26 1995

STATE OF IDAHO

DEC 29 1989

DEPARTMENT OF WATER RESOURCES

Department of Water Resources
Eastern District Office

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee or a completed field examination report prepared by a certified water right examiner who has been appointed by the department.

Permit No. 25-07338 Telephone No. 523-2325
523-5353

Name(s) of Permit Holder(s): Claren I. Woolstenhulme & Donald R. Wilding

Post Office Address: 9327 N. 5 E. Idaho Falls, ID 83401

Source of Water: Ground Water

If ground water, well driller's name: Andrew Well Drilling Date drilled: Aug. 1, 1966

Extent of Use:
Domestic 2 (No. of households) Irrigation _____ (No. of acres)
Stockwater 0-25 (No. and type of stock) Other _____
Cattle & Horses

Total rate and/or volume for which proof is submitted 0.04 cfs _____ acre/feet
.02

Show date water was first diverted and beneficially used under this permit: Sept 1, 1966

One of the following may be a condition of approval of your permit:

Measuring device: Required? Yes ☒ No Installed? Yes ☒ No

OR

Flow Measurement Port: Required? Yes ☒ No Installed? Yes ☒ No

Fee Enclosed: \$ _____ (See License Examination Fee Schedule)

Person to contact to accompany the Department representative during the field examination:

Donald R. Wilding or C.I. Woolstenhulme 523-5353 523-2325
Name Telephone No.
9327 N. 5 E. Idaho Falls, ID 83401
Address

MICROFILMED

The above information is my true statement of the extent to which the above numbered permit has been developed and I relinquish any undeveloped portion of the permit to the state of Idaho.

MAR 20 1990

1229-89
Date

C.I. Woolstenhulme
Signature (and title if on behalf of a company or organization)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

To appropriate the public waters of the State of Idaho

APPROVED

1. Name of applicant Donald R. Wilding or Claren J. Woolstenhulme Phone 523-5353
Post office address Rt. #6, Box 108, Idaho Falls, ID 83401

2. Source of water supply groundwater which is a tributary of _____

3. Location of point of diversion is NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 19 Township 3N
Range 38E B.M. Bonneville County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.02 ~~cfs~~ for Irrigation purposes from 4/1 to 11/1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 0.08 ~~cfs~~ for Domestic purposes from 1/1 to 12/31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.10 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well, pump, pressure tank
with distribution lines to 3 domestic homes

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 165 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is **not** for irrigation:

(1) Give the place of use of water: NE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 19 Township 3N
Range 38E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water 3.

(5) If water is to be used for other purposes describe: _____

WATER RIGHT

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Clarence J. Wooten

Donald T. Widley
(Applicant)

MICROFILMED

Proposed Priority 6/20/83

Received by BP Date 6/20/83 Time 4:45pm
Preliminary check by JHM Fee \$ 30.00
Receipted by BP Date 6/20/83 # 30971 : # 30972
Publication prepared by CJP Date 11-28-84
Published in Post Register
Publication dates 12-6 & 12-13-84
Publication approved CJP Date 12-24-84
Protests filed by: none

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by EMC kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 25-7338, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 19 90.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Permit holder shall commence the excavation or construction of diverting works within one year of the date this permit is issued and shall proceed diligently until the project is complete.

Witness my hand this 25th day of January, 1985.

J. Glen Saxton
Chief, Operations Bureau



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

PHILIP E. BATT
GOVERNOR

KARL J. DREHER
DIRECTOR

June 15, 1995

DONALD R WILDING
CLAREN J WOOLSTENHULME
9407 N 5 E
IDAHO FALLS ID 83401

RE: WATER RIGHT NO. 25-07338

Dear Water Right Holder(s):

Enclosed is a copy of the Water Right License issued on the above referenced permit. If you have any questions, please contact me within 10 days of receipt of this license.

Sincerely,

Shelley W. Keen
Water Rights Supervisor

SK:rl

Enclosure

MICROFILMED

JUN 26 1995

LICENSE REVIEW CHECKLIST

PERMIT NO. 25-07338 DATE 6-7-95



NAME	☒	Change OK	☐	Or (Address) Change?
PRIORITY DATE	☐	☒		Advance? ☐ Advanced to: _____ Order to reinstate needed? _____ Incorrect fee for rate recommended? <u>NO</u> <u>FILED FOR .04 CFS ONLY - NO fees pd</u>
SOURCE	☐	☒		Changes or just clarification of originally intended source? _____ Notice of Intent to Void necessary? _____
POINT OF DIV	☐	☒		Amendment needed? _____ Overlaps? _____
PLACE OF USE	☐	☒		Amendment needed? _____ Overlaps? _____
DIV RATE	☐	☒		Permit/fee limits: <u>.10 CFS / .04 CFS</u> Meas Q = <u>✓</u> Theo Q = <u>.04</u> Recommend: <u>.04</u> <u>2 HOMES OK @ .04</u> <u>Delete Stockwater</u> Combined rates exceed capacity _____
ANNUAL VOLUME	☐	☒		Volume Limit: _____ Season: _____ Calculations: <u>2 HOMES @ 1.2 = 2.4</u> Flow limit: _____ cfs x _____ x 1.9835 = _____ Combined volumes exceed capacity/allowable _____
USES	☐	☒		Change in Nature of Use or additional uses? _____ Amendment necessary? _____
ADDITIONAL INFO				Supplemental Groundwater ☐ PPU Scenario ☐ Irr/Dom Combination ☐ Shared G/W System ☐
NEW REMARKS	☒			Multiple p/d(s) in 1/4 1/4? _____ Other <u>W01 - 2 HOMES</u>
NEW CONDITIONS	☐			Watermaster control - District _____ Measuring/Locking Devices _____ Irrigation Overlap _____ Other _____ Water Quality _____ Heat/Cool/Fish verified _____

COMMENTS: Delete irrigation use. Reduce rate to capacity.
2 DOMESTICS WITH 1/2 acre each - irrigation use not necessary.

RECOMMENDATION	CFS	VOLUME	SRBA Claim Filed	Adjustment Memo Needed
<u>Domestic</u>	<u>.04</u>	<u>2.4</u>	<u>NO</u>	<u>NO</u>
			LICENSE	☒
			1ST AMEND LETTER	
			2ND AMEND LETTER	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JAN 23 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 25-7338
523-2325 (Woodstenhulme)
Phone No. 523-5353

1. Owner: Donald R Wilking or Claven J. Woodstenhulme
9327 N 5 E (Woodstenhulme)
Current Address: 9407 N 5 E (Wilking) Idaho Falls ID 83401

2. Accompanied by: Mrs. Woodstenhulme EXAM DATE: 3 June 1994

Address: Same Phone No. _____

Relationship to Permit Holder: wife

3. Source: GROUNDWATER tributary to _____

B. OVERLAP REVIEW

- Other water rights with the same place of use: NONE
- Other water rights with the same point of diversion: NONE

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	NE	19	3 N	38 E	Bonneville	USGS Map & On site inspection


2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	38E	19	2D																
			X																X

APPROVED
JUN 26 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.



Scale: 1" = _____

____ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

____ Aerial Photo Attached (required for irrigation of 10+ acres)

____ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Franklin	1 1/2	Model # 282-3007-103	Jacuzzi	UNK
	Electra				

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1. *De Minimus*

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: *Theoretical*

APPROVED

JUN 26 1995

E. NARRATIVE/REMARKS/COMMENTS

Well, pump mainline to two (2) domestic homes and irrigation of one (1) acre. Place of use is 9327 N 5 E (Wadsten hulme) and 09407 N 5 E (wilding). (Note: Domestic allows for 1 acre each a-lac)

According to Mrs. Wadsten hulme some irrigation is done with canal water (therefore this is a secondary irrigation right)

Have conditions of permit approval been met? ☒ yes ☐ no

APPROVED

JUN 26 1995

F. FLOW CALCULATIONS

Additional Computation Sheets Attached

Measured Method: Theoretical;

$$\frac{1.5 \text{ hp} \times 8.814 \times .8 \text{ eff}}{150' \text{ lift} + (2.508 \times 35 \text{ psi})} = \frac{10.57}{230.78} = 0.045 \quad \text{allow } 0.04 \text{ cfs}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \underline{\hspace{2cm}}$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \underline{\hspace{2cm}}$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = \underline{\hspace{2cm}}$$

2. Volume Calculations for Other Uses:

$$(2) \text{ (units)} \quad V_{\text{dom}} = 2.4 \text{ afa}$$

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>Domestic (2 units)</u>	<u>1/1</u>	<u>12/31</u>	<u>0.04</u>	<u>2.4 afa</u>
<u>IRRIGATION</u>	<u>4/1</u>	<u>11/1</u>		
Totals:			<u>0.04 cfs</u>	<u>2.4 afa</u>

2. Recommended Amendments

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

I. AUTHENTICATIONField Examiner's Name KEITH C. WILSON Date 3 June 1994Reviewer J.C. Jones Date 1-16-95

SEAL

JUN 26 1995



well

25-7338

RECEIVED
JUN 26 1945

سوال

52-1338

March 9, 1990

DONALD R. WILDING
CLAREN J. WOOLSTENHULME
RT.6, BOX 108
IDAHO FALLS, ID 83401

PROOF ACKNOWLEDGMENT LETTER

RE: PERMIT NO. 25-07338

Dear Permit Holder:

The department acknowledges receipt of the proof of beneficial use form submitted for the above referenced permit. The next step in the process of developing a water right is for the department to conduct a field examination to determine and confirm the use being made of the water.

If you have questions concerning this matter, please feel free to contact the EASTERN Regional Office in Idaho Falls at (208)525-7161.

Sincerely,

Rita Fleck
Secretary/Records Manager

c: IDWR - Region

MICROFILMED

MAR 20 1990

13877/
October 31, 1989

DONALD R. WILDING
CLAREN J. WOOLSTENHULME
RT.6, BOX 108
IDAHO FALLS, ID 83401

PROOF DUE NOTICE

RE: PERMIT NO. 25-07338

Dear Permit Holder:

One of the conditions of approval of the above referenced water permit was that proof of the extent of your beneficial use must be submitted to this office on or before January 1, 1990. (See last page of your approved permit or your last approved extension request.) Enclosed is a form which when accompanied by the license examination fee or a complete field examination report prepared by a certified water right examiner may be used to submit the required proof.

If you have not fully completed your project, and you or a previous owner of this permit have not received a prior extension of time, you may request an extension of time if the delay is for reasonable cause as provided in Section 42-204, Idaho Code. If you have been prevented from proceeding by a governmental agency or by litigation which might bring title to the water in question, more than one extension of time can be granted. An extension of time request form is enclosed for your convenience.

Either an acceptable proof of beneficial use submittal or an acceptable request for an extension of time must be received by this department on or before the above described proof due date. If neither is received, the department will send you a lapse notice. Within sixty (60) days of the mailing of the lapse notice, the permit will no longer be of any force nor effect.

SINCERELY,

Rita Fleck
Secretary/Records Manager

Enclosures

RECEIVED
NOV 1 1989

MAR 26 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

SEPTEMBER 1, 1985

DEAR PERMIT HOLDER:

ACCORDING TO OUR RECORDS, YOU ARE THE HOLDER OF A WATER PERMIT ON WHICH PROOF OF BENEFICIAL USE OF WATER WAS NOT SUBMITTED BEFORE JULY 1, 1985, WHICH INDICATES YOUR PROJECT IS NOT COMPLETE. THEREFORE, YOU NEED TO BE AWARE OF CHANGES IN IDAHO LAW, EFFECTIVE JULY 1, 1985, WHICH IMPACT ALL WATER PERMITS ISSUED BY THIS DEPARTMENT.

SPECIFICALLY, PURSUANT TO SECTION 42-203D, IDAHO CODE, THE DEPARTMENT MUST REVIEW ALL PERMITS FOR WHICH DEVELOPMENT OF WATER USE WAS NO COMPLETED ON OR BEFORE JULY 1, 1985, TO DETERMINE IF THEY MEET THE NEW REQUIREMENTS OF CHAPTER 2, TITLE 42, IDAHO CODE. RULES AND REGULATIONS GOVERNING THE RE-EVALUATION OF PERMITS ARE NOT YET FINALIZED. HOWEVER, IF YOU COMPLETED THE DEVELOPMENT UNDER YOUR PERMIT BEFORE JULY 1, 1985, YOU SHOULD SUBMIT A PROOF OF BENEFICIAL USE STATEMENT, STATING THAT THE PROJECT WAS COMPLETED BEFORE JULY 1, 1985 SO THAT YOUR PERMIT WILL NOT BE SUBJECT TO THE REVIEW REQUIREMENTS OF SECTION 42-203D, WHICH READS AS FOLLOWS:

42-203D. REVIEW OF PERMITS - OPPORTUNITY FOR HEARING. - (1)THE DEPARTMENT SHALL REVIEW ALL PERMITS ISSUED PRIOR TO THE EFFECTIVE DATE [JULY 1, 1985] OF THIS SECTION, EXCEPT TO THE EXTENT A PERMIT HAS BEEN PUT TO BENEFICIAL USE PRIOR TO JULY 1, 1985, TO DETERMINE WHETHER THEY COMPLY WITH THE PROVISIONS OF CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PROPOSED USE DOES NOT SATISFY THE CRITERIA OF CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL EITHER CANCEL THE PERMIT OR IMPOSE THE CONDITIONS REQUIRED TO BRING THE PERMIT INTO COMPLIANCE WITH CHAPTER 2, TITLE 42, IDAHO CODE. IF THE DEPARTMENT FINDS THAT THE PERMIT SATISFIES THE CRITERIA ESTABLISHED IN CHAPTER 2, TITLE 42, IDAHO CODE, THEN THE DEPARTMENT SHALL ENTER AN ORDER CONTINUING THE PERMIT.

(2)THE DEPARTMENT SHALL PROVIDE AN OPPORTUNITY FOR HEARING IN ACCORDANCE WITH SECTION 42-1701A, IDAHO CODE, AND SECTIONS 67-5209 THROUGH 67-5215, IDAHO CODE, FOR EACH HOLDER OF A PERMIT THAT IS PROPOSED EITHER TO BE CANCELLED OR MADE SUBJECT TO NEW CONDITIONS.

YOU MAY OBTAIN PROOF OF BENEFICIAL USE FORMS FROM THE DEPARTMENT. IF YOU HAVE ANY QUESTIONS, PLEASE LET US KNOW.

SINCERELY,

L. GLEN SAXTON
CHIEF, OPERATIONS BUREAU

MICROFILMED

MAR 20 1990

I D A H O
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

WILLING, DONALD R.
RT. 6, BOX 108
IDAHO FALLS, ID 83401

JANUARY 31, 1985

RE: PERMIT NO. 25-7338

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

YOU SHOULD BE AWARE THAT THE GROUND WATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUND WATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL FOR INTERFERENCE.

THE 1982 IDAHO LEGISLATURE ADDED A REQUIREMENT THAT AS A PERMIT HOLDER YOU MUST COMMENCE THE EXCAVATION OR CONSTRUCTION OF DIVERTING WORKS WITHIN ONE YEAR OF THE DATE THE PERMIT WAS ISSUED, AND YOU MUST PROCEED DILIGENTLY UNTIL THE PROJECT IS COMPLETED. THE ENCLOSED BLUE CARD MUST BE COMPLETED AND RETURNED TO THIS OFFICE AS SOON AS YOU COMMENCE CONSTRUCTION, NO LATER THAN ONE YEAR FROM THE DATE THE PERMIT WAS APPROVED.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT INTO A LICENSE.

ENCLOSED

RE: PERMIT 25-7338

PAGE 01
JANUARY 31, 1985

SINCERELY.

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

UNRECORDED

Proof of Publication The Post-Register

RECEIVED
DEC 21 1984
Department of Water Resources
Eastern District Office

State of Idaho,
County of Bonneville } ss.

I, Ted Delezene, first being duly sworn, depose and say: That I am the Foreman of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two consecutive weeks, first publication having been made on the 6th day of December, 1984, last publication having been made on the 13th day of December, 1984, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 19th day of December, 1984.

Notary Public

My commission expires September 30, 1988.

B10, 1M,

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed to appropriate the public waters of the State of Idaho:

25-7334
LUND, HAROLD E.
FOOTHILL DR., RT. 1, BOX 19, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 06/16/1983
Diversion Pt: NESE Sec 18 T 02N R 39E
Use: IRRIGATION (0.03 CFS); DOMESTIC (0.04 CFS)
In: NESE Sec 18 T 02N R 39E FOR 1 ACRES

25-7335
CHRISTENSON, WAYNE A. PALMER, WAYNE J.
RT. 6, BOX 140, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 06/15/1983
Diversion Pt: NWSW Sec 08 T 03N R 38E
Use: IRRIGATION (0.10 CFS); DOMESTIC (0.08 CFS)
In: NWSW Sec 08 T 03N R 38E FOR 5 ACRES

25-7338
WILDING, DONALD R., WOOLSTENHULME, CLAREN J.
RT. 6, BOX 108, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 06/20/1983
Diversion Pt: NENE Sec 19 T 03N R 38E
Use: IRRIGATION (0.02 CFS); DOMESTIC (0.08 CFS)
In: NENE Sec 19 T 03N R 38E FOR 1 ACRES

25-7359
PAYNE, JOHN C. &/or JUDY
RT. 2, BOX 329, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 06/30/1983
Diversion Pt: NWSW Sec 04 T 03N R 38E
Use: IRRIGATION (0.03 CFS); DOMESTIC (0.04 CFS)
In: NWSW Sec 04 T 03N R 38E FOR 1 ACRES

25-7364
HANCOCK, GLEN, PETERSON, GABRIEL
RT. 5, BOX 357, IDAHO FALLS, ID 83402
Source: GROUNDWATER
Date Filed: 06/21/1983
Diversion Pt: LOT 05 (SESW) Sec 13 T 03N R 37E
Use: IRRIGATION (0.02 CFS); DOMESTIC (0.06 CFS)
In: LOT 05 (SESW) Sec 13 T 03N R 37E FOR 1 ACRES

25-7367
PENNEY, WM. H.
RT. 3, BOX 343, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversion Pt: NWNW Sec 06 T 01N R 38E
Use: IRRIGATION (0.04 CFS); DOMESTIC (0.04 CFS)
In: NWNW Sec 06 T 01N R 38E FOR 3

25-7381
SAUCERMAN, JOHN J. &/or KATHRYN
RT. 3, BOX 33-A, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 06/28/1983
Diversion Pt: NESE Sec 05 T 01N R 38E
Use: IRRIGATION (0.04 CFS); DOMESTIC (0.04 CFS)
In: NESE Sec 05 T 01N R 38E FOR 2 ACRES

25-7383
FOLEY, PATRICIA
1171 NORTH SKYLINE #2, IDAHO FALLS, ID 83402
Source: GROUNDWATER
Date Filed: 06/21/1983
Diversion Pt: NENE Sec 29 T 02N R 39E
Use: IRRIGATION (0.04 CFS); DOMESTIC (0.04 CFS)
In: NENE Sec 29 T 02N R 39E FOR 2 ACRES

32-7133
WOODFIELD, ELMAN T. &/or WANDA B. DUBOIS, ID 83423
Source: GROUNDWATER
Date Filed: 03/08/1983
Diversion Pt: NESE Sec 07 T 09N R 35E
Use: DOMESTIC (0.08 CFS)
In: NESE Sec 07 T 09N R 35E

35-8102
SWANSON, HILMER &/or USONA
RT. 9, BOX 192, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 02/16/1983
Diversion Pt: NWNW Sec 23 T 02N R 37E
Use: IRRIGATION (0.06 CFS); DOMESTIC (0.04 CFS)
In: NWNW Sec 23 T 02N R 37E FOR 3 ACRES

35-8125
HOLLAND, DOUGLAS F. &/or ELIZABETH L.
RT. 5, BOX 134, IDAHO FALLS, ID 83402
Source: GROUNDWATER
Date Filed: 03/28/1983
Diversion Pt: NWSW Sec 17 T 02N R 37E
Use: IRRIGATION (0.02 CFS); DOMESTIC (0.04 CFS)
In: NWSW Sec 17 T 02N R 37E FOR 1 ACRES

35-8136
SNARR, WYLLIE &/or JUDY L. SNARR, STEPHEN, ANDRUS, RAY B.
RT. 5, BOX 182, IDAHO FALLS, ID 83402
Source: GROUNDWATER
Date Filed: 03/25/1983
Diversion Pt: NENE Sec 09 T 02N R 37E
Use: DOMESTIC (0.10 CFS)
In: NENE Sec 09 T 02N R 37E

35-8140
LDS CHURCH
OSGOOD & 39TH WARDS, 50 E. N. TEMPLE, SALT LAKE CITY, UT 84501
Source: GROUNDWATER
Date Filed: 05/13/1983
Diversion Pt: NWNW Sec 27 T 03N R 37E
Use: IRRIGATION (0.09 CFS); DOMESTIC (0.18 CFS)
In: NWNW Sec 27 T 03N R 37E FOR 3

MICROFILMED

25-2338

WILDING, DONALD R.
WOOLSTENHULME, CLAREN J.

RT. 6, BOX 108, IDAHO FALLS, ID 83401

Source: GROUNDWATER

Date Filed: 06/20/1983

Diversion Pt: NENE Sec 19 T 03N R 38E

Use: IRRIGATION (0.02 CFS)
DOMESTIC (0.08 CFS)

In: NENE Sec 19 T 03N R 38E FDR 1 ACRES

*proofed in file
12-6-84
ag*

MICROFILMED