

A detailed topographic map of a rural area, likely a survey or planning document. The map features a grid system with dashed lines. Key features include:

- Creek**: Located in the upper left quadrant.
- FARMERS**: Written vertically along the left edge of the map.
- R38E**: A label in the upper center, possibly indicating a range or section.
- MC GILL** and **25**: Labels in the center of the map.
- DITCH** and **SAND**: Labels in the center-right area.
- Part of Dwarkey & Place of use**: A handwritten note in the center-right area.
- T 3 N**: Written vertically in the center-right area.
- CANAL**: Located in the lower center area.
- Gravel Pit**: Located in the lower center area.
- HILLSIDE**: Located in the lower right area.
- UNION**: Located in the lower right area.
- Beachs Corner**: Located in the bottom left corner.
- Elevation Points**: Various numerical values scattered across the map, including 4801, 4817, 4832, 4809, 4822, 4826, 4802, 4793, 4830, 4863, 4825, 4807, 4875, 4925, and 4900.

The map also shows a **DITCH** and a **CANAL**.

Max J. Stone P.F.R.
(Applicant)

MICROFILMED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


1. Owner: Council of Presiding Bishop of the LDS Church
Iona- Idaho State Permit No. 25-7326
Phone No. 523-5868
Current Address: PO Box 415 Iona, ID 83427
2. Accompanied by: Ralph Hunter EXAM. DATE: 7/14/87
Address: #3 Honeybee Lane Phone No. 522-4546
Relationship to Permit Holder: physical facilities representative
3. Source: groundwater tributary to NA

B. OVERLAP REVIEW

1. Other water rights with same place of use: none ☐ Copies Attached
2. Other water rights with same point of diversion: none ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION


1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

MAR 09 1990

- ☒ place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)



MICROFILMED


MAR 09 1950

T 3 N

R38E

25-7326

25-7326



well 1

MAR 09 1990

MICROFILMED



well 2

MicroFILMED
MAR 09 1990

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07326

Priority: May 16, 1983

Maximum Diversion Rate:
Maximum Diversion Volume:¹

0.06 CFS
4.1 AF

This is to certify, that CHURCH OF JESUS CHRIST OF LATTER DAY SAINTS
P.O. BOX 415

IONA, ID 834270000 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated May 16, 1983; and
has submitted Proof of Beneficial Use on May 16, 1985. An examination indicates
that the works have a diversion capacity of .060 cfs of water from a GROUNDWATER
source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.02 CFS	3.5 AF
DOMESTIC	01/01 to 12/31	0.04 CFS	0.6 AF
	Totals	0.06 CFS	4.1 AF

LOCATION OF POINT(S) OF DIVERSION:

SENE , Sec. 25, Township 03N, Range 38E
BONNEVILLE County

PLACE OF USE: IRRIGATION

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
03N	38E	25	SENE	1		1

Total number of acres irrigated: 1

PLACE OF USE: DOMESTIC, same as IRRIGATION use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Domestic use is for a church.

MICROFILMED

MAR 09 1990

PAGE 2


State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07326

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 23rd
day of FEBRUARY, 1990.

Acting for


R. Keith Higginson, Director

MICROFILMED

MAR 09 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho
Council of Presiding Bishop of the L.D.S. Church

1. Name of applicant Iona - Idaho Stake Phone 523-5868
Post office address P.O. Box 415, Iona Idaho 83427
2. Source of water supply Ground water which is a tributary of _____
3. Location of point of diversion is SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 25 Township 3N
Range 38E B.M. Bonneville County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

- Amount 0.04 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-foot per annum)
- Amount 0.02 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-foot per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-foot per annum)
- Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-foot per annum)

5. Total quantity to be appropriated:

- a. 0.06 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

- a. Description of ditches, flumes, pumps, headgates, etc. 2 wells/pumps - one for churchhouse and one for lawn around building.
- b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____
Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)
- c. Proposed well diameter is 6 inches; proposed depth of well is 150 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

- a. If water is not for irrigation:
(1) Give the place of use of water: SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 25 Township 3N
Range 38E B.M.
- (2) Amount of power to be generated: _____ horsepower under _____ feet of head.
- (3) List number of each kind of livestock to be watered _____
- (4) Name of municipality to be served _____, or number of families to be supplied with domestic water _____.
- (5) If water is to be used for other purposes describe: water for churchhouse

RECORDED

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below:

[illegible]

Total number of acres to be irrigated 1

c. Describe any other water rights used for the same purposes as described above. Shares 14

Progressive Irrigation Comp.


9. a. Who owns the property at the point of diversion Applicant

b. Who owns the land to be irrigated or place of use Applicant

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Mary Stover P.F.R.
(Applicant)

MICROFILMED

Proposed Priority 5/16/83

Received by BP Date 5/16/83 Time 9:30am

MICROFILMED

Preliminary check by KCW Fee \$ 30.00

Receipted by BP Date 5/16/83 # 26226

Publication prepared by BP Date 5-16-83

Published in Post Register

Publication dates 8-8 & 8-26-85 Read 9:56 9-12-85

Publication approved kw Date 8-21-85 & 9-17-85

Protests filed by: none

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by EMC kw

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 25-7326, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before November 1, 19 86.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other:

Witness my hand this 8th day of October, 1985.

J. Glen Saxton
Chief, Operations Bureau

Proof of Publication
The Post-Register

RECEIVED

SEP 16 1985

Department of Water Resources
Eastern District Office

State of Idaho,
County of Bonneville } ss.

I, Ted Delezene, first being duly sworn, depose and say: That I am the Foreman of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) years continuously and uninterruptedly from the date of publication of notice hereinafter referred to.

That the notice, of which a copy is published in said Post-Register for two on the 5th day of having been made on the 12th said notice was published in the regular publication, and that such notice was published

Subscribed and sworn to before me, this

B10, 1M,

NOTICE OF APPLICATION FOR WATER RIGHT
The following applications have been filed to appropriate the public waters of the State of Idaho and are being readvertised to allow evaluation of the public interest criteria under Section 42-203C, Idaho Code.

23-7108
U.S. DEPT. OF AGRIC.
FOREST SERVICE, FEDERAL BLDG., 324
25TH STREET, OGDEN, UT 84401
Source: MUD SPRINGS Trib. to SNAKE
RIVER, S. FK.
Date Filed: 11/30/1984
Diversion Pt: NWSE NESE Sec. 04 T 03N R 42E

Use: In stream STOCKWATER (0.05 CFS)
In: NESE NWSE Sec. 04 T 03N R 42E
25-7298
CITY OF IDAHO FALLS
P.O. BOX 220, IDAHO FALLS, ID 83402
Source: GROUNDWATER
Date Filed: 12/23/1982
Diversion Pt: NWSE Sec 28 T 02N R 38E
Use: MUNICIPAL (3.35 CFS)
In: the city limits of Idaho Falls

25-7307
BUTIKOFER, ELDRED
RT. 6 BOX 303, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 02/22/1983
Diversion Pt: SESE Sec 06 T 03N R 38E
Use: IRRIGATION (0.02 CFS); STOCKWATER (0.02 CFS); DOMESTIC (0.06 CFS)
In: SESE Sec 06 T 03N R 38 E FOR 1 ACRES

25-7314
ASHMENT, RAY &/or JUDY
RT. 3, BOX 66, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 03/28/1983
Diversion Pt: SESW Sec 04 T 03N R 39E
Use: IRRIGATION (0.04 CFS); STOCKWATER (0.02 CFS); DOMESTIC (0.06 CFS)
In: SWSW SESW Sec. 04 T 03N R 39E FOR 2 ACRES

25-7325
CITY OF RIRIE
BOX 68, RIRIE, ID 83443
Source: GROUNDWATER
Date Filed: 05/13/1983
Diversion Pt: NENE Sec 05 T 03N R 40E
Use: MUNICIPAL (0.89 CFS)
In: The city limits of Ririe

25-7326
LDS CHURCH
IONA STAKE, P.O. BOX 415, IONA, ID 83427
Source: GROUNDWATER
Date Filed: 05/16/1983
Diversion Pt: SENE Sec 25 T 03N R 38E
Use: IRRIGATION (0.02 CFS); DOMESTIC (0.04 CFS)
In: SENE Sec 25 T 03N R 38E FOR 1 ACRES

25-7336
BURTON, ORDEN
TURNER, DAVID
RT. 7, BOX 16, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 06/16/1983
Diversion Pt: SESW Sec 34 T 02N R 38E
Use: IRRIGATION (0.03 CFS); DOMESTIC (0.06 CFS)
In: SESW Sec 34 T 02N R 38E FOR 1 ACRES

25-7379
EVERETT, KENT E. &/or NICKOLENA V.
RT. 2, BOX 215, IDAHO FALLS, ID 83401
Source: GROUNDWATER
Date Filed: 06/29/1983
Diversion Pt: SWNW Sec 22 T 03N R 38E
Use: IRRIGATION (0.10 CFS); STOCKWATER (0.02 CFS); DOMESTIC (0.04 CFS)
In: SWNW Sec 22 T 03N R 38E FOR 2 ACRES

25-7403
UTAH POWER & LIGHT
P.O. BOX 899, SALT LAKE CITY, UT 84110
Source: GROUNDWATER
Date Filed: 06/14/1985
Diversion Pt: SENE Sec 25 T 02N R 37E
Use: WATER QUALITY IMPROVEMENT (1.40 CFS)
In: SENE Sec 25 T 02N R 37E

The permit(s) will be subject to all prior water rights. Protests are limited to the public interest criteria under Section 42-203C, Idaho Code. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho, 83402 on or before September 23, 1985.
KEN DUNN
Director

this affidavit, was publication having been made 19.85, last publication 19.85, and that the the respective dates of supplement.

September 19.85

Public

ber 30, 19.88

MICROFILMED

Proof of Publication
The Post-Register

AUG 21 1985

Department of Water Resources
Jackson (Capital) Office

State of Idaho,
County of Bonneville

ss.

I, Ted Delezene, first being duly sworn, depose and say: That I am the Foreman of The Post Company, a corporation of Idaho Falls, Bonneville County, Idaho, publishers of The Post-Register, a newspaper of general circulation, published daily, except Saturday, at Idaho Falls, Idaho; said Post-Register being a consolidation of the Idaho Falls Times, established in the year 1890, The Idaho Register, established in the year 1880 and the Idaho Falls Post, established in 1903, such consolidation being made on the 1st day of November, 1931, and each of said newspapers having been published continuously and uninterruptedly, prior to consolidation, for more than seventy-eighty (78) weeks and said Post-Register having been published continuously and uninterruptedly from the date of such consolidation, up to and including the last publication of notice hereinafter referred to.

That the notice, of which a copy is hereto attached and made a part of this affidavit, was published in said Post-Register for two issues ~~consecutive weeks~~, first publication having been made on the 8th day of August, 1985, last publication having been made on the 15th day of August, 1985, and that the said notice was published in the regular and entire issue of said paper on the respective dates of publication, and that such notice was published in the newspaper and not in a supplement.

Subscribed and sworn to before me, this 19th day of August, 1985

Deon K. Napier
Notary Public

My commission expires September 30, 1988

B10, 1M,

NOTICE OF APPLICATION FOR WATER RIGHT	
The following application(s) have been filed to appropriate the public waters of the State of Idaho:	
25-7307	83427
BUTIKOFER, ELDRED RT. 6, BOX 303, IDAHO FALLS, ID 83401 Source: GROUNDWATER Date Filed: 02/22/1983 Diversion Pt: SESE Sec 06 T 03N R 38E Use: IRRIGATION (0.02 CFS); STOCK- WATER (0.02 CFS); DOMESTIC (0.06 CFS) In: SESE Sec 06 T 03N R 38E FOR 1 ACRES	Source: GROUNDWATER Date Filed: 05/16/1983 Diversion Pt: SENE Sec 25 T 03N R 38E Use: IRRIGATION (0.02 CFS); DOMESTIC (0.04 CFS) In: SENE Sec 25 T 03N R 38E FOR 1 ACRES
25-7314	25-7336
ASHMENT, RAY &/or JUDY RT. 3, BOX 66, IDAHO FALLS, ID 83401 Source: GROUNDWATER Date Filed: 03/28/1983 Diversion Pt: SESW Sec 04 T 03N R 39E Use: IRRIGATION (0.04 CFS); STOCK- WATER (0.02 CFS); DOMESTIC (0.06 CFS) In: SWSW SESW Sec 04 T 03N R 39E FOR 2 ACRES	BURTON, ORDEN TURNER, DAVID RT. 7, BOX 16, IDAHO FALLS, ID 83401 Source: GROUNDWATER Date Filed: 06/16/1983 Diversion Pt: SESW Sec 34 T 02N R 38E Use: IRRIGATION (0.03 CFS); DOMESTIC (0.06 CFS) In: SESW Sec 34 T 02N R 38E FOR 1 ACRES
25-7326	25-7379
LDS CHURCH IONA STAKE, P.O. BOX 415, IONA, ID	EVERETT, KENT E. &/or NICKOLENA V. RT. 2 BOX 215, IDAHO FALLS, ID 83401 Source: GROUNDWATER Date Filed: 06/29/1983 Diversion Pt: SWNW Sec 22 T 03N R 38E Use: IRRIGATION (0.10 CFS); STOCK- WATER (0.02 CFS); DOMESTIC (0.04 CFS) In: SWNW Sec 22 T 03N R 38E FOR 2 ACRES

The permit(s) will be subject to all prior water rights. Protests must be filed with the Director, Dept. of Water Resources, 150 Shoup Ave., Suite 15, Idaho Falls, Idaho 83402 on or before AUGUST 26, 1985.

Published: August 8, 15, 1985 KEN DUNN, Dir.

MICROFILMED

February 26, 1990

CHURCH OF JESUS CHRIST LATTER DAY SAINTS
P.O. BOX 415
IONA, ID 834270000

RE: PERMIT NO. 25-07326

Dear Permit Holder(s):

Enclosed herewith is a copy of the Water Right License issued on the above referenced permit.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

MAR 09 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Staff Analysis Sheet
for
Beneficial Use Field Report

25-7326
Permit No. 851 12-1-86
RECEIVED
OCT 23 1987

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☐ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Department of Water Resources

Check of P/D index Kew (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?
Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index Kew (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of water right(s) attached?
Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☐ Other: _____

Aerial Photo

Required? ☐ yes ☒ no If yes: ☐ copy attached?

Scheduling Letter sent? _____ (Initial and date)

☐ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☐ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed 7/14/87 Carol Staughtonbeck (Signature of examiner and date)
Exam Reviewed by Senior Water Resource Agent DL 7-30-87 (Initial and date)
Exam Reviewed by Manager of Regional Office SPM 9-30-87 (Initial and date)
Exam Date Entered in Computer _____ (Initial and date)
Exam sent to State Office 10/21/87 (Initial and date)
Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


- Council of Presiding Bishop of the LDS Church
1. Owner: Iona Idaho Stake Permit No. 25-7326
Phone No. 523-5868
- Current Address: PO Box 415 Iona, ID 83427
2. Accompanied by: Ralph Hunter EXAM. DATE: 7/14/87
Address: #3 Honeybee Lane Phone No. 522-4546
Relationship to Permit Holder: physical facilities representative
3. Source: groundwater tributary to NA

B. OVERLAP REVIEW

1. Other water rights with same place of use: none
☐ Copies Attached
2. Other water rights with same point of diversion: none
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



MICROFILMED

MAR 09 1990

- place(s) of use (required).
- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

- 1) 7 1/2 hp with lines to churchhouse - used in restrooms, etc. / max of 3000 people in building
- 2) 10 hp submersible pump with lines to sprinkler system for lawn and ball diamond (popups) - 4 lines on field

SWL = 110'

☐ See Remarks on page 4 for continuation

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
1			SE	NE	25	3N	38E	Bonneville	USGS
2			SE	NE	25	3N	38E	Bonneville	USGS

6. Place(s) of Use:

Indicate Method of Determination USGS

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
3N	38E	25				1													1

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

no measurements were possible

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes: theoretical

$$Q = \frac{17.5(8.8)(4)(.8)}{110 + (30)(2.308)} \quad Q = .69 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3) ; Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 1(3.5) = 3.5 \text{ afa}$

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

allow 0.6 afa for domestic use

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Although the field (grass) and lawns comprise more than one acre, the license is limited to the one acre applied for.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Domestic	1/1	12/31	.04	1.206
Irrigation	4/1	11/1	.02	3.5
Totals:			.06 cfs	4.7 afa

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION


Field Examiner's Name Carol Slaughterbeck
Signature Carol Slaughterbeck
Certification Date 9/30/1987
Field Report Preparation Date 7/22/87

Steve McDermid

CONSULTANT SEAL

- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

RECEIVED
MAR 09 1990



25-7326



well 1

MAR 09 1990

MICROFILMED



well 2

MicroFILMED

MAR 09 1990

4/86

RECEIVED
NOV 28 1986

Department of Water Resources
Eastern District Office
STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received 50
Date 11-28-86
Receipt # 39961
Receipt by WJ
Sent to S.O. _____

RECEIVED

DEC 10 1986

1. Permit No. 25-7326

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit, attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: IONA-IDAHO STAKE

3. Post Office Address: P.O. Box 415, IONA, IDAHO 83417
OK-525-1070
Telephone No. 523-5868

4. Source of Water: GROUND WATER

5. Extent of Use:

Domestic ☒ (No. of households) Stockwater _____ (No. and type of stock)

Irrigation ☒ (acres) Other/Remark _____

6. Total rate &/or volume for which proof is submitted 0.06 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

1-1 to 12-31

8. Person to contact to accompany the department representative during the field examination:

ALVIN STOSICH

(Name)

MICROFILMED

IONA, IDAHO

(Address)

MAR 09 1990

523-1070

(Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

Nov 26, 1986
Date

IONA-IDAHO STAKE (State Financial Clerk)
Signature of Permit Holder (and title, if appropriate)

copy retained for file

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

APRIL 2, 1986

LDS CHURCH
IONA STAKE
50 EAST NORTH TEMPLE
SALT LAKE CITY UT 84150

RE: Permit No. 25-7326

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,
s/HAROLD W. JONES
Sr. Resource Agent

MICROFILMED

MAR 09 1990



State of Idaho
DEPARTMENT OF WATER RESOURCES

JOHN V. EVANS
Governor

May 28, 1986

A. KENNETH DUNN
Director

25-7326
CHURCH OF JESUS CHRIST LATTER DAY
50 EAST N. TEMPLE
P.O. BOX 415
SALT LAKE CITY, UT 84150

CERTIFIED MAIL 0013410

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may hire another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

MICROFILMED

MAR 09 1990

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

~~FAILURE TO SUBMIT~~ WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Eastern Region
Idaho Dept. of Water Resources
150 Shoup Avenue
Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Sincerely,



RONALD D. CARLSON
Regional Manager

Enclosure

02/11/1990

0001 00 0000

MICROFILMED

MAR 09 1990

FORM A

STATE OF IDAHO

RECEIVED

MAY 16 1985

DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

Department of Water Resources

The Idaho Department of Water Resources will consider this form as a statement that the permit holder(s) has completed development under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below:

Permit No. 25-7326

Name(s) of Permit Holder: LDS church - Tona, Idaho
Stake

Post Office Address: 50 East. N. Temple
Salt Lake City, Utah 84150 Telephone No. _____

Source of Water: Groundwater

Extent of Use: Domestic ☒ (church house) (number of households)
Stockwater _____ (number and type of stock)
Irrigation one (acres)
Other/Remarks _____

Indicate the date water was first diverted and beneficially used under this permit: June 1975

Measuring Device: Required? _____ Yes ☒ No
Installed? _____ Yes _____ No

Flow Measurement Port: Required? _____ Yes ☒ No
Required? _____ Yes _____ No

Person to contact to accompany the Department representative during field examination: Alvin L. Stosich

Rt. 1 Box 123 Idaho Falls, ID 83401 (Name)
522-1070 (Address) (Telephone number)

The above information is a true statement of the extent to which the above numbered permit has been developed.

4-22-85

Date

Alvin L. Stosich
Signature of Permit
(and Title, if appropriate)

MICROFILMED

3-13-86

October 9, 1985

RE: Permit No. 25-7326

LDS Church
Iona Stake
Box 415
Iona, ID 83427

Dear Permit Holder:

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval on the fourth page.

You should be aware that the groundwater you propose to divert is located within a drainage basin where surface waters are regulated during the months of low flow. It is possible that diversion of groundwater may have an adverse impact on these surface water flows. Information available to us at this time does not warrant refusing to issue permits in your area, but we do caution that diversions of groundwater are not allowed to deplete flows available for surface water users with earlier priority dates. Siting your well as far from surface sources as possible and casing out upper water producing zones may reduce the potential of interference.

We have enclosed a form entitled "Instructions for Proof of Beneficial Use". Please read the instructions carefully since you must take further action to develop this permit. Also enclosed for your convenience is the statement of beneficial use that must be submitted when your project is completed.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc
Enclosures

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: KC Wilson APPLICATION NUMBER: 25 7326

CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____

Date: Sept. 23, 1985.

Comments: _____

Released on 5th Dismissal
List.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____

Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☐ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 8-26-85
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application. 9-23-85

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 8-21-85 & 9-16-85
☒ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 01
☒ 5-16-1983 Date of priority recommended.
Special conditions of approval or cover letter. _____

app. released in 5th S.F. dismissal

By: Ernest Carlson
STATE OFFICE REVIEW:

Date: Sept. 23, 1985

205, 216

- ☐ See attached sheet for more information.
By: KW

Date: 10/7/85

RECEIVED

SEP 26 1985

Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv. REACH
lot (R)

IDAHO STREAM CODE INDEX

August 6, 1985

Ms. Cindy Cranston Felton
P.O. Box 1906
Twin Falls, ID 83303

Dear Cindy:

According to the provisions of the agreement signed October 25, 1984, applications limited to certain beneficial uses are eligible for dismissal from Ada County Civil Case 81375.

Based on our understanding of the definition "consumptive domestic" and "non-consumptive commercial, municipal, and industrial", we have identified applications that appear to comply with the criteria essential for dismissal. A profile of each application is enclosed for your consideration.

We are proceeding with the publication of notices advising these applications have been filed, but will continue to withhold other administrative action pending notification from your office that an application has been released.

Respectfully submitted,

ERNEST CARLSEN
Assistant Regional Supervisor

EC:cw

Enclosures

MICROFILMED

25-2326-

LDS CHURCH

IONA STAKE, P.O. BOX 415, IONA, ID 83427

Source: GROUNDWATER

Date Filed: 05/16/1983

Diversion Pt: SENE Sec 25 T 03N R 38E

Use: IRRIGATION (0.02 CFS)
DOMESTIC (0.04 CFS)

In: SENE Sec 25 T 03N R 38E FOR 1 ACRES

*proofed by phone
8-7-85
ct*

*Name chgd
on computer
2-4-85
cu*

MICROFILMED