


11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.




Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Henry H. Beyer
(Applicant)

MICROFILMED

10. Other water rights on these lands NONE
11. Other water right diverted from same p.d. NONE
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached ☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached

14. Remarks 1 hp 1 horse power pump is used to water the surrounding lawn and in the 34' X 26' house and 14' X 60' TRAILER

Old Garfield School location

15. Recommended Amendments
- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
- ☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

16. Examiner's/Consultant's Signature Sam Filitov Date 6/20/86

Consultant's License Number _____

IDWR Director's Authorization to Conduct

Beneficial Use Examination 6/20/86

Date



CONSULTANT SEAL

NAME OF APPLICANT

Beyer

25-7313

Form No. 0



Draw Plan In Ink.

25-7313

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 25-7313 Priority April 11, 1983 Amount 0.05 cfs

THIS IS TO CERTIFY, that Henry H. or Patrick Beyer
of Rigby, Idaho, has complied with the terms and conditions of Permit
No. 25-7313 issued pursuant to Application for Permit dated April 11, 1983,
and has submitted proof to the Department of Water Resources on May 31, 1985,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.05 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>April 1</u> to <u>November 1</u>	at <u>0.02</u> cfs and	<u>2.6</u> acre feet
Domestic	from <u>January 1</u> to <u>December 31</u>	at <u>0.05</u> cfs and	<u>1.8</u> acre feet
(2 Units)	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.05 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
4.4 acre feet per year, said waters to be diverted within the SW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 35,
Twp 4N, Rge 38E in the County of Jefferson

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
4N	38E	35							.75										0.75

Department of Water Resources

Total number of acres irrigated 0.75

CONDITIONS OF APPROVAL

- a. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.
- b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.
- c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

MICROFILMED

DEC 15 1986

Department of Water Resources

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 26TH day of NOVEMBER, 19 86.

Acting for the Director

Norman C. Young

JIM
C.S.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Henry H. or Patrick Beyer Phone 745-6041
Post office address Rt. 1 Box 158 Rigby, ID. 83442
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 35 Township 4N
Range 38E B.M. Jefferson County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.06 for Domestic purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount 0.02 for Irrigation purposes from 4-1 to 11-1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.08 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. well/pump with lines to
2 homes

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 6 inches; proposed depth of well is 110 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1 years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: SW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 35 Township 4N
Range 38E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water two.

(5) If water is to be used for other purposes describe: _____


MICROFILMED

Total number of acres to be irrigated 1

9. a. Who owns the property at the point of diversion Applicant (Henry Boyer)
b. Who owns the land to be irrigated or place of use Applicants
c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Verbal agreement between Father + Son

52 437:4

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Henry H. Beyer
(Applicant)

MICROFILMED
1967

Proposed Priority 4/11/83
 Received by HWJ Date 4-11-83 Time 9:01 am
 Preliminary check by Kaw Fee \$ 30.00
 Receipted by BP Date 4/11/83 # 28018
 Publication prepared by cnj Date 1-16-85
 Published in Jefferson Star
 Publication dates Jan 23 + 30, 1985
 Publication approved cu Date 2-12-85
 Protests filed by: none

Copies of protests forwarded by _____
 Hearing held by _____ Date _____
 Recommended for approval denial by EMC, ku

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 25-7313, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:
 - a. SUBJECT TO ALL PRIOR WATER RIGHTS.
 - b. Proof of construction of works and application of water to beneficial use shall be submitted on or before April 1, 19 86.
 - c. The rate of diversion, if water is to be used for irrigation, under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
 - d. Other:

Witness my hand this 18th day of March, 1985.

A. Glen Saxton
 Chief, Operations Bureau

THE JEFFERSON STAR

RIGBY, IDAHO

AFFIDAVIT OF PUBLICATION

STATE OF IDAHO }
County of Jefferson } ss

I, Terry Weatherston,
being first duly sworn, depose and say, that I am
the printer of THE JEFFERSON STAR, a weekly
newspaper printed and published weekly at
Rigby, Jefferson County, Idaho; and I do
solemnly swear that the

Notice Of Application For Water Right

a copy of which notice appears attached here-
to, was published in the regular and entire issue
of said newspaper, and not in any

supplement issue thereof for 2
consecutive issues, the first publication hav-

ing been made on January 23, 1985
and the last publication having been made
on January 30, 1985.

Further, that said newspaper is one of general
circulation in said county; that it is a legal
newspaper, conforming to legal specifications
under the Idaho Statutes; that it has at least two
hundred bona fide subscribers living within the
county of publication; and that it has been
continuously and uninterruptedly published in said
county during a period of seventy-eight con-
secutive weeks prior to the first publication of the
said notice.

Terry Weatherston

Subscribed to and sworn to before me
this January 31, 1985

Jarvis Garner
Notary Public.
(SEAL)

My commission expires life

RECEIVED

FEB 11 1985

Department of Water Resources
Bozeman District Office

NOTICE OF APPLICATION FOR WATER RIGHT

The following application(s) have been filed
to appropriate the public waters of the State
of Idaho:

25-7313

BEYER, HENRY H. &/or PATRICK
RT. 1, BOX 158, RIGBY, ID. 83442

Source: GROUNDWATER

Date Filed: 04/11/1983

Diversion Pt: SWNW Sec. 35 T 04N R 38E

Use: IRRIGATION (0.02 CFS) DOMESTIC
(0.06 CFS)

In: SWNW Sec. 35 T 04N R 38E FOR 1
ACRES

25-7312

LDS CHURCH

LABELLE 1ST & 2ND WARD, RT. 3, BOX
9-G, RIGBY, ID 83442

Source: GROUNDWATER

Date Filed: 03/21/1983

Diversion Pt: NESW Sec. 03 T 04N R 39E

Use: IRRIGATION (0.06 CFS) DOMESTIC
(0.04 CFS)

In: NWSW Sec. 03 T 04N R 39E FOR 3
ACRES

The permit(s) will be subject to all prior
water rights. Protests must be filed with the

Director, Dept. of Water Resources, 150
Shoup Ave., Suite 15, Idaho Falls, Idaho
83402 on or before FEBRUARY 11, 1985.

KEN DUNN,
Director

Publ. Jan. 23, and 30, 1985RS

MICROFILMED



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

December 8, 1986

RE: Permit No. 25-7313

Henry H. or Patrick Beyer
Rt. 1, Box 158
Rigby, ID 83442

Gentlemen:

Enclosed herewith is a copy of the Water Right License issued on the above referenced Permit.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

JJ:sc

Enclosure

MICROFILMED

DEC 15 1986

Department of Water Resources



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

Mailing address:

Statehouse

Boise, Idaho 83720

(208) 334-4440

November 3, 1986

RE: Permit No. 25-7313

Henry H. or Patrick Beyer
Rt. 1, Box 158
Rigby, ID 83442

Dear Permit Holder(s):

Enclosed is a draft copy of the license proposed to be issued on the above referenced water right.

If you do not concur with the information shown on the draft license, please advise the Department within ten (10) days. If you have any questions, please let us know; otherwise, the license will be issued as identified on the draft copy.

Sincerely,

JIM JOHNSON
Water Rights Supervisor

JJ:sc

Enclosure

MICROFILMED

DEC 15 1986

Department of Water Resources

RECOMMENDED AMOUNTS

10 day

Permit No.	Priority	Amount	App. Date	Date Proof Submitted	System Capacity
25-7313	4-11-1983	0.05 cfs	4-11-1983	5-31-1985	~~0.05 cfs~~ 0.05 cfs

4. Permit Holder: Henry H. or Patrick Beyer 0.05 cfs

Address: Rt. 1, Box 158, Rigby, ID 83442

5. Source: GROUND WATER tributary to ✓

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
<u>IRIGATION</u> ✓	<u>4/1</u> ✓	<u>11/1</u> ✓	<u>.02</u> ✓	<u>2.6</u> ✓
<u>Domestic (FAIRLY HOME)</u> <u>(2 units)</u>	<u>1/1</u> ✓	<u>12/31</u> ✓	<u>~~.04~~ 0.05</u>	<u>~~1.2~~ 1.8 AF</u>

Allowable Maximums:

~~.06~~ 0.05 cfs ~~3.8~~ 4.4 AF

7. Point(s) of Diversion: ✓

No.	Govt. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County
			SW	NW	35	4N	38E	Jefferson

8. Place(s) of Use ✓

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	38E	35							.75									0.75	
												</							

Total Acres 0.75

9. Recommended Conditions/Remarks: HE CAN USE .02 cfs FOR IRRIGATION
AND .04 cfs FOR DOMESTIC EVEN THOUGH THE PUMP
IS THEORETICALLY RATED FOR .035 cfs

MICROFILMED

DEC 15 1986

10. Recommended Amendments

Department of Water Resources

☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None

☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

11. Examiner's Signature Sam Fichter

Date 6/20/86

Checked in Regional Office by Keith C Wilson

Date 9 Sept 1986

Approved in State Office by Ray Walker

Date 10/10/86

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
LICENSING REPORTRECEIVED
SEP 12 1986

25-7313

Permit No.

Department of Water Resources

1. Measurement Calculations

a) Field Measurement Calculations (Include theoretical capacities and system capacity)

IRRIGATION

$$\frac{5.9 \text{ AI}}{19.4 \text{ sec}} \times \frac{1 \text{ ft}^3}{7.48 \text{ gal}} = .035 \text{ cfs measured (2 homes)}$$

Theoretical

$$Q = \frac{8.814 (\text{hp}) (F_e)}{H + (2.308 \times P)} = \frac{8.814 (1) (.8)}{\frac{4.0}{97} + (2.308 \times \frac{30}{20})} = \frac{7.0512}{2.393} = 2.94 \text{ cfs} \therefore \text{Dom}$$

IRRIGATION LAND
1 ac x .03 = .03 cfs

LIMITED BY PERMIT FOR
IRRIGATION TO .02 cfs

b) Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = \frac{3}{4} (3.5) = 2.6$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = \frac{.035 (214) \times 1.9835}{.02 \text{ cfs} \times 214 \times 1.9835} = 8.54$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 2.63$$

c) Volume Calculations for Other Uses:

$$2 \text{ Homes w/ LAWN} = 1.2 \text{ AF/ANN}$$

$$1 \text{ home \& lawn} = 1.2 \text{ AF}$$

$$1 \text{ home - NO lawn} = 0.6 \text{ AF}$$

$$\underline{1.8 \text{ AF}}$$

2. Overlap Review

a) Other water rights with same place of use: NONE

b) Other water rights with same point of diversion: NONE

c) Analysis:

MICROFILMED

DEC 15 1986

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

Department of Water Resources

Permit No. 25-7313

Phone No. 745-6041

1. Owner: HENRY H. OR PATRICK Beyer Phone No. 745-6041
Current Address: Rt 1 Box 158 Riggby ID 83442
2. Accompanied by: HENRY Beyer EXAM. DATE: 6/20/86
Address: SAME Phone No. SAME
Relationship to Permit Holder: _____
3. Source: GROUNWATER tributary to _____

Well/Diversion* No.	Motor Make	HP	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Myers	~~3/4 HP~~ 1 HP	SG102	Myers	SG 10AA

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

5. System Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

THE WELL IS 110ft DEEP 1 HP AND IS FOR THE HOUSE AND THE TRAILER ALSO FOR SPLINKING AROUND THE HOMES

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
5 gal Bucket					5 gal	

7. Measurements ☐ Additional data/computation sheets attached

Two hoses used to water the lawns filled
5 gal bucket 19.4 sec Static H₂O level 72' from well drillers
report


- | 8. Point(s) of Diversion: | Indicate Method of Determination |
|---------------------------|----------------------------------|
|---------------------------|----------------------------------|

[illegible]

- | | | |
|----|------------------|---|
| 9. | Place(s) of Use: | Irrigation - give acres served by system at time of exam.
Indicate Method of Determination |
|----|------------------|---|

[illegible]

10. Other water rights on these lands NONE
11. Other water right diverted from same p.d. NONE
12. **Diversion and Delivery System Diagram:** Indicate all major components and distances between components. Indicate ditch size/pipe i.d. as applicable. Indicate on systems with measurement port the distance between the port and the nearest component/pipe bend/restriction both upstream and downstream, and the inside pipe diameter at the measurement port. On multiple diversion systems indicate how diversion systems are connected.



13. ☐ Photo of Diversion & System Attached ☐ Aerial Photo of Place of Use Attached or Map of Irrigated Acreage Attached
14. Remarks THE 1 HORSE POWER PUMP IS USED TO WATER THE SURROUNDING LAWN AND IN THE 34' X 26' HOUSE AND 14' X 60' TRAILER
- Old Garfield School location

15. Recommended Amendments
- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
- ☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other
16. Examiner's/Consultant's Signature Sam Filiter Date 6/20/86
- Consultant's License Number _____
- IDWR Director's Authorization to Conduct Beneficial Use Examination 6/20/86 Date _____


CONSULTANT SEAL

NAME OF APPLICANT


Beyer

25-7313

Form No. 0



SCALE 1:24 000



WATER RESOURCES
DEPARTMENT
Department of Water Resources

Draw Plan In Ink.

25-7313

4/86

RECEIVED

MAY 30 1986

Department of Water Resources
Eastern District Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only
Fee Received \$50.00
Date 5-30-86
Receipt # 39656
Receipt by MD
Sent to S.O. 5-30-86

RECEIVED

JUN 2 1986

1. Permit No. 25-7313

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE:

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)2. Permit Holder: Henry H. or Patrick Beyer3. Post Office Address: Rt 1 Box 158 Rigby Id 83442Telephone No. 745-60414. Source of Water: Groundwater

5. Extent of Use:

Domestic 2 (No. of households) Stockwater _____ (No. and type of stock)Irrigation 1 (acres) Other/Remark _____6. Total rate &/or volume for which proof is submitted 0.08 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

June 1973

8. Person to contact to accompany the department representative during the field examination:

Henry or Patrick(Name) DEC 15 1986 745-6041 Henry(Address) Department of Water Resources 745-8032 Pat
(Telephone Number)☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)30 May 1986
DateHenry H. Beyer
Signature of Permit Holder (and title, if appropriate)copy retained for file

State of Idaho
Department of Water Resources

LICENSE EXAMINATION FEE SCHEDULE

(c.f.s. = cubic feet per second
AF = acre feet)

cfs	AF	Fee
0 - 0.04	0 - 4	\$ 0
.05 - 0.20	5 - 20	50.00
.21 - 1.0	21 - 100	100.00
1.01 - 2.0	101 - 200	125.00
2.01 - 3.0	201 - 300	150.00
3.01 - 4.0	301 - 400	175.00
4.01 - 5.0	401 - 500	200.00
5.01 - 6.0	501 - 600	225.00
6.01 - 7.0	601 - 700	250.00
7.01 - 8.0	701 - 800	275.00
8.01 - 9.0	801 - 900	300.00
9.01 - 10.0	901 - 1000	325.00
10.01 - 11.0	1001 - 1100	350.00
11.01 - 12.0	1101 - 1200	375.00
12.01 - 13.0	1201 - 1300	400.00
13.01 - 14.0	1301 - 1400	425.00
14.01 - 15.0	1401 - 1500	450.00
15.01 - 16.0	1501 - 1600	475.00
16.01 - 17.0	1601 - 1700	500.00
17.01 - 18.0	1701 - 1800	525.00
18.01 - 19.0	1801 - 1900	550.00
19.01 - 20.0	1901 - 2000	575.00
20.01 & over	2001 & over	600.00

Checks should be made payable to the
Department of Water Resources

No fee is required for single family
domestic use or stockwater use.



State of Idaho DEPARTMENT OF WATER RESOURCES

JOHN V. EVANS
Governor

May 28, 1986

A. KENNETH DUNN
Director

25-7313
BEYER, HENRY H.
BEYER, PATRICK
RT. 1, BOX 158
RIGBY, ID 83442

CERTIFIED MAIL 0013404

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

MICROFILMED

DEC 15 1986

of certified water right examiners will be available from this department when examiners have been certified.

If your permitted use, in fact, has already been examined by the department and you have not asked to have the examination repeated, the fee requirement is not applicable to your permit. If you believe this is the case, please contact the department.

The license examination fee is to be based on the amount of water you indicate you have developed, as listed in item 6 on the examination fee information sheet. The amount of water on which the examination fee is based can be less than the permitted amount, if less water has been diverted and beneficially used. The licensed amount of water, however, will not exceed the amount you claim on the examination fee information sheet. The enclosed license examination fee schedule shows a listing of applicable fees.

FAILURE TO SUBMIT WITHIN THE SIXTY (60) DAY PERIOD, THE FEE OR THE STATEMENT THAT A CERTIFIED EXAMINER HAS BEEN RETAINED TO MAKE THE FIELD EXAMINATION, WILL BE CAUSE TO ADVANCE THE PRIORITY OF THE PERMIT ONE DAY FOR EACH DAY THAT THE FEE SUBMITTAL IS LATE.

FAILURE TO SUBMIT THE FEE OR THE COMPLETED FIELD EXAMINATION REPORT WITHIN A YEAR WILL BE CAUSE TO CONSIDER THE PROOF OF BENEFICIAL USE TO BE INCOMPLETE AND TO LAPSE THE PERMIT.

The attached examination fee information sheet and the fee may be submitted to the following department offices.

Eastern Region
Idaho Dept. of Water Resources
150 Shoup Avenue
Suite 15
Idaho Falls, ID 83401
Phone: 525-7161

Sincerely,



RONALD D. CARLSON
Regional Manager

Enclosure

MICROFILMED

DEC 15 1986

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
Eastern Region

150 Shoup, Suite 15
Idaho Falls, Idaho 83402
(208) 525-7161

NOVEMBER 13, 1985

HENRY H. BEYER
RT. 1, BOX 158
RIGBY

ID 83442

RE: Permit No. 25-7313

Dear Permit Holder:

We acknowledge receipt of your statement submitted as proof of beneficial use for the above referenced permit.

Before a license can be issued, a field examination must be made by a representative of this department.

A field examiner will contact you to arrange to examine your system.

If you have any questions regarding the field examination, please contact this office by phone at 525-7161 or in person in the third floor State Office Building, 150 Shoup, Idaho Falls, Idaho.

Sincerely,
s/HAROLD W. JONES
Sr. Resource Agent


MICROFILMED

DEC 15 1986

Department of Water Resources

RECEIVED

MAY 21 1985



PLACE
3 CENT
STAMP
HERE

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

MICROFILMED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card a statement that the permit holder(s) has completed development to the extent shown below Permit No. 25-7313

Name(s) of Permit Holder: Henry H. Beyer & Patrick Beyer

Post Office Address: RT#1 Box 158

Rigby, Idaho 83442

Tel. No. 745 6041

Source of Water:

Extent of Use:

- ☒ Domestic 2
☐ Stockwater
☒ Irrigation 1/4
☐ Other

(number of house lots)

(number and type of stock)

(acres)

RECEIVED

MAY 31 1985

Measuring Device: Required? ☐ Yes ☒ No

Installed? ☐ Yes ☒ No

Access Port: Required? ☐ Yes ☒ No

Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

5-21-85

Date

MICROFILMED

Henry H. Beyer

Signature of Permit Holder

Department of Water Resources

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440

BEYER, HENRY H. & PATRICK
RT. 1, BOX 158
RIGBY, ID 83442

MARCH 28, 1985

RE: PERMIT NO. 25-7313

DEAR PERMIT HOLDER:

ENCLOSED IS A COPY OF YOUR APPROVED APPLICATION FOR PERMIT. WE DIRECT YOUR ATTENTION TO THE CONDITIONS OF APPROVAL ON THE FOURTH PAGE.

YOU SHOULD BE AWARE THAT THE GROUND WATER YOU PROPOSE TO DIVERT IS LOCATED WITHIN A DRAINAGE BASIN WHERE SURFACE WATERS ARE REGULATED DURING THE MONTHS OF LOW FLOW. IT IS POSSIBLE THAT DIVERSION OF GROUNDWATER MAY HAVE AN ADVERSE IMPACT ON THESE SURFACE WATER FLOWS. INFORMATION AVAILABLE TO US AT THIS TIME DOES NOT WARRANT REFUSING TO ISSUE PERMITS IN YOUR AREA, BUT WE DO CAUTION THAT DIVERSIONS OF GROUND WATER ARE NOT ALLOWED TO DEplete FLOWS AVAILABLE FOR SURFACE WATER USERS WITH EARLIER PRIORITY DATES. SITING YOUR WELL AS FAR FROM SURFACE SOURCES AS POSSIBLE AND CASING OUT UPPER WATER PRODUCING ZONES MAY REDUCE THE POTENTIAL FOR INTERFERENCE.

WE HAVE ENCLOSED INSTRUCTIONS ENTITLED "MAKING PROOF OF BENEFICIAL USE". PLEASE READ THE INSTRUCTIONS CAREFULLY SINCE YOU MUST TAKE FURTHER ACTION TO DEVELOP THIS PERMIT. ALSO ENCLOSED FOR YOUR CONVENIENCE IS THE STATEMENT OF BENEFICIAL USE POSTCARD THAT MUST BE SUBMITTED WHEN YOUR PROJECT IS COMPLETED.

MICROFILMED

RE: PERMIT 25-7313

PAGE 01

MARCH

28, 1985

SINCERELY,

DAVID R. TUTHILL, JR., P.E.
SUPERVISOR, WATER ALLOCATION SECTION

ENCLOSURE

MICROFILMED

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: Keith Carlson APPLICATION NUMBER: 25 7313
CHECK:

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☐ Yes ☒ No Field check required.
☐ Yes ☒ No Critical groundwater area.
☐ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☐ No* In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT: _____

SEND COPIES TO:

- ☐ Idaho State Health Department.
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other _____

Copies sent by: _____ Date: _____

PROCESSING:

- ☐ Yes ☒ No Platted by: _____ Map No. _____
☐ Yes ☒ No Other rights on same place of use. _____
☒ Yes ☐ No* In form for advertising.
Final date for protests: 2-11-85
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 2-12-85
☐ Application published correctly. If not, record action taken: _____
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☐ Yes ☒ No Measuring device required.
☐ Yes ☒ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 01
☒ 4-11-83 Date of priority recommended.
Special conditions of approval or cover letter. _____

app. released in first S.F. dismissal (5-11-80)

STATE OFFICE REVIEW:

By: Ernest Calver Date: Feb 13, 1985
LOS, L16
☐ See attached sheet for more information.
By: EW Date: 3/1/85

MICROFILMED
RECEIVED
FEB 11 1985
Department of Water Resources

POINT OF DIVERSION AND STREAM INDEX INFORMATION

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

TRACT SEC TWP RGE gov't rediv.
lot (R) REACH

IDAHO STREAM CODE INDEX

52 A3T3

25-7313

BEYER, HENRY H. &/or PATRICK

RT. 1, BOX 158, RIGBY, ID 83442

Source: GROUNDWATER

Date Filed: 04/11/1983

Diversion Pt: SWNW Sec 35 T 04N R 38E

Use: IRRIGATION (0.02 CFS)
DOMESTIC (0.06 CFS)

In: SWNW Sec 35 T 04N R 38E FOR 1 ACRES

**NOTICE OF APPLICATION
FOR WATER RIGHT**

The following application(s) have been filed
to appropriate the public waters of the State
of Idaho:

25-7313

BEYER, HENRY H. &/or PATRICK
RT. 1, BOX 158, RIGBY, ID. 83442

Source: GROUNDWATER

Date Filed: 04/11/1983

Diversion Pt: SWNW Sec. 35 T 04N R 38E

Use: IRRIGATION (0.02 CFS) DOMESTIC
(0.06 CFS)

In: SWNW Sec. 35 T 04N R 38E FOR 1
ACRES

MICROFILMED

IDENT. NO. 25 7313

WATER RIGHT
DATA ENTRY LOG

Item

12/4/80